Not to be issued out

KALA SANKALITA

A collection of the memoirs of the Various modes according to which the nations of the Southern parts of India divided time: etc

By

John Warren

KALA SANKALITA.

A COLLECTION

OF

MEMOIRS

ON THE VARIOUS MODES

ACCORDING TO WHICH

THE NATIONS OF THE

SOUTHERN PARTS OF INDIA

31963 DIVIDE TIME:

TO WHICH ARE ADDED,

Three General Tables, wherein may be found by mere inspection the
beginning, character, and roots of the Tamul, Tellinga, and
Mahommedan Civil Years, concurring, viz. the two former
with the European Years of the XVIIth, XVIIIth and
XIXth Centuries, and the latter with those from
A. D. 622 (A. H. 1) to 1900.

BY

War LIEUTENANT COLONEL JOHN WARREN.

- - - - - - - - - Si fortè lepos austera canentes
Deficit, eloquio victi, re vincimus ipsâ.

MADRAS:

PRINTED AT THE COLLEGE PRESS.—1825.

TO THE

BOARD OF SUPERINTENDENCE

OF THE

COLLEGE of FORT ST. GEORGE,

UNDER WHOSE AUSPICES AND PATRONAGE

IT WAS UNDERTAKEN AND COMPLETED,

This Work,

IS RESPECTFULLY INSCRIBED

BY

The Author.

MADRAS, *26th February* 1825.

PREFACE.

THE present work, which has assumed a variety of shapes since it was first undertaken, was originally intended for the sole use of the Honorable Company's College of Fort. St. George. It was subsequently conceived that some of its Tables might be of service to Gentlemen employed in the Revenue and Judicial departments, and on that account the original manuscript (as far as it then extended) was purchased by Government in the year 1815: since that time it was considerably augmented, with a view to render it more deserving of the patronage it had received.

The irregular progress of the composition of these Memoirs, has unavoidably occasioned a defect in the arrangement of their parts, which the Author found subsequently impossible to remove entirely, and on that account he claims the reader's indulgence. The various employments which he held in His Majesty's Civil and Military services in different parts of the world, during eleven years that this work was in hand (though he admits, an insufficient excuse) may perhaps abate the rigour of criticism on what refers to style and method ; and more than any other consideration, the circumstance of its having been originally undertaken at the call of private friendship and continued, after the object of it had ceased to exist, with the sole view of being serviceable to a public institution, without any prospective advantage to himself, will, the Author hopes, save him from the reproach of having rashly intruded his imperfect labours on the attention of the public.

The results of the present research can be of no sort of use to European Astronomy : they were derived from systems which we see no where supported by recorded observations, or modified (for several centuries past) by improved

theories. The Author begs it further to be understood, that these Memoirs are not designed to support or combate any doctrine or conjecture, on the past and present state of Hindu Astronomy; their chief object being merely to explain the various modes according to which the Natives of India divide *time*, in these southern provinces, and to render their Kalendars intelligible. These may, therefore, be properly considered rather as instruments contrived for Chronological purposes, than as Astronomical Tracts.

Each Memoir contains several Tables intended to abridge the tedious process of converting dates proposed according to European style, into the corresponding Tamul, Tellinga, and Mahommedan time, and vice versa.

The expediency of such an attempt was originally suggested by the late Mr. F. W. Ellis, Senior Member of the Board of Superintendence of the College of Fort St. George, who conceived that a work which would facilitate the comparison of the European and Hindu Chronologies, would be attended with the double advantage of relieving the Officers of Government from much uncertainty in the administration of public affairs, and at the same time of affording to the learned Natives of this part of India (some of whom are tolerably proficient in the English language) the means of acquiring the knowledge of our own methods of fixing epochs and recording events.

This conception was worthy of a Gentleman so well known to the Indian public for his powers of research, and enlarged views of administration; but he was not aware of the difficulties which surrounded its execution. At the time when he first proposed it to the Author, the knowledge of Hindu Astronomy was almost entirely extinct among the Natives of the Carnatic, and with very few exceptions, totally neglected by the Europeans. Some straggling Astrologers attached to the service of opulent Natives, and some obscure Almanac makers might, it is true, occasionally furnish a table, and a formulæ, such as were collected by La Loubére, Father Duchamp, Father Beschi, Le Gentil and others; but none were to be found capable of leading the Author into the obscure paths of Hindu Chronology or Astronomy; a case very different

from that of our learned cotemporaries in Bengal, who, whilst we were gleaning in a withered field for a few decayed materials, gathered ample stores from the collections of learned Natives and Brahminical institutions, not unassisted by well informed *Pundits, Mulavies* and *Jyautish Sastras*.

The labour of collecting and verifying the materials on which these Memoirs are founded was, therefore, much more considerable than was anticipated, and time and perseverance alone have enabled the Author to erect his work on authentic information.

The present production, if it fails in other respects, will at least serve to show nearly the present extent of our knowledge in Hindu Astronomy in these southern provinces, and in the absence of every other merit, the Author may perhaps be suffered to claim some credit for having been the first in the Carnatic, since the days of Beschi and Le Gentil who, unassisted, has endeavoured to draw the public attention on a subject of this nature.

Independently of his wishes to gratify the curiosity of Europeans, the Author had also in view (perhaps in a greater degree) to familiarize the learned Natives with the use of Tables constructed and disposed in the manner of those of the European Mathematicians ; and also to reconcile them to the idea of brevity and expedition in computations, to which they are singularly averse, from a supposition that nothing can replace the entire exposition in figures of every part of the problems they are to resolve. In this attempt he found himself more successful than he had a right to expect—his Tables for the *Ahargana* of the Sun, Moon and Jupiter, intended to reduce the endless multiplications and divisions of the Sastra rules to addition and subtraction, and to elicit, by a short process, the number of days, and fractions of days expired from a given epoch to the time for which the computation is made, after due examination by the best informed *Jyautish Sastras* in Madras, have been pronounced " equivalent to the respective rules which they were intend- " ed to abridge," and they have manifested an intention of using them in future.

To the skill required for constructing the Tables referred to, the Author does not attach the least importance ; these wanted neither depth of science nor ingenuity of contrivance ; but what has gratified him was, to find a prejudice shaken which stood in the way of improvement, and a wish on the part of the better classes of the Natives (long since manifested in Bengal) to become better acquainted, than they were hitherto satisfied to be, with European doctrines and knowledge.

In order to avoid the risk of entering into scientific controversy, the Author has carefully avoided all dissertations which might lead him out of the confined scope which he has prescribed to himself. Whether modern (or sydereal) Astronomy was instituted so near to our times as the year of Christ 5S8, as some pretend, or whether its origin lies concealed in the obscurity of time, he shall not consider ; but will expound the operation of the system now universally in use in India, as if it had ruled all past ages, and were to continue to do so to the end of time.

This assumption, although manifestly imaginary will, however, suffice for immediate purposes ; for what public record can there fall under the cognizance of the Magistrate or of the Collector, that should bear an older date than the year of Christ 538?—and where is the probability that the ancient Tropical system (which is said to have been superseded at that epoch) will ever return into use among the Natives ?

For the same reason, the Author will abstain from canvassing the opinions of learned cotemporaries on certain astronomical notions, which are affirmed and denied with equal confidence.

Whether, for instance, the supposed libration of the equinoctial points about the beginning of the fixed Hindu Zodiac (absurd as that notion no doubt is) proceeds from the error of European Scholiasts on certain passages of the Surriah, Vasist'ha, and Varasanita Siddhanta ; or whether that doctrine be actually expressed with various modifications in the respective texts, is what he shall not pretend to determine : but, as Mr. Davis found that notion

established among the Jyautish Sastras at Benares, in the year 1786; Mr. Andrew Scott in the Northern Circars, in 1790, and the Author in the Carnatic, in 1814, without any difference of opinion among the Native Mathematicians, he thought himself justified in a *practical work*, when speaking of the Indian *precessional variation*, to use their own language; a compliance which is subject to no inconveniency, because even if it be supposed that the precession ceased to be retrograde in the year before Christ 6701, (as some will have it), the same theory does not admit that it can resume the same course before A. D. 7699, an Epoch so remote from the times in which we live, that it is a matter of perfect indifference to his present object, which of the contending parties has best understood the text; the more so, that the motion of the Equinoxes is supposed variable in neither doctrines, and that even those who support the system of libration admit neither decrement, nor increment, as it approaches to or recedes from its limits.

As this work rests on three distinct doctrines, viz. 1? What relates to the Tamul Solar year on the authority of the Aria Siddhanta. 2? What refers to the Luni-solar Astronomical year and Kalendar of the Tellingas, on that of the Surriah Siddhanta. 3? and lastly, what concerns the Mahommedan Kalendar on the Arabic system,—it was found indispensable to divide it into several parts.

The whole collectively taken, was denominated by some learned friends *Kala Sankalita*, a Sungscrete word signifying the doctrine of times. It presents (as far as the Author knows) the first attempt that was made in India to investigate and explain the elements of Hindu Astronomical Chronology, and to disclose to Europeans the contents and structure of those humble annual Kalendars which, written on palmyra leaves have, during nearly two centuries, been sold under their eyes without their even suspecting the skill and labour which their computation required.

The first Memoir, called a Key to the *Madhyama Saura Mana*, contains an exposition of the mean Solar Sydereal year used by the Tamul inhabitants of the Peninsula of India. It shews 1? How its beginning, that of each of its months, and the rank of every day in the year and month, are to be determined,

according to Sydereal (by some called improperly Astronomical) or Civil account. 2º. How any date proposed in either of the old or new European styles may be converted into its corresponding Tamul date or *theidy*, and vice versa. There will be found at the end of the Volume certain Tables for resolving most cases referring to Solar time, without having recourse to the endless process of Native Astronomers.

Some parts of these theories, and of the three first Tables, were extracted from Father Beschi's tract on the Tamul time, which forms the 3º. Appendix to his Dictionary.

The Key to the *Madhyama Saura Mana* forms an indispensable introduction to the second Memoir, as it is impossible to compute the end of any Luni-solar year, month and day, without a previous knowledge of the concurring Solar divisions of time, and as both are usually registered together in the *Chandra Panchangum*, or Luni-solar Kalendar. The Tables annexed to the first Memoir for the commutation of dates, will also serve for the second, with this only reservation, that if the date proposed be expressed solely in terms of Lunar tidhis, which depend on the Sun and Moon's relative motion (a case of very rare occurrence), then the Solar concurring day must be expounded by means not conveyed in the said Tables.

Two General Tables are given at the end of the Volume, the first of which refers principally to the Memoir on the Solar year. Besides other articles, it exhibits the beginning of each Tamul year reckoned from the beginning of the Cali yug, and the birth of Salivahana, concurring with the Christian years of the XVIIth, XVIIIth and XIXth centuries, according to the Julian and Gregorian styles, as far down as A. D. 1752, and to the latter only down to 1900. The Dominical Letters according to the two styles follow, and the initial feriæ and monthly dates, of beginning, as well as the roots of each year, are given in the two last columns, according to Hindu Sydereal and Civil accounts.

This Table gives also the names and ranks of the years of Jupiter's Cycle

of 60 years, agreeably to the *three* accounts of the Surriah Siddhaata, the Jyantistava, and that of the Tellingas, who make Jupiter's and the Solar year, equal : The two first accounts being followed in Bengal and the last in the Peninsula.

The numerals of the years of the Cycle of 90 years, used in the Tanjore, Travancore, Madura and Tinnivelly provinces, are inserted in the 6th column.

In the second General Table will be found, the Christian years of the XVIIth, XVIIIth and XIXth centuries, with the concurring Luni-solar years of the Caliyug, their character, i.e. whether the year be a common or an intercalary one, the feriæ and monthly dates of the last conjunction of the year, when the ensuing year begins. The date of the same according to the Tamul Kalendars, and the Solar and Luni-solar *Ahargana* from which is deduced the juxta position of the beginning of the respective Solar and Luni-solar years. This Table, therefore, furnishes by mere inspection, the commencement of the Lunisolar year of the three centuries most wanted in present times, showing the day of the week, the monthly (Gregorian) date, and the Tamul Solar date of the same ; and furthermore supplies the two elements first wanted for computing the beginning of every Solar and Luni-solar month and tidhi in any of the said proposed years.

The second Memoir, entitled a Key to the *Siddhanta Chandra Mana* (as it is called in the Peninsula), contains the theory and construction of the Lunisolar Astronomical year, on which hangs the whole fabric of Hindu Astronomy.

In analyzing and unfolding the construction of a Kalendar which seems to have been invented for the purpose of perplexing the Astronomer and confounding the Chronologist, the Author confesses that he had often to guess before he could demonstrate, and that he has been long groping in a dark and pathless heath before he could see clear before him, and decipher the columns of the common Patra, or Panchangum, which is sold and read in every village of India ; for although the system on which it rests rules all the astronomical computations of the Hindoos,—governs their religious festivals and sacrifices,—the

expiatory ceremonies for the dead,—the agricultural dispositions which depend on the contingencies of the seasons,—and lastly, the endless train of superstitious observances, the epochs of which are determined by the science of Astrology (alike cherished by the Hindu and the Mussulman), yet the leading features of the Luni-solar Kalendar, are to this day much less understood by the Europeans who reside in this part of India, than any other measure of time used in any part of the world.

If it be considered that the doctrines on which these humble Kalendars are calculated, have from time immemorial ruled the Chronology of many civilized and wealthy nations, the subject of the second Memoir may not be deemed undeserving of the attention of the votaries of science. Its subdivisions treat of the following matter, and have in view, 1º To explain the principle and construction of the Luni-solar Kalendar, as it would be calculated for Lanca (if such a place were in existence), under the first Meridian and the Equator, and then to reduce the same to some other geographical position.

In the first division of the second Memoir, the computation of the different elements is explained according to the rules of the Surriah Siddhanta : a whole section is devoted to Hindu Gnomonics, the problems of which are indispensable for finding the true time of the circumstances of the year at any place which has longitude and latitude. The Trigonometrical demonstrations of the problems by which the Right Ascension, Declination, Longitude, Zenith Distance and Amplitude of the Asters are determined, will be found with Table XXX, page 36, 37 & 38 of the Tables, at the end of the Memoirs.

2º To determine the periods of mean intercalations from which the true intercalary or expunged months due to certain Luni-solar years may be deduced.

3º The method of computing the various collateral articles of the Luni-solar Kalendar, according to the Rules and Tables of Vavilala Cuchinna, an Indian Astronomer whose works are much esteemed and used in Tellingana.

This latter Section is exclusively the work of the late Mr. Andrew Scott, a Gentleman no less to be regretted for his amiable qualities, the uprightness of

his mind, and the simplicity of his manners, than for his extensive information in every branch of knowledge, and the liberality with which he imparted it to those who were qualified to benefit by his instructions. Some parts of this commentary might perhaps have been enlarged with a view to render it more accessible to persons not versed in Hindu Astronomy: but the author would have thought himself guilty of presumption had he pretended to improve any production that came from one whom he knew to be so eminently versed in the science.

The Tables which accompany the second Memoir, were procured from various sources. Those of Maracanda were borrowed from Mr. Davis' Memoir on the Astronomical computations of the Hindus. The Solar and Lunar Tables, also those of the Planets, are due to Mr. Scott's kindness. The Tables used for computing the Luni-solar Kalendar according to the precepts of Solar Astronomy (otherwise called the Vakiam process in the Peninsula) were furnished by Ruttani Audi Sashya Sastri, a Brahmin employed as Native Astronomer in the College of Fort St. George, to whom the Author owes a great part of the information he possesses on the construction of the Luni-solar Kalendar.

These three Tables are, he supposes, the same as were given to the public many years ago, by Father Duchamp, though he is not perfectly certain of the fact. They are now very scarce in this part of India, for it was with difficulty that those referred to were procured. The rest of the Tables were either obtained from native Indians, or constructed by the Author as occasion required.

The third Memoir refers to the Indian Cycle of 60 years, called by the Hindus, the Vrihaspati Chacra. It expounds the three different ways according to which it is computed ; viz. the first according to the Surriah Siddhanta, (used north of the River *Nermada*)—the second on the precepts of the Jyautistava, a book on Astrology, used in some of the Northern Provinces of Bengal, but little known in Southern India—and the third being the Cycles used by the Tellingas, which merely consists of 60 solar years.

In the three above mentioned Memoirs the Author takes as *data* all that has appeared in Mr. Davis' two Tracts on the Astronomical computations of the Hindus in the second and third volumes of the Asiatic Researches. On the contrary, what appears new to him (though perhaps not so to certain scientific readers) he will endeavour to explain to the best of his abilities.

The fourth Memoir expounds the construction of the Mahommedan Lunar year, and furnishes a General Table (inserted after the Solar and Luni-solar Chronological Tables) shewing the commencement of every year of the Hejira, from the origin of the æra to the Lunar year corresponding with A. D 1909 ; according to the Julian Kalendar, as low down as the year 1582 ; and from thence according to both, down to the end of the Table.

The Appendix contains several Tracts, the first of which exhibits Tables for computing the Solar and Luni-solar Abarganas from an assumed epoch to any proposed instant of time, without having recourse to the rules of the Sastras. The second contains a particular method for expounding dates found on old inscriptions, the only vestiges of which may be either the *name* (or numeral) of the year according to some of the Hindu Styles, or the Sun's apparent place in the Hindu Sydereal Zodiac, at the time of the commemorated event. The third gives a short Chronological Tract, written for the purpose of facilitating the reduction of any date proposed according to Hindu Solar time, to the dates of the principal ancient and modern æras : and the fourth a specimen of the Hindu Kalendars and Ephemerides. Next follow four Fragments containing matter which may interest all sorts of Astronomers ; after which the work concludes with a Glossary of the Sanscrit Astronomical terms contained in the text, of which it is also an Index.

The Author owes, perhaps, some apology for having extended in several instances, his speculations to very remote periods, both in past and future ages ; the necessity, or even utility of which, are at first sight not very apparent. But those who are at all acquainted with any system of Astronomy, and particularly with that of the Hindus, need only be reminded that it would have been impos-

sible to attempt any construction or analysis depending thereon, without subjecting both to the test of time, in the revolution of ages, and what might appear to the uninformed a mere affectation of research and accuracy, will be judged by the former to arise out of the peculiar structure of a system of Astronomy, the correctness of which rests on the immense scope of its cycles and the vast intervals of its epochs.

This last consideration will indicate the quantum of labour which the present research has occasioned; for if it be considered that altho' most Hindu formulæ are very simple, even for the solution of the higher problems, yet the immense dimensions of certain quantities, expressed in natural numbers, and amounting in some cases to thirteen places of figures, renders for handling them, the use of Logarithms totally unavailable, and the European as well as the Hindu computers are compelled, in most cases, to remain satisfied with that perpetual and unwieldy instrument of Hindu Astronomy, the *Trirasica* (or rule of three) for expounding the minutest as well as the most comprehensive quantities.

It has been objected by some Gentlemen who have read these Memoirs in manuscript, that the Author has entered more deeply into the theories of Hindu Astronomy than was necessary in a work which referred principally to Chronology; but to this observation he may be permitted to answer, that for any Kalendar like those now used in Europe, where it was agreed to give to the months an arbitrary, but permanent duration, and to equate the years by certain periodical intercalations, the recurrence of which was clearly determined, there was no difficulty in devising a perpetual Kalendar for enabling any person tolerably well informed, to convert any date proposed in one style into another, without the assistance of theory.

But the case is quite different when referred to any sort of Hindu Kalendar, where there are hardly any instances of an arbitrary distribution of time, for excepting some occasional *Cshepas* (a constant number added or subtracted in certain computations to make the time fit a particular epoch) and some complementary fractions of days added to the beginning of certain Solar years,

in order to complete the time due to a given number of mean Solar revolutions, the course of the Asters remains as uninterrupted in the Kalendar as it is in their orbit.

As the singular form of the Indian *Patras* (or Kalendars) may be a matter of curiosity to Europeans, the Author has translated and inserted at the end of the volume, the first page of the *Ravi* and *Chandra Panchangum* (Solar and Luni-solar Kalendars) for the year of the Caliyug 4926, coinciding with A. D. 1824, and containing the first month of the respective years, with their usual astrological appendage, both being unlike those of any other nation, ancient or modern.

The Solar Kalendar is computed in Solar, and the Luni-solar in Sydereal time, and with different elements, which accounts for the difference of epochs assigned in each to the same phœnomenæ (amounting sometimes to 8 hours and 58 minutes in *plus* or *minus* of European time), a circumstance which so operates, that the New Moon which is predicted in the one for a particular day, is, on the same spot, and computed perhaps by the same Astronomer, often registered for the next, in the other ; a remark not to be neglected by Chronologists when they attempt to fix an epoch with precision by means of old Hindu Kalendars.

The Author readily admits that there must be many faults in the present production, some of which may perhaps not be deemed altogether excusable by those who are versed in Hindu Astronomy. Of the little merit it may possess it is not for him to speak, but he may aver, without offending truth or modesty, that he has neglected no pains to render it deserving of the patronage it has received, trusting that all liberal and candid readers will remember that in such matters,

" Optimus ille est qui minimis urgetur."

Before closing this introduction, the Author, in justice to the memory of the late Mr. Ellis, feels bound to record in this place, his acknowledgments of the personal assistance which he received from that Gentleman during the beginning of the present research, and the patronage of the Board, of which he was

the senior Member, which brought originally the work to the notice of Government. He stands under a similar obligation to Mr. Oliver and Mr. Richard Clarke, Mr. Ellis' successors in the superintendence of the College of Fort St. George.

His thanks are also due to Mr. Hyne of the H. C.'s Medical Service, (a Gentleman well qualified for the task) for his trouble in perusing and commenting the original manuscript, before it was ordered to be printed : and to R. Audy Shashya Brahmini, the Native Astronomer attached to the College, for his professional assistance during nearly two years that he communicated with him on the subject of these Memoirs.

Lastly, the Author embraces this opportunity for paying a last tribute of respect and gratitude to the memory of the late Mr. Andrew Scott, of the H. C.'s Civil Service, for many valuable and important communications in a science which in past times, he cultivated with success, and without whose assistance several of the papers contained in this collection could never have been completed.

MADRAS, 1st March, 1825.

*

*   *

Those who only look in this Book for that sort of information which requires no labour, and is to be obtained by mere inspection, are referred to the Indian Chronological Tables inserted at the end of the Volume.

The Errata will be found after the Glossary.

TABLE of CONTENTS.

—••◦◦◎◎|◁◆▷|◎◦◦◦—

FIRST MEMOIR.

A Key to the *Madhyama Saura Mana*, or mean Solar Sydereal year used by the Tamul inhabitants of the Peninsula of India.

PART I.

PART II.

SECOND MEMOIR.

PART II.

PART III.

APPENDIX

To the Key to the Siddhanta Chandra Mana; being a commentary on *Vavilala Cuchinna's* Rules and Tables, for computing the Tellinga Kalendar.

PART I.

PART II.

Method for computing the mean and true places of the Planets in the Zodiac, by means of the Astronomical Tables.

THIRD MEMOIR.

On the Indian Cycle of 60 years, or *Vrihaspati* Chacra : the Cycle of Jupiter.

FOURTH MEMOIR.

NOTE I.

APPENDICES.

FRAGMENTS.

INDIAN CHRONOLOGICAL TABLES,

Of the TABLES.

CONTENTS. XXIX

FIRST MEMOIR.

———●✳●———

A KEY to the MADHYAMA SAURA MANA

OR

MEAN SOLAR SYDEREAL YEAR,

USED BY THE

TAMUL INHABITANTS of the PENINSULA of INDIA.

———

Written in the year 1814 *; Revised and augmented in* 1824.

A

KEY to the MADHYAMA SAURA MANA.

——◄◄◇►►——

PART I.

General account of the Solar Sydereal and Civil years, as used by the Tamul inhabitants of the Peninsula of India.

In most of the tracts that have hitherto been published on Hindu Astronomy, or Chronology, it has been assumed that the reader was sufficiently well acquainted with the elements of these sciences not to require a second initiation ; a very mistaken idea, whether it be propagated in Europe or in India, and which, for obvious reasons, I shall not adopt on entering into the subject of this Memoir. How to open the elementary part of it without alarming the reader by a long series of definitions expressed in a dead oriental language, or how to reduce the preliminary notions which these definitions are meant to convey, to a convenient scope, without risking to become unintelligible, is an alternative which leaves only a choice of difficulties. On mature consideration, however, I have thought it adviseable to follow a middle course, and shall consequently present definitions to his attention only as they become necessary in the progress of these Memoirs, unless they be of a nature very general, and easily understood. What my expositions may lose by such an option from want of scientific arrangement will, I hope, be balanced by the advantage of this research being introduced under a less discouraging aspect.

This first Memoir contains very little theory. The construction of the Solar year, such as it is generally used in that part of India which lies South of the river *Nărmădü* (believed to be the same as the Nerbudda), is extremely simple when compared to that of the Luni-solar year. The perusal of it, therefore, requires little or no mathematical knowledge ; but it forms, nevertheless, an indispensable introduction to the latter ; and in order to render this part as efficient for that purpose as possible, a great portion of the following pages will be occupied by the exposition of certain mechanical rules, whereby the various circumstances of the common Hindu Solar year, may be easily discovered. The time consumed in becoming acquainted with these, will be recovered with profit, when in the second Memoir, we come to treat of the Astronomical year of the Hindus, the whole construction of which rests on principles so different from those of European Astronomy, that all elementary notions of that science must be laid aside for a time by the reader, if he be desirous to avoid the inconveniences which must necessarily result from premature conclusions.

SECTION I.

Of the division of Time into years, seasons, months, days, and fractions of the same; prin-cipally according to the Tamul Kalendar.

ARTICLE 1.

The Tamul Solar year (as it is improperly called in the Carnatic) is Sydereal, it contains that space of time during which the Sun departing from a Star, returns to the same.

Ancient Astronomers (by which distinction I mean those who rejected all computations made in Solar time) accounted it to begin when the Sun enters the Lunar mansion *Aswini*, the first of the twenty-seven regular *Nacshatras* contained in the fixed Lunar Zodiac (*). But modern Astronomers, who regulate the year by the Sun's revolutions without any reference to those of the Moon, account the year to begin, when that luminary enters the Sign Mesha (the Indian Aries) of the fixed Solar Hindu Ecliptic.

Civil and Sydereal account.

Each Solar month contains as many days and parts of days as the Sun stays in each Sign. The *Civil* differs from the *Astronomical* account only from its rejecting fractions of days, each year and month being accounted to begin at Sun-rise, instead of the time of his mean entrance into the respective Signs; observing that if the said fraction exceeds 30 Indian hours (24 European minutes to a *danda* or *guddia* being the term for an Indian hour) which lapse of time is conceived to be the *mean* half of the day, then the Civil year, or month, are accounted to begin one day later than the Astronomical ones; whereas if the time falls below that quantity, both coincide.

The seasons.

The Hindus divide the Solar year into six seasons (called *Ritu* in Sanscrit) of two months each, the succession of which is always the same, but whose vicissitudes as to climate, depend on the place of the Sun's Apogee in the fixed Zodiac, and the position of the Equinoctial Colures relatively to the beginning of the Sydereal Zodiac. Their order and names, under all possible circumstances, as well as that of the months which they comprehend, are according to the Hindu and Tamul denomination as follows. (†)

HINDU.

1 Vasanta.	2 Grishma.	3 Varsha.	4 Sarada.	5 Hemanta.	6 Sisira.
Chaitra ♓	Jyaishta ♉	Sravana ♋	Aswina ♍	Margasiras ♏	Magha ♐
Vaisacha ♈	Ashar ♊	Bhadra ♌	Cartiga ♎	Paushia ♑	Phalguna ♒

TAMUL.

Poongoni ♓	Vyassei ♉	Audi ♋	Paratasi ♍	Cartiga ♏	Tye ♐
Chaitram ♈	Auni ♊	Auvani ♌	Arpesi ♎	Margali ♑	Maussi ♒

(*) The Solar and Lunar moveable Zodiacs are called Tropical; and their position, relatively to the Sydereal ones, depends on the precessional variation: called *Cranti Pata-gati* in Sanscrit.

(†) It will seem extraordinary that the Tamul Astronomers should have adopted a different distribution of the months of their Solar year when referred to the seasons, from that of the other Hindus. Such, however, is the case, for according to them, the months and seasons are arranged as follows:

1 Vasanta.	2 Grishma.	3 Varsha.	4 Sarada.	5 Hemanta.	6 Sisira.
Chaitram ♈	Auni ♊	Auvani ♌	Arpesi ♎	Margali ♑	Maussi ♒
Vyassei ♉	Audi ♋	Paratasi ♍	Cartiga ♏	Tye ♐	Poongoni ♓

which advances the Tamil seasons by one month throughout the year.

The names of the twelve Signs of the Zodiac are

1	♈ Mesha,	2	♉ Vrisha,	3	♊ Midhuna,
4	♋ Carcata,	5	♌ Sinha,	6	♍ Canya,
7	♎ Tula,	8	♏ Vrischica,	9	♐ Dhanus,
10	♑ Macara,	11	♒ Cumbh'a,	12	♓ Min.

The twelve Signs together are called the *Rasi Chacra*, or Circle of the Signs. The Ecliptic *Cranti Mandala*, and the Equator *Nari Mandala*. Their respective Poles *Druvas*.

The names of the months used in the Surriah Siddhanta are the same as those of the Signs, adding *Masa* thereto. Those of the Tamuls are

1	Chaitram,	2	Viassei,	3	Auni,
4	Audi,	5	Auvani,	6	Paratasi,
7	Arpesi,	8	Cartiga,	9	Margali,
10	Tye,	11	Maussi,	12	Poongoni.

The names of the same months used more generally by the Hindus are

1	Vaisacha,	2	Jaish'ta,	3	Ashar,
4	Sravana,	5	Bha'dra	6	Aswina,
7	Cartiga,	8	Margasiras or Agrahayan,	9	Paushya,
10	Magh,	11	Phalguna,	12	Chitra.

The latter names are used by the Tellingas for their Luni-solar year, with this only difference, that as the common Luni-solar year, called *Chandra Mana*, is accounted to begin with the new Moon which precedes the commencement of the Solar year, the Lunar month *Chitra* begins, and *Phalguna* ends the year.

The Hindus have a great variety of ways of considering the day, and of fixing its duration. The principal are,

1o The Savan, or natural day, is the time between two consecutive Sun risings, therefore the Savan days are of various duration, even under the Equator.

According to the ancient Sastras, or inspired books, the Savan day is divided into 60 dhatas or ghatica-dan'las; the dhata 60 vinadicas, the vinadica 6 pranacalas; the pranacala 10 vipalas.

2o The Savra day is the time during which the Sun describes one degree of the Ecliptic. These days are therefore longer or shorter, as the Sun is near his Apogee or Perigee. They are divided in the same proportions as the Savan days but with different names, viz. Danda, vicala or pala, pranacala, (or respiration) castacala.

Astronomers sometime divide time in minuter parts; thus the vipala, or castacala into 60

alipalas, the alipala into 3600 nimeshas or twinklings of the eye, on account of which this sort of time is denominated *Murta*, meaning as above.

3o. The Nacshatra day, which is also frequently called Saura, with a different meaning from that formerly mentioned.—It is Sydereal, being the time between the *same point of the Ecliptic rising twice;* or rather the time between the Equinoctial points (called Ayana) rising twice. These days are accounted to be equal to one another throughout the year and are used by the Tamul Astronomers who compute in Solar time in their preparatory operations; being always equal to 60 guddias, subdivided sexagesimally into viguddias, paras and suras, which denominations are also used in Lunar computations. It is proper, however, to observe here, with a view to avoid future confusion, that the measure of time called guddia means also an arc or portion of a Nacshatra (or Lunar mansion) of 13o 20', which is likewise subdivided into viguddias, paras, &c. having no immediate reference to time.

The fractions of the Solar day used in this Memoir are invariably the last mentioned. The Lunar day or Tidhi will be noticed more conveniently in its proper place.

The names of the days of the week are common to all styles and prevail all over India. They have the same signification as those used in ancient and modern Europe, and are as follows:

1	Sunday	Ravi-vara	Sun
2	Monday	Soma-vara	Moon
3	Tuesday	Mangala-vara	Mars
4	Wednesday	Bhuda-vara	Mercury
5	Thursday	Guru-vara	Jupiter
6	Friday	Sucra-vara	Venus
7	Saturday	Sani-vara	Saturn.

The unequal portion of time assigned to each month, dependant on the situation of the Sun's Apsis, and the distance of the Vernal Equinox (called *Mesha Ayana*) from the beginning of the sign Mesha, is also affected by the difference of time which the Tamul Astronomers assign to the Sun for moving through the Northern and Southern signs of the Ecliptic, the time for the former being 186 days, 21h 38m 24s, and for the latter 178 days, 8h 34m 6s. The odd hours and minutes of which they apply to the beginning of the year and months; and being so distributed they do not require the assistance of Leap, or Bissextile years, because they reckon the Astronomical beginning of each, from the hour and minute over 365 days when the last year and month expired.

The Civil year, however, is of 365 and 366 days, like that of the Europeans, the latter being determined by the rejection of fractions, as was already hinted at page 4, and not by any regular intercalation. It results from this arrangement that Civil time is sometime longer, sometime

shorter than the Astronomical. Thus according to the Tamul computations the month of *Auni* of the year of the Cali yug 4847 (June 1745) commenced on Thursday at 41gud. 50vig. after mean Sun rise, which exceeding 30 guddias shews that it begun 14g. 50vig. after Sun set, and so by the Civil reckoning the first of *Auni* fell on Friday the 11th, instead of Thursday the 10th of June; and as it ended on Monday the 12th of July, it follows that the Sydereal month of Auni was of 32 days, and the Civil only 31. In the same manner, as the following month *Auti*, began on Monday the 12th July at 21g. 28v. 18p. (below 30 guddias) and ended on Thursday the 12th August at 49gud. 40v. 20p. (above 30g.) it follows that the Civil month was of 32 days, and the Sydereal only 31.

From these preliminaries we shall be enabled to discover by means of the fraction of the root or initial feria of the month Chaitram and Solar year (called Soota dina) whether it be one of 365, or 366 days according to Civil account, but we must previously show how the Tamuls compute the beginning of their years and months.

In order not to crowd unnecessarily the matter on the reader's attention, I shall assume for the present that he knows that the Hindus have imagined, among several others, four grand periods which collectively taken form one of 4320000 years, called a *Maha yug* or great period of conjunction of the Planets in the beginning of the Hindu Zodiac—that these are called the *Satya yug*, the *Treta yug*, the *Devapar yug* and the *Cali yug*; the latter of which (that in which we live) consists of 432000 years, and that of these years 4925 had expired in A. D. 1824—the current one being the 4926th (of the Cali yug). We need therefore carry our present speculations no higher than the beginning of that era, as the Tamul Astronomers are contented to do when they compute their Solar Kalendar.

<div align="right">The four yugs.</div>

ARTICLE 2.

Rule for finding the mean epoch of the commencement of the Tamul Solar year.

The Tamul Astronomers have adopted the Solar year of the Aria Siddhanta, the duration of which is 365d 15g 31v 15p, in preference to that of the Surriah Siddhanta which is 365d 15g 31v 31p 24s (*), and as they generally work in Solar time, they use it also in their Lunar computations: but this is to be understood only of the Northern Tamuls, called *Vachij* by their Southern neighbours, (I suppose on account of their using the *Vakium* process in their operations), for the latter, who stile themselves *Sittandij*, employ another Solar year, of 365d 15g 31v 30p, and make use of a Cycle of 90 years, the construction of which will be explained in a subsequent article.

<div align="right">Duration of the Solar year *Vachij* 365d. 15g. 31v. 15p.</div>

<div align="right">Sittandij 365d. 15g. 31v. 30p.</div>

(*) According to the Aria Siddhanta there are 1577917500 days (called *Yuga dina*) in a Maha yug or 4320000. Hence one year $=\frac{1577917500}{4320000}$ d. $=$ 365d. 15g. 31v.15p. Indian time, 365d. 6h. 12m. 30s. European time. According to the Surriah Siddhanta the *Yuga dina* is 1577917828, hence the year is $\frac{1577917828}{4320000}$ d. $=$ 365d. 15g. 31v. 31p.24s. Indian time, and 365d. 6h. 12m. 36s. 34f. European time. And lastly, according to the *Sittandij*, the same expression is $\frac{1577917820}{4320000}$ $=$ 365d. 15g. 31v. 30p. Indian time, and 365d. 6h. 12m. 36s. European time.

Rule for finding the Ahargana *or time elapsed from the beginning of the Cali yug to that of any proposed year.*

" Write the numeral of the proposed year in two places; multiply the first by $365\frac{1}{4}$ and the " second by 5. Subtract 1237 from the product of the latter, divide the remainder by 576, the " quotient will give *days.* Multiply the second remainder by 60 and divide again the product by " 576, the quotient will give guddias, and so forth to viguddias and paras.—Add the days, " guddias, &c. thus found, to the product of the numeral into $365\frac{1}{4}$, so shall the sum be the " *Ahargana* sought, i. e. the time expired on the day computed for, since the origin of the " Cali yug."

For the *Soota dina* or initial feria of the year, " divide the sum of days above found by 7, " the quotient will give the number of weeks expired, which neglect; and the remainder will be " the odd day, over complete weeks, which counted from *Friday* (the day on which the week was " supposed to end) will give the initial feria of the year sought."

N. B.—If after dividing the second term of the rule by 576, down to paras, there is no remainder, it is a proof that the operation was well performed.

EXAMPLE.

Let the year of the Cali yug 4847 current or 4846 complete, be proposed, wanted its Soota dina and time of the day on which it began.

1°		2°		Continued.
4846		4846		60
$365\frac{1}{4}$		$\times$ 5	Multiply	60
24230		24230		3600
29076	Sub.—	1237	Divide by	576
14538		22993	Quotient	6 viguddias.
1768790	Div. by $\div$	576	With a remainder of	141
1211 30	Quotient	39 days.	Mult. by	60
1770001 30	With a remainder of	529		8640
	Mult.	60	Div. by	576
		31740		15 paras.
	Divide by	576	Without a remainder.	
	Quotient	55 guddias.		
	With a remainder of	60		

	D.	G.	V.	P.
3° Product of No. 1	1770001	30		
of No. 2	39	55	6	15
Ahargana or Time expired	1770041	25	6	15

4°

7)1770041 252863 weeks.

Remainder 0. which counted from Friday, leaves Friday

for the initial feria, or Soota dina.

ANSWER.

The year of the Cali yug 4847 began on a Friday at 25ϛ 6v 15p after Sun rise, and as the guddias do not exceed 30, the Sydereal and Civil years begin on the same day.

Father Beschi, from whom I have borrowed this Rule, is silent on the Meridian to which it refers ; it is therefore necessary to supply that omission.

The Hindus refer to two principal Meridians—those of *Lanca,* and of *Ramissuram,* more properly *Ram-Ishura.*

Lanca is an imaginary place supposed to lie under the Equator, somewhat S. W. of the Island of Ceylon ; it is one of the four cities (*Yavacoti* being the first, *Lanca* the second, *Bornacoti* the third, and *Siddhapuri* the fourth) which are supposed to lie under the Equator at 90 degrees distance from each other.

The Meridian of *Lanca* is supposed to pass through two other towns on the Continent of India, namely, *Sannihita-saras,* and *Avanti,* the latter, according to common opinion, being *Ujjayini,* now called Oogein, which lies in 23o 11′ 30″ North Latitude.

That Meridian (in Sungscrete Rec′ha) is supposed to lie 75o 53′ 15″ (5h 3m 33s) East of Greenwich ; and 73o 33′ o″ (4h 54m 12s) East of Paris (*), and to this the preceding Rule refers.

Ramissuram is a small Island, situated between Ceylon and the Continent of India, at the entrance of Palk's passage in the Streights of Manaar, and is famous for its ancient Pagoda and Observatory.

It lies in 79o 22′ 5″ (5h 17m 28s 20‴) Long. E. of Greenwich,

and 77o 1′ 50″ (5h 8m 7s 30‴) East of Paris.

Its Latitude is 9o 18′ 7″ North.

N. B.—This position was extracted from Colonel Lambton's Trigonometrical Survey. (†)

Demonstration of the Tamul Rule for finding the Ahargana, and initial feria of the year, called Soota dina.

The first part of this operation, which goes to multiply the numeral of the proposed year of the Cali yug by 365¼, requires no demonstration ; that multiplier including the 15 odd guddias (6 hours) over the number of entire days contained in the year, which, as was before stated, consists of 365d 15ϛ 31v 15p (365d 6h 12m 30s Eur. time). But we are to account for the remaining 31v. 15p. (12m 30s Eur. time) by which the years of the Cali yug expired ought also to be multiplied.

Now, adverting to the process as disclosed at page 8, for the reason that the sum of years is

_____

(*) Lanca may be supposed to lie very nearly South of Calicut, the Meridian of the latter place passing only 0d. 4m. 15s. West of the Rec′ha of Lanca.

(†) The Rules and Tables of Mulli-Carjanada, and Bulla-ditty Callu, refer to the Meridian of Ramissuram.

Margin notes:
The Indian principal Meridians : Lanca, Ramissuram.

The Tamul Rule refers to the Meridian of Lanca a place under the Equator.

Demonstration of the Rule.

multiplied by 5, it follows that you are to take only the 1-5th part of 31ᵛ 15ᴾ or 1875ᴾ, that is ¹⁸⁷⁵⁄₅ᴾ = 375ᴾ, or what is the same thing 6¼ viguddias.

Now to multiply successively the complete years of the Cali yug 4846 in terms of days, &c. we are to consider that 6¼ may be converted into this expression $\frac{3600}{576}$, the numerator expressing the number of minutes in a Tamul hour or *guddia ;* and as the Rule goes to divide the product of the elapsed years multiplied into 5 by 576, we have 4846×5×$\frac{3600}{576}$=4846×31¼=$\frac{4846×5}{576}$× 60×60×60 in which expression the first factor gives the product in days, the second in guddias, the third in viguddias, and the fourth into paras.

We are now to enquire why, having multiplied the years of the Cali yug expired by 5, we have subtracted 1237 from the product.

Observe that, if that number be divided as before by 576 it will give 2ᵈ 8�records 51ᵛ 15ᴾ, therefore, seeing that according to Hindu account the first year of the Cali yug began on the 4th day of the week at 51�record 8ᵛ 45ᴾ, and that if 1237 be divided by 576 the quotient will give

	D.	G.	V.	P.
as above stated, if we add both	2	8	51	15
	4	51	8	15
we have a complete week	7	0	0	0

so that this equation is merely contrived for the sake of counting the days in the *Ahargana* from a complete period, i. e. the beginning of the week as it was then considered to be, and this addition will be equally performed, whether you add it to the year, or subtract it from the epoch, in which latter case however, it will be made to begin 2ᵈ 8�record 51ᵛ 15ᴾ sooner than it ought, increasing the *Ahargana* by thus much, which is the cause of the subtractive equation when that element is computed by the Tables.

Having operated agreeably to the preceding Rules, you are to reckon from *Friday*, because it was then taken to begin the week.

But if you wish to reckon from *Sunday*, you are to subtract *two* days from the above account, which will be done if you retrench twice 576, or 1152, and if instead of 1237 you subtract 2389. The latter is the practice of the Southern inhabitants of the Peninsula, called *Sittandij.*

The Rule and Example given at page 8, as it includes the subtractive quantity 1237, is therefore to be expressed as follows:

	D.	G.	V.	P.
$\frac{4846×5-1237}{576}×605=\frac{26903}{576}=$	39	55	6	15
and this added to 4846×365¼=1770001	1770001	30	0	0
as before found	1770041	25	6	15

and we are to reckon from *Friday*. But if you wish to reckon from *Sunday*, it will be $\frac{4846×5-2389}{576}×605=\frac{21811}{576}=37$ᵈ 55�record 6ᵛ 15ᴾ.

N. B.—It frequently occurs, in the course of research, that it is expedient to compare the *Ahargana* elicited by the Rule, with that which may be procured by means of the Tables. It is therefore necessary to warn the reader, that although the *Ahargana* used by the Northern Tamul Astronomers is constructed so as to reckon from *Friday*, yet if we seek the *initial feria* of the year, for the same account, by means of Table I. (page 1 of the Tables , we are to count the root of the days inserted between parenthesis, from *Sunday*, which is not the case when using Table XLVII} page 66, where the remainder after division by 7 is to be told off from *Friday.*

<div align="center">ARTICLE 3.</div>

On the manner of computing the beginning and duration of the twelve months of the year.

In the present position of the Sun's Apsis *(Ravi-Mandocha)* which only moves at the rate of 1' in 517 years, and which at the end of the year of the Cali yug 4846 (*) (A. D. 1745) was in 2^s 17º 17' 10'',4 from the first point of the Hindu Zodiac—and of the distance of the said point from the Equinoctial colure (Ayanansa) which increases 54'' in a year, and was at the end of the same year equal to an arc of 18º 41' 23'' 11''', the separate duration of each of the twelve months of the Solar year (in the aggregate always equal to 365d 15g 31v 15p) was as follows :

	BENGAL. Solar Months.	TAMUL. Solar Months.	Duration.		BENGAL. Solar Months.	TAMUL. Solar Months.	Duration.
			d g. v. p.				d. g. v. p.
1	Vaisacha	Chaitram	30 55 32 1	7	Cartiga	Arpesi	29 54 7 1
2	Jaish'ta	Viassei	31 24 12 1	8	Margasiras	Cartiga	29 30 24 2
3	Ashar.	Auni	31 36 38 1	9	Paushya	Margali	29 20 53 1
4	Sravana	Aadi	31 28 12 2	10	Magh	Tye	29 27 16 1
5	Bha'dra	Aavani	31 2 10 1	11	Phalguna	Maussi	29 48 24 1
6	Aswina	Paratasi	30 27 22 1	12	Chitra	Poongoni	30 20 21 2

Now if it be required to find the Ahargana, and initial feria (Soota dina) in the beginning of each Solar month of the current year of the Caliyug 4847, having found the same for the beginning of the year by the general rule given at page 8 (or by means of Table I), all that need be done is to add successively thereto the *abstract* duration of each month, as above exhibited, and dividing as usual by 7, the remainder counted from *Friday* (or if the Table be used the Root between parenthesis from *Sunday*) will give the Soota dina sought.

<div style="float:right; text-align:left;">How to compute the
beginning and dura-
tion of the months.</div>

The following example will answer for all possible cases, when computing in *Consequentia*. The quantities for each month must of course be subtracted when working in *Ante dentia*.

(*) 9th April N. S.

<div align="center">EXAMPLE.</div>

	BY THE RULE.					BY THE TABLES.			
	D.	G.	V.	P.		D.	G.	V.	P.
Ahargana for the beginning of A. C. 4847	1770011	25	6	15	Initial Root of A. C. 4847	(5)	25	6	15
Abstract dur. of Chaitram	30	55	32	1	Table III.	(2)	55	32	1
Ahargana 1st Viassei	1770072	20	38	16	Monday	(1)	20	38	16
of Viassei	31	24	12	1		(3)	24	12	1
Ahargana 1st Auni	1770103	44	50	17	Thursday	(4)	44	50	17
of Auni	31	36	38	1		(3)	36	38	1
Ahargana 1st Audi	1770135	21	28	18	Monday	(1)	21	28	18
cf Audi	31	28	12	2		(3)	28	12	2
Ahargana 1st Auvani	1770166	49	40	20	Thursday	(4)	49	40	20
of Auvani	31	2	10	1		(3)	2	10	1
Ahargana 1st Paratasi	1770197	51	50	21	Sunday	(0)	51	50	21
		&c.					&c.		

Here the process by the Table indicates at once *Sunday*; but if we had worked merely by the Rule for *the 1st of Paratasi*, it would be 7\1770197 252885 weeks

<div align="center">with a remainder of   2</div>

which counted from *Friday*, gives equally *Sunday*.

<div align="center">ARTICLE 4.</div>

<div align="center">*On the Civil years of 365 and 366 days.*</div>

Before entering into the manner of expounding the initial feria of the Hindu Solar months for the European concurring date, we shall consider the effects of the operation of the fraction of days annexed to the number of *entire* days for each month, already hinted at page 4.

Year of 366 Civil days how discovered.

The number of registered days contained in any Solar month depends on the value of the fraction of the first *Ahargana* in the year, which is variable. This fraction combined with those of the remaining months (which abstractedly are constant) determines the *character* of th year, by which is meant whether the *Civil* is one of 365, or 366 days: because when the sum, or difference, for any month exceeds 59g 59v 59p, its initial feria passes suddenly from one day to its next.

Thus if the beginning of Chaitram and Solar year be expressed by the Root

	D.	G.	V.	P.
the Root	Friday	(5)	53	13	47
And if you add thereto the collective Roots up to the month Tye ♈ (Table III)		(4)	6	46	12
You have the *Soota dina* for Maussi ♒	Tuesday	(2)	59	59	59

Tuesday, which if expounded in the European Kalendar with the Dominical Letter F, as shall be shewn hereafter, will elicit *Tuesday* the 12th February *Sydereal account*.

	D.	G.	V.	P.
But if the same Root be only encreased by	(5)	53	13	47
	-	-	+	1
	(5)	53	13	48
and you add for Tye as before	(4)	6	46	12
you have the beginning of Maussi	(3)	0	0	0

on Wednesday the 13th February; and so the month *Tye* which had before only 29 Kalendar days, would in the latter case count 30, and the following month Poongoni ♓, which had 30 days before, would now only count 29.

This circumstance, which generally operates so as to exchange the value of two near months, so that their sum remains the same, yet sometimes produces a different result, and determines a Leap or a common year.

Thus let the Root for the beginning of Chaitram and year be   Wednesday (3)   59   59   59
And suppose that being expounded with the Dominical Letter G it brings out the
11th of April, add one para thereto - - - - - +1
                                         Thursday (4)   0   0   0

(The column headers above read: **D. G. V. P.**)

then you have *Thursday* the 12th April, and the Civil month Chaitram, which in the former case counted only 31 days, will now only count 30, without an equivalent in the next month.

But it will be further shewn that, whenever the Root for Chaitram and year exceeds 44g 28v 44p the proposed year invariably counts 366 days; therefore in the present case, the said year would become a common instead of a Leap year, which it would have been.

When the Root of Chaitram exceeds 44g 28v 44p the year is of 366 days.

Generally the European date concurrent with the beginning of Chaitram and year is an Index which points out whether the Hindu Solar year propounded, consists of 365 or 366 days in the Kalendar, which (to use common language) I shall in future call *Common* and *Bissextile*, altho' the latter do not recur by arbitrary intercalations, as is the case in the European Kalendar.

Root for the beginning of Chaitram and year expounded into European time —an Index which shews whether the year consists of 365 or 366 days, and indicates the limits of the other 11 months.

The same date also indicates the limits of the beginnings of the 11 remaining months of the same year, when referred to our Kalendar, in a manner that cannot be mistaken, notwithstanding the great variety of combinations of which the Roots are susceptible.

RULE.

1° " Whenever the fractional part of the Root which elicits the beginning of the year falls " below 44g 28v 44p, or up to it, then the year counts only 365 days in the Kalendar."

How to discover a common year.

2° " And when the fraction amounts to 44g 28v 45p then that Civil year counts 366 days."

A Bissextile year.

The demonstration of this precept flows from what has already been said : for   **G. V. P.**
let the fraction of the initial feria proposed be - - - - 44   28   45
Add the fraction of the Root for one year complete - - - 15   31   15

You have for the sum - - - - - - 1d   0   0   0

that is, one entire day over and above the sum of days independently of the fractions.

EXAMPLE I.

On the beginning of the year of the Cali yug 4856 (A. D. 1754), the initial Root   **D. G. V. P.**
is found to be - - - - - - - Tuesday (2) 44 47 30
which if expounded with its Dominical Letter F, will give 9th April N. S.
Now if you add thereto the Root for one complete year (Table I) - - (1) 15 31 15

You have beginning of - - - - - Thursday (4) 0 18 45

the year of the Cali yug 4857 :

which Thursday being expounded with its proper Dominical Letter E, falls on the 10th April 1755, and shews that the year of the Cali yug 4856 (or Saca 1677) counts 366 days in the Kalendar.

EXAMPLE II.

But if the year of the Cali yug 4882 (A. D. 1781), the proper Root of which is   - - - - - Monday (1) 43 51 15
be proposed, and this Monday be expounded with the proper Dominical Letter
G, it will fall on the 9th April N. S.

Add as before the Root for one year   - - - - (1) 15 31 15

And you have the beginning of   - - - Tuesday (2) 59 22 30

(column headers: D. e. v. r.)

the year of the Cali yug 4884. Now the said initial feria being expounded with the proper Dominical Letter F, falls also on the 9th of April N. S. (A. D. 1782), and the corresponding Christian year being a common one, the Tamul Solar year is one of 365 days.

Having calculated by these Rules the Tamul Leap years of 366 days concurring with the Christian year of the XIXth Century, they were found to fall as follows :

Number of Leap years.	Christian Years.	Leap Years of the Cali yug concurring with do.	Years from the birth of Salivahana.	Number of Leap years.	Christian Years.	Leap Years of the Cali yug concurring with do.	Years from the birth of Salivahana.
1	1801- 2	4903	1724	14	1851-52	4953	1774
2	1805- 6	4907	1728	15	1855-56	4957	1778
3	1809-10	4911	1732	16	1859-60	4961	1782
4	1812-13	4914	1735	17	1863-64	4965	1786
5	1816-17	4918	1739	18	1867-68	4969	1790
6	1820-21	4922	1743	19	1870-71	4972	1793
7	1824-25	4926	1747	20	1874-75	4976	1797
8	1828-29	4930	1751	21	1878-79	4980	1801
9	1832-33	4934	1755	22	1882-83	4984	1805
10	1836-37	4938	1759	23	1886-87	4988	1809
11	1840-41	4942	1763	24	1890-91	4992	1813
12	1843-44	4945	1766	25	1894-95	4996	1817
13	1847-48	4949	1770	26	1898-99	5000	1821

Thus there happen to be 26 Leap years in the XIXth Century, instead of 25 as is the case in the Julian, and 24 in the Gregorian Kalendars (when the latter does not begin with a Bissextile year, as A. D. 1600, 2000, &c.) which will serve to explain hereafter, why the Julian Kalendar recedes, by one day, and the Gregorian two days, from the Tamul Secular years.

ARTICLE 5.

The limits of the beginning of the 11 last months how discovered.

On the limits of the number of Civil days contained in the eleven last months of the year.

With respect to the beginning of the eleven last months of the year, and the manner of deter-

mining the number of civil days contained in each in any particular year, the initial root of the year affords likewise an Index from which the beginning of the eleven last months never recede (in their proper concurrent European month) more than *two days*—and never exceed beyond *four :* and furthermore shews, that in the present positions of the Sun's Apsis, and Equinoctial Colure, the Tamul month *Maussi* ≈ (Indian February) is alone, and invariably that which anticipates the European date of the beginning of Chaitram in the New Style. (*)

Thus if the 1st *Chaitram* and year of the Cali yug 4847 be found to fall on the 9th April 1745 N. S. the beginning of the month of *Maussi* will fall on the 8th February 1746—and if the 1st *Chaitram* and year of the Cali yug 4918 falls on the 10th April 1816 N. S. the 1st of its month *Maussi* will fall on the 9th February 1817; and *no other month* in the year will be subject to the same subtraction.

This consideration reduces the limits of the other ten months (in their concurrent European months) to the compass of four days, to be added to the date of Chaitram in its proper European month.

Thus if the 1st Chaitram of the year of the Cali yug 4915 falls on the 11th April 1813 N. S. none of the other months in the same year will begin later than the 15th of its own concurring European month, or earlier than the 11th.

These limits being *less than a complete week,* never leave the least doubt, when converting Tamul into European dates, into which of the four weeks and fraction of week the initial feria of any Tamul month elicited by the Rule, should fall according to European account.

With respect to the Sydereal and Civil duration of the Tamul months of any proposed year, it is manifest that since the initial feria of each month may be elicited by the Rule or the Tables, and since we possess the limits within which these must fall, any European Kalendar, or series of Dominical Letters, will suffice for determining the length of the proposed month.

Thus let it be proposed to find the Sydereal and Civil duration of the Tamul month Auni of the year of the Cali yug 4856 (A. D. 1754-5). Having computed the initial feria and fraction for that month according to the preceding Rules, which are (vide Table

					D.	G.	V.	P.
X, page 13)	-	-	-	-	Tuesday (2)	4	31	32
and that for the following month Audi	-	-	-	Friday	(5)	41	9	33

and the Dominical Letter for A. D. 1754 N. S. being F (†), if we take Tuesday (A) to be the

---

(*) In the Old Style *Maussi* falls always *one day* and Poongoni *two days* (in their respective European concurring months) behind the date of Chaitram, in its own European month ; but the extreme limits continue to be *five* days, because the other ten months cannot exceed the European date of Chaitram in their proper concurrent month, more than *three* days.

(†) Any Dominical Letter assumed at pleasure will answer the same purpose for the abstract duration of the month without any reference to the European Kalendar.

1st of Auni, and count down to the Friday (D) which falls between 23 and 32 days, we find that it corresponds to the 32d *day, Tuesday counted as one,* which marks the first day of the Tamul month *Audi,* and consequently that *Auni* (the month for which the computation is made) contains 31 days.

Now the fraction of time annexed to the initial feria of *Auni* is 4ₛ 31ᵛ 32ᴾ which being below 30 guddias (page 4), shews that the month begun at *day time,* and therefore the Sydereal and Civil beginning coincide.

But the fraction of the initial feria of *Audi* is 41ₛ 9ᵥ 33ᴾ, which shews that the month began at *night time,* therefore the *Civil* month commenced not on *Friday,* but on *Satur day* following, the Civil and Sydereal account differing by one day—therefore the Sydereal month *Auni* is of 31 days and the Civil of 32.

This method is so plain, that although the proposition presents three feasible cases, viz. 1º When the Roots are both below or above 30ₛ, when the Civil and Sydereal months are of *the same duration.* 2º When the Root of the first is below, and that of the second above 30ₛ, in which case the Civil is *greater* than the Sydereal ; and 3º When the first is above, and the last is below 30ₛ, in which case the Civil is *shorter* than the Sydereal month, yet the process being always the same, hardly requires any further illustration. For it is plain that if we wish to refer the same to the European Kalendars, provided the Christian date of the *initial feria* of the year, and the Dominical Letters according to either Old or New Style be given, then the date of beginning and duration of the twelve months of the Tamul years may always be known by their Roots without difficulty.

Thus if the initial root of the year of the Cali yug 4856 be *Tuesday* (2ᵈ) 4ₛ 47ᵛ 30ᴾ—the Dominical Letter for A. D. 1754 *Old Style* be B ; and the date of the above Tuesday 29th of March, the Root for the beginning of *Viassei* being *Friday* (5ᵈ) 40ₛ 19ᵛ 31ᴾ, if we proceed as shewn before, it will be found to fall on the 29th April, and (counting Tuesday as one) the Tamul month *Chaitram* will consist of 31 days *Sydereal* and *Civil* account.

And if the same be computed for the New Style, the Dominical Letter for 1754 being F, then, if *Tuesday 1st Chaitram* is said to fall on the 9th April N. S. *Friday,* the initial feria of *Viassei* will fall on the 10th May, and the first Tamul month will consist of 31 days.

Lastly, it is to be remembered when reckoning according to Civil account, that if the Civil month begins one day later than the Sydereal, it displaces *by one,* every succeeding day in the same month, and this until the Sun, by entering a new Sign, determines the future coincidence or dissidence of the Civil and Sydereal dates of the ensuing month.

What we have hitherto stated on the general construction of the Solar Sydereal year, will be frequently referred to in the course of this work, when it comes to treat of the resolution of the

Astronomical Luni-solar year by means of the *Vakiam* process, and Tables, such as it is used by the modern Tamul Astronomers; differing in this respect from the Tellingas, who still adhere rigidly to the doctrines of the Surriah Siddhanta.

The Tamul Kalendar is in itself as simple as the European, but as its columns record true time for the particular place where it is intended to be used, and as its margin is loaded with a variety of articles foreign to its immediate purpose, which require a greater knowledge of Hindu Astronomy, than the reader is at present supposed to possess, it is indispensable, in order to render that acquirement practically useful, to furnish him with the means of converting dates proposed according to the Hindu Solar account, as explained in the preceding pages, into corresponding European dates and vice versa, and to that object we shall devote the remaining part of this Section.

Should, however, the reader be desirous to inspect a specimen of the Ravi-Panchangum, or Solar Kalendar as it is published in the Southern parts of the Peninsula of India, he will find a translation of that part of it which refers to the first month of the year of Cali yug 4926 (A. D. 1825), inserted at the end of all the Tables; for we have already occasion for a greater number of technical terms in the present Memoir than is convenient, without adding to these a number of Astrological definitions, which cannot be dispensed with for understanding the *Addenda* of the Ravi Panchangum.

ARTICLE 6.

The manner of numbering the Indian years of the Cali yug, when referred to European accounts.

The number of years expired since the beginning of the Cali yug on the birth of Christ, *Dyonisian* account, are 3101; therefore, the *current* year A. D. 1 corresponds to *part* of the 3102d year of the Cali yug.

Of the æra Cali yugam.

It will save a great deal of future embarrassment to the reader if he notices particularly at this place, that according to established usage, the years of *all the Hindu Styles* are said to concur with that Christian year *during which the last expired ends.* Thus if the years of the *Cali yug*, or *Saca*, which correspond to A. D. 1822 be asked of any Indian, he will call it 4923 *complete*, because that Solar year ends on the 11th April N. S. of the said Christian year. But as the current Indian year 4924 begins on that day, and continues until the 11th April 1823, it might otherwise be more properly coupled with the latter.—It is therefore a general rule, when any year of the Cali yug is to be deduced from the numeral of the European year to which it corres- ponds, that *unity* be subtracted from the latter before adding the epoch thereto; *which is the* practice followed by *Father Beschi*, and that which is used in the Examples given at the end of this Memoir.

1822
3101
——
4923

For the numeral of the year of the Cali yug, unity to be re-trenched from the European year be-fore adding the epoch 3102.
1821
3102
——
4923

ARTICLE 7.

Of the æra Salivahana.

The beginning of the æra Salivahana dates from the birth of a Prince of that name whose history is connected with Hindu Mythology: that event is supposed to have taken place when 3179 years of the Cali yug had expired, which makes it fall 78 years after the birth of Christ.

The years when reckoned according to that account are called *Saca*, but differ in nothing from the common Solar year, the elements of which were disclosed in the preceding pages. It is customary in these Provinces, (and I believe in all parts of India) when dating any document, to couple the numeral of the year *Saca* with that of the Cali yug. Thus if the current year be asked of any Native, he seldom fails (besides other distinctions) to say, for instance " The year 4782 of the Cali yug, or Saca 1603."

Modern Astronomers make frequent use of this æra for abridging certain Astronomical computations, as will be seen hereafter in the article which treats of the Cycle of 60 years.

The current year Saca may always be determined by the following

RULE.

Let the year of the Cali yug complete be proposed	4846
	subtract 3179
Year Saca complete	1667
Let Anno Domini current be proposed	1745
	subtract 78
Year Saca complete	1667

Or if you wish to have the three successively by one operation for A. D. 1745 current, say first 1745—1=1744

	1744
Add the year of the Cali yug expired	3102
At the birth of Christ, you have A. Cali yug	4846 complete
Subtract epoch of Salivahana	3179
You have the year Saca sought	1667 complete

and let it be remembered that the Christian year proposed concurs partly with the years of the Cali yug 4846 and 4847, and Saca 1667 and 1668, in the same manner that the first of each of these years corresponds partly with A. D. 1745 and 1746.

ARTICLE 8.

Of the æra Vicramaditya.

There is another æra called *Vicramaditya*, little used in the Southern parts of India. It numbers the Luni-solar years, in the same manner as that of *Salivahana* does the Solar ones.

Vicramaditya is said to have been a Prince who reigned 135 years before *Salivahana*, and supposed to be one of his ancestors. Its epoch begins when 3044 years of the Caliyug were expired, i. e. 57 years before Christ; so that if any year of the Cali yug be proposed, and the last expired year *Vicramaditya* be wanted, which let it be A. Cali yug 4925, subtract 3044

therefrom, you have 1881, the year sought.   Or if the Christian year be proposed, which let be 1824; add 57, and you have 1881 as before.

ARTICLE 9.

Practical manner of determining the commencement of the Solar year.

In order to dismiss what may be farther stated on the mode of determining the beginning of the Solar year, I shall observe, independently of all computations, that there are several ways of fixing the same practically.   These consist in observing the passage over the Meridian of some *yoga*, or Zodiacal Star (the principal one of each Lunar mansion) the position of which is given in the Hindu Tables.

Thus *Hershana*, the yoga of, and only Star in the Lunar mansion *Chitra*, is accounted by the Hindu Astronomers to be exactly six Signs in Longitude from the beginning of the Solar Zodiac. European Astronomers take this Star to be *Spica Virginis*; so that when it is observed to pass over the Meridian at midnight any where, the mean Solar year ought to begin : altho' modern Astronomers account its Civil commencement to be on the ensuing Sun rising.—Whether the original position of the Star in Right Ascension and Declination from which the Hindu Astronomers have deduced its Longitude, have been wrongly determined, as is most probable, or that they advert to another Star, our determination of the first point in the Indian sign *Aries* by *Spica Virginis*, gives a material difference in the results.

I have computed its Longitude for the year of the Cali yug 3600 complete, answering to 18th March A. D. 499, when it is supposed there was no *Ayanansa*, and also for A. C. 4911 complete, when the *Ayanansa* was 19° 39' 54" using De Lalande's Tables, and the difference at the respective epochs were

		6s	2°	47'	50"	53'''
Longitude Spica Virginis 20th March 499		6	2	47	50	53
By the Ayanansa for Solar year Cali yug 3600 complete		6	0	0	0	0
	Difference		2	47	50	53
Longitude of Spica Virginis 29th March 1810 *Julian Style*		6	21	11	32	55
By the Ayanansa for the year of the Cali yug 4911 complete		6	19	39	54	2
	Difference		1	31	38	55

By which quantities the yoga *Hershana* exceeded at the respective epochs the Longitude ascribed to it, a circumstance which would have retarded the beginning of the Solar year of the Cali yug 3601 by 2^d 20^h 7'—and that of 4912 by 1^d 13^h 11' 36".

Independently of *Hershana*, the yoga of the Lunar mansion Revati, supposed to be the same as ζ Piscium, and called by the Hindus *Vaidhrity*, is taken by them to be in the last point of the sign *Min*, the Indian *Pisces*; or what comes to the same in the first of *Mesha* (Aries), so that

(*) Some pretend that this coincidence took place 39 years later : but with these contending opinions we have at present nothing to do.

when it is supposed to pass the Meridian any where at midnight, it should mark the mean Sydereal beginning of the Tamul month *Arpcsi*, from which that of the year may be deduced; but I believe that in present times Indian Astronomers make little use of any Star for improving their account of time, or their general system of Astronomy (*), and that they content themselves for all purposes, Civil as well as Astronomical, to observe the heavens in their Books and Tables. There can be little doubt that this opposition of *Hershana* (Spica ♍) and coincidence of *Vaidhrity* (ζ Piscium) to and with the commencement of the Hindu Solar Zodiac, never had the precision which the Indians assign to them; enough has been said, however, to shew that the manner of fixing the commencement of the Solar year indicated in the Rule given at page 8, causes it to anticipate in present times the moment of the Sun's entrance into the sign Mesha (♈) *according to their own Ayanansa*, by an assignable quantity of no difficult resolution.

SECTION II.
Account of the Tables.

This Section is exclusively confined to the consideration of the various processes and Tables by means of which the initial *feriæ or roots* of the beginning of Tamul years and months, treated of in the preceding Section, may be expounded into *monthly dates*, of the Christian Kalendars, for any epoch whatever; without which Hindu Astronomy can only be to Europeans a subject of learned discussion, the resolution of which can be of no sort of assistance for penetrating into the depths of Hindu Chronology, or for affording Indians any means for getting access into ours.

The following subject, although of vital importance to the utility of the rest of the work, will therefore neither gratify the curiosity of scientific men, nor serve to elicit the polemic powers of Scholiasts. The Rules and Tables hereafter disclosed consider both the Julian and Gregorian accounts: the first of these could not be dispensed with, because the Julian Style was only discontinued on the Continent of Europe on the 4th October 1582, when ten days were retrenched

---

(*) There will be found a Note at the end of the Volume, wherein it is shewn how the beginning of any Hindu Solar year, as accounted in the Ariah Siddhanta, may be so equated that the Sun's mean Longitude, as elicited by the European Tables for that instant of time, be in all cases equal to the *Ayanansa* due to the proposed year. Now having equated the time of beginning of the Solar year 3601 (A. D. 499) by the formula given in that Note, the equation was found to be 2d 11h 10m 57⅓s. Eur. Time, or Indian

	D. G. V. P.
Time - - - - - - - -	+ 2 28 12 24
But the equation by *Hershana* was 2d 20h 7m or	+ 2 50 17 30
Hence there is still a difference of	22 5 6

or in European Time 8h 50m 2s.

from the said month, and until the 29th March 1752 when the same style was adopted in England, and eleven days were retrenched for the same reason as had determined the Gregorian reformation.

The first step towards the attainment of that object is, to establish some expeditious method **The Dominical Letter.** for expounding the monthly date of any feria (or weekly day) that may be proposed in past, present and future times, according to the two European accounts above mentioned ; and the most obvious instrument for that purpose is the *Dominical* Letter. But as the usual process for eliciting it is somewhat operose (*) and would take a great deal more time than the whole resolutions of the problem, I have constructed two Tables which, in the space of less than three minutes, will enable the computer to elicit the same, for any year whatever, with equal certainty.

I shall now proceed to give an account of the Tables belonging to the present Memoir. **Explanation of the Tables.**

Table I and II, page 1 and 2 of the Tables.

I notice these two Tables together, because they are both of the invention of *Father Beschi,* and are found in the same page of his manuscript tract on the *Division of Time* according to the Tamuls. The first I shall consider in the present article ; the second will be noticed in that which treats of the Cycle of 90 years, used in the Southern Provinces.

Table I gives at top of the 1st column, the Root of the *Ahargana* for the year of the Cali yug **Table I.** 4802, complete : the other quantities in the second column are the Roots of years from 1 to 100 collectively taken, the figures between parenthesis being the remainder of the sum of days after division by 7, to be counted from Sunday in order to have the initial feria sought.

If therefore it be proposed to compute the end of any year of the Cali yug, which let it be 4846, take 4802 therefrom ; and if to the quantity which marks the epoch in the 2d column you add 44 years (the difference), the sum will be the Root of the end of the year 4846, or commencement

---

(*) The following technical Rule in artificial verse, extracted from Hutton's Dictionary, will enable the reader to use that of the processes which he prefers, observing that the Dominical Letters of the ancient Julian Kalendar is 4 places before that of the Gregorian, the Letter A in the former answering to D in the latter. (Mathematical Dictionary, vol. I. page 395.)

        " Divide the centuries by 4; and twice what does remain

        " Take from 6 ; and then add to the number you gain

        " Their odd years and their 4th ; which dividing by 7,

        " What is left take from 7, the letter is given."

N. B.—The Julian and Gregorian Dominical Letters for every year from A. D. 1600 to 1900 being given in the Solar General Table, the trouble of finding the same either by Hutton's rule, or that indicated in the text, becomes unnecessary, for any of the years of the XVIIth, XVIIIth, or XIXth centuries.

of 4847 ; and if from the latter you subtract 3102 you will have 1745, the year of Christ corres-ponding thereto.

But as Beschi always computed the end of the Indian Solar year by means of the Christian one, in order to elicit the former *complete*, he retrenched one year from the latter, and used 3102 the current year of the Cali yug, instead of 3101 the last expired on the birth of Christ, as has been observed at page 17. The epoch given in Table I as that for 1700, is therefore truly that due to 1701.

EXAMPLE.

Let the beginning of the Tamul year which concurs with A. D. 1745 Gregorian Style, be required.

The year of the Cali yug for computation, as was shewn at page 17, will be 1745—1,=1744, or 1744+3102=4846 complete, if we use Table I ; but if Table VII (page 9), it will be 1745, both of which we will use once for the sake of exemplification.

By Table I.						By Table VII.				
	D.	C.	V.	P.			D.	C.	V.	P.
Epoch A. D. 1700 -	(6)	2	11	15		Epoch Cali yug 4802 -	(4)	46	40	0
40 -	(1)	20	50	0		40 -	(1)	20	50	0
4 -	(5)	2	5	0		5 -	(6)	17	36	15
Root	(5)	25	6	15		of Ahargana	(5)	25	6	15

which being counted from *Sunday* indicates Friday the initial feria of the month Chaitram and year 4847 of the Cali yug. The reader may therefore, use either Table as may best suit his con-venience.

It need hardly be said, that the quantities in the second column are the Roots for one, two, three, four, &c. years, after division of the days by 7: thus $\frac{365}{7}$=52 weeks + (1) day, the Root for one year independently of the fraction 15g 31v 15p, and 365d 15g 31v 15p×100=36525d 52g 5v 0p and $\frac{36525d}{7}$=5217 weeks with a remainder of (6) being the Root for 100 years, independently of the fraction 52g 5v 0p.

Table III, *page 3 of the Tables.*

The contents of this Table will be better learnt by inspection, than by any explanation. I shall briefly state at this place, that in the first column will be found the *abstract* duration of each of the twelve months of the year according to the Ariah Siddhanta, and as reckoned by the modern Hindu Astronomers, in the present position of the Sun's Apsis and Ayanansa.

In the second column will be found the Roots of the same as already explained, and in the third, are registered the collective Roots of the months as they advance in the year.

Thus the abstract duration of Chaitram (Υ), and consequently its end, being indicated by the Root

							D.	C.	V.	P.
Thus the abstract duration of Chaitram (Υ)... indicated by the Root							(2)	55	32	1
And the duration of Viassei $\bullet$ being							(3)	24	12	1
							(6)	19	44	2

the collective Root for the end of Viassei will be (6)ᵈ 19ꞩ 44ᵛ 2ᴘ which is the second Root entered in the third column opposite to the Tamul month *Viassei*, and Hindu month *Jaish'ta*, the *Sun* being then leaving the Sign *Vrisha* ♉, and entering *Midhuna* ♊.

The utility of the third column need not be insisted upon; for it is manifest that if the Root for the end of the Solar month Auvani, or the beginning of the following month Paratasi

were required, and if the *positive* Root of the 1st Chaitram and year for A. C.

		D.	**G.**	**V.**	**P.**
4847 were, as before found (page 22)	- - - -	(5)	25	6	15
You need only take out of the 3d column the collective Root	- -	(2)	26	44	6
And adding both, you have - - - - - -		(0)	51	50	21

at once the Root for the beginning of *Paratasi* of the said year, instead of having to add successively those for *Viassei, Auni, Audi* and *Auvani*, found in the second column.

Table IV, *page* 5 *of the Tables.*

This Table serves to convert hours, minutes and seconds, from one sort of time to the other. It is calculated on the respective European and Hindu division of the day, the former into 24 hours, the latter into 60 guddias, subdivided sexagesimally into viguddias, paras, suras, &c. It requires no particular explanation, and the example given at the foot of the Table will suffice to show its application.

Table V, *page* 6 *of the Tables.*

It may justly be observed, that the Dominical Letter being a contrivance of European invention, and the manner of finding it for any year that may be proposed being known to the meanest Almanac maker, a separate article on that subject in this work appears superfluous. On due consideration, however, I found it so essential to the resolution of all Hindu problems of Astronomy and Chronology, and the methods now in use for expounding it so very tedious, that I could not dispense from treating of it in a particular manner before entering into the practical part of this Memoir.

Table V is divided into two parts, the first of which shews the Dominical Letter, and day of the week beginning each Julian Secular year from A. D. 0 to 2000; or from A. Cali yug 3102 to 5102.

<div style="float:right">Feriæ beginning the centuries.</div>

The second part shews the same for the *Gregorian* Secular years from A. D. 1500 (before which epoch that Cycle was unknown) to A. D. 2000; or from A. Cali yugam 4602 to 5102, which I call the initial *feria* of the century from which the commencement of the Hindu odd years, cannot deviate more than 3 days of the *Julian*, and 4 days of the *Gregorian* Kalendars.

The last section of this Table exhibits the same data from A. D. 0, to A. Ante Christum 4004, the epoch of the Creation, according to European Chronology: concurring with A. Ante Cali yugam *903–2.*

Table VI, *page 8 of the Tables.*

This, like Table V, is divided into two parts, the first of which gives the number of days to be added to that which begins the century, in order to have the weekly day on which any of its odd years begin, according to the Julian Kalendar. The second part gives the same according to the Gregorian Style; and both give furthermore the day to be subtracted from the weekly day which begins the century, according as the years are Common or Bissextile, *for any year before Christ*, Julian Style. (*)

(margin: Feria which begins the proposed European year.)

The figures in the body of this Table are so disposed, that they correspond to the nnmber of days (0. 1. 2. 3. 4. 5. 6.) in the transverse column at top, which shews the number of feriæ to be applied as before said.

It may be expedient to warn the reader in this place, that the application of these Tables is much more simple than their necessary explanation seems to imply. Attention is only to be paid whether the date is to be expounded in *old* or *new* style, *before* or *after* Christ, to prevent confusion. The process according to the various cases is the same, the side of the Tables only varies. But as the mechanism of this Memoir hangs prinoipally on Table V and VI, an attentive perusal of the following examples is recommended,

EXAMPLE I. *(Julian Style).*

(margin: How to determine the weekly day on which the European year begins, and deduce the Dominical Letter therefrom.)

Let it be required to determine on what *weekly day* the year 1745 O. S. begins, in order to deduce the Dominical Letter therefrom.

1o Table V shows, part 1st, that the Julian year 1700 began on a *Monday* (the initial feria of the XVIIIth century). Now enter Table VI, part 1st, with 45 odd years; you will find over it in the transverse column at top the figure 1, which shews that one day is to be added to Monday, in order to have the feria beginning the Julian year 1745 : i. e. *Tuesday.*

(margin: Table IX, page 12.)

Having got this step and using any Kalendar wherein the Dominical Letters are inserted (vide Kalendar at the end) and taking the first letter A (which always begins the year) to represent *Tuesday*, you find that the Julian Dominical Letter for A. D. 1745 is F; and consequently that for the ensuing year, (which is necessary for expounding the three last months of the Tamul year) will be E.

2d Part.

Let the Dominical Letter for the same year be required according to the Gregorian Style.

Table V, part 2, shews that the 18th century began on a *Friday* (the feria for A. D. 1700).

With 45 odd years enter Table VI, part 2d, you find over that number in the transverse column at top, 0; which shews that A. D. 1745 Gregorian Style, also begins on a *Friday.*

(*) The years after Christ do not require that distinction.

(†) This Table is in all cases to be entered with the proposed *odd* Christian year, over a complete century.

Any Kalendar will therefore shew that since A (the first Letter in the year) represents *Friday*, C is the Gregorian Dominical Letter for the proposed year 1745, and that B is that for the following year 1746.

EXAMPLE II.

The same for the feria beginning A. D. 1815, *Julian* Style.

By Table V, part 1st, the 19th century begins on a *Sunday* (the initial feria for A. D. 1800) (*).

Referring to Table VI, part 1st, with 15 odd years, you find 5 over it, to be counted from *Sunday*. i. e. *Friday*, the feria beginning the proposed year; which shews as before, that the Dominical Letter, Julian Style, is C, and the following BA, because 1816 is a *Leap* year.

2d Part (Gregorian Style.)

By Table V, part 2d, the 19th century begins on a *Wednesday*; and by Table VI, part 2d, (†) 15 odd years give 4, to be counted from Wednesday; therefore the year 1815, Gregorian Style, begins on a *Sunday*, and the Dominical Letter is A, and the following year 1816, is GF, for the same reason as before stated.

OBSERVATION.

As the 17th, 21st, 25th, 29th and 33d centuries, Gregorian Style, *begin* with Bissextile years, the 1st part of Table VI, instead of the 2d, is to be used, because from that circumstance these years are assimilated to the *Julian* Style, the Secular years of which are all Bissextile.

For the Gregorian years
1600
2000
2400
2800
3200
the 1st part of Table VI is to be used.

EXAMPLE III (Gregorian Style.)

Let the beginning of the year 1601 N. S. be proposed.

Table V, part 2d, shews that the 17th century begins on a *Saturday* (the initial feria for A. D. 1600).

But Table VI, *part 1st*, for 1 odd year, gives 2, which added to *Saturday*, gives *Monday*, which is the weekly day beginning the year 1601, and whose Dominical Letter is therefore G, and that for the following year F.

EXAMPLE IV.

Let the beginning of the year 1699 N. S. be proposed.

Table V, *part 2d*, shews that the 17th century begins on a *Saturday*.

But Table VI, part 1st, for 99 odd years gives 5; which added to Saturday, shews that the feria beginning the year 1699, is *Thursday*; and consequently the Dominical Letter for that year, *Gregorian Style*, is D, and the following one C.

(*) With A. D. 1800 refer to Table V, part 1st, and you find in column 3d that the 1st January of the said year falls on *Sunday* Julian Style: the Dominical Letters being AG.

(†) With the same year refer to Table V, part 2d, and in the first column you find *Wednesday*, which is the initial feria of A. D. 1800 Gregorian Style: the Dominical Letter for that year being E.

Thus a very expeditious method has been instituted for finding the Dominical Letter, and expounding all the months and days in any given year since the birth of our Saviour, according to both European accounts, so that the only further attention which is to be paid, is to notice whether the year that follows the proposed one (the Dominical Letter of which is required for expounding the beginnings of Tye ♑, Maussi ♒ and Poongoni ♓), be a *Common* or a *Bissextile* one.

We are now to consider how the Dominical Letter for any year before Christ, is to be determined; and this is also done by help of Table V and VI, with the following modifications.

As the years are counted *increasing* when *ascending* from the birth of our Saviour, instead of *descending* and *increasing* in the contrary case, the numbers to be taken out of Table VI, part 1st and 2d, are to be subtracted from, instead of added to, the weekly day commencing the century, for having that which begins the given year. The following Rule will provide for this case.

1º If the given year be a *Common one*, use part 2d of Table VI.

2º If the given year be a *Bissextile one*, then use part 1st of Table VI.

Example V.

Let the Dominical Letter for the year before Christ 550 be proposed. That year not being divisible by 4, without a remainder, is a *Common one*; therefore part 2d, Table VI, is to be used.

By Table V, part 3d, we find that the year before Christ 500 (Julian Style) begins on a *Tuesday*, and Table VI, part 2d, for 50 years gives 6, to be *subtracted* from *Tuesday*, i. e. *Wednesday*; therefore the Dominical Letter for the year 550 (the 50th of its own century) is E, and that for 549 is D.

Example VI, *page 8 of the Tables.*

Let the Dominical Letter for the year 636 before Christ be proposed. That number being divisible by 4, without a remainder, the year is Bissextile, and therefore part 1st, Table VI, is to be used.

Now Table V, part 3d, shews that the year before Christ 600 began on a *Wednesday*, and Table VI, part 1st, for 36 years gives 3 to be subtracted from *Wednesday*, i. e. *Sunday*, therefore the Dominical Letters for the year 636 Ante Christum are AG.

N. B.—The cause of this difference is occasioned by the order of the years counted before Christ being reversed, and that the second Letter when the year is Bissextile, is to be taken in *Antecedentia*, instead of *Consequentia*, as is done for years after Christ.—Thus, if G were the Letter produced by the Rule for years before Christ, the second Dominical Letter would be F; but in ascending from the same, that Letter will still be G (as given by part 1st, Table VI), and the second Letter must be A. If we use part 1st, instead of 2d, there will be no possibility of a mistake.

How to determine the monthly by means of the weekly date.

Having thus found means to elicit the Dominical Letter for any given year in all possible cases

and styles, there remains no difficulty for finding the feria on which any monthly date of the same year may fall. But the converse of the proposition is by no means so apparent, because as we have seen, the manner of fixing the beginning of any year or month, according to the precepts of Hindu Astronomy, whether Lunar or Solar, is by determining the feria on which such an occurrence falls; and as there are four weeks and a fraction in every month, there is a doubt on which of these, the weekly day elicited by the Rule may fall.

For the resolution of this problem we are to have recourse to the General Index, the theory of which was given Article 5, page 15, and to Table V and VI, as shewn in the following examples.

EXAMPLE I.

Suppose that we have found by the Rule given at page 8, that the 1st Chaitram and year 4830 fell on a Sucra-vara (Friday), what may the monthly date of this Friday be?

I.

For the Dominical Letter, and the Christian year to be registered, we have 4830—3102=1728, and let the *Julian* date be first required.

II.

Table V, part 1st, shews that the 18th century began on a *Monday.*

Table VI, part 1st, for 28 odd years, gives 0 ; therefore the year 1728 began also on a *Monday* and the Dominical Letters (the year being a Bissextile one) are GF.

III.

Again Table V, part 1st, shews that the year Cali yugam 4802 current (corresponding to our Secular year 1700) begun on the 28th March O. S. and the year 4902 on the 29th of the same month, therefore the Friday sought must fall within two days of either of these two dates, and referring to the Kalendars, it is found to fall on the 29th March O. S.   Q. E. In.

EXAMPLE II.

The same, Gregorian Style.

I.

Table V, part 2d, shews that the 18th century New Style, began on a *Friday.*

Table VI, part 2d, for 28 odd years gives 6 days, therefore the year 1728 began on a *Thursday* and the Dominical Letters were DC.

II.

Again Table V, part 2d, shews that the year Cali yugam 4802 began on the 8th of April, and 4902 on the 10th of the same month, therefore 4830 must have begun within two days of those limits; and referring to a Kalendar we find, that the given Sucra-vara (Friday) fell on the 9th April 1728.   Q. E. I.

Examples might be multiplied, but as as the process (which is extremly simple) is in all cases the same, I shall turn to the resolution of the beginning of the last eleven months of the year.

SECTION III.

Account of the Tables continued.

Resolution of the
last eleven months
of the year.

We have shewn at page 15, that the beginning of the Tamul year, when resolved into European time, is an Index which indicates the limits between which the first day of every month, besides *Chaitram*, must fall, in its proper concurrent month; and that the monthly date sought never recedes more than two days from the same (in the particular cases of the month Maussi ♒ and Poongoni ♓), and never exceeds it for the remaining 10 months more than four days. On this data we proceed as follows:

EXAMPLE I.

Let it be proposed to expound on what month and day of our Gregorian year 1745, *Ravi-vara*, 1st Paratasi ♏, A. Cm. 4847, happens to fall.

I.

We find by Table III, that the Tamul month Paratasi, concurs with our month September; and by the Rule at the foot of Table I, that the 1st Chaitram and year Cali yugam 4847 began on a Sucra-vara (Friday), which being expounded according to the Rule given in this Article, is found to fall on the 9th April Gregorian Style, and consequently that the 1st Paratasi of the said year cannot have fallen before the 9th, or after the 13th of September. Lastly, we have found that the Dominical Letter for 1745 was C, and for 1746 B, N. S.

II.

With these data referring to any Kalendars, it follows that *Ravi-vara*, the Sunday to be expounded, falls on the 12th September 1745 Gregorian Style.

The same, Julian Style.

But if we require the date Old Style, having found that the beginning of the same year fell on *Sucra-vara* (Friday) the 29th of March, and that the Dominical Letter was F, reasoning as before, it will be found that the same *Ravi-vara* falls on Sunday the 1st September O. S.

Intermediate days
of any month how
to be registered.

With respect to the intermediate days of any month, it is plain that we need only count as many units as there are days between the 1st of the month and the given date, and add the sum to the European date, and vice versa, subject to what has been said on the duration of the Hindu months, at Article 5, page 15.

EXAMPLE II.

Thus it having been found that *Ravi-vara*, 1st Paratasi, A. Cm. 4847, fell on Sunday the 12th September 1745 N. S., if any other day, as *Mangala-vara*, 10th Paratasi, were proposed, there needs only to apply 9 days to the 12th of September, and we find that the proposed date falls on the 21st of the same month.

It is, however, to be remembered, that when any European date, whose concurrent may prove far advanced in the Tamul months, is to be expounded, as it is unknown of how many days the said month may be composed in the given year, there remains a doubt to which Hindu month the said date may belong, which to resolve, the beginning of the ensuing month must be expounded (vide Memoranda infra, page 30 and 31.)

Table VII, *page 9.*

Although the practice of counting by years of Christ was only introduced in Italy during the VIth century, and in the North of Europe towards the VIIIth, under Charlemagne ; and even then, that there were no less than eight different manners of counting the years of Incarnation (vide Art de Verifier les dates, page iv), yet Astronomers and Chronologists have found it expedient to establish an *ex post facto* Kalendar, which might serve as a common scale for measuring past and future ages, altho' such a scale were unknown in the times referred to. Thus European Astronomers have protracted the Julian Kalendar, for the purpose of extending their Sydereal Tables, up to the year 800 before Christ, because the ancient Chaldaic observations ascended to that epoch, having preferred that division of time to any other, on account of its being more simple, commodious and uniform. For the same reasons, I have been induced to extend the Tables of which Father Beschi was the original inventor, to the aforesaid, and higher epochs.

The only remark to be made on this Table is, that the two last columns give, viz. the second, the epochs for the Secular years from A. D. 0 to 2000, according to Beschi's method, and the third, the proper Roots for the same years, the only difference being, that the former are for one year later, than the latter, as has been hinted at page 17.—These elements were both given, although either one could have been sufficient for the purpose of preventing mistakes when departing from Beschi's system.

Table VIII, *page 10 and 11 of the Tables.*

This Table gives the *Epochs* and *Roots* of Secular years in ascending progress, from A. D. 0 to the Creation, as indicated in the respective columns.

The fourth column, 1st part, gives the absolute Root of the beginning of Chaitram and year for the first 10 years before Christ, i. e. from A. Cali yugam 3102 to 3112 ; and afterwards from 10 to 10 years, up to 3002, concurrent with Anno Ante Christum 100. The fourth and fifth columns of the second part of the same Table give, the former the Epochs, the latter the Roots for every century as far back as A. A. C. 1000, and subsequently from 1000 to 1000 years up to A. Ante Cali yugam 903-2, the epoch of the Creation.

Thus if the beginning of a year not given in the Table be required, take the Root of that nearest to it ; and complete the Rule by adding thereto for the odd years *taken out of Table I.*

Example.

I.

Let the beginning of Chaitram and year 9S, Ante Christum, be required, concurrent with A. Cm. 300 4.

						D.	C.	Y.	P.
Root for A. C. 90, Table VIII, part 1st, column 1st	•		-		(5)	41	22	30
Subtract 8 years from Table I.	•	•	•	- — (3)	4	10	0
Beginning of Chaitram and year	•	•	•	- Tuesday (2)	40	12	30

II.

Had we worked with the Epoch, Table VIII, part 2d, the operation would have been thus:

						D.	G.	Y.	P.
Epoch A. D. 0, Table VIII.	•	⁓	•	•	•	(1)	16	46	15
Subtract for 90 years, Table I.	•	⁓	•	•	•	(1)	16	52	30
Subtract again for 9 years complete	•	•	•	•	(6)	59	53	45
Because by notation the years are *increasing* in *ascending*, Table I.	•	— (4)	19	41	15
The same as before	•	•	•	•	•	(2)	40	12	30

TABLE IX, *page* 12.

Exhibits the Dominical Letter for every day in the year. It requires no explanation.

SECTION IV.

MEMORANDA *to be referred to in expounding dates.*

Note whether the given European date is likely to fall before or after 1st Chaitram.

1° In expounding any date of the month of March or April from European to Tamul time, it is necessary, before noting the concurrent year Cali yugam or Saca, to see whether it is likely to fall *before* or *after* the 1st of Chaitram, which begins about that time.

Thus suppose the 7th April 1745 N. S. had been propounded, the process indicated at page 18 would have been merely 1745+3102=4847 (1668 Saca) current.

But as we may see (Example 1st, Part II infra), that the said year began on the 9th April, it is plain that in this case, the current years Cali yugam and Saca, must be noted *one less*, and that the given 7th April falls on some of the latter days of the month Poongoni A. Cm. 4816, or Saca 1667.

When the given date falls before that which begins the century, take x—1 for the notation of the year.

2° When the given date falls before that which is indicated in Table V, part 3, as beginning the century, then as the beginnings of successive years proceed like the *Ayanansa* in *Consequentia* (*), it is manifest that the year Cali yugam or Saca, instead of being noted x+3102, must be taken (x—1) +3102.

(*) During the present Pada.

Thus if 3d April 1750 N. S. be proposed, since A. Cm. 4802 (1700—1) is shewn in Table **V** to have begun on the 8th April, it is manifest that the notation of the year must be (1750—1) . +3102=4851; or 4851—3179=1672 Saca, and not 4852 Cm. and 1673 Saca.

But if the proposed date be 9th April 1798, observing in Table V that 4802 (1700) begins on the 8th, and 4902 on the 10th of that month, *there is a doubt* to which of the years 4900 or 4899 Cali yugam, the given one belongs; but the resolution of the beginning of 4900 (1798+3102) will at once resolve the question, and the year may be noted after the operation.

3º. The notation of a date in *Antecedentia* (as in the preceding case) when it falls within *four* days from the nearest beginning of the month,—or in *Consequentia*, when it exceeds 28 days from the beginning of its own month, is also a matter of doubt, and must be resolved. In both cases this depends on the number of Kalendar days counted either in the preceding or in the current month. That is, if the proposed date happens to precede the 1st Chaitram (or any other month) by a few days, its notation in *Antecedentia* will depend on the number of Kalendar days counted in the preceding month *Poongoni* (or any other preceding month), which *Poongoni* varies from 30 to 31 days, not depending on the preceding year being a common, or a leap year, as is the case in the European Kalendar.

In the same manner, if any date in *Paratasi* exceeding the 28th, be proposed, it will be a matter of doubt whether it does fall in that month, or in the following *Arpesi*, because that month may vary from 30 to 32 days.

In this uncertainty, the number of Kalendar days in the month where the proposed day seems to fall after addition or subtraction, must be calculated.

EXAMPLE.

Suppose we have found by the usual process that the 9th April 1798 fell on the last day of the Tamul month Poongoni ✕ ; is it to be registered in the Tamul Kalendar the 30th or 31st of that month ?

RULE.

The 1st Chaitram and year Cali yugam 4900 (1798) having been found to fall on the 10th April, whose Root is — — — — Tuesday (2) 7 42 30

Subtract therefrom the Root for Poongoni, Table III, part 2 — — (2) 20 21 1

Beginning of Poongoni 4899 Cm. — — — — (6) 47 21 28

Saturday, which expounded with its proper Dominical Letter G, falls on the 10*th March*; therefore, in the present case, the *Kalendar* month Poongoni has 31 days; and the date concurrent with the 9th of April is to be registered 31st *Poongoni*. But if we want its notation as a *Civil* day, considering that the fractional part of the sum which determines the beginning of Poongoni, viz. 47g 21v 28p exceeds 30 guddias, the Civil beginning of that month is to be registered *one*

day later, i. e. on the 11th March. But as the fractional part of the Root of 1st Chaitram 4900 (7g 42ᵛ 30ᵖ) is below 30g, both the Civil and Sydereal day coincided on the 10th April, which makes no room for the Civil advance of the 1st Poongoni, and therefore the said Civil month will have counted only 30 days, and the proposed date, 9th April, must be registered the 30th of that month.

<div style="margin-left:2em;">
The reduction of epochs to different geographical positions postponed.
</div>

4º We should now consider the reduction of the epochs so computed for the Meridian of Lanca, to some other Meridian; which involves a great variety of considerations.

With respect to the mere difference of Longitude, the Indian is the same as the European process. They make their mean epochs to occur sooner or later, as the place computed for lies East or West of Lanca. The difference of Longitude of the principal places in India in degrees, Indian time

<div style="margin-left:2em;">
Rec'ha the Meridian of Lanca.
</div>

and yojanas, will be found in Table XXXIII, page 43 of the Tables, as they are given in some of their Ephemerides, and will suffice to transfer the above *mean* epochs, from the Rec'ha (Meridian) of Lanca to any other Meridian.

But the case is quite different, when the true epochs, counted in apparent time from the instant of Sun rising, are to be determined (as they are in the Tamul Solar Kalendar) for any particular place which has any geographical Latitude. For the resolution of this part of the problem, Hindu Astronomers have recourse to *Tropical Astronomy* and to *Gnomonics*, in which branch of the science they have shewn much ingenuity, and a respectable knowledge of Plane and Spherical Trigonometry. But the reader is not supposed sufficiently advanced in the knowledge of Hindu Astronomy, to enter now into such topics with any prospect of advantage. I shall, therefore, postpone what I have to say on this matter, to the time when we come to consider the theory and construction of the *Chandra Mana*, the Hindu Astronomical year, which is its proper province Meanwhile, I shall observe that, for mere chronological purposes, such as the resolution of dates, what has been said in the preceding Articles will be found perfectly sufficient.

PART II.

To convert European into Tamul time, referred to a given Meridian.

Nothing can be more plain and simple than the Rule which elicits the weekly day marking the beginning of Chaitram and year, by means of the Tables: it remains the same and is equally expeditious for all possible cases near or remote, and may at pleasure be performed by addition or subtraction, as the computer may chuse to reckon from an antecedent or subsequent epoch. The result is equally certain, and as far as the day of the week is concerned it requires no Bija or P'hala (correction or equation), like most other Hindu problems. Thus the Rule given at the foot of Table I, teaches us every thing required on this score; for if we take the epoch either from A. D. 1700 or 1800, viz.

	Table I.					Table VII.			
Epoch 1700	(6)	2	11	15		Epoch 1800	(5) 54	16	15
	(1)	20	50	0		Table I, 50ˢ	—(6) 56	2	30
	(5)	2	5	0			(5) 58	13	45
Weekly day, Friday,	(5)	25	6	15		—6	(0) 33	7	30
							(5) 25	6	15

we have equally Friday arising out of the Root (5) counted from Sunday.

It would have been therefore superfluous to multiply examples, were it not for the resolution of the monthly European date concurring with the feria according to our reckoning, which (considering the interruption which our Kalendars are subject to from the introduction of bissex-tile years, and the two Styles) renders that part of the problem somewhat complicated.

The following Examples have therefore been chosen, to exhibit every possible case where the notation of the Dominical Letter, on which every thing depends, may require caution or distinc-tion in order not to be mistaken. The perpetual and consequently fastidious repetition of the process will, I trust, be forgiven, on considering that the subject is a new one, and that when en-gaged in such operations, a reference to preceding Examples by diverting the attention, is always irksome and discouraging.

Generally, when the feria is known, a glance at Table V (last column of each division) will always shew within the limits of *three days* for the Julian Kalendar, and *four days* for the Gre-gorian, on what monthly date the weekly day obtained by the foregoing Rule will fall. For if the Hindu year concurring with A. D. 1700, begins on the 28th, and 1800 on the 29th March

Old Style, then the Friday above elicited must fall between the 27th and 30th of the said month, and it accordingly concurs with the 29th. And if the same beginnings fall on the 8th and 10th April *New Style*, then the same Friday must concur between the 7th and 11th of that month, and so it falls on the 9th. When very remote epochs are considered this approximation will generally appear sufficient, but we are not therefore to neglect the means of attaining a greater degree of exactitude.

As whatever European date may be proposed to convert into Hindu time, is always clearly known to the computer by means of the particular designation it bears, a very slight attention to the notation of the date, to wit, whether it refers to before, or after the birth of our Saviour,—from the epoch of the Creation, or from that of the Hejira; also whether it be according to the Old or New Style, will be sufficient to remove any cause of uncertainty.

EXAMPLE I.

Let it be proposed to find the Tamul concurrent date to the 9th April 1745 Gregorian Style, under the Meridian of Lanca.

CAUTION.

Referring to Table V, part 2d, we find that in the Secular Christian year 1700, the Tamul year concurrent thereto began on the 8th April N. S., and in 1800 on the 10th of the same month, therefore the beginning of any year in the 18th century may fall from the 7th to the 11th April N. S; but it is doubtful whether the given date will fall in A. Cali yugam (1745+3102)=4847, or in 1744+3102=4846. We must therefore reserve the notation of the year until we know on what day of our April the Sydereal beginning of A. Cm. 4847 will fall. (*)

RULE.

	D.	E.	V.	P.
Root for 1700, Table I.	(6)	2	11	15
40 years, do.	(1)	20	50	0
4 do. complete	(5)	2	5	0
End of 4846, or beginning of	(5)	25	6	15

4847 to be counted from Sunday, i. e. *Friday.*

In order to find on which day of our April 1745 this Friday will fall, we are to proceed as follows :

Table V, part 2d, shews that the 18th century began on a Friday ; and Table VI, part 2d, that 45 odd years give 0 day to be added thereto, in order to have the day of the week on which the year 1745 began, which therefore remains *Friday*, and shews that the Dominical Letter was C.

(*) Vide Memorandum 1°. page 30. In all the following Examples the years Cali yugam and Saca are noted in the proposition as *current*: but the year *complete* is always used in the resolution. For if 1745 be proposed, and 1744 be used in the computation, it is clear that we work for Cali yugam 4846 ending or 4847 commencing.

Now reverting to Table V, part 2d, column 3d, we find that the beginning of the Tamul year 4802 (concurrent with 1700) fell on the 8th of April ; and as it has been observed that the beginning of the concurrent year cannot exceed that date by more than *three* days, referring to any perpetual Kalendar with the Letter C in the beginning of April, we find that the Friday elicited by the present Rule fell on the 9th April N. S. Hence we have the following.

ANSWER.

The 9th April A. D. 1745 N. S. is concurrent with the 1st Chaitram and year Cali yugam 4847 commencing, which shews the proper notation of the year.

N. B.—As the Gregorian Kalendar was only admitted in England in the year 1752, it may be necessary to resolve the question according to the Julian style, which is to be effected as follows :

The same according to the Julian Kalendar.

The Tamul Rule remaining as before, and the Root being *Friday* (5^d) $25g$ 6^v 15^p a common year, we find by Table V, part 1st, that the Secular year 1700 O. S. began on a *Monday*, and for 45 odd years, Table VI, part 1st, gives *one* day to be added thereto, in order to have the weekly day begining the year 1745 O. S. i. e. *Tuesday,* and consequently that the *Julian* Dominical Letter for that year is F.

Again, Table V, part 1st, column 5th, shews that the Tamul year Cali yugam 4802 concurrent with 1700, began on the 28th of March, and that of 4902 on the 29th of the same month ; therefore 4847 must begin within the 27th and 30th, and entering the perpetual Kalendar with the Dominical Letter F about that time, we find that the Friday to be expounded falls on the 29th of March, &c.

EXAMPLE II.

Wanted the Tamul month and day corresponding to our 1st January 1813, Gregorian style, under the Meridian of Lanca.

As the proposed date falls considerably before the 1st of April, there can be no doubt but that we are to take (1813—1) + 3102 = 4914 for the notation of the concurrent year Cali yugam (vide Memorandum 2, page 30) and that we are to work with 1812.

RULE.

	D.	C.	V.	P.
With 1800 refer to Table VII, you find Epoch	(5)	54	16	15
Root for 10 years, Table I	(5)	35	12	30
Do. for 1 year complete	(1)	15	31	15
Beginning of year and Chaitram 4914, *Friday, Sucra-vara,*	(5)	45	0	0

a leap year.

To get now to the month of Tye ♑ (Tamul January), take out of Table III, part 3d, the Root for Margali ♐, complete   (2) 39 30 11

Beginning of Tye   Monday (1) 24 30 11
Soma-vara.

In order to find the monthly date of this *Soma-vara*, we must first determine that of the Friday on which the 1st Chaitram 4914, happens to fall.

Proceeding as formerly directed, we find by Table V that the 19th century began on a *Wednesday*, Gregorian Style: and Table VI, part 2d, shews that for 12 years 0 day is to be added thereto, in order to have the weekly day which begins the given year; therefore, A. D. 1812 also began on a *Wednesday*, and consequently the Dominical Letters (the year being bissextile) are ED; and lastly, as the date proposed falls on the beginning of the ensuing year, the Dominical Letter to be used is C when expounding the three last months of A. Cm. 4914 (1813.)

Now by Table V, part 2d, column 3d, it appears that on the Secular year 1800, the Tamul year began on the 10th April, and for 1900 on the 12th of the same month. Therefore, referring to any perpetual Kalendar with the Letter D, we find that Friday, 1st Chaitram 4914, falls on the 10th of April 1812.

Again, the Rule in the present Article has shewn, that the month *Tye* ♑ (Indian January), falls on a *Monday* (Soma-vara).

But since the month Chaitram began on the 10th April, no other month in the same year (beside Maussi, which always begins one day sooner) can commence in its own concurrent month later than the 14th (vide page 8), and as we refer to the first days of our January 1813, the Dominical Letter to be used is no longer D, but C. Hence, referring to the perpetual Kalendar with that Letter in the beginning of January, we find that the proposed *Monday* falls on the 11th January 1813 N. S. the concurrent date to 1st Tye 4914.

But the date which is proposed is the 1st January; we have, therefore, an excess of 10 days, which will throw its concurrent Tamul date in the month of Margali ♐ (Indian December) and must be resolved in *Ante$_{\wedge}^{ce}$dentia.* (vide Mem. 3º page 31).

In order to have the correct date in Margali after subtraction of 10 days, we must determine how many Kalendar days in the given Tamul year, that month contains, for which purpose we have the following process.

	D.	C.	V.	P.
By Rule (present Article) we have the Root for 1st Tye ♑, A. Cm. 4914	(1)	24	30	11
Subtract Root for Margali, Table III,	(1)	20	53	1
Beginning of Margali, Ravi-vara	(0)	3	37	10

for which using the Dominical Letter D (because Margali is concurrent with December 1812) we find *Sunday* 13th December. Hence 31d in December.
— 13

18 rem. in Dec.
And as Tye began 11th January 11 in Jan.

Number of days in the month Margali 29
From which subtract 10 in excess

There remains 19

Answer.

The 1st of January 1813 falls on *Sucra-vara* (Friday), 19th Margali, A. Cm. 4914.

N. B.—It will be found by adding the Roots of the months Tye, Maussi, and Poongoni, Table III, part 2d, to that of the beginning of Tye, found in the present Article, that the ensuing year 4915 and Chaitram, falls on Sunday, 11th April 1813, which shews that the operation has been well performed (vide General Table of Solar years XIXth century, at the end).

Example III.

In the year of Christ 800, Easter Sunday fell on the 19th April Julian Style, Alexandrian computation : wanted the Hindu date thereof.

As it appears from Table V, part 1st, that the Tamul year Cali yugam 3902 concurrent with A. D. 800, began on *(Wednesday)* Bhuda-vara, the *20th March* O. S. and that the Dominical Letters were ED, no further calculation is required for the 1st Chaitram of the said year.

But the proposed date is the 19th April, which is 30 days more, therefore the date required should fall on the 31st Chaitram, provided that month contains that number of Kalendar days; to ascertain which we have, as before, the following process.

		D.	G.	V.	P.
Epoch 800, Table VII,		(0)	13	26	15
Subtract one year for the Root, Table I, (vide Part I, page 13),		(1)	15	31	15
Beginning of Chaitram A. Cm. 3902	Friday	(5)	57	55	0
If we wish to verify the operation to the above last Root	Friday	(5)	57	55	0
Add Root for the month Chaitram		(2)	55	32	1
	Monday	(1)	53	27	1

which Monday being expounded by means of the Dominical Letter D, about 20th April, (be-cause the preceding month began 20th March) we find 1st Vyassei ♉ on the said 20th April,—therefore the month of *Chaitram* counts 31 days, and the Tamul date *Ravi-vara*, 31st Chaitram, answering to Sunday, 19th April, A. D. 800, has been well expounded.

Example IV.

A Missionary wants to determine on what Kalendar Tamul year, month and day, Christmas day A. D. 1812 Gregorian style, happens to fall; and wishes to note the current year from the epoch *Saca*, that of the birth of Salivahana.

Rule.

The year Cali yugam current with A. D. 1812 (1812+3102) is 4914 current; but from what has been said at page 17, the concurrent year Saca is (4914—3179) 1735.

To proceed, using as before 1812—1.

		D.	G.	T.	P.
Epoch for 1800, Table VII,	- -	(5)	54	16	15
Add Root for 10 years, Table I,	- -	(5)	35	12	30
Do. for 1 year complete, do.	- - -	(1)	15	31	15
Beginning of Chaitram and year Saca 1735	Friday	(5)	45	0	0

a leap year.

And to get to Margali, (Indian December) add Root for
Cartia complete, Table III, part 3d,   - - (1) 13 37 1

Beginning of Margali   - - -   *Sunday* (0) 3 37 1

We are now to expound these, *Friday*, 1st Chaitram, and *Sunday*, 1st Margali, for which Table **V**, part 2d, shews that the 19th century begins on a *Wednesday*, and Table VI, part 2d, that for 12 odd years 0 is to be added to the said Wednesday, to have the day of the week on which A. D. 1812 begins; which therefore also occurs on a *Wednesday*, and gives the Dominical Letters ED, that year being bissextile.

Now it appears by Table V, part 2d, column 3d, (page 6,) that the year Cali yugam 4902 (1800) begins on the 10th April N. S. and 5002 on the 12th, therefore the proposed year must fall about the 9th and 13th, which are its limits; and for reasons already referred to, that the 1st of Margali cannot occur earlier in December than the 9th, or later than the 14th.

With these data refer to the perpetual Kalendar with the Dominical Letter D, and you have

     Friday, 1st Chaitram, and year Saca 1745   -   10th April,

     Sunday, 1st Margali,   -   -   do.   13th December.

But the proposed date is 25th December, which is 12 days later, therefore Christmas day A. D. 1812, falls on Sacra-vara, 13th Margali of the year Saca 1735.

EXAMPLE V.

The epoch of Hejira, or flight of Mahomed, occurred on the 16th July A. D. 622 Julian Style: wanted its concurrent Hindu date.

CAUTION.

As the proposed date falls considerably beyond the beginning of April, there can be no question as to the notation of the years Cali yugam and Saca, which are, viz. Cali yug (622+3102) 3724 and Saca (3724—3179) 545, both current.

RULE.

				D.	G.	T.	P.
Epoch for the Secular year 600, Table VII,	-	-	-	(0)	29	16	15
Root for 20 years, Table I,	-	-	-	(4)	10	25	0
Do. for 1 year complete,	-	-	-	(1)	15	31	15
Sydereal beginning of Chaitram and year Cm. 3724	-	Friday,	(5)	55	12	30

a leap year.

	D.	G.	V.	P.
And to get to the Indian month Audi (ᬇ) June, add Root of Auni II complete, Table III, part 3d,	(2)	56	22	0
Beginning of Audi A. Cm. 3724 Monday,	(1)	51	31	30

Now to expound the Christian date of the 1st Chaitram and 1st Audi, we find by Table V, part 1st, that the Secular year 600 Julian Style, began on a Friday, and by Table VI, that **22 odd years** give 0 day to add thereto, in order to obtain the feria beginning A. D. **622,** which therefore also begins on a *Friday.* Hence the Dominical Letter is C, Julian Style.

But Table V, part 1st, shews that the year Cali yugam 3702 (600) **began on the 19th March,** and 3802 on the 20th, therefore 1st Chaitram 3724, must fall about either of those days (page 15).

Referring therefore to the perpetual Kalendar with the Letter C, near the 19th March, we find Friday, 19th March, for the beginning required.

In the same manner, since the beginning of Audi cannot fall before the 18th, nor after the 23d of June (vide Example II and IV), the same process shews that Monday, 1st Audi, falls on the 21st June ; and therefore, as the proposed date is the 16th July, that it will fall 25 days later, i. e. on the 26th of Audi.

Answer.

The 16th July A. D. 622 falls on *Sucra-vara,* the 26th Audi, of the 3724th year of the Cali yug, and 545 Saca.

Note.—Too much attention cannot be paid when converting dates proposed in the *Julian style* into the corresponding date of the Tamul Solar year. For although there is no danger of mistaking the European month which corresponds with the 1st Chaitram of the year sought, its being always clearly indicated by Table V, yet if the proposed date be advanced in the year, as is the case in this Example, the eye, on taking out the European month, which let it be that corresponding to Audi, out of Table III, may hit on the 2d Section of that Table, where Audi corresponds to July N. S., instead of the 1st, where it answers to *June* Old Style.

Thus in the present Example, if through mistake the month *Audi* were taken to answer to our *July* (as it does in the Gregorian), instead of *June,* which is the corresponding month of the Julian Style, then the 16th July would be made to fall on the 29th *Auni* instead of the 26th Audi, which is its correct date.

Example VI.

An European lets a house on lease to a Native, for a certain period of time, which is to expire on the 11th April 1833; the Native wants to know on what year, month and day of his own reckoning, his lease is to expire.

OBSERVATION.

As the year Cm. 5002 (1900-1) begins on the 12th April (Table V), there can be no doubt about the notation of the year, which must be (1838+3102) 4940 Cali yugam, or (4940—3179) 1761 Saca, both current.

RULE.

	D.	C.	Y.	P.
Epoch for 1800, Table VII,	(5)	54	16	15
Root for 30 years, Table I,	(2)	45	37	30
Do. for 7 years complete, do.	(1)	48	38	45
Beginning of Chaitram and year 1761 Saca or Cali yug 4910 — *Wednesday* (3)	28	32	30

a common year.

To expound which, we find by Table V, part 2, that the 19th century begins on a *Wednesday;* and by Table VI, for 38 years, that 5 days are to be added to the same for the feria beginning A. D. 1838, i. e. *Monday;* therefore the Dominical Letter for that year is G, Gregorian Style.

Now the Hindu year 4902 concurrent with 1800, begins on the 10th April, and 5002 on the 12th, therefore the commencement of 4940 must fall about these limits.

Referring, therefore, to the Kalendar with the Dominical Letter G, near that date, we find that Wednesday, 1st Chaitram, falls on the 11th April, which is precisely the given date.

ANSWER.

The Native is to surrender the house on Bhuda-vara, 1st Chaitram, A. Cali yug 4940, and Saca 1761.

EXAMPLE VII.

The Chronologists reckon that our Saviour was born on the 5th year before Anno 0 Dyonisian æra, from which circumstance we account our time 5 years too late. What is the concurrent Hindu date with Christmas night of the said year?

CAUTION.

1º We are to notice when taking the Roots out of Table VIII for the odd years before Christ, that as the centuries are increasing in notation whilst ascending, *one more* odd year is to be used for the end of the year expired, instead of one *less.* Thus had the proposed year been A. D. 5 current, we would have used 4 complete; but having to expound A. A. C. 5, we are to use 6.

2º The given year is a *common one.*

3º The proposed month falls considerably after April; and the notation for the year will therefore be (3102—6) 3096 complete, and 3097 current.

RULE.

Table V, part 3d, shews that the secular year Ante Christian Æra 100, began on a *Friday,* and its Dominical Letters are CB; the same Table shews also, that the Hindu year Cali yugam 3002 concurrent therewith, began on the 13th of March Julian Style.

With the year Cali yugam 3096 *complete*, referring to Table VII, we find at once (not the epoch) but the Root for the proposed year.

	D.	C.	V.	P.
Sunday (0)		43	38	45

And to get to the Indian month of December, referred to the Old or
Julian Style, take the Root for Margali, Table III, (2) 39 30 11

1st Tye ♑ to be counted from Sunday, i. e. *Wednesday* (3) 23 8 56

To expound which, we have noticed that the beginning of A. A. C. 100 began on a *Friday ;* and Table VI, part 1st (the year being a common one) for 95 odd years gives 0 to be added to the same for the feria beginning A. A. C. 5, which therefore also commences on a Friday, and the Dominical Letter is C.

Again Table V, part 3d, shews that the Hindu Solar year 3002, concurrent with A. A. C. 100-1, began on the 13th March, and 3102 on the 14th, therefore 3097 must have begun near either of these monthly dates. Referring therefore, to the Kalendar with the Dominical Letter C about that time, we find that Sunday, 1st Chaitram and year, fell on the 14th of March.

And as this is an Index which shews that the other months cannot have begun earlier than the 12th, or later than the 17th, in their respective months (vide Example II and IV), the same process will shew that *Wednesday*, 1st Tye, fell on the 15th of December. We want therefore, 10 days from the proposed date (25th December), which added to 1st Tye, the sum gives *Saturday* the 11th of the said month.

ANSWER.

The 25th December A. A. C. (the day on which our Saviour was born) answers to Sani-vara, the 11th Tye of the 3097th year of the Cali yug current.

EXAMPLE VIII.

There was a total Eclipse of the Moon on the 15th May 1631 Gregorian Style. What day was reckoned in the Hindu Kalendar when this Eclipse occurred ?

REMARK.

Here we are to distinguish between computing the time of an Eclipse, which is to be effected by the resolution of time on principles totally different from those which regulate the *Madhyama Saura Mana*, and expounding the day which was reckoned in any Kalendar, (let it be ever so erroneous) when that event occurred. An Eclipse which was *observed* on any particular day cannot be controlled by any system of Astronomy ; and it's prediction, when determined on legitimate principles, can only fail by a very small quantity : it may therefore, be classed with actual observation. The present question is, therefore, only one of Chronology, and not of

Astronomy ; for it being known that the Eclipse occurred on a *Thursday*, all we have to do is, to determine what date this Thursday did indicate in the Tamul Kalendar, to resolve it.

This being understood, we shall proceed as usual.

CAUTION.

1º As the Secular year 1600 Gregorian Style, was a *Bissextile* one, we are to use part 1st of Table VI for the number of days to be added to the weekly day beginning the century, to have that which commences the given year (or any other year of the same century).

2º The proposed date falling in *May*, leaves no doubt respecting the notation of the year, which should be (1631+3102) 4733 Cali yugam and (4733—3179) 1554 Saca, both current : then with 1631—1.

RULE.

		D.	G.	V.	P.
Epoch for A. D. 1600, Table VII,	- - -	(6)	10	1	15
Root for 30 years, Table I,	- - -	(2)	45	37	30
Beginning of Chaitram and year 1554 Saca - - Monday	(1)	55	38	45

a leap year.

And to get to the month Vyassei ♉ (Indian May), add the Root for Chaitram,

		D.	G.	V.	P.
Table III, part 3d	- - - - -	(2)	55	32	1
Beginning of Vyassei - - - - - - Thursday	(4)	51	10	46

In order to expound these, Monday, 1st Chaitram, and *Thursday*, 1st Vyassei, we find by Table V, part 2d, that the Secular year 1600 began on a *Saturday* ; and for the number of days to be added thereto, in order to get the feria beginning A. D. 1631, we have by Table VI, *part* I, (vide Caution) for 31 years, 4. Therefore, the weekly day required was *Wednesday*, and the Dominical Letter for that year E.

Now by Table V, part 2d, column 3d, it appears that the Hindu year Cali yugam 4702 (1600) began on the 6th April, and 4802 on the 8th ; therefore, referring to the Kalendar about that time, we find that *Monday*, 1st Chaitram, fell on the 7th of April ; and as the other months cannot begin earlier than the 4th or later than the 10th of their respective concurrent European months (Example II and IV), we also find that Thursday, 1st Vyassei, fell on the 8th of May.

But the Eclipse occurred on *Thursday* the 15th of May, which is 7 days later, therefore the notation of the Hindu Sydereal time is *Guru-vara*, 8th *Vyassei*, A. Cm. 4733 and 1554 *Saca*, under the Meridian of and at Lanca.

OBSERVATION.

With respect to the *Civil* day registered in the Kalendar, we are to observe that as the fractional part of the Root (51g 10v 46p) of the beginning of Vyassei, exceeds 30 guddias, the Tamul month of that name must be accounted to begin, not on *Thursday*, but on *Friday* the 9th May, Civil time, which advances the notation of every day in that month by *one* day. Therefore,

on consulting a Kalendar which gives *only the Civil day*, should we want the Sydereal day on which the Eclipse really occurred, we are to subtract *one* day, and suppose a fraction of at least 30 gudlias reckoned from Sun rise, because the 9th Viassei so registered, is only the 8th with a fraction, as has been said.

But the Hindu Patras generally predict the Eclipses for the time from *true* Sun rise, in separate articles, and independently of the Civil day registered in the columns of the Kalendar.

Example IX.

There will be an Eclipse of the Sun visible in the Eastern parts of Asia, on the 11th January 1899, at 11ʰ P. M. referred to the Meridian of Paris.—On what year, month and day, according to the Tamul Style, is it to be expected under the Meridian of Lanca? to be expressed in Solar Time (vide remark, preceding Example, page 41.)

Caution.

The date falling in January, the notation of the Tamul year must be (1899—1) 1898+3102 =5000 Cali yugam, or (5000—3179) 1821 Saca, both current. (Vide Memorandum 2º page 30), and the Rule must be worked with A. D. 1898—1.

Rule.

					D.	G.	V.	P.
Epoch for 1800, Table VII,	-	-	-	-	(5)	54	16	15
Root for 90 years, Table 1,	-	-	-	-	(1)	16	52	30
Do. for 7 years complete,	-	-	-	-	(1)	48	38	45
Beginning of Chaitram and year A. Cal. 5000 - Monday,					(1)	59	47	30

To expound the monthly date of which, we find by Table V, that the 19th century begins on a *Wednesday*, Gregorian Style; and Table VI, part 2d, for 98 years gives 3 days to be added to the said *Wednesday*, to have the feria beginning the year A. D. 1898. The Dominical Letter is therefore B, and for 1899 A.

Now to expound the Hindu date, we find by Table V, part 2d, column 3d, that the year Cali yug 4902 (1800) began on the 10th April, and 5002 on the 12th, therefore 5000 must have fallen near those limits, for which reason refer to Kalendar at the Dominical Letter B about that time, and you find *Monday* the 11th April, to be the required date.

But the predicted Eclipse falls on the 11th January of the *succeeding* year, which to deduce

				D.	G.	V.	P.
To the Root of 1st Chaitram above found	-	-	-	(1)	59	47	30
Add Collective Root for Margali ♐, Table III, part 3d,		-		(2)	39	35	11
You have beginning of Tye ♑, A. Cm. 5000 - - Thursday,				(4)	39	19	41

To expound this Thursday, we are to remember that as the 1st Chaitram of this Hindu year fell on the 11th April, none of the other months of the year can begin later than the 15th of its

own concurrent month (vide Example II, page 35, and IV, page 37). Therefore referring to the Kalendar with the Dominical Letter A (because *Tye* falls in January 1899) about that time, you find that 1st Tye falls on the 12th January of that year.

But the proposed date is the 11th January, therefore the Eclipse will occur on the last day of Margali (the preceding month', which may count 29 or 30 days.

For the resolution of this case, observing that 1st Tye fell on the 12th January, D. G. V. P.

whose Root was	-	-	-	-	-	(4) 39 17 41
Subtract Root for Margali, Table III, part 2d,	.	-	.	— (1) 20 16 1		

There remains beginning of Margali   -   .   Wednesday (3) 19 1 40

which expounding with the Dominical Letter B (because we return to December 1898), about the 12th, we find this Wednesday falling on the 14th December. Hence from 31 days in

$$\begin{array}{lr} \text{December} & 31 \\ \text{Subtract} & 14 \\ \hline \text{There remain} & 17 \text{ in Dec.} \end{array}$$

Add 12 days the date of 1st Tye in January   :   :   -   12

Number of days in Margali A. Cm. 5000   -   .   -   29 days.

Hence the 11th January must be noted Bhuda-vara (Wednesday), the 29th of Margali.

But the hour of the Eclipse referred to the Meridian of Paris was 11ʰ P. M. which to reduce to that of Lanca, we have   H. ′ ″

Hour at Paris	-	-	-	-	11 0 0 P. M.
And to count from the preceding midnight		.	-	12 0 0	
				23 0 0 from midnight	
Reduce to Longitude of Lanca from Paris, page 9,		-	+	4 54 12 E	
In European Time	.	.	.	1ᵒ 3 54 12 from midnight	

D. G. V. P.

Which converted into Hindu Time gives, by Table IV,	-	1 9 45 30	Do.		
And to count from Sun rsie	-	.	Sub.	15 0 0	
There remains to be counted at Lanca	.	-	0 54 45 30 from Sun rise.		

ANSWER.

The predicted Eclipse of the 11th January 1899, which is to occur at 11ʰ P. M. Meridian of Paris, was to be expected at Lanca, on *Bhuda-vara*, the 29th Margali, A. Cm. 5000 or Saca 1821, at 54 guddias, 45 viguddias, 30 paras after Sun rise or mean Solar time.

OBSERVATION.

As the fractional part of the Root for the beginning of Margali (19g 1v 40p as above) falls short of 30 guddias, the Civil and Sydereal day for the whole of that month will coincide, so that the notation remains the same.

It may further be observed, that retrenching the 54ꞩ 45ᵛ 40ᵖ from the ensuing Sun rise, the Eclipse will occur at Lanca on the 1st Tye, 5ꞩ 14ᵛ 30ᵖ *before Sun rise*, so that it will not be visible at that place.

Example X. (*)

The most ancient Eclipse which has been transmitted to us from the Babylonians, occurred on the 19th March 720 *before Christ*, at 6ʰ 48′ P. M. reduced to the Meridian of Paris.—Wanted the concurrent Hindu year, month and day, under the Meridian and Latitude of Lanca. (*Vide* Remark, Example VIII, p. 41.)

Caution.

The year 720 being divisible by 4 without a remainder, is a bissextile one, and therefore we are to use the 1st part of Table VI.

The proposed date being 19th March, and Table V, part 3d, shewing that the year Cali yug 3304 (700 A. C.) began on the 7th of that month, and 3404 (600 A. C.) on the 8th, there can be no doubt that the notation of the year must be (3102—720) 2382 Cali yug.

Rule.

			ꞩ.	ꜱ.	ᵛ.	ᵖ.
Root for the beginning of the year 700 before Christ, Table VIII, part 2d,			(0)	56	40	0
And for 20 years, Table I,	sub. —	(4)	10	25	0

Beginning of Chaitram and year Cali yug 2382 current,   Wednesday (3) 46 15 0

To expound which, we find by Table V, part 3d, that the Secular European year 700 began on a *Thursday;* and Table VI, part 1st, (the year being bissextile) for 20 years gives 4 to be *subtracted* from Thursday, i. e. *Sunday*, for the weekly day which begins A. A. C. 720, and consequently its Dominical Letters AG.

Again, by Table V, part 3d, column 6th, we find that the Hindu Solar year concurrent with A. A. C. 700, began on the 7th March, therefore referring to the Kalendar with the Letter G about that time, we find that Wednesday, 1st Chaitram, and year Cali yugam 2382, fell on the 7th March 720 A. C.

But the date proposed is the 19th of March current, or 18th complete; therefore adding 11 days to the 1st, we have *Ravi-vara* (Sunday), the 12th of Chaitram.

Now the Eclipse occurred at 6ʰ 48′ P. M. Meridian of Paris, which to reduce to that of Lanca, we proceed as before.

(*) This Example refers to another given in the Note for equating the Ayanansa to the European Tables, given at the end of the volume.

	н.	′	″	‴	
Time of Eclipse at Paris	6	48	0		from Noon.
To reckon from preceding Midnight	+ 12	0	0		
	18	48	0		from Midnight.
Add Longitude in time from Paris to Lanca	+ 4	54	12		
Time in European hours, m. & s.	23	42	12		Do.

	G.	V.	P.	
which converted into guddias, viguddias and paras, by means of Table IV. give	59	15	30	Do.
And to reckon from Sun rise at Lanca	— 15	0	0	
There remains time of Eclipse	44	15	30	from mean Sun rise,

Solar time.

Answer.

The Hindu time concurrent to that of the Eclipse which occurred on Monday the 19th March, A. A. C. 720, at 6h 48′ P. M. Paris time, is 12th Chaitram, A. Cali yugam 2332, on Ravi-vara, at 44g 15v 30p after Sun rise, Solar time, at Lanca.

PART III.

Wᴇ shall now proceed to give some Examples of the converse of the proposition, which differs only in the manner of stating the question, the same Rule applying to both cases.

Exᴀᴍᴘʟᴇ I.

A Native applies to a Collector to farm certain lands, and wants a Potah which is to bear date the 1st Chaitram, 1748 Saca. What is the concurrent date with that epoch, according to the European Kalendar?

Nᴏᴛᴀᴛɪᴏɴ.

Saca $1748+3179=4927$ Cali yugam,

and $4927-3102=$A. D. 1825, therefore 1824 is to be used in the computation.

Rᴜʟᴇ.

To find the beginning of Chaitram and year Cali yugam 4927, proceed with 1825, as before, viz.

		D.	G.	V.	P.
Epoch for 1800, Table VII,		(5)	54	16	15
Root for 20 years, Table I,		(4)	10	25	0
Do. for 4 years complete, Do.		(5)	2	5	0
Beginning of Chaitram and year 1748 Saca	Monday	(1)	6	46	15

a common year.

To expound the date of this Monday, we find by Table V, part 2d, that the Secular year Cali yugam (4902) 1800, begins on a *Wednesday*, Gregorian Style; and 25 odd years, by Table VI, part 2d, gives *three* days to be added thereto, to have the weekly day beginning the year 1825; i. e. *Saturday*, and therefore the Dominical Letter for that year is B.

Now Table V, part 2d, column 3d, shews that the year Cali yugam 4902 (1800) began on our 10th April N. S. and 5002 (1900) on the 12th, therefore the commencement of 4927 cannot fall later than the 13th.

Referring, therefore, to the Kalendar at the Dominical Letter B about that time, we find that the *Monday* on which the concurrent Tamul year will begin, falls on the 11th of April; we have, therefore, the following

Aɴsᴡᴇʀ.

The Potah bearing date 1st Chaitram, 1748 Saca, is to run from 11th April 1825.

Exᴀᴍᴘʟᴇ II.

A Merasi was granted to the original proprietor on the 15th Margali (♐), A. 623 Saca, concurrent with A. Cali yugam 3802. Wanted the European date thereof.

NOTATION.

3802—3102=A. D. 700, and 699 to be used in the computation.

CAUTION.

1º Finding that the European concurrent date 700 falls considerably before the year A. D. 1582, this proposition must be expounded according to the Julian Style : therefore, part 1st of Tables V and VI, are to be used.

2º The proposed year, beginning the century, the Root for 1 year (1ᵈ) 15g 31ᵛ 15ᵖ must be subtracted from the epoch given in Table VII.

3º Margali being concurrent with the time about our December, the proposed date being 15th of the Hindu month, may possibly fall in our January 701.

RULE.

		D.	G.	V.	P.
From Root for Epoch A. D. 700, Table VII, - - -		(0)	21	21	15
Subtract Root for 1 year, Table I, - - -	—	(1)	15	31	15
Sydereal beginning A. Cm. 3802 - - -	Saturday	(6)	5	50	0
			a common year.		
And to get to the Hindu month Margali (♐), add the Root for Cartiga complete,					
Table III, part 3d, - - - -	-	(1)	18	37	10
Beginning of Margali 3302, - - - -	Sunday	(0)	24	27	10

Now to expound the day on which these, *Saturday*, 1st Chaitram, and Sunday, 1st Margali, occur according to the European Kalendar, we find by Table V, part 1st, that the Secular year 700 began on a *Thursday*, and that the Tamul year concurrent therewith, began on the 20th March ; therefore no further operation is required for this part of the Rule, the Dominical Letters DC being also given.

And for *Sunday*, 1st Margali, as it cannot fall earlier than the 18th or later than the 24th of November, referring to the Kalendar at the Dominical Letter C, we have *Sunday*, 21st of November.

But the proposed date is the 15th Margali, therefore adding 15 days to 21st November, we have Monday, 6th December.

ANSWER.

The Merasi being dated 15th *Margali*, Anno 623 *Saca*, was granted on the 6th December A. D. 700 Julian Style.

EXAMPLE III.

A Judge is moved to grant probate of a will, which bears date 20th Paratasi (♍,) A. 1577 Saca.—To what Christian year and date, does this will refer ? N. S.

NOTATION.

1577+3179=4756 Cali yug, and 1756—3102=A. D. 1654; and 1653 is to be used.

CAUTION.

The Secular year 1600 is a bissextile one, therefore we are to use part 1st, Table VI, for the Dominical Letter.

RULE.

							D.	C.	V.	P.
Epoch A. D. 1600, Table VII, part 2d,	-	•	•	•	•		(6)	10	6	15
Root for 50 years, Table I,	-	-	-	-	•	•	(6)	55	2	30
Do. for 3 years complete, Do.	-	-	-	•	•		(3)	46	33	45

Beginning of Chaitram and year 1577 Saca   •   •   Wednesday (2) 52 42 30

Bhuda-vara, a leap year.

And to get to Paratasi, take the Root for Auvani (Ω) complete, Table III, part 3d, (2) 26 44 6

Beginning of Paratasi   •   •   •   Friday   (5) 19 26 36

Sucra-vara.

To expound these, Wednesday, 1st Chaitram, and Friday, 1st Paratasi, we have by Table V, part 2d, the Secular year 1600 (a leap year) beginning on a *Saturday*; and Table VI. *part 1st*, for the number of days to be added thereto, to obtain the weekly day which begins A. D. 1654, gives for 54 odd years 5, to be added to Saturday, i. e. *Thursday*; and therefore the Dominical Letter is D.

Now by Table V, part 2d, the year Cali yugam 4702 (1600) begins on the 6th April; and 4802 on the 8th; therefore 4756 must fall near those limits, and referring to the Kalendar at the Dominical Letter D about that time, we find *Tuesday*, the beginning of Chaitram and year, 7th April. And as any other month in the same year cannot begin sooner in its concurrent month than the 5th and later than the 10th, we also find in the Kalendar at the Letter D, that *Friday*, 1st Paratasi, fell on the 9th September.

But the date of the will is 20th Paratasi, therefore adding 19 days to the 9th September, we have 28, and therefore

ANSWER.

The will dated 20th Paratasi 1577 Saca, has for concurrent European date 28th September 1654 Gregorian Style.

EXAMPLE IV.

History records that Sevagee, the founder of the Marattah empire, died at Rairee, on Soma-vara, the 9th Chaitram, A. 1603 Saca. What is the concurrent date *Julian Style?*

NOTATION.

1603+3179=4782, and 4782—3102=1680 A. D.; and 1679 is to be used.

CAUTION.

As the date is to be expounded in Julian Style, we need pay no particular attention to the Secular year 1600, because all such years are bissextiles in the Julian Kalendar.

Rule.

					D.	G.	Y.	P.
Epoch for 1600, Table VII,	-	-	-	-	(6)	10	6	15
Root for 70 years, Table I,	-	-	-	-	(4)	6	27	30
Do. for 9 years complete, Do.	-	-	-	-	(4)	19	41	15
Beginning of Chaitram and year 1603 Saca		-		-	(0)	36	15	0

To expound which, Table V, part 1st, shews that the 17th century began on a *Tuesday* Julian Style, and Table VI, part 1st, that for 80 odd years, 2 days are to be added thereto, in order to have the weekly day beginning the year 1680, i. e. *Thursday;* and consequently, that the Dominical Letters for that year are DC.

Now by Table V, part 1st, column 5th, the year Cali yugam 4702, concurrent with our Secular year 1600, began on the 27th March O.S., therefore 4782 cannot begin later than the 28th. Refer therefore, to the Kalendar at the Dominical Letter C about that time, and you will find the proposed Ravi-vara (Sunday), 1st Chaitram, to fall on the 28th of March.

But the date proposed is the 9th Chaitram, i. e. 8 days later; adding therefore 8 to 28th of March, we have the following

Answer.

Sevagee, having died on the 9th Chaitram, A. 1603 Saca, the date of this event is to be recorded as having occurred on Monday, the 5th April 1680.

NOTE.

On the Solar year used in the Southern Provinces of India and Cycle of 90 years, called Graha-parivrithi, the duration of the year being 365ᵈ 6ʰ 12′ 36″ European time, and 365ᵈ 15ſ 31ᵛ 30ᵖ Indian time. (*)

Not having been able to procure a copy of the *Vakya carana* (a treatise on Astronomy), in which I was told the theory of the Cycle of 90 years is explained, I have little to say on the principles of that particular division of time. I was indeed informed by the *Jyautish Sastras* of Madras, that it consisted of the sum of *one* Revolution of the Sun, 15 of Mars, 22 of Mercury, 11 of Jupiter, 5 of Venus, and 29 of Saturn : but probably, for want of the elements used by *Vararoochy* (the supposed author of the *Vakya carana*), I never could make the collective time due to these, amount to 32873ᵈ 17ſ 15ᵛ which is the duration of 90 years of 365ᵈ 15ſ 31ᵛ 30ᵖ (†). But, be this as it may, there can be no doubt on the construction of the Kalendar, as it is here explained. It was analyzed by Father Beschi (from one of whose manuscripts I extracted in part the substance of the present Note) during his residence of above forty years in Madura, where he was in charge of the Portuguese mission in that and adjacent provinces.

The Southern inhabitants of the Peninsula of India use a Cycle of 90 Solar years, which is little known in the Carnatic : their Astronomers call themselves *Siltandij*, or *of the South*, in contradistinction of their Northern neighbours, whom they call the *Vachij*, not because that word signifies that opposite point of the compass, but because they use the *Vakiam* process in their computations, of which an account will be found in the second Memoir of this collection.

	D.	H.	′	″			D.	H.	′	″
(*) The European Sydereal year is	365	6	9	10	Anomalis		365	6	15	24
The Indian	365	6	12	30			365	6	15	0
Difference of the Indian	+		3	20		—				24

The European Tropical year being 365ᵈ. 5ʰ 48′ 45ᵛ.

	D.	H.	′	″		D.	H.	′	″
Vachij									
Aria Siddhanta, Sydereal year	365	6	12	30	Vakya carana	365	6	12	36
European Tropical	365	5	48	45		365	5	48	45
Difference of the Indian	+	23	45			+	23	51	

(†) Having computed the above mentioned number of Revolutions of the Sun and five Planets by the elements at my disposition, I found the time answering thereto equal to 32885ᵈ. 7ſ. 1ᵛ. giving a difference in excess of 11ᵈ. 59ſ. 46ᵛ.

The duration of the Solar year (which is Sydereal) they divide and express in the following manner:

365^d 15$_g$ 31^v 30^p=52 weeks +1^d 15$_g$ 31^v 30^p=1^d 15$\frac{1}{2}$$_g$+1$\frac{1}{2}$^{v}. Then multiplying the first member 1^d 15$\frac{1}{2}$$_g$ by 2, they have an equation, for two years, of 2$_d$ 31$_g$: which quantity they divide again into two unequal parts, viz. 1^d 16$_g$, and 1^d 15$_g$ (independently of the second member 1$\frac{1}{2}$^{v}, of which more hereafter.)

The first equation, viz. 1^d 16$_g$ they add to the *odd* years of the Cycle of 90, and the second 1^d 15$_g$ to the *even* ones, beginning with the first year, with the exception of the 40th and 80th year, to which, though *even*, they add the first equation 1^d 16$_g$.

With regard to the odd viguddia and half of the second term of the original equation, it is to be considered that in 40 years, this quantity amounts to *one* guddia (or Tamul hour), which they add to the 40th year, making its duration 365^d 16$_g$ 31^v 15^p. By this contrivance the beginning of the years of the *Sittandij* agrees very nearly with that of the *Vachij*.

The epoch to which the Cycle of 90 years refers, is when 3078 years of the Cali yug had expired; answering to A. Ante Christum 24: so that if the number of Cycles and years expired since the epoch be required, " subtract 3078 from the years expired of the Cali yug, divide the " remainder by 90, and the *quotient* gives the number of Cycles, and the *remainder*, the " number of years expired sought."

EXAMPLE.

Let the year of the Cali yug 4846 complete, be proposed. Wanted the elapsed Cycles and years of the Parivrithi.

$$
\begin{array}{r}
\text{Say A. C. } 4846 \\
- \ 3078 \\
\hline
90)1768(19 \\
90 \\
\hline
868 \\
810 \\
\hline
\text{Remainder} \quad - \quad 58 \\
\end{array}
$$

which shews that on the year sought there were 19 Cycles and 58 years of the æra expired; and therefore, that the current ones were the 20th Cycle and 59th year.

We may operate on the same principle if the Christian year be proposed, by reversing the process.

EXAMPLE II.

Let A. D. 1745 (Cali yug 4846 complete) be proposed; to find the Cycle and year of the Grahaparivrithi.

```
     1o                        2o
    1745                   90)1768(19
   —   1                      90
   _____                     ____
    1744                      868
 +   24                       810
   _____                     ____
    1768.                      58
```

1768. The same result as in the preceding Example.

On the construction of the year, and of Table II.

The Ahargana of the *Sittandij* on the beginning of the Solar year 3102,

which occurred (according to their account) on Saturday the 13th March

A. D. 1 is

Now if to that sum you add for 1701 *of their own years*,

The Ahargana for the Solar year, which ended on Saturday

29th March O. S. will be 1753370ᵈ 4g, and in order to count

from *Sunday*, instead of *Friday*, the Root of the same

must be expressed by (6ᵈ) 4g, as was explained at pages 9

and 10 ; and as appears at the head of Table II as the epoch

for A. D. 1700, which quantity they call Atchù.

<div style="text-align:right">

D.   G.   V.   P.

1132664   54   50   45

621305   9   9   15

7)1753970(4   0   0

Remainder   1   from Friday

Soota dina   *Saturday.*

(*)

</div>

Construction of the year and of Table II.

Atchu, an epoch to which computations are referred.

For finding the circumstances of any proposed year the commencement of which has been

determined, the Rule is exactly the same as that which has been explained in the Memoir on the

Tamul year, the only difference being in the duration of the months, which is very trifling. It

is given here merely because it represents those of the *Surriah Siddhanta*, within a *para* of time

on the whole year.

Rule for the months.

		Names Surriah Siddhanta.	Names Tamuls.	Sydereal duration of each month.				Separate Roots.				Collective Roots.			
				D.	G.	V.	P.	D.	G.	V.	P.	D.	G.	V.	P.
♈	1	Mésha masa	Chaitram	30	55	32	3	(2)	55	32	3	(2)	55	32	3
♉	2	Vrísha masa	Viassei	31	24	12	4	(3)	24	12	4	(6)	19	44	7
♊	3	Mid'huna masa	Auni	31	36	38	4	(3)	36	38	4	(2)	56	22	11
♋	4	Carcáta masa	Audi	31	28	12	4	(3)	28	12	4	(6)	24	31	15
♌	5	Tinha masa	Auvani	31	2	10	3	(3)	12	10	3	(2)	26	44	18
♍	6	Canyà masa	Paratasi	30	27	22	3	(2)	27	22	3	(4)	54	6	21
♎	7	Tula masa	Arpesi	29	54	7	2	(1)	54	7	2	(6)	48	13	23
♏	8	Vrischica masa	Cartiga	29	30	24	1	(1)	30	24	1	(1)	18	37	24
♐	9	Dhanus masa	Margali	29	20	53	1	(1)	20	53	1	(2)	39	30	25
♑	10	Macara masa	Tye	29	27	16	1	(1)	27	16	1	(4)	6	46	26
♒	11	Cumbha masa	Maussi	29	48	24	2	(1)	48	24	2	(5)	55	10	28
♓	12	Min masa	Poongoni	30	20	21	2	(2)	20	21	2	(1)	15	31	30

(*) The Ahargana of the Vachij is 1132665d. 1g. 15v, and according to their account the Solar year 3102 began on *Sunday* the 14th March A. D. 1. But it may be perceived that in reality there is but 6g. 24v. 15p. difference: the fraction of days of the greater sum, being 1g., and of the lesser 51g.

There remains now only to explain how the rest of Table II was constructed.

For the Cycles.

			v.	e.
To the Atchù, or Epoch above found	-	-	(0)	4
Add for 90 years	-	-	(1)	15
Root for the second Cycle	-	-	(0)	19
And for all succeeding Cycles add	-	-	(1)	17
3d Cycle	-	-	(1)	36
			(1)	17
4th Cycle	-	-	(2)	53
				&c.

For the odd years of the Cycles.

The Roots of the odd years of the Cycles are obtained by adding (1d) 14g to the odd and (1d) 15g to the even ones, excepting the 40th and 80th, to which, altho' even ones, (1d) 16g instead of (1d) 15g are to be added, for the reasons explained at page 52.

The difference of two guddias (1c) 15g) added to the Atchù of the first for obtaining the Root of the second Cycle less than, for the rest is probably a *Sodium*, or constant quantity subtracted from the result, to fit a particular epoch, which we would term an *Empyrical* equation, the same being called *Cshepa* when additive: at least I have not been able to discover on what theory the difference is established.

Rules for finding the beginnings of the years by Table II.

How to find the beginning of the year by the Tables.

In order to find the commencement of any proposed year by this Table, we must first find the number of Cycles and years expired from the beginning of the Cali yug; then take particular notice whether the remainder indicates an *odd* or *even* year; and lastly, whether it be the 40th, or 80th of the Cycle.

After summing up the Roots for the Cycles (column 1) and for the year (column 2), you are to add 31 viguddias in *even*, and subtract 29 in odd years, excepting the 40th and 80th of the Cycle, which require (though these be *even* ones) that 29 guddias be subtracted from the sum.

How to find by Table II the commencement of the Solar year of the Cycle of 90.

Let the year of the Cali yug 4847 current or 4846 complete, be proposed, and its beginning required.

1° From	•	4846		
Subtract	-	3102		

Christian year to be used in the computation   1744

2° 90)1744(19
        34

add   24   or by the Hindu account   •   4846   90)1768(19
                                                 3078   868
        58   1768   and   58

19 Cycles, 58 years.

3° Referring at 19 to the column of Cycles in Table II, we have   19ᶜ

							D.	c.	v.	p:
3° Referring at 19 to the column of Cycles in Table II, we have						19ᶜ	(2)	25		
And at 58 in the column of years	-	-	-	-	50y		(6)	56		
					8		(3)	4		
							(5)	25		
And on account of the year being even		•	•	-		add +	0	31		
						Friday	(5)	25	31	0
The same according to the Vachij	-	•	•	-			(5)	25	6	15
						Difference			24	45

The rest of the operation is in every respect similar to that employed in the resolution of the beginning of the Tamul year; the *Vachij* and *Sittandij* counting the Civil and Sydercal duration of the years and months in the same manner.

The Rules of the Northern and Southern Tamul Astronomers compared.

I shall conclude this exposition of the method of the Southern Astronomers, by giving some Rules for comparing its results with those of the Northern account, to facilitate which, I shall present the two Rules simultaneously expounded.

EXAMPLE I.

Let the 1st year current of the 1st Cycle current, be proposed: wanted the time of its beginning, by both Rules.

CAUTION.

1° The year 0, of Cycle 0 of the Epoch of the Sittandij, corresponds to A. Ante Christum 24 and to that of the Cali yug 3078.

2° The year is an even one.

Sittandij.		D.	c.	v.		Vachij.		D.	G.	v.	P.
For 0 Cycle, Table II,	-	(6)	4			By Table VIII, A. A. C. for 20 years	- -	(4)	6	21	15
For 0 year, part 2d	- -	(0)	0			By Table I, for 4 years complete	- -	(5)	2	5	0
		(6)	4					(6)	4	16	0
The year being an even one, add			31			Sittandij	- -	(6)	4	31	0
Root of beginning		(6)	4 31			Difference Sittandij, +				14	45

EXAMPLE II.

Let the 41st year current of the 1st Cycle current, or 40th year complete of Cycle 0, be proposed: proceeding as before, this year will be found to correspond to A. D. 17.

CAUTION.

As 17—1=16 is to be used, this is an *even* year; but it is the 40th of the Cycle (vide page 53),

RULE.

Sittandij.				Vachij.				
	D.	G.	Y.		D.	G.	Y.	P.
By Table II, part 1st, 0 Cycle	(6)	4		Table VIII, A. D. 0 -	(1)	16	46	15
Do. part 2d, 40 years	(1)	21		Table I, 10 years - -	(5)	35	12	30
				Do. 6 years - -	(0)	33	7	30
	(0)	25			(0)	25	6	15
But the year is the 40th of the Cycle, therefore subtract —	(0)	0	29	Sittandij - -	(0)	24	31	0
	(0)	24	31	Difference Sittandij —			35	15

EXAMPLE III.

Let the 46th year current of the 6th Cycle current, or 45th complete year of the 5th Cycle complete, be proposed. This year will be found to correspond to A. D. 472, and therefore 472—1=471 is to be used.

CAUTION.

This year is an odd one, therefore 29ʸ are to be subtracted.

RULE.

Sittandij.				Vachij.				
	D.	G.	Y.		D.	G.	Y.	P.
Table II, part 1st, 5 Cycles	(5)	27		Table VIII. A. D. 0 -	(1)	16	46	15
Do. part 2d, 40 years	(1)	21		Table I, 400 years - -	(6)	28	20	0
Do. 5 years	(6)	18		Do. 70 - -	(4)	6	27	30
	(6)	6		Do. 1 - -	(1)	15	31	15
But the year is an odd one, therefore subtract - -			29		(6)	7	5	0
				Sittandij - - -	(6)	5	31	0
	(6)	5	31	Difference Sittandij - —			1	34	0

EXAMPLE IV.

Let the 81st year current of the 20th Cycle current, or 80th complete of the 19th complete, be proposed, it will answer to A. D. 1767 ; and as 1766 is to be used, it is an *even* one.

RULE.

Sittandij.				Vachij.				
	D.	G.	Y.		D.	G.	Y.	P.
By Table II, part 1st, 19 Cycles	(2)	25		Table I, Epoch 1700 - -	(6)	2	11	15
Do. 2d, 80 years	(2)	42		Do. for 60 years -	(5)	31	15	0
				Do. 6 years -	(0)	33	7	30
	(5)	7			(5)	6	33	45
But this year is the 80th of the Cycle, therefore subtract -			29	Sittandij - - -	(5)	6	31	0
	(5)	6	31	Difference Sittandij —			2	45

It will be perceived that the greatest difference between the Northern and Southern account falls on A. Cal. 3574, or A. D. 472, being 15 31ʸ.

END OF THE FIRST MEMOIR.

SECOND MEMOIR.

A KEY ᴛᴏ ᴛʜᴇ SIDDHANTA CHANDRA MANA

OR

HINDU LUNI-SOLAR YEAR,

ᴘʀɪɴᴄɪᴘᴀʟʟʏ USED BY THE

INHABITANTS ᴏꜰ TELLINGANA, ᴏʀ ᴛʜᴇ NORTHERN CIRCARS,

Written in the years 1823 and 1824.

ADVERTISEMENT.

—➤⊕≪—

On entering into the consideration of a method of dividing and recording time unlike any that ever was devised by man in ancient or modern times, the best warning that can be given to the reader is, to spare his attention by discarding all speculative matter, and to lead him speedily through a regular exposition of the doctrines on which that system is founded. I shall, therefore, offer but a few words by way of preface to this second Memoir, and these merely to prevent the reader from falling into the same misconceptions as I entertained when I began the present research.

It was imagined by some learned commentators, that the Hindu Astronomical Luni-solar year might be the same as some of those used by the ancients ; and doubts immediately arose from that supposition, whether the Babylonians, Egyptians or Indians were the original inventors ? To which I shall reply that, although certain features of resemblance may be discovered, yet neither the Mundane æra and year of the Jews, nor the Chaldean *Saros*, or *Sossos* (of which we know very little) have more to do with the Siddhanta *Chandra mana*, than any like division of time, where it was attempted to take into consideration and combine the Sun and Moon's revolutions.

The Luni-solar year of the ancients best known to us, reckoned that 99 Lunar months contained 2923 days and 12 hours; which in 60 years, gave an excess over the Sun's mean motion, of 3 days, and of 30 days in 160 years ; on which account they *omitted* one of the intercalary months. This period being one of the three (viz. 19, 111 and 160 years) when the Hindus *seem* also to expunge a Lunar month, I was led, with other speculators, to suppose that the operation might be the same : but it soon appeared manifest to me from the present research, that the Hindus really *expunge nothing*, since it is only when a *double* intercalation is called for on their principles, that some other month is left out, so that when this case occurs, the year remains (as in all Embolismic years) one of 13 months, the only difference being, that the intercalation falls out of its usual place.

In the same manner, the order of the common intercalations during the Cycle of *Meton* appeared accidentally (from hitting on a particular period) to be the same as that of the Hindus ; for the ancients divided their Cycle of 19 years into 12 *complete* and 7 *incomplete* years, which last they

intercalated so that their equations fell on the 3d, 6th, 8th, 11th, 14th, 17th, and 19th, as was the practice of the Jews; and there are truly periods when the Hindu intercalations follow the same course.

But on looking deeper into the subject I found, that the series in the Hindu Cycle was in a constant state of fluctuation; for on tracing the successive intercalations, according to Indian principles, from the origin of the Cali yug, I found that they ran successively through every possible change, as may be seen in the marginal note (*), a circumstance which is the necessary consequence of a system according to which nature is always suffered to follow its own course, and in which the intercalations bear only on the *names* of the months, and the length of the artificial year, without the least quantity being thrown in to fit the lesser divisions of time to the system.

The same thing may be said of the Luni-solar days called *Tidhis*, these being likewise liable *in appearance* to intercalations and omissions, but not so in reality: for these circumstances depend entirely on the manner of coupling them with the corresponding solar days.

The truth is, that the Hindu Mathematicians seem, of all others that have existed, to be those who have shewn the greatest aversion to arbitrary equations; for although in our still imperfect knowledge of their Astronomy, the Hindu system appears not to be wholly free from empiricism, yet, as far as we are able to judge, the spurious quantities which we are unable to account for, may have been thrown in by them, less from choice than from necessity.

The adherence of the Hindus to that singular species of days which they call Tidhis, so unavailing to the purposes of civil life, is a striking proof, (among many others) of their attachment to ancient usages, for if on one hand it must be admitted, that without the use of these Tidhis their whole system of Astronomy must fall to the ground, on the other, as their beginning or end cannot be known without looking into the Panchangum, (because each may begin or end at any instant of the Solar day), it is difficult to conceive the cause which has

---

(*) Series of Intercalations in the Hindu Cycle of 19 years from the year 0 to 779 of the Cali yug.

From A. Cal. 0 to,

Years.	Months.	Days.	Gud.	Viz.		Revolutions.		Series of Intercalations.							
1.2	19	7	11	55)	7×19		1	0	3	6	9	11	14	17	19
						6									
2.6	8	21	56	25)	13×19		2	0	3	6	8	11	14	17	19
						9									
2.8	6	21	35	45)	21×19		3	0	3	6	9	11	14	16	19
						6									
512	5	6	20	15)	27×19		4	0	3	5	8	11	14	16	19
						7									
615	3	13	32	10)	31×19		5	0	3	5	8	11	13	16	19
						7									
779	1	20	44	5)	41×19		6	0	2	5	8	11	13	16	19
							7	0	2	5	8	10	13	16	19

Therefore in 779 years, the series of intercalations was interrupted 6 times.

preserved their notation during so many ages in their rustic Kalendars, unless it be ascribed to their predilection for Astrology.

In truth the Tidhi is now almost entirely banished from public business, excepting in that part of India which was formerly called *Tellingana*, better known to Europeans under the name of the *Northern Circars*. But neither the testimony of the senses, nor the language of reason, could ever remove it from the moral and even physical concerns of the Indians, all believing alike, without distinction of castes or persuasions (*), that every contingency of life is ruled by the joint operation of the great luminaries of nature.—In all that relates to health, fortune, advancement, prosperity, or their contraries, the Panchangum must previously be consulted ; but the ruling order of the Brahmins rigorously require from those among them who are qualified for, and willing to compute it, that they will scrupulously adhere to those sacred doctrines according to which the beginning and duration of the Tidhi is determined, a period, however, (it must be owned) which is no further imaginary than because it is manifested to the senses by no visible operation of nature, though it be as truly an assignable portion of time, as the Solar day is an assignable part of the Sun's tropical revolutions.

(*) In the year 1800 the Author was Member of a Court Martial which had been assembled at Nundidroog for the purpose of trying a Mahommedan Sirdar of Rank named Hyder Beg, on an accusation of high treason.— This man was honorably acquitted, and after the sentence had been confirmed, the President of the Court proceeded to the place of his confinement to announce him his deliverance.—Hyder Beg received this communication with calm gratitude, but asked leave to remain in his prison until his family might arrive to be present at his liberation, which was granted.—Two days afterwards his principal wives and children reached Nundidroog in expectation of an immediate interview ; but during that interval a Brahmin Astrologer had got access to the Prisoner (himself a Mogul) and assured him that according to the *Panchangum* the Tidhi was an *unlucky* one, and that if he were to meet any of those who were dear to him pending its duration, they would feel the evil consequences ever after. Hyder Beg, though a grave and sensible old man, submitted to the imposition, and waited patiently until the end of the fatal Tidhi, for receiving to his bosom those dear objects whom, during the course of his trial, he had often thought he should see no more.

A

KEY TO THE SIDDHANTA CHANDRA MANA.

—•≪◊≫•—

PART I.

—•—

ARTICLE 1.

ALTHOUGH there are short methods for computing the elements which are required for the construction of the Luni-solar Kalendar of the Tellingas (as it is improperly called in Madras) consistently with the doctrines of the Surriah Siddhanta, yet as these give no distinct view of the theories from which they are derived, I shall begin by computing each in Sydereal time according to the Rules of the Sastras, and show afterwards and in separate articles, how the same may be obtained by different processes.

As the division of time we are about to treat of is not a *Lunar*, but a *Luni-solar* year, the Solar Kalendar for that which it may be proposed to expound, must first be constructed, at least to a certain extent, according to the Rules delivered in the Key to the Madhyama Saura mana ; such a document being indispensable at every step of the problem under consideration. The construction of the leading points of the *Ravi Panchangum* requires no considerable waste of time nor labour, and may be framed, by help of the Tables given at the end of the Memoirs, in the course of a few minutes, care being taken to use those which are constructed with the elements of the Surriah Siddhanta.

There are also certain quantities and expressions which are constantly required in the process, and which it is important not to mistake : Such are the names of the Hindu Signs of the Zodiac, with their numerical succession, both current and complete ; the absolute number of days which the Sun takes to move through each Sign, the number of complete natural days in each Solar month, both Civil and Sydereal ; and lastly, the numbers which are to be added to the Solar, or Luni-solar Aharganas on the beginning of the proposed year, for obtaining the Epochs of recurrence of mean conjunctions during the whole of its duration.

My intention being to expound every case of variation to which the Luni-solar year is subject, I have selected for exemplification the year 4924 current of the Cali yug, or 1745 from the birth of Salivahana, corresponding mainly with A. D. 1822 ; that on which Mr. Davis has announced there would be a *Cshaya*, or expunged month, and which exhibits consequently all the changes that are to occupy our attention. I annex the Skeleton of the Chandra Panchangum for that year, in order to familiarize the reader at an early period with its singular appearance.

As every means are given in the first Memoir for ascertaining the Solar date of any Epoch proposed in European time and vice versa, and as in the present tract I shall show that the *Tidhi* cannot be expounded without a knowledge of the corresponding Solar date, both of which are always inserted in the Chandra Panchangum, it would be useless to enter again into an explanation of the process by means of which the dates expressed in one style are to be con-verted into another, but the operation will be performed without comments, whenever it may be required.

Quantities required for the computation of the Luni-solar Kalendar for the same year.   *Skeleton of the Solar Kalendar for the year Cali yugam 4924, and Saca 1745 current (A. D. 1822.)*

Years current	Number of Lunations	Collective number of days of Solar months in Lunations (D. G. v. P.)	Collective number of days of Solar months (D. G. v. P. s.)	Names of Luni-solar months	Names of Solar months	Roots of beginnings of months (D. G. v. P.)	Sydereal duration of months	Civil duration of months	Names of Zodiacal Signs	Types	Current Sign	complete Sign	Beginning of months European dates
4923	0	0 0 0 0	0 365 0 0 0	Chaitra	Poongoni	(2) 22 17 4 36			Min	♓	12	11	12 March
4924	Lunations 1	29 31 50 7	30 55 32 2 39	Vaisácha	Chaitram	(4) 42 38 7 12	30	31	Mésha	♈	1	0	11 April
	2	59 3 40 14	62 19 44 5 20	Jyaisht'a	Vyassei	(0) 38 10 7 51	31	31	Vrisha	♉	2	1	17 May
	3	88 35 30 21	93 56 22 8 4	A'sha'd'ha	Auni	(4) 2 22 12 32	32	31	Mid'hhuna	♊	3	2	13 June
	4	118 7 20 28	125 24 31 10 46	Sra'vana	Audi	(0) 39 0 15 16	31	32	Carcáta	♋	4	3	14 July
	5	147 39 10 35	156 26 44 13 26	Bha'dra	Auvani	(4) 7 12 17 58	32	31	Sinha	♌	5	4	15 Aug.
	6	177 11 0 42	186 54 6 16 4	Aa A'swina	Paratasi	(0) 9 22 20 38	31	31	Canyá	♍	6	5	15 Sept.
	7	206 42 50 49	216 48 13 18 39	Ná A'swina	Arpesi	(2) 36 44 23 16	30	31	Tulá	♎	7	6	15 Oct.
	8	236 14 40 56	246 18 37 21 12	Ca'rtica	Cartigi	(4) 30 51 25 51	30	30	Vrischica	♏	8	7	14 Nov.
	9	265 46 31 3	275 39 30 23 43	Ma'rgasiras } *Cshaya*	Margali	(6) 1 15 28 24	29	29	Dhanus	♐	9	8	14 Dec.
	10	295 18 21 10	305 6 46 26 15	Paushia	Tye	(0) 22 8 30 53	29	29	Macara	♑	10	9	12 Jan.
	11	324 50 11 17	334 55 10 28 48	Ma'gh	Maussi	(1) 49 24 33 25	30	30	Cumbha	♒	11	10	10 Feb.
	12	354 22 1 24	365 15 31 31 24	P'ha'lguna } Aa. Chaitra or Phalguna Mitiek }	Poongoni	(3) 27 48 35 58	30	30	Min	♓	12	11	12 March
4925	13	383 53 51 31	30 55 32 2 39	Na. Chaitra	Chaitram	(5) 58 9 38 34	30	30	Mésha	♈	1	0	11 April

How to find the Solar Ahargana for the 1st Chaitram of the year 4924 of the Cali yug, by means of Table XLVIII according to the Surriah Siddhanta.

```
                               Ys.         D.       c.   v.   P.   s.
Part 2, Columns 3 and 4, for  4000   -   1161035    1   33   20    0
                        do.    900   -    328732   52   51    0    0
Columns 1 and 2        -        20   -      7305   10   30   28    0
                        do.      3   -      1095   46   34   34   12
                                         ---------------------------------
       Sodhyam or Equation       -        1798168   2    8   51   15   0
```

```
Ahargana 1st Chaitram 4924   -   -   1798166   42   38    7   12
Subtract absolute duration of Poongoni    30   20   21    2   36
                                        ---------------------------
Ahargana 1st Poongoni 4923   -   -   1798136   22   17    4   36
```

Divide each Ahargana by 7) 1798166 (256880 weeks
For Chaitram 4924 remainder 6 which counted from Friday gives
Thursday, which according to Tabular expression counting from
Sunday is to be noted (4d) 43g 38v 7p 12s as above.

        7) 1798136 (256876 weeks
        Remainder 4 which counted from Friday gives Sunday

Tuesday; and according to Tabular expression counting from Sunday
is to be noted (2d) 23g 17v 4p 36s as above.

Constant Quantities required for the Construction of the Kalendar of any Luni-solar year.

		Names of Solar months.	Absolute number of days in each Solar month.					Separate Roots of do.					Collective Roots of do.					European months N. S.
			D.	G.	V.	P.	S.	Roots. G.	V.	P.	S.		Roots. G.	V.	P.	S.	
1	♈	Chaitram	30	55	32	2	39	(2) 55	32	2	39		(2) 55	32	2	39	April
2	♉	Vyassei	31	24	12	2	41	(3) 24	12	2	41		(6) 19	44	5	20	May
3	♊	Auni	31	36	38	2	44	(3) 36	38	2	44		(2) 56	22	8	4	June
4	♋	Audi	31	28	12	2	42	(3) 28	12	2	42		(6) 24	34	10	46	July
5	♌	Auvani	31	2	10	2	40	(3) 2	10	2	40		(2) 26	44	13	26	August
6	♍	Paratasi	30	27	22	2	38	(2) 27	22	2	38		(4) 54	6	16	4	September
7	♎	Arpesi	29	54	7	2	35	(1) 54	7	2	35		(6) 48	13	18	39	October
8	♏	Cartiga	29	30	24	2	33	(1) 30	24	2	33		(1) 18	37	21	12	November
9	♐	Margali	29	20	53	2	31	(1) 20	53	2	31		(2) 39	30	23	43	December
10	♑	Tye	29	27	16	2	32	(1) 27	16	2	32		(4) 6	46	26	15	January
11	♒	Maussi	29	48	24	2	33	(1) 48	24	2	33		(5) 55	10	28	48	February
12	♓	Poongoni	30	20	21	2	36	(2) 20	21	2	36		(1) 15	31	31	24	March

The Roots between parenthesis to be counted from Sunday:- But those given in the present Table being *absolute*, are never expounded but when combined with the initial Root of the proposed year. Vide marginal note of Table III (Madhyama Saura Mana),—the only difference being in the quantities, which in that Table are derived from the Elements of the Ariah Siddhanta.

SKELETON *of the Siddhanta Chandra Panchangum, for the Meridian and Latitude of Madras, for the 4924th Luni-solar year of the Cali yug.*

Chaitra. 1.		Vaisacha. 2.		Jaishta. 3.		Ashard'ha. 4.		Sravana. 5.		Bha'drapada. 6.		Adigah Aswina. 7.	
Poongoni		Vaisachu										Adigah Aswina	
13 Sun	Soocha Pachum.	12 Mon	Soocha Pachum.	10 Tues	Soocha Pachum.	8 Thurs	Soocha Pachum.	6 Fri	Soocha Pachum.	3 Sat	Soocha Pachum.	2 Mon	Soocha Pachum.
14 Mon		13 Tues		11 Wed		9 Fri		7 Sat				3 Tues	
15 Tues	4 Cshaya.	14 Wed		12 Thurs		10 Sat	4 Cshaya.			4 Sun		4 Wed	
16 Wed		15 Thurs		13 Fri				8 Sun		5 Mon		5 Thurs	
17 Thurs		16 Fri		14 Sat		11 Sun		9 Mon		6 Tues		6 Fri	
18 Fri		17 Sat				12 Mon		10 Tues		7 Wed		7 Sat	
19 Sat			8 Cshaya.	15 Sun		13 Tues		11 Wed		8 Thurs			
		18 Sun		16 Mon		14 Wed		12 Thurs		9 Fri	Adigah.	8 Sun	
20 Sun		19 Mon		17 Tues		15 Thurs		13 Fri		10 Sat		9 Mon	
21 Mon		20 Tues		18 Wed		16 Fri	Adigah.	14 Sat				10 Tues	
22 Tues		21 Wed		19 Thurs		17 Sat				11 Sun		11 Wed	
23 Wed		22 Thurs		20 Fri				15 Sun		12 Mon		12 Thurs	Adigah.
24 Thurs		23 Fri		21 Sat		18 Sun		16 Mon		13 Tues		13 Fri	
25 Fri	Purnima Tidhi	24 Sat				19 Mon		17 Tues		14 Wed		14 Sat	
26 Sat	Chrishna Pachum		Adigah.	22 Sun		20 Tues		18 Wed		15 Thurs			14 Cshaya.
27 Sun	(1)	25 Sun	Purnima Tidhi	23 Mon		21 Wed		19 Thurs		16 Fri	Purnima Tidhi	15 Sun	Purnima Tidhi
28 Mon	2	26 Mon	Chrishna Pachum	24 Tues		22 Thurs	Purnima Tidhi	20 Fri	Purnima Tidhi	17 Sat	Chrishna Pachum	16 Mon	Chrishna Pachum
29 Tues	3	27 Tues	1	25 Wed		23 Fri	Chrishna Pachum	21 Sat	Chrishna Pachum			17 Tues	Pachuun
30 Wed	4	28 Wed	2	26 Thurs		24 Sat	Pachuun.		Pachum.	18 Sun		18 Wed	
Chaitram.	5 Thurs	29 Thurs	3	27 Fri	Purnima Tidhi			22 Sun		19 Mon		19 Thurs	
1 Thurs		30 Fri	4	28 Sat	Chrishna Pachum	25 Sun		23 Mon		20 Tues		20 Fri	
2 Fri		31 Sat	5		Adigah.	26 Mon		24 Tues		21 Wed		21 Sat	
3 Sat		Vyassci.		29 Sun	4	27 Tues		25 Wed		22 Thurs			
4 Sun		1 Sun	6	30 Mon	5	28 Wed		26 Thurs		23 Fri		22 Sun	
5 Mon		2 Mon	7	31 Tues	6	29 Thurs		27 Fri		24 Sat		23 Mon	
6 Tues		3 Tues	8	Aani.	7 Cshaya.	30 Fri		28 Sat			Cshaya.	24 Tues	
7 Wed		4 Wed	9	1 Thurs	II	31 Sat				25 Sun		25 Wed	
8 Thurs		5 Thurs	10	2 Fri	9	Audi.		29 Sun		26 Mon		26 Thurs	
9 Fri		6 Fri	11	3 Sat	10	1 Sun		30 Mon		27 Tues		27 Fri	
10 Sat		7 Sat	12		11	2 Mon		31 Tues		28 Wed		28 Sat	12 Cshaya.
				4 Sun	12	3 Tues		Auvani		29 Thurs			
11 Sun	30 Amavasya.	8 Sun		5 Mon	13	4 Wed		1 Thurs		30 Fri		29 Sun	
		9 Mon		6 Tues	14	5 Thurs	11 Cshaya.	2 Fri	14 Cshaya.	31 Sat		30 Mon	30 Amavasya.
			30 Cshaya.	7 Wed	30 Amavasya.		30 Amavasya.		30 Amavasya.	Parataṣi			
										1 Sun			
29		29		30		29		29		30		29	

The Siddhanta Chandra Panchangam, continued.

Nija Aswina, 8.

Arpesi	Tithi	Day	Note
			⚖ Soo. P.
1	1	Tues	Adigah.
2	2	Wed	
3	3	Thurs	
4	4	Fri	
5	5	Sat	
6	6	Sun	
7	7	Mon	
8	8	Tues	
9	9	Wed	
10	10	Thurs	
11	11	Fri	
12	12	Sat	
13	13	Sun	Purnima Tidhi.
14	14	Mon	Chrishna Pachum.
15	15	Tues	
16	1	Wed	
17	2	Thurs	4 Cshaya.
18	3	Fri	
19	4	Sat	
20	5	Sun	
21	6	Mon	
22	7	Tues	
23	8	Wed	
24	9	Thurs	
25	10	Fri	
26	11	Sat	
27	12	Sun	
28	13	Mon	
29	14	Tues	
30	30	Wed	Amavasya.

Carticn. 9. ♏

Cartiga	Tithi	Day	Note
			Soocha P.
1	1	Thurs	
2	2	Fri	
3	3	Sat	
4	4	Sun	Adigah.
5	5	Mon	
6	6	Tues	
7	7	Wed	
8	8	Thurs	
9	9	Fri	
10	10	Sat	
11	11	Sun	
12	12	Mon	
13	13	Tues	13 Cshaya.
14	14	Wed	Purnima Tidhi.
15	15	Thurs	Chrishna Pachum.
16	16	Fri	
17	17	Sat	
18	1	Sun	
19	2	Mon	
20	3	Tues	
21	4	Wed	
22	5	Thurs	
23	6	Fri	
24	7	Sat	
25	8	Sun	
26	9	Mon	
27	10	Tues	
28	11	Wed	
29	12	Thurs	
30	30	Fri	Amavasya.

Cshaya Margasiras, Pausha, 10.

Margali	Tithi	Day	Note
			Soocha Pachum.
1	1	Sat	
2	2	Sun	
3	3	Mon	
4	4	Tues	
5	5	Wed	
6	6	Thurs	
7	7	Fri	
8	8	Sat	
9	9	Sun	
10	10	Mon	
11	11	Tues	
12	12	Wed	
13	13	Thurs	Purnima Tidhi.
14	14	Fri	Chrishna Pachum.
15	15	Sat	
16	1	Sun	
17	2	Mon	4 Cshaya.
18	3	Tues	
19	4	Wed	
20	5	Thurs	
21	6	Fri	
22	7	Sat	
23	8	Sun	Adigah.
24	9	Mon	
25	10	Tues	
26	11	Wed	
27	12	Thurs	
28	13	Fri	
29	14	Sat	
Tye 1	30	Sun	♑ Ama.

Mugha, 11.

Tithi	Day	Note
		Soocha Pachum.
2	Mon	
3	Tues	
4	Wed	
5	Thurs	
6	Fri	
7	Sat	
8	Sun	
9	Mon	
10	Tues	
11	Wed	
12	Thurs	12 Cshaya.
13	Fri	Purnima Tidhi.
14	Sat	Chrishna Pachum.
15	Sun	
16	Mon	
17	Tues	
18	Wed	
19	Thurs	
20	Fri	
21	Sat	
22	Sun	
23	Mon	
24	Tues	
25	Wed	
26	Thurs	
27	Fri	
28	Sat	
29 Maussi	Sun	Adigah.
1	Mon	
2	Tues	Amavasya.

Phalguna, 12.

Tithi	Day	Note
1		Soocha Pachum.
3	Wed	
4	Thurs	
5	Fri	
6	Sat	6 Cshaya.
7	Sun	
8	Mon	
9	Tues	
10	Wed	
11	Thurs	
12	Fri	
13	Sat	
14	Sun	Purnima Tidhi.
15	Mon	Chrishna Pachum.
16	Tues	
17	Wed	
18	Thurs	
19	Fri	
20	Sat	
21	Sun	
22	Mon	
23	Tues	
24	Wed	
25	Thurs	
26	Fri	
27	Sat	
28	Sun	
29	Mon	
30 Poongoni	Tues	
1	Wed	✶ Ama.

Adigah Chaitra, or Phalguna — iiiek.

Tithi	Day	Note
1		Soocha
2	Thurs	Pachum.
3	Fri	
4	Sat	
5	Sun	
6	Mon	
7	Tues	
8	Wed	
9	Thurs	
10	Fri	10 Cshaya.
11	Sat	
12	Sun	
13	Mon	Purnima Tidhi.
14	Tues	Chrishna Pachum.
15	Wed	
1	Thurs	
2	Fri	
3	Sat	
4	Sun	
5	Mon	
6	Tues	
7	Wed	
8	Thurs	Adigah.
9	Fri	
10	Sat	
11	Sun	
12	Mon	
13	Tues	
14	Wed	
30	Thurs	Amavasya.
31	Fri	

Chaitra, ♈

Chaitram	Tithi	Day	Note
	1		Soocha P.
1	1	Sat	
2	2	Sun	
3	3	Mon	
4	4	Tues	4 Cshaya.
5	5	Wed	
6	6	Thurs	
7	7	Fri	
8	8	Sat	
9	9	Sun	
10	10	Mon	
11	11	Tues	
12	12	Wed	
13	13	Thurs	Purnima Tidhi.
14	14	Fri	Chrishna Pachuun.
15	15	Sat	
16	1	Sun	
17	2	Mon	
18	3	Tues	
19	4	Wed	
20	5	Thurs	
21	6	Fri	
22	7	Sat	
23	8	Sun	
24	9	Mon	
25	10	Tues	
26	11	Wed	
27	12	Thurs	
28	13	Fri	
29	14	Sat	
30	30		Amavasya.

ARTICLE 2.

General account of the Siddhanta Panchangum.

The Luni-solar year under consideration is accounted to begin at the true instant of conjunc-tion, or new Moon, which precedes the commencement of the Solar year, with which it is mainly to concur; and is to be distinguished from the *Bhanu Husputtia mana*, which com-mences with the full Moon which precedes the same, the months of the former being termed *Mukhya*, or primary; those of the latter, *Gauna*, or secondary. The Bhanu Husputtia mana is not used in these parts of India.

The Chandra Mana is divided into twelve months, subject by intercalation to a thirteenth month, each, whatever be its real duration, being divided into 30 Tidhis.

Names of the Lunar months.

1	Chaitra	5	Sravana	9	{Margasiras or Agralayan
2	Vaisacha	6	Bha'drapada	10	Paushia
3	Jyaish'ta	7	Aswina	11	Magha
4	A'sha'd'ha	8	Cartiga	12	Phalguna.

The month is divided into two parts of 15 Tidhis each, called *Pacsha* or *Pachum*, the first fortnight being denominated *Sukla* or Soocha (the enlightened), the second Chrishna or Bakoola (the dark) half of the month.

Names and duration of the Solar months, (Surriah Siddhanta.)

	Bengal.	Tamul.		Absolute duration of each.					The same collectively.				
				D.	G.	V.	P.	S.	D.	G.	V.	P.	S.
1	Vaisa'cha	Chaitram	♈	30	55	32	2	39	30	55	32	2	39
2	Jyaish'ta	Vyassei	♉	31	24	12	2	41	62	19	44	5	20
3	A'sha'd'ha	Auni	♊	31	36	38	2	44	93	56	22	8	4
4	Sra'vana	Audi	♋	31	28	12	2	42	125	24	34	10	46
5	Bha'drapada	Auvani	♌	31	2	10	2	40	156	26	44	13	26
6	A'swina	Paratasi	♍	30	27	22	2	38	186	54	6	16	4
7	Ca'rtiga	Arpesi	♎	29	54	7	2	35	216	48	13	18	39
8	Ma'rgasi'ras	Cartiga	♏	29	30	24	2	33	246	18	37	21	12
9	Paushia	Margali	♐	29	20	53	2	31	275	39	30	23	43
10	Ma'gha	Tye	♑	29	27	16	2	32	305	6	46	26	15
11	P'ha'lguna	Maussi	♒	29	48	24	2	33	334	55	10	28	48
12	Chaitra	Poongoni	♓	30	20	21	2	36	365	15	31	31	25

The duration of these months, which is derived from the elements of the Surriah Siddhanta, and is that used by Tellinga Astronomers, differs from that which proceeds from those of the Ariah Siddhanta only in the ratio of $\frac{365 \quad 15 \quad 31 \quad 31 \quad 23}{305 \quad 15 \quad 31 \quad 15}$. The Tamul Astronomers, however, prefer the latter, even in their Lunar computations; and on that account the Solar Ahargana given in the General Table II, was computed with the Solar year of 365ᵈ 15ˢ 31ᵛ 15ᵖ.

The instant of true conjunction which determines the commencement of the month is called *Arca-Indoo-Sanyama*, literally meaning conjunction of the Sun and Moon. It is also called *Durcham*, but more generally *Amavasya*.

Amavasya Tidhi. Day of conjunction. Although the instant of conjunction be that which determines the commencement of the year or month, yet the day on which it occurs, and which on that account is called the *Amavasya* Tidhi, is always reckoned in the Kalendar, as well as in account, as the 30th *Tidhi* of the Lunar month, because it ends on that instant. The *Prathama* or first *Tidhi* of the ensuing month is always accounted to be the next, for the same reason.

Purnima Tidhi. Day of opposition. The day of opposition is called Purnima Tidhi, and is always the 15th of the first Pacsha (*).

Names of the days of the Pacsha. The names of each Tidhi in each Pacsha or fortnight, are as follows :

1	Padyami	6	Shusti	11	Yacadesi
2	Vidya or Duitia	7	Surtami	12	Duadesi
3	Tadya	8	Astami	13	Tryadesi
4	Chouti	9	Navami	14	Chaturdesi
5	Punchami	10	Desami	15	Pavarnami

These names, which are merely numerals, will probably strike the reader, from their frequent resemblance to Latin words of the same import.

In the Panchangum the days are numbered no farther than fifteen, but in computations the series is followed up to thirty. It is, however, customary in numbering the last Pacsha in the Kalendar, to mark the 15th or last Tidhi (Pavarnami) *the 30th*, although the preceding one be noted the 14th and sometimes the 13th, unless the said 30th or Amavasya Tidhi should happen to be a *Cshaya* or expunged day ; in which, and similar cases, it would be left out of the column, and (together with its duration) noted in the margin. The last day of the month when this occurs is registered the 14th; as was the case in the month of Vaisacha of the year 4921 (†) current.

Although the Cycle of 60 years (Vrihaspati) has no immediate reference to the Chandra

---

(*) The Tamuls, and generally the Natives on the Coast, where their language is prevalent, with few exceptions, pronounce very badly all these names ; and when they write them in English, it is difficult to recognize them. I have followed Sir William Jones, Mr. Davis and Mr. Scot's orthography; and I think it desirable that it should be maintained.

(†) Vide Kalendar, page 67.

Mana, yet I find in an old manuscript in my possession, that the Southern Astronomers use it for obtaining the Ahargana (*). The practice, however, not being general; I barely mention it. But it is customary every where to annex the name of the concurrent Vrihaspati year to the proposed Chandra Mana. (†)

This, and other practices, lengthen considerably the common manner of dating letters and other documents, for if an inhabitant of the country which is still sometimes called Tellingana, wishes to be very precise in dating a letter or bill of exchange, which let it be the 2o Tidhi of the intercalary month Aswina of the Luni-solar year Cali yugam 4924; his notation will be as follows: *Manner of dating.*

" Chitrabhanù sumvat saram ; Adigah Aswina; Suddha Duitya, Mangala-vara, Cali yugam
" 4924; Saca 1715."

ANGLICE.

In the year Chitrabhanù (the 16th of the Cycle of 60 Te'linga account)—of the intercalary month Aswina the 2d day,—Tuesday; A° Cali yugam 4924, and Saca 1715. *Manner of dating in Tellingana.*

I am informed that this style in ancient times generally prevailed in all Tel'ingana; not only for private, but for public transactions. In latter times, however, it was found so extremely incon-venient (particularly since the introduction of the British power), that it was banished from all cutcheries, and the Solar Kalendar became that of the state. It is, however, still retained by the Brahmins, and most merchants at Masulipatam, Vizagapatam, Ganjam, and other places in the Northern Circars. *The Solar Kalendar, that for public business.*

The following terms and definitions require particular attention.

1o When the year is a common one, it is called by the general name of *Sumvat saram, or mana.* *Sumvat saram, name of a common year.*

2o An intercalary year—*Adigah Sumvat saram.* *Adigah Sumvat saram, an intercalary year.*

3o A double intercalary year, and consequently affected with an expunged month—*Cshaya Sumvat saram.* *Cshaya Sumvat saram, a double inter-calary year with an expunged month.*

4o When a month is intercalated, the word *Adigah* is prefixed to it (meaning added). Thus

---

(*) What follows is a literal translation of the article referred to.

" Three things are requisite for determining the time of an Eclipse, viz. 1° The Soota dina, or the list of
" the number of days which have elapsed since the Epoch fixed upon by the Author of the Rule. Now that
" Epoch falls on the 12th year of the Indian Cycle of 60 years; and there are elapsed (so it is supposed) 80 of
" these Cycles until the year 1747, when the Cycle began anew. So multiplying 60 by 80, and adding 48 years
" to the product (48 years remaining of the first Cycle), you have the number of years that have passed up to
" the year 1747. Moreover, multiply the total sum by 365 days, 15 narikas, 31 vinadis (the Tamul names for
" guddias and viguddias) and 15 tarparys (paras); add thereto the number of months, days, minutes, &c. elapsed
" since the Astronomical or true beginning of the current year, and you have the precise day sought, &c. &c."

(†) These names are inserted in the General Table I given at the end of the Tables.

Adigah Aswina " intercalated *Aswina*" and *Nja* (or proper) *to the second*, repeating the name of the month.

5º In the case of two intercalations in the same year, Tellinga Astronomers call indistinctly the second intercalation by the name of the month which occasions it, or by that of the preceding month: adding *itiek* to it. Thus in the Patra for the year 4924 the last *Adigah* may either be called, *Adigah Chitra*, or *Phalguna – itiek*.

6º When an expunged month occurs, the name of that on which it falls is coupled with that which follows it; and the second is the month *proper*. Thus in the said year 4924, the expunged month falling on *Margasiras* (Agrahayan); the notation is *Margasiras Paushya*: and the latter is the *proper* current month.

Two Tidhis ending in a Solar day, the intermediate a Cshaya.

7º When *two Tidhis* end in a concurrent Solar day, the intermediate Tidhi is expunged out of the column of days in the Kalendar, and it is called a *Cshaya Tidhi*. The numerical series is therefore interrupted; but the omitted Tidhi, together with its duration, are registered in the margin. Thus we have in the month Cartiga (first Pachum) 11, 12, ✳, 14, 15, the 13th being registered out of the line as a *Cshaya*.

No Tidhi beginning or ending in the same Solar day an Adigah.

8º When no Tidhi begins or ends in a Solar day, the preceding is an *Adigah*, or intercalary day, and its numeral is repeated. Thus we have in the first Pachum of Vaisacha, 13, 13, ✳, 14, 15. The first Tidhi being accounted the intercalated, and the second the proper one.

A Tidhi beginning before Sun rise or at Sun rise belongs to the concurrent Solar day.

9º When a Tidhi is found to begin " *before Sun-rise*, or *at Sun-rise*" then it is accounted to belong to its concurrent Solar day.

A Tidhi beginning after Sun rise belongs to the ensuing Solar day.

10º When a Tidhi is found to begin " *after Sun-rise*," then it is taken to belong to the ensuing Solar day, " provided it does not end in the same day," because in such a case it would fall within the operation of article 7º , and would be expunged out of the column of Tidhis.

11º If a Tidhi be expunged, it is sometimes called *Avamaha*, or *Oopadi*, which means *advanced*. This circumstance happens on a medium, once in 64 days; so that in one year it recurs five or six times.

12º When a Tidhi is repeated twice, it is sometimes called *Tridina*, or *Sproohoo*; the most common designations however, are *Cshaya* for expunged; and *Adigah* for intercalated.

13º In the language of Tellinga Astronomers a Tidhi is a Luni-solar day; and a *Theidi*, a Solar day; a notation which it is necessary to remember when reading Hindu tracts, to avoid mistakes. *Theidi* means also a date.

The intercalary and expunged Tidhis purely nominal.

14º From the preceding articles it will be easily perceived that the introduction or omission of a Tidhi in the columns of the Kalendar, is purely nominal, which proposition may be illustrated in the following manner.

Let TT' and T'T'' represent two Tidhis; and DD', D'D'' two concurrent Solar days, then as T (14th) began *before Sun-rise*, it belongs to the 24th Vyassei (Solar Kalendar); but as T' began *after Sun-rise*, it belongs not to the 25th, but to the 26th Vyassei (articles 9⁰ and 10⁰), and so the 25th remains seemingly without an appropriate Tidhi. Hence it comes to pass that the preceding Lunar Tidhi (14th) is supposed *to go on* until the 26th Vyassei, whose concurrent Tidhi is therefore noted the 15th; and so forth for every possible case.

A constant recollection of this singular disposition, is indispensable to the clear understanding of the manner of registering the days and Tidhis in the Kalendar; and what renders it the more perplexed is, that although the Tidhis are computed according to *apparent time*, yet they are registered in *civil time*. The Tidhis computed according to Sydereal time registered in Civil account.

The precise instant of the day after Sun rise in which the Tidhi ends, is the first article inserted in the margin opposite to it.

Article 2.

Independently of the preceding articles, the Ephemerides which always accompany the Panchangums, exhibit several others, five of which are given for every day, and the rest as there is occasion—the five principal ones are as follows: Articles of the Ephemerides annexed to the Panchangum.

1⁰ The Nacshatra in which the Moon is on the given day. 2⁰ The *Yogu*, which though bearing the same names as the *Yoga*, has no reference to it, as shall be further explained. 3⁰ The *Curna*. 4⁰ The *Thyagum* of the *Wurjum*, being the unlucky period of the day; the three last being Astrological Elements. 5⁰ The *Isharum* or places of the Planets in the Lunar mansions on the given day.

I shall only speak of these five articles in this place, because the manner of computing them is given in the third Memoir; but there are eight others which, being purely astronomical or astrological, do not belong to our province; and therefore, those who wish for an account of the latter, will find it annexed to the specimen of the Ravi and Chandra Panchangums and Ephemerides inserted at the end of this work.

1⁰ The Nacshatra, or Lunar mansion in which the Moon happens to be on each day.

There are 27 regular mansions in the circumference of the Moon's periodical revolution: each contains therefore 13° 20′ of her Zodiac. Sometimes an extraordinary Nacshatra, named *Abhijit*, is inserted between the 21st and 22d, in which case it takes 3° 20′ from the former, and 1° 40′ from the latter. The Tellinga Astronomers make no use of this extra Nacshatra. The regular Nacshatras 27.
The extraordinary Nacshatra called Abhijit.

Each mansion is divided into 60 guddias, the guddia into 60 viguddias, &c. so that one guddia is equal to 13′ 20″, a viguddia to 13″ 20‴, and a para to 13″ 20‴, which denominations must not be confounded with the measure of time of the same names.—The mansion is more The Nacs. divided into guddias, viguddias and paras.

generally divided into four quarters, called *Padahs*, which are always referred to in the Ephemerides.

The names of the 27 Nacshatras are as follows:

Names of the Nacshatras.

1	Aswini	11	Purva Phalguni	21	Uttara A'shád'hà
2	Bharani	12	Uttara Phalguni	*	Abhijit
3	Criticà	13	Hasta	22	Sravana
4	Rohini	14	Chitra	23	Dhanish'tà
5	Mrigasiras	15	Swa'ti	24	Satabhisha
6	A'rdrà	16	Visac'ha	25	Purva Bhadrapada
7	Punarvasu	17	Anurádhà	26	UttaraBhadrapada
8	Pushia	18	Jyést'ha	27	Revati
9	Asleshà	19	Mula		
10	Maghà	20	Purva A'shád'hà		

In each Nacshatra there is a particular Star called *Yoga*, which serves as the index of the mansion. The following are their names, with those of the Stars of the European Catalogue which are supposed to be the same as the Yogas (*)

	Yogas.	Stars of the European Catalogue supposed to be meant.		Yogas.	Stars of the European Catalogue supposed to be meant.
1	Vishcambha	γ or β Arietis	15	Vajra	Arcturus
2	Priti	35 Arietis	16	Asrij or Siddhi	24 Libræ
3	Ayushmat	Alcyone	17	Vyatipa'ta	δ Scorpii
4	Saubha'gya	37 Tauri	18	Vari'yas	Antares
5	So'bhana	either 113, 116, or 117 Tauri	19	Parigha	34 or 35 Scorpii
6	Atiganda	perhaps 133 Tauri	20	Siva	λ Sagittarii
7	Sucarman	13 Geminorum	21	Siddha	ϕ Sagittarii
8	Dhriti	δ Cancri	*	Abhijit	α Lyræ
9	Sila	49 or 50 Cancri	22	Sa'dhya	ε Aquilæ
10	Ganda	Regulus	23	Subha	α Delphini
11	Vriddhi	perhaps 70 or 71 Leo	24	Sucra or Subra	λ Aquarii
12	Dhruva	β Leonis	25	Brahman	ε Pegasi
13	Vya'gha'ta	7 or 8 Corvi	26	Maha Indra	γ Pegasi
14	Hershana	Spica Virginis	27	Vaidhriti	ζ Piscium

(*) It is foreign to the object of this Paper to enter into an account of the position of these Stars in the heavens: all that I shall observe at this place is, that in taking their Latitude and Longitude out of the Hindu Tables their *Vicshipa* and *Sayana* (being corresponding terms), the former is to be considered as an arc of the Meridian which intersects the Star and the Ecliptic, and the latter as the portion of the Ecliptic which is intersected by the same Meridian and the Equinoctial Colure.

2º The *Yogù* or *Yoga*; which, though bearing the same name, and in the same number
as the *Yoga* stars exhibited in the preceding catalogue, yet has no Astronomical reference to is,
is the time during which the sum of the motions of the Sun and Moon amounts to one *Nacshatra*.
Thus if it be found to amount to 10g 10v of a Nacshatra in any *Yogù* (considered as th first) at
5g 59v of time, the following, or second *Yogù*, will begin at 5g 28v after Sun rise the next
day. (*)

Of the 27 *Yogùs*, named as the *Yogas*, of the respective Nacshatras, seventeen are nearly
equal to sixteen days.

3º The *Curna*, or *Carana*—is the time when the Moon's motion from the Sun amounts to 6°,
there being two Caranas in one Tidhi. There are eleven *Caranas* in all, of which seven are
ordinary and moveable, and named *Carra*: and four extraordinary and fixed, called *Sthirra*.

The ordinary *Curnas*, or *Caranas* are specifically named as follows:

1.	Bháva,	5.	Yurka or Gurujah,
2.	Bhalava,	6.	Warnaji,
3.	Coulava,	7.	Bhudra, or Vusti.
4.	Dhitalà,		

The Extraordinaries.

8. Soyami or Chaconi. 9. Chadespadak. 10. Nagava. 11. Cimastughna or Rhimustoguna.

The first Curna begins when the Moon is 6° from the Sun; and the seven moveable ones being
eight times repeated in successive order, include 342°.—The Moon's Synodical orbit being
considered as divided into 360°, there remains 18° which she wants to complete her revolution;
and these are allotted to the 8th, 9th and 10th Curnas; but the first six degrees after the conjunction
belong to the 11th, or last.

4º The *Tyájyá* of the *Varjya* (pronounced both by the Tamuls and Tellingas *Thyajam* of the
Warjum).—These terms are always employed together in the Kalendar, the *Varjya* being that
portion of a Nacshatra which is deemed unlucky, and the *Tyájyá* the time of the duration of the
unlucky period. This time is determined by a certain point in each Nacshatra called its *Dhruva*:
that which the Moon's Disc takes, by her absolute motion, to traverse it, is the *Tyájyá*; and its
mean duration is 4 guddias: but its true one more or less, according as the Moon's continuance
in the same Nacshatra happens to be more or less than 60 guddias.

5º The Chárum or Pádachárum (pronounced Isharum by the Tamul astrologers)—a term used
in the Hindu Ephemerides, signifying the daily aspect or position of the planets; answering to
the same signification as *Jamna-pati ná*; though the latter means more precisely their aspect at

---

(*) The duration of a mean Yogu is 56g. 59v. 21p.75, but the apparent one varies in proportion with the
Sun and Moon's respective apparent motions; which depends on the place of their Apogees and affords a vast
variety of combinations. Vide page 114.

any instant of time. The manner of computing these will be found at page 182 of this work. (Vide also Glossary).

It would be a waste of time to enter into any further account of the other Astrological elements which are inserted in the *Chandra Panchangum*, independently of the five preceding ones, such as the *Cruntum, Vethei,* and *Latta.* Some notice of these, however, will be taken in the IVth Appendix at pages 208 and following.

Article 3.

Computation of the mean Elements.

Definition.

A mean Tithi or Tidhi, (a Lunar day) is the time during which the Moon moves through 12° of her Synodical orbit supposed to be divided into 360°; its duration is therefore 59s 3v 8sp Hindu time, or 23h 37′ 27¼″ European time: of these there are very nearly 371 in a Solar year. (*)

The duration of the True, *Sphuta* or *Sputa Tithi* depends on the apparent relative motion of the Sun and Moon. For a very long time the duration of the true Tithi is not sensibly affected by the motion of the Sun's Apogee: but their longer or shorter duration depends principally on their occurring at the time when the Moon is nearer or further from her Apogee, the former being only of 387 revolutions in a *Calpa*, and the latter revolving 488203 times in a *Maha yug.*

Elements.

The Elements which are required for computing the articles of the Luni-solar Kalendar, are principally as follows:

1° The Sun's mean place in the Hindu Ecliptic called *Ravi Madhyama Graha.*

2° The Moon's Do. *Madhyama Chandra Graha.*

3° The place of the Sun's Apogee in Do. called generally his upper Apsis, or *Ravi (Tunga) Mandocha.*

4° The Moon's Do. *Chandra Mandocha.*

5° The *Ayanansa,* or *Ayana Bhagas,*—meaning the arc comprised between the Vernal Equinoctial point (*Mesha Ayana*) and the first in the Hindu Sydereal Ecliptic. This latter Element is required for referring all the computations made on the fixed, or Syderal, to the moveable, or Tropical Sphere.

6° The obliquity of the Ecliptic which the Hindus take to be constantly 24°.

All these Elements are to be resolved by means of the *Trin,* or *Trairás'ica* (more generally pronounced *Trirasica*), the common rule of three; and are therefore, no otherwise difficult to compute than on account of the immense dimensions of the quantities, with which the operations are to be performed. For all these we have the following data.

_____

(*) Tellinga Astronomers allow something more for the length of the mean Tithi, which according to them is of 59g. 3v. 46p. 23s. Vide page 172.

1º The Sun performs 4320000 *Baghanas* or Sydereal revolutions in a Maha yug ; and in the same period of time there are 1577917828 natural or *Bhumi Savan* days.

2º The Moon—57753336ʳ in the same period.

3º The Sun's upper Apsis—387ʳ in a *Calpa* or 1000 Maha yug, which Calpa, therefore, contains 1577917828000 *Bhumi Savan* days.

4º The Moon's Apogee—488203ʳ in a Maha yug, with an additive Bijah or correction of 4 revolutions in the same space of time.

5º The *Ayanas* or Equinoctial points, called sometimes *Cranti Patas*, or Nodes of the Ecliptic—600 *Revolutions* (or *Librations*, in whichever way it may please the computer to consider the Hindu precessional variation` in a *Maha yug.*

The revolutions of the Moon's ascending (*Rahu* the head) and descending Nodes (*Keta* the tail of the Dragon), which proceed in *Antecedentia*, are not required for computing the common articles of the Kalendars, being only wanted for Eclipses and Occultations. Of these, however, there are 232238ʳ in a Maha yug, with a Bijah of 4ʳ as for the Moon's Apogee.

These datas are thus presented, on a supposition that the reader is already informed that a *Calpa* consists of 4320000000 Solar Sydereal revolutions, with a Twilight, or *Sandhi* of 1728000 years—that this period contains 14 *Manwantaras*, each of which contains 308448000 years. That a Maha yug is equal to 4320000 years, comprehending *four* lesser yugs, or periods of conjunctions; viz. The *Satya yug* 1728000ʸ (equal to the *Sandhya* which precedes the *Calpa*)—the *Treta yug* 1296000ʸ—the *Devapar yug* 864000ʸ—and the Cali yug 432000ʸ; of the latter of which, in the year of Christ 1822, there were 4923 expired; the 4924th beginning on Thursday the 11th April of the said year, New Style.

That sort of time which the Hindus call *Saura*, may be converted into degrees, &c. by the following Table.

Hindu expression.	Surriah Siddhanta.	Tellinga.	Degrees.	Designation.
A Year	Sumrat sara	Mana	360°	12 Rasis or Signs
Month	Masha	Masha	30°	1 Rasi or 30 Bagahs
Day	Dina	Theidi	1°	1 Bagah
Hour	Danda	Guddia	1′	Cala
Minute	Vicala	Viguddia	1″	Vicala
	Pranacala		10‴	1 Pranacala
Second	Castacala	Para	1‴	Castacala

The time so expressed, may be converted into Solar Sydereal time by means of Table XVI.

First Operation.

For the Strostidi Digona.

Strostidi Digona.

The *Strostidi Digona* means the number of natural days expired from the beginning of the *Calpa*, or grand Astronomical Epoch when the Planetary motion commenced, to any proposed day. The rule for finding that period of time, though necessarily operose, is easily explained.

Precept.

Precept.

1º Find the number of *Saura* years expired of the Calpa on that which is proposed, by adding together the *Sandhi* which precedes the Calpa; six Manwantaras; twenty-seven Maha yugs; the Satya; Treta; and Devapar yugs.—Subtract the number of years employed in the Creation, which is 17064000', and add to the remainder the years of the *Cali yug* expired : the sum is the Strostidi Digona in *Saura years.*

2º Multiply the same by 12, and you have it in *Saura months.*

3º There being 1593336 intercalary Lunar months in a Maha yug, find the number due to the Strostidi Digona in months, which add to the former.

4º Multiply the sum by 30, and you have the Lunar days or *Tidhis.*

5º There being 25082252 superabundant, or *Cshaya* Tidhis, in a Maha yug, find the number due to those found by article 4, which subtract from the same, and the remainder gives the Strostidi Digona in *Bhumi Savan* days.

Rule.

These five operations are combined in the following Example for the year 1921 current of the Cali yug.

Example I.

		Saura years.
1º Sandhi or Twilight of the Calpa	- - -	1728000
Six Manwantaras	- - - - -	1850688000
Twenty-seven Maha yugs	- - - -	1166040000
The Satya yug equal to the Sandhi	- - -	1728000
The Treta yug	- - - - -	1296000
The Devapar yug	- - - -	864000

Sum	-	1972944000
Subtract time employed in the Creation - -	—	17064000
Remainder		1955880000
Add the years expired of the Cali yug - -		4923
Strostidi Digona in Saura years		1955884923
2º Multiply by	×	12
		3911769846
		1955884923
The same in Saura months		23470619076

3º For the number of Intercalary or Adigah months due to *the same* period.
Say As the number of Saura months in a Maha yug   -   -   51810000
To the number of Adigah months in the same   -   -   1593.3 6
So the number of months above found   -   -   23170619076
To the number of Adigah months sought

$$\frac{1593333 \times 23170619076}{51840000} \quad - \quad - \quad \text{add } + 721381689$$

Number of Lunar months   -   .   -   24192003765
4º   Multiply by   -   -   × 30

Number of Lunar Tidhis   -   -   -   725760112950

5º For the number of Superabundant Lunar days, and Strostidi Digona in Bhumi
Savan days.
Say As the number of Tidhis in a Maha yug   -   -   -   1603000080
To the number of Cshaya Tidhis in the same   -   -   25082252
So the number of Tidhis above found   -   -   -   725760112950
To the number of Cshaya Tidhis sought

$$\frac{25082252 \times 725760112950}{1603000080} \quad \text{Subtract} \quad - \quad 11356018175$$

Strostidi Digona in Bhumi Savan days   714404094775

SECOND OPERATION.

For the Soota dina, or feria on which falls the last conjunction of the Luni-solar year 4923
from the Cali yug.

The Strostidi Digona in Bhumi Savan or natural days being divided by **7**

$$7)714404094775(102057727825\tfrac{4}{7} \text{ weeks}$$

and the remainder   0   being counted from Saturday as *Zero* (because the Creation
is supposed to have been completed on *Sunday*) shews that the Luni-solar year 4923 ended on
a *Saturday,* which concurred therefore with the 30th or Amavasya Tidhi of the Lunar month
Phalguna of the said year; and shews that the *Prathama Tidhi* or first day of 4924 fell on a
Sunday.

ARTICLE 4.

Before we proceed any further, we shall consider (with a view to save time) the method
according to which Tellinga Astronomers compute the Strostidi Digona in Bhumi Savan days,
without undergoing the trouble of the preceding long process.

Although the Precept disclosed in the 3d Article be the fountain head from which all other
methods were derived, yet the extreme length of its operations has tempted modern Tellinga
Astronomers to search for shorter Cycles wherein the ratio of the intercalary months and
superabundant Tidhis might be preserved, and they have accordingly computed that in 180000
Saura years, there are exactly 66389 Adigah months; and that in 13358334 Lunar months,
there are 6270563 Cshaya Tidhis. This Cycle of 180000 affords, therefore, a convenient propo-
sition for computing some of the Elements with perfect accuracy, but from these are to be excepted

the position of the Sun's Apogee, which (as we have already hinted) moves only at the rate of 1' in 517 Saura years, and the precessional variation at that of 54″ in a year. These, there-fore, require much longer periods, and for this object the following method was found perfectly competent.

PRECEPT.

Precept.

1º Compute the *Strostidi Digona* in Bhumi savan days by the Sastra rule for the end of the last day of the Devapar yug (vide Example I). This will be a constant quantity, to which if you add the *Ahargana*, or number of natural days expired from the beginning of the Cali yug to the proposed Epoch, you will have the *Strostidi Digona* for the same, just as if it had been com-puted by the long process.

EXAMPLE II.

Rule.

Let the Strostidi Digona for the last day of the Devapar yug be required, for the purpose of deducing therefrom that for the last day of the year 4923 of the Cali yug.

1º Not to repeat what has already been done in the first Example, take the Strostidi in years for the end of the Devapar yug, as found therein ; which is 195588000 Saura years : proceed as before, and you will have the same in months 2347056000. Hence for the Adigah months and Cshaya Tidhis,

$$\frac{1593336 \times 2347056000}{518400000}$$ Adigah months 7213828714

Which add to the sum of months - - - 2347056000

Number of Lunar months - - - - 24191912874

Multiply by × 30

725758286220

and

$$\frac{25082352 \times 725758286220}{1603000080}$$ Cshaya Tid. Sub. — 11355989593

Strostidi Digona in B. Savan D. last of Devapar 714402296627

Now this quantity 714402296627 B. S. days once obtained, becomes a constant number, which combined with the Tellinga rule, will serve in future for finding the Strostidi Digona of all Epochs which do not ascend higher than the beginning of the Cali yug.

Ahargana.

2º For the *Ahargana*, or time expired from the commencement of the Cali yug to the end of the year 4923.

Say	As the number of Saura years in the Cycle	-	180000
	To the number of Adigah months in the same	-	66389
	So the number of years of the Cali yug expired	-	4923
	To the number of Adigah months sought which add	-	
	$\frac{66389 \times 4923}{180000}$	-	1815
	Then multiply 4923×12 number of months	- add	59076
	Number of Lunar months sought		60891

For the superabundant days.

Say As the number of Lunar months, (see data, page 77)   13358334
To the number of Cshaya Tidhis in the same   -   -   -   6270563
So the number of Lunar months expired   •   -   •   60891
To the number of Cshaya Tidhis sought

$$\frac{6270563 \times 60891}{13358334} \quad \cdot \quad \cdot \quad \cdot \quad - \quad 28582$$

Multiply the number of Lunar months 60891 by 30, it is   •   1826730

From which subtracting the Cshaya Tidhis you have   •   1798148

the *Ahargana* for the end of the year 4923.

3º For the feria of the last conjunction in that Luni-solar year.

Divide the Ahargana by 7)1798148(258342

with a remainder of   **2**   which counted from *Thursday* as Zero (because the Cali yug began on a Friday) gives *Saturday*, as we found by the Sastra rule.

4º To deduce the Strostidi Digona for the same day from the preceding operations.

	B. S. Days.
To constant number - - • -	714402.96627
Add Ahargana - • • • -	1798148
Strostidi Digona in B. Savan days - - •	714404094775

The same as found by the Sastra rule, the remainder of which, after division by 7, must be counted from Saturday as Zero, as before.

Independently of the method for finding the *Ahargana* above disclosed, there are shorter Cycles used in Tellingana, one of which will be wanted for resolving the place of the Planets by means of Vavilala Cuchinna's Tables; and a much shorter method will be shewn in a separate Note inserted at the end of the Memoirs, but we shall postpone noticing either until called for, in order not to crowd unnecessarily the matter on the reader's attention.

ARTICLE 5.

For the Hindu Solar and European dates of the Soota dina or feria of the last conjunction of the year 4923 of the Cali yug.

Means were given in the first Memoir for finding the European date of any assignable Hindu Solar day; and to these we shall have recourse for finding that of the Amavasya, the Soota dina of which we have computed in the preceding Articles.

The duration of the Solar year according to the Surriah Siddhanta being 365ᵈ 15ˢ 31ᵛ 31ᵖ 24ᵛ, multiply the same by 4923, and subtract the *Sodhyam* (subtractive equation) 2ᵈ 8ˢ 51ᵛ 15ᵖ, the remainder will be the Solar Ahargana sought. (*)

(*) The Ahargana may also be obtained with less trouble by means of Table XLVIII part 2d.

		D.	C.	V.	P.	S.
This Element will be found	- - - - -	1798166	[43	38	7	12]

Neglect the fraction, and subtract the Luni-solar Ahargana computed
at Article 4   -   -   -   -   -   -   — 1798148

Difference   -   -   -   -   18 days.

But by the respective Precepts, the remainder of the Solar Ahargana after division by 7, is to be counted from *Friday;* and that of the Luni-solar from *Thursday,* therefore when the Solar is the greatest of the two, *one* day is to be added to, and when least subtracted from, the difference. In the present case, the interval should therefore be increased by an unit, which makes it 19 days.

Now the remainder of 1798166, after division by 7, being 6, the same being counted from Friday, gives *Thursday;* and by the rules formerly delivered, will be found to fall on April 11th, A. D. 1822, *Sydereal,* and (and on account of the fraction 43° 38' 7' 12' which exceeds 30) on the 12th, *Civil* account. Subtract therefore 19 days from 11th April, and we find Saturday, 23d March N. S. the Sydereal date of the Soota dina sought.

We now want the Civil and Sydereal date in European expression, of the 1st day of the Solar month Poongoni, A. Cal. 4993, for which referring to Table III, we have

		D.	G.	V.	P.
Ahargana 1st Chaitram above found	- - - -	1798166	43	38	7
Subtract absolute duration of Poongoni	- - - -	30	20	21	2
Ahargana 1st Poongoni A. C. 4923	- - - -	1798136	23	17	5

and the sum of days after division by 7, leaving a remainder of 4 to be counted from Friday, indicates *Tuesday* the Soota dina sought.

Using, therefore, any Kalendar, and counting 30 days backwards from the 11th April, we find Tuesday the 12th March *inclusive,* (the 11th being the last day expired), which is the Sydereal date of the 1st Poongoni European account.

Again, the fraction 23° 17' 5' (below 30) shews that on the beginning of that month the Sydereal and Civil account coincided, and since the 1st Poongoni fell on the 12th March *inclusive,* and the Luni-solar Soota dina on the 23d, it follows that the Solar date sought is the 12th Poongoni, and that the Sydereal and Civil account coincide; altho' on account of the fraction of the Solar Ahargana for 1st Chaitram 4924; 43° 37' 57' (above 30) the Sydereal month is of 30, the Civil is of 31 days.

The date of the last *Amavasya,* 30th Phalguna of the year 4923, is therefore, *Saturday* the 11th; and that of the *Prathama* Tidhi, the 1st of the Lunar month Chaitra 4924, *Sunday* the 13th Poongoni of the Solar year 4923.

The following Elements are, therefore, all computed for the 12th Poongoni.

N. B.—A difference will be found between these results, and those which would be obtained if the Elements of the Ariah Siddhanta (those of the Solar Kalendar) were to be used; for the

Alargana for the 1st Chaitram of the Solar year 4924, on those principles,   D.   G.   V.   P.

instead of (4°) 43° 38' 7°, would be   •   •   •   •   •   (4) 20 12 30

   From which subtract Root for Poongoni, Table III, column 1,   •   — (2) 20 21 2

     The Root of Alargana 1st Do.   •   •   •   •   (1) 59 51 28

would be *Monday*, Sydereal account, instead of *Tuesday*, found by the process of the Surriah Siddhanta. But on account of the fraction 59° 51' 28° (exceeding 30) it would be *Tuesday*, *Civil* account, which we have before found to fall on the 12th March 1822. The consequence would also be, that the Sydercal month of Poongoni 4923 would count one day more than the Civil one; and that all the Civil dates in the said month would be one day in advance of the Sydereal account, which is not the case in the present computation.

We have thus been obliged to suspend the computation of the mean Elements, from the necessity of fixing the date of the Luni-solar *Soota dina* according to the Solar Kalendars, without which it would be impossible to determine the circumstance of the intercalary and expunged Tidhis, in the Chandra Panchangum. We shall now resume it in the following Article.

ARTICLE 6.

THIRD OPERATION.

For the *Ravi Madhyama Graha* or mean place of the Sun in the Hindu Zodiac.

$$(*) \quad \frac{4390000 \times 714404509.775}{1577917828} \qquad \qquad \overset{\cdot}{11} \quad \overset{\cdot}{9} \quad \overset{\prime}{26} \quad \overset{\prime}{36} \quad \overset{\blacksquare}{37}$$

FOURTH OPERATION.

For the *Chandra Madhyama Graha*, or mean place of the Moon

in Do. $\quad \dfrac{57753386 \times 71'40'69'775}{1577917828} \qquad \qquad 11 \quad 21 \quad 15 \quad 34 \quad 24$

FIFTH OPERATION.

For the place of the *Ravi Tunga Mandocha*, or Sun's Apogee

in Do. $\quad \dfrac{387 \times 71'468.9'775}{1577917828.8000} \qquad \qquad 2 \quad 17 \quad 17 \quad 17 \quad 54$

a Calpa.

(*) The form in which I present these expressions has been objected to as unauthorized by custom, for generally a quantity placed on the right side of an Equation of this sort, implies a remainder: but a different disposition of the figures would have perplexed the reader's eye, and the results when referred to are more readily found when classed in order after the expressions. Mr. Samuel Davis has followed the same notation without its being objected to in Europe, I rely on the same indulgence.

SIXTH OPERATION.

For the place of the *Chandra Manducha* or Moon's Apogee in Do.

		.	.	,	,	,

$$\frac{488203 \times 714404094775}{1577917828} \qquad - \quad - \quad - \qquad 7 \quad 2 \quad 57 \quad 26 \quad 12$$

Correction of Bijah

$$\frac{4 \times 714404094775}{1577917828} \qquad - \quad - \quad - \qquad \text{add} \quad 0 \quad 1 \quad 38 \quad 27 \quad 10$$

$$\overline{\hspace{2cm} 7 \quad 4 \quad 35 \quad 53 \quad 22}$$

SEVENTH OPERATION.

For the *Ayanansa* or *Ayana Begahs*. (*)

Revolutions. Parts.

$$\frac{600 \times 714404094775}{1577917828} \qquad (271650) \quad 683742 \quad \text{or} \quad 8 \quad 6 \quad 8 \quad 4 \quad 17$$

$$\begin{array}{cccccc} & . & . & , & , & , \\ \text{and} & 8 & 6 & 8 & 4 & 57 \\ - & 6 & & & & \\ \hline & 2 & 6 & 8 & 4 & 57 \\ & & & & \times & 3 \\ \hline \end{array}$$

$$10)6 \quad 18 \quad 24 \quad 14 \quad 51(\quad 0 \quad 19 \quad 50 \quad 25 \quad 29$$

The Ayanana on the 12th of Poongoni of the Solar year 4923 of
the Cali yug, being the day of last Amavasya (conjunction) of the
Luni-solar year of the same denomination, is therefore   -   -   0   19   50   25   29

(*) I cannot dismiss the operation for finding the *Ayanansa*, the most important Element of Hindu Astronomy, in as much as it is the Equation which transfers all the computations made on the Sydereal, to the Tropical Sphere, without offering a few words on the formula used in the text, and the view which modern European Scholiasts have taken of the theory of that Element, in which some differ very materially. All that the Surriah Siddhanta says on the Ayanansa, is comprised in the following few lines, in reporting which I use Mr. Davis's version.

" The Ayananna moves Eastward thirty times twenty in each Maha yug. By that number (600) multiply the
" *Ahargana*, and divide the product by the number of Savan days in a yug, and of the quotient take the *Bhuja*
" (supplement to or excess over 180°), which multiply by 3, and divide the product by 10; the quotient is the
" Ayanansa. With the Ayanansa correct the *Graha*, *Cranti*, the *Ch'haya*, *Charadala* and other requisites to find
" the *Pushti* and the two *Vishuvas*.

" When the *Curna* (Hypothenuse) is LESS than the *Surriah Ch'kya* (the Gnomonic Shadow of the Sun) the *Prac-*
" *Chacra*, moves Eastward, and the Ayanansa must be added; and when MORE, it moves Westward, and the
" Ayanansa must be subtracted."

The commentary goes on to say, " that if the Sun's true place (Sputa Graha) computed by the *Ahargana*, be
" *less* than that found by his Gnomonic Shadow, the Ayanansa must be added (and vice versa). In present times
" (adds the Tika) the Ayanansa is added."

From the above passages the modern Hindu Sastras (and Mr. Davis after them) conclude, that the Equinoctial points are considered in the Surriah Siddhanta, as *librating* from the 3d degree of Min ♓, to the 27th of Mesha ♈;

NOTE.—Since the Equinoctial points complete their revolutions 600 times in a Maha yug, and during each, pass through a space equal to four times 27', or 108' of the Ecliptic, which is 3-10ths of 360', (its whole circumference) the remainder, of the preceding operation, after subtracting the *Bhuja*, is drawn into $\frac{3}{10}$. Now for the annual variation, we have according to former Precepts $\frac{600 \times 1}{4320000 \times 10}$ - $\frac{1}{24000}$ revolutions, equal to 54" exactly. Hence, for finding the Ayanansa at any particular time, the Sastra rule may be dispensed with; for it needs only be remembered that the fixed and moveable Solar Zodiac, are supposed to have been coincident at the expiration of the 3600th year of the Cali yug; and that the Equinoctial points have a retrograde motion of 54" in a Sydereal year. Therefore, to find the Ayanansa for the end of the Solar year of the Cali yug 4923, we have 4923—3600=1323, and 1323×54"=19° 50' 42".—This result differs from that found by the 7th Operation by 17" 31", but the latter was for the end of the *Luni-solar* and not the *Solar* year 4923, which began 19 days later. True it is, that this difference accounts only for 2",8; but the Tellinga Astronomers are contented to use the *Druva* or Epoch of the year 3600 of the Cali yug for common computations, because they generally neglect the seconds. One thing is certain, however, which is, that if at the end of the said Solar Sydereal year there was truly no Ayanansa (as they suppose), their method is more secure than that of the Sastras. The Table XXXV of this collection has been constructed with reference to the *Druva*.

For the period in time of the revolution of the Ayanas we shall observe, that as there are 600 *Baghanas* (for so they are called in the *Varasanhita*) in a Maha yug and of Saura years in the same period 4320000, it follows that one Baghana of the Ayanansa is equal to 7200 years. The Hindus divide that period into four quarters, called *Padahs*, during the first and fourth of which

---

and from the 3d degree of *Canya* ♍, to the 27th of Tula ♎, of the fixed Indian Ecliptic; for it must not be imagined that this conclusion originated with the gentleman above quoted; the same having been distinctly explained to me in Madras by the College Sastra (an able and aged Native Astronomer) in the year 1814, which is more than 25 years after Mr. Davis had written his tract.

The exact meaning of the word *Prac Chacra* used in the Sungscrete text, is not sufficiently known to me to draw any satisfactory conclusion therefrom; but the term *Chacra* clearly means a *wheel* or circle, and if in the present case it may be taken in the sense of an Epicycle, it would not be a forced inference to consider it as one of a Radius equal to 27° of the Deferent, whose center would lie at the Equinoctial point, revolving on itself, and through which the line of *Rishis* (that which is supposed to pass through the center of the great Orb, and to be directed towards certain Stars of the great Bear; and at which the *four* fixed and moveable *Solar* and *Lunar* Zodiacs coincide after certain revolutions of time) should pass, in the plane of the Ecliptic. If such a scheme could be admitted, it would not be difficult to comprehend how a point in the Axis of the moveable Orbit, revolving in the Epicycle and proceeding from the point of coincidence towards the East, might after 1800 years (one Padah, or quarter of the Ayanansa) reach its greatest Eastern Elongation, equal to 27° of the Deferent, then seem to move during 1800 years more in *antecedentia*, after which it would again fall in the line of the Rishis, in a point of superior conjunction when the Ayanansa would again be equal to Zero; from which, after passing through its greatest *Western* Elongation, it would proceed in consequentia, and in a complete period of 4×1800, or

the *Cranti-Pata Gati* is additive, and consequently the Ayanansa is increasing, and during the second and third decreasing.

The obliquity of the Ecliptic is supposed to be constantly **24°**; and it must be a matter of astonishment to perceive, that those who were able to discover (though imperfectly) the precessional variation, should not have even suspected the diminution of the former.

There remains now to explain the word *Bhuja*, which was used for the first time in the last Operation ; but of which we shall make frequent use in the sequel.

The *Bhuja* is always understood to be the supplement of an arc of 6 or 12 signs, or the difference above 6 signs, and below 12 signs, if the arc exceeds 6 or 9 signs ; thus :

1. If the arc exceeds 3 signs   -   Subtract from 6 signs.

2. If it exceeds 6 signs   -   -   Retrench 6 signs from the arc.

3. If it exceeds 9 signs   -   -   Subtract the arc from 12 signs.

All Hindu Tables and Rules are adapted to these Rules.

The mean Elements being thus computed, they are, when collected in one view for reference, as follows :

		°	'	''	'''	''''
Sun's mean place 12th Poongoni 4923	-	11	9	26	36	37
Moon's Do. Do. - - -	-	11	21	15	34	24
Sun's Apogee Do. - - -	-	2	17	17	17	54
Moon's Do. Do. - - -	-	7	4	35	53	22
Ayanansa Do. - - -	-	0	19	50	25	29
Obliquity of the Ecliptic - - -	-	0	24	0	0	0

We shall now pass to the computation of the true, or *Sputa* Elements.

7200 years from the outset, and after having revolved through an arc equal to 108 degrees of the Deferent (360 of the Epicycle) return to its original point of coincidence.

A similar notion occurred to the Arabian Astronomer Tebith-Ben-Chora in the IXth century, when he attempted to account for the change in the obliquity of the Ecliptic (unknown to the Indians, who always take it to be 24°) and the inequality of the precessional variation. He supposed an Epicycle at the Equinoctial point and found with reference to it that the Stars sometimes appeared to move *towards the East* and at others *towards the West*, with unequal velocities ; that doctrine was victoriously combated by Rheinholdus and Regiomontanus ; nevertheless, by an hypothesis much ressembling it, it so happens that the small quantities of the Nutation of the Earth's Axis, have been resolved by our own Astronomers during the last century.

But what leads me to abandon this hypothesis, is, that I perceive no where in the Hindu doctrines, any trace of a variable motion in the Equinoctial points, which, whether the *Cranti-Pata Gati* (literally the motion of the Nodes of the Ecliptic) be considered as a libration or a revolution, should be felt particularly, either at the limits, or the Eastern and Western Elongations ; such a notion being especially inseparable from that of an Epicycle. Nor can it be ascribed to ignorance on the part of the Hindus, who have shewn themselves to be fully aware of the effect above adverted to in their theory of the Anomalistic Equation, where they increase or decrease the Radius of their Epicycle, as it is supposed to approach or recede from the Sizigies, and take their *Paridhi*-ansas (Epicycular degrees) equal to Zero, between *Sama* and *Vishama* (odd and even), i. e. at 3 and 9 signs Anomaly.

ARTICLE 7.

For the true Elements and the Amavasya and Prathama Tithi of the year Cali yug 4923.

In eliciting the *true* Elements I shall follow the course of the Southern Hindu Astronomers in their various contrivances for saving as much labour as possible, consistently with correct deductions. Several of these methods are new to Europeans.

EIGHTH OPERATION.

For the Sun's true place in the Hindu Zodiac, or Sputa Graha.

		°	′	″	
Subtract the ☉'s Madhyama Graha - -		11	9	26	37
From the place of his Apogee (Mandocha) -		2	17	17	18
Manda Kendra or Argument of Anomaly, -		3	7	50	41
From which subtract - - -		6	0	0	0
Bhujah or supplement - - -		2	22	[9	19

The Sun's true place.

or 82° 9′ 19″ = 559″

With 82° refer to Maracanda Anomalistic Table (Ravi P'hala, Table XXV.)

		°	′	″
take for 82°		2	9	18
83		2	9	36
And for the remaining 9′ 19″				18

Vicala. Cast.

$$\text{Say } 60 : 559 :: 18 : \frac{559 \times 18}{60} = 2 \quad 47$$

which last fractional part 47″′ exceeding 30″, merge into the vicalas and take 3.

					°	′	″
Equation for 82° - - - - -					2	9	18
Fractional part - - - - -							3
Manda P'hala or Anomalistic Equation - -					2	9	21

Now this Equation (*) being additive for midnight, the apparent time, or instant of the Sun being actually on the other Meridian, must be somewhat later than the mean time of midnight, or when his mean place answers to the Meridian. The Equation due thereto (which always depends on the Sun's Anomalistic Equation) is what the Hindus call *Arca-Bahoota Sumscara*, or *Arca Bhagábala*: for the correct resolution of which

Arca-Bahoota Sumscara or Bhaga'bala.

(*) Mr. Davis having demonstrated that Maracanda's Tables were constructed by help of the Trigonometrical Tables of which he has investigated the theory, it would be useless for me to prolong this paper by using the Pindas instead of the Equations. Those, however, who may be desirous to practise the long process, will find in Table XXXI a canon of sines, cosines, and versed sines, which has not yet appeared in print,

Say 360° the revolution through the diurnal Circle or 1296000″
59′ 8″ Sun's mean motion in 1 day   -   3548
So Equation due to 82° (2° 9′ 21″)   -   7758

$$\frac{3548 \times 7758}{1296000} = 21'' \text{ The Arca Bhagibala. (*)}$$

Sun's mean Longitude   -   -   11ˢ   9°   25′   37″
Manda Phala   -   -   2   9   21
Arca Bhagibala   -   -   21

Sun's Sputa Graha, or true place for

apparent midnight at Lanca   -   11   11   36   19

NINTH OPERATION.

For the Sun's true motion or Sputa Gati.

The Sun's true motion.

The Sun's mean motion in one day being 59al 84ic, with the Bhujah of Manda Kendra found before 82° 9′ 17″ (8th Operation), referring to Table XXIV, in the column of difference from mean to true motion, you find 18′; and as the difference for one degree is only 3″, the quantity due to 19′ 17″ may be neglected.

Table I. ☉'s mean motion in one day   •   •   59′   8″
                                               +   18

Sun's Sputa Gati 12th Poongoni   -   -   •   59   26

TENTH OPERATION.

For the Moon's true place, or Sputa Graha.

The Moon's true place.

From the place of the Moon's Apogee   -   -   7ˢ   4°   35′   53″
Subtract her Madhyama Graha   -   -   11   21   15   34

Chandra Manda Kendra or Argument of Anomaly - 7   13   20   19
From which retrench   -   -   -   6   0   0   0

Bhujah, or distance from Perigee   -   •   1   13   20   19
                                         or 43 [20   19=1219″

With 43°, referring to Table XXV, you find

                                 for 43° — 3°   27′   26″
                                  44 + 3   30   54

                               Difference   3   28= 208′

Then say : 60 : 208″ :: 1219″ : $\frac{208'' \times 1219}{60} = 1'\ 10''\ 25'''$

and for second difference

        : 360° : 208″ :: 3° 27′ 26″ : $\frac{208'' \times 12446}{360} = 19$ vicalas.
                           12446″

(*) In order to save the trouble of these computations, the Hindus generally take the Sun's Arca Bhaga′hala to be the 365th part of its Anomalistic Equation: thus $\frac{2\ 9\ 21}{365} = 21''$, and the Moon's $\frac{2\ 9\ 21}{27} = 4'\ 47''$, difference 4°.

Hence, Equation for 43°   3° 27' 26"
         1st Equation   1 10
         2d   do.   19

Manda P'hala or Anomalistic Equation subtractive   3 23 55 —

For the Arca Bhagábala or Equation of the Moon's place from mean to true midnight, say : as 360° : to 2° 9' 21" (Sun's Manda P'hala, 8th Operation) :: 13° 10' 35" (Moon's mean motion in one day, 11th Operation) :

$$: \frac{2° 9' 21'' \times 13° 10' 35''}{360°} = 4' \, 43''$$ the Arca Bahoota Sumscara, depending on the Sun's Anomalistic Equation, from mean to true midnight on the 12th of Poongoni, additive.

Thus we have

D's Madhyama Graha   11° 21° 15' 34"
Manda P'hala   subt. —   3 28 55

                         11 17 46 39

Arca Bhagábala   +   4 43

Moon's Sputa Graha or true place at apparent midnight

on the 12th of Poongoni at Lanca   11 17 51 22

ELEVENTH OPERATION.

For the Moon's true motion or Sputa Gati.

The Moon's mean motion in one day is 13° 10' 35" : and her distance from Perigee is 1° 13° 20' 19" (10th Operation) or 43° [20' 19".

With 43° referring to Table XXV , you find

For 43°   50' 48"
    44   49 46

      Difference   1 2

Then say : 60' : 20' 19" :: 62" : $\frac{20' 19'' \times 62}{60} = 30'' 39'''$ or 31".

We have therefore D's mean motion in one day   13° 10' 35"
Equation for 43°   50 48
Proportional part   31

Moon's Sputa Gati or true motion on the 12th of Poongoni   14 1 54

TWELFTH OPERATION.

For the true distance and relative motion or Vi-Arca Indoo Graha and Gati.

☉'s Sputa Graha   11° 11° 36' 19"
D's   Do.   Do.   11 17 51 22

Soob-vi-Arca Indoo Graha, or distance at midnight   6 15 3
the Moon having passed the Sun.

						′	″
☉'s Sputa Gati	-	-	-	-	-	59	26
☽'s Do. Do.	-	-	-	-	11	1	54

Soob.-vi.Arca Indoo Gati, or relative motion   -   13   2   28

which relative motion is the Element of the Sputa Tidhi; or true Luni-solar day due to the 12th Poongoni 4923.

<p style="text-align:center">THIRTEENTH OPERATION.</p>

<p style="text-align:center">For the time due to distance or instant of Arca-Indoo Sangama.</p>

<p style="float:left">Arca-Indoo Sanga-
ma, or Darzana.
True conjunction.</p>

The true distance of Sun and Moon at midnight of the 12th of Poongoni complete, or 13th commencing, according to astronomical reckoning was (preceding article) 6° 15′ 3″, and the relative motion 13° 2′ 28″, say therefore : 13° 2′ 28″ : 60ˢ :: 6° 15′ 3″ : $\frac{60 \times \text{''} \ 15' \ 3''}{13° \ 2 \ 28}$ =

The time sought = 28ˢ 45′ 32ᵖ.

But the Moon had passed the Sun when it was true midnight at Lanca, and the notation of the Tidhi requires the knowledge of its juxta position to Sun rise (Art. 2, paras. 9, 10 and 14`; therefore to express the time of conjunction in Solar time where midnight falls on the 15th guddia,

     Subtract therefrom time due to distance   -   -   -   28 45 32

     True Amavasya after Sun rise of the 12th Poongoni *current*   -   16 14 28

which marks the instant when the last or *Pavarnami* Tidhi of the Luni-solar month Phalguna *ended*, and the *Prathama* Tidhi of the ensuing Chaitra *began*.

<p style="text-align:center">Notation of the Tidhi in the Panchangum.</p>

<p style="float:left">Notation of the Tid-
hi in the Panchan-
gum.</p>

We have seen, Article 2, para. 10, page 72, that if a Tidhi happens to commence *after Sun rise* it is accounted to belong, not to its proper concurrent Solar day, but to the following one; therefore, although the present Tidhi was almost entirely spent in the 12th of Poongoni, yet it is to be coupled with the 13th, and so it will be found in the Patra for the Luni-solar year Cali yugam 4923, because the Solar month Poongoni having begun before Sun set, i. e. at 23ˢ 17′ 4ᵖ (vide Kalendar) the Civil and Sydereal accounts coincide during the whole month.

<p style="text-align:center">ARTICLE 8.</p>

<p style="text-align:center">Hindu Gnomonics.</p>

All the foregoing resolutions are confined to the Geographical position of Lanca, which is supposed to have neither Latitude nor Longitude, a primary process which in all cases is indispensable when using the Rules of the Surriah Siddhanta. The object of the present article is, to shew what those results would be at any other place not under the Equator and first Meridian; and for this purpose the Hindus have recourse to the Tropical or moveable Sphere, supposed by some to be that of their primitive Astronomy.

Considering of what importance the theory of Gnomonics is to Hindu Astronomy, it is surprising that so little should have been written upon it by European commentators; for although Mr. Davis has resolved some of its Problems with his usual sagacity, yet he has gone no farther than his own immediate purposes required. In order to fill this chasm in our present stock of information, I have collected in this article every case that appeared to me of importance; but if I have omitted any, the ingenious reader will easily supply the deficiency, by drawing Corollaries from those expounded in the Examples.

Although the present article professes to treat only of Gnomonics, yet I have found it expedient, for the sake of arrangement and expedition, to dispose along with what strictly relates thereto, of those Problems to which Gnomonics are auxiliaries.

The theory of these Problems rests of course, on Plane and Spherical Trigonometry, and every case expounded in the following pages is exclusively resolved on Hindu principles, and by help of Tables of their own, the formulæ of which will be found annexed to Table XXX of this collection.

An account of the terms used in Hindu Tropical Astronomy and Gnomonics being indispensable, the names of the principal Elements are defined and explained in the following list.

DEFINITIONS.

Sanku, or Sunka—The Gnomon.

Ch'hya or Chaya—Its Shadow.

Palabah, or Vishama Chaya—The Shadow of the Gnomon at mid-day, when the Sun is in the Equinoctial points.

Vishama Carna—The Hypothenuse of a right angled triangle formed by the Sanku and the two sides of its Shadow under the preceding circumstances.

Madhyama Chaya—The mid-day Shadow at any other time of the year.

Sama-Mandala-Cnaya—The Shadow when the Sun is East or West of the Gnomon.

Cranti Mandala—The Ecliptic.

Cranti Bagahs—The declination of a point of the Ecliptic.

Nari-Mandala—The Equator.

Sayana—Celestial Longitude considered in the same manner as that of the Europeans.

Vicshipa—Celestial Latitude.

Seva-desa-Paridhi—A circle of Longitude in any given Latitude.

Agra—The Amplitude.

Natansa, or Nata Bagha—Zenith distance.

Cshetija—The Horizon.

Lagna—The Arc of the Equator which passes over the Meridian in the same time with each Sign of the Ecliptic.

Madhyama Lagna—Mean Do. that of Lanca, the same Arc which rises above the horizon with each Sign of the Ecliptic.

Ullagna—The Lagna of any particular place, being the Arc of the Equator which rises above the horizon of that place, in the same time that each Sign of the Ecliptic rises.

Dinarda—Half the day.

Ratri Arda—Half the night.

Jya or Jaya—When connected with the name of any Element means its Sine.

Paramapa-Cramajaya—The Sine of the greatest declination of a Planet. As the Hindus take the obliquity of the Ecliptic to be constantly 24', the above term when referred to the Sun, means the Sine of the obliquity.

Section I.

Description of the Sanku or Gnomon.

The Sanku is a strait Rod, Pole or Pillar of Stone, such as we invariably see placed in front of every Pagoda in India, placed perpendicularly on an horizontal plane. The Hindus trace a Meridional line by describing concentric circles from the point on which the center of the Pillar

Its construction.

is to rest on the ground, precisely in the same manner as Europeans do.

Divisions.

Whatever be its height, the Sanku is divided into 12 angulas, or digits, and each angula is subdivided into 60 vinculas. It thus serves as a scale for measuring the Ch'hya or Chaya, the length of the Meridional shadow; and a Rod is accordingly made of the same dimensions and divisions for that purpose.

In marking alternately the points where the top of the shadow cuts any of the concentric circles, they chuse the time of 5, 6 and 7 dandas (or Indian hours of the murta account 60 to a day) before and after noon: This being done the arcs are bissected; the Meridian line is traced, and the four Dikas, or cardinal points; with the *Asta Dikas,* the four intermediate divisions are easily determined.

Dimensions of the Equatorial circle, and parallels of Latitude.

Before entering into the resolution of the Problems which depend on the length of the Meridian shadow, it is proper to enquire how the Hindus compute the dimensions of the Equatorial circle, and thence those of the parallels of Latitude of any given place.

Ratio of the diameter to the circumference.

Of their manner of resolving geometrically the ratio of the diameter to the circumference of a circle, I never saw any Indian demonstration: the common opinion, however is, that they approximate it in the manner of the ancients, by exhaustion; that is, by means of inscribed and circumscribed Polygons. However, a Native Astronomer who was a perfect stranger to European

Geometry, gave me the well known series $1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \frac{1}{9} - \frac{1}{11} + \frac{1}{13}$ &c. to *unit* (*) being the ratio of the area of the Circle to the square of its diameter, or that of an Arc of 45° to Radius unit,—and $4 \times (1 - \frac{1}{3} + \frac{1}{5}$ &c.) equal to the circumference, the diameter being 1. This person reduced the five first terms of the series before me, which he called *Bagah-Anoobanda, or Bagah Apovacha*; to shew that he understood its use. This proves at least, that the Hindus are not ignorant of the doctrine of series; but I could not understand whether he pretended to make out his ratio of the Earth's diameter 1600 to Equatorial Circle 5059 (that which he used in all his computations) by means of these expressions.

Be this as it may, it is certain that according to their Trigonometrical Tables, the Radius, or Sine of 90° being equal to 57° 18' (†), the diameter would be to the circumference as 1 : 3,14136, &c. (‡) so that dividing the diameter of the Earth into 1600 yojanas, it would give the Equatorial Circle 5026,176 yojanas. But it is somewhat singular to observe, that they should have preferred for constant use another ratio much less accurate, by their own account.

Dividing the diameter, as before stated, into 1600 parts, and multiplying the square of that number by 10, the root of the product $\sqrt{10 \times 1600} = 5059,6$ yojanas gives the dimensions of the Equatorial Circle. Or taking the ratio as 1 : $\sqrt{10}$, otherwise 1 : 3.1619, &c. they have the same 5059,04 yojanas.—In all calculations of the Hindus that I have seen, they content themselves with using 5059½⁰, which is somewhat nearer to their Tabular ratio: but in the following calculations I have used the mean or 5059,3, which difference, however, is of little importance, considering the means that are used for determining the Palabah, the principal Element.

Sometimes when the Almanac makers pretend to be very accurate, they divide the diameter into 20,000 parts, and then using the above formula $\sqrt{10 \times 20,000}$ they have 632832y for the

(*) I owe the following note to Mr. Hyne's favour. " The Hindus never invented this series ; it was communicated with many others, by Europeans, to some learned Natives in modern times. Mr. Whish sent a list of the various methods of demonstrating the ratio of the diameter and circumference of a Circle employed by the Hindus to the Literary Society, being impressed with the notion that they were the inventors. I requested him to make further inquiries, and his reply was, that he had reasons to believe them entirely modern and derived from Europeans, observing that not one of those who used the Rules could demonstrate them. Indeed the pretensions of the Hindus to such a knowledge of Geometry, is too ridiculous to deserve refutation." I join in substance in Mr. Hyne's opinion, but do not admit that the circumstance that none of the Sastras mentioned by Mr. Whish, who used these series could demonstrate them, would alone be conclusive. It cannot certainly be denied, that the inventors of the system of Hindu Astronomy possessed a knowledge of Geometry which their successors have not entirely preserved, and if we bring the question home to ourselves we are compelled to acknowledge, that thousands (even among the well informed) use La Place's formulæ without understanding the principles of their construction.

(†) The European Arc is $= 57° 14' 21'',8$.

(‡) Do. as 1: 3 14159 &c.

dimensions of the Equatorial Circle: but all they gain is, that they exhibit the same ratio into minuter parts, without any nearer approach to truth.

PROBLEM I.

Let SC be the height of the Gnomon, divided into 12 angulas, or $12 \times 60 = 720$ vinculas; CP the Palabah, or mid-day shadow at the Equinox. SP the Vishama Carna, or Hypothenuse of the Gnomonic shadow on the same day; and $\angle$ CSP be the Polar Altitude: which in the present case let it be 13° 4′ N. Say:

As Cosine Polar Altitude CSP	. . . .	3343′
To Sine of the same	. . . .	776′,2
So height of the Sanku SC	. . . .	720 vinculas.
To $\dfrac{776,2 \times 720}{3438} =$	. . . .	$166,2 = 2$ ang. 46,8 vin.

the length of the Palabah, or Equinoctial shadow at Madras: a constant quantity for that place.

Q. E. In.

PROBLEM II.

	Angulas.	Vinculas.
Given the Palabah or Vishama Chya (above found) . . .	2	46,8

Wanted the Acsha Bagahs, or the Altitude of the Pole?

A

To determine the length of the Vishama Carna, or Hypothenuse SP, the angle at C being a right one, we have

	Angulas.	Vinculas.
$\sqrt{\overline{720}^2 + \overline{2 \cdot 46,8}^2} = $ . . .	12	9

B

		Angulas.	Vinculas.
Then : As Vishama Carna	. . . .	12	9
To Palabah	. . . .	2	46,8
So Radius	. . . .	3438′	
To $\dfrac{12 \cdot 46,8 \times 3438}{12 \cdot 9} =$	. . . .	776′	

the Sine of the Acsha Bagahs, the same as found by the Tables in the preceding Example, whose Arc is 13° 4′.

COROLLARY.

Should the Altitude of the Equator or angle CPS be required, the proportion would be, As Vishama Carna SP, to height of Sanku SC, so Radius, to Lumbajaya; properly the Cosine of the Latitude of a place, but called in this place the Sine of the Altitude of the Equator, which using the same quantities as above, would be 76° 56′.

The Palabah.
S
Sanku
Vishama Carna
50°
C   P
Palabah.

The Acsha Bagahs or Latitude.

PROBLEM III.

Given the Altitude of the Pole	.	.	.	13° 4'

Whose Cosine is (Prob. I.)   .   .   .   •   3348'

The circumference of the Equatorial Circle (page 93)   -   -   5059,3 yojanas.

Wanted the Parallel Circle of Longitude due to the above Latitude (that of Madras). Say

As Radius   .   .   .   .   3438'

Cosine Latitude   .   .   .   .   3348'

So circumference of the Equatorial Circle   .   .   .   5059,3 yo.

To   .   . $\frac{3348' \times 5059\,3}{3438'}$.   .   .   .   .   .   4925,9 yo.

The Seva-desa-Paridhi, or circumference of the Circle of Longitude in the Latitude of Madras (that entered in Table XXXIV.) (*)   Q. E. In.

PROBLEM IV.

Given the circumference of the Circle of Longitude in the proposed Latitude (Prob. III.)   -   -   -   -   -   -   -   4925,9

The distance in degrees of the given place East or West from the first Meridian (Lanca)   -   -   -   -   -   -   -   4° 35' E.

which in the present case let it be the Desentara of Madras. Wanted the Longitude in time and yojanas.

A

Say : as 360° : 5059,3 :: 4° 35' : $\frac{5059.3 \times 4° 35'}{360°}$ = 64,4 yojanas.

N. B.—At Madras the Hindus take this assignable Desentara in round numbers to be 65 yojanas, which however, gives too strong a difference in time.

B

To convert this quantity into time, say : As circumference of the Circle of Longitude 4925,9 yo.

: to a natural day, or 60 guddias :: :: so 64,4 yo. : $\frac{60g \times 64,4y}{4925,9}$ = 47 vig. 4. paras.

Q E. In.

The time due to the difference of Meridians.

N. B.—If the degrees and minutes of Longitude be converted into time according to the European method, 4° 35' will give 45ᵛ 57ᵖ; the Natives at Madras take it 46ᵛ 47ᵖ (†).

(*) In Table XXXIV will be found the Seva-desa-Paridhi, or circumference of the Circle of Longitude in yojanas, and the mid-day Equinoctial shadow in angulas, of the principal places in India.

(†) Vide Table XXXI.

PROBLEM V.

The Latitude found by means of the Palabah.

Given the Palabah of some unknown place, which let it be 3^a 30'. Wanted its Latitude, or Acsha Bagahs.

(N. B.—This proposition is but a repetition of Problem II, but is introduced here in refe-rence to the commentary in the Appendix, whose Problems are all resolved for the Latitude and Longitude of Banda, near Masulipatam.)

A

The Vishama Carna, or Hypothenuse of the Equinoctial shadow will be determined, as in Problem II, by the formula.

$$\sqrt{12^2 + 3y\,30^2} = \underset{12}{\text{Ang.}} \quad \underset{30}{\text{Vin.}}$$

B

Then say, As Vishama Carna 12^a 30' : to Palabah 3^a 30', so Radius, to Acshajya the Sine of Polar Altitude $\frac{3a\,30 \times 3438}{12\,30} = 962'$ corresponding to an Arc of 16° 15 the Latitude of Banda.

Q. E. In.

PROBLEM VI.

Given the Sun's declination - - - - 1° 11' North.

The length of the *Madhyama* Chya, or mid-day shadow due to

that declination, - - - - - 3^a 14' (*)

The Latitude and Zenith distance by means of the Pala-bah, and Sun's de-clination.

Wanted the *Acsha Bagahs* (Latitude) and *Natansa* (Zenith distance.)

A

Proceeding on the same principles as in Problem II, the *Madhyama Carna*, the Hypothenuse of Shadow due to 1° 11' declination North, will be

$$\sqrt{12^2 + 3\,14^2} = 12^a\,26'$$

B

Then say

As Madhyma Carna,	12^a 26'
To Chya or Shadow,	3 14
So Radius,	3438'
To $\frac{3a\,14v \times 3438}{12a\,26v} =$	894'

The Zenith distance or Natansa.

The *Natajya*, or Sine of Zenith distance at noon, which corresponds to an Arc of 15° 4'.

C

The Acsha Bagahs or Latitude.

In the present case as the Sun at noon, is *South* of the Zenith, and as his declination is *North;*

(*) Vide Scholium for the manner of determining this quantity.

their sum 15° 4′ + 1° 11′ = 16° 15′, gives the Altitude of the Pole, as before determined. (Prob. V.)

SCHOLIUM.

When the Altitude of the Pole and the Sun's Declination are both given, the Madhyama Chaya or mid-day shadow for any day in the year may be found by reversing the foregoing rule.

PROBLEM VII.

Given the Sun's Zenith distance at noon	•	•			15°	4′ S.
The Altitude of the Pole	•	•	•	•	16	15 N.
The Palabah	-	•	•	•	•	3ª 30ᵛ
The Vishama Carna or Hypothenuse	•	•	•	12	30	

Wanted the difference between the Palabah and Madhyama Chaya on the day when such Zenith distance was observed at noon, and the Declination, or Cranti Bagahs.

Madhyama Chaya for any day in the year, and Declination or Cranti Bagahs.

A

The Zenith distance being South and the Latitude being North, take their difference.

Zenith distance	•	•	•	•	15°	4′ S.
Latitude	•	•	•	•	16	15 N.
Sun's Declination	•	•	•	•	1	11 N.

B

Then say

As Madhyama Cotijya, or Cosine of the Sun's Zenith distance at noon 15° 4′ - 3320′

To Vishama Carna 12ª 30ᵛ • • • • 12ª 30ᵛ

So Sine of Sun's Declination equal to its Arc 1° 11′ • • 71′

$$: \text{To } \frac{\overset{\text{a. v.}}{12\ 30} \times 71'}{3320} = 0^a\ 16^v \text{ which quantity subtracted from the Palabah} \quad 3^a\ 30^v$$

— 0 16

gives • • 3 14 the

Madhyama Chaya or mid-day shadow for the day on which the Zenith distance was observed.

Q. E. In.

PROBLEM VIII.

Given the Altitude of the Pole	•	•	•	•	16°	15′ N.
The Sun's Declination	•	•	•	•	1	11′ N.
The Palabah	-	•	•	•	•	3ª 30ᵛ

Wanted the *Sama-Mandala Chaya*, or length of the shadow when the Sun is East or West.

Sama-Mandala Chaya.

A

Say : As Sine Declination 1° 11′ • • • 71′

To Sine of Latitude 16° 15′ • • • 962′

So height of Sanku 12ᵃ or   - - - - - 720ᵛ

To $\dfrac{962' \times 720'}{71'} =$ - - 162ᵃ 36ᵛ the Sama-

Mandala *Carna* or Hypothenuse of the Shadow. (*)

B

Lastly, the Sama-Mandala Carna being thus found to be 102ᵃ 36ᵛ; and the height of the Sanku being always 12ᵃ or 720ᵛ, we have $\sqrt{\overline{102.36}^2 - \overline{720}^2} = 102ᵃ 9ᵛ$, the Sama-Mandala Chaya sought.   Q. E. In.

<div align="center">

PROBLEM IX.

</div>

Given the Sun's Declination   - - - - 1° 11′ N.

The Palabah   - - - - - 3° 30ᵛ

The Chara or Ascensional difference.   Wanted the Chara, or Ascensional difference.

A

Say first : As height of Sanku   - - - - 12ᵃ 0ᵛ

To the Palabah   - - - - - 3 30

So Sine of Sun's Declination 1° 11′   - - 71ᵛ

To   - - $\dfrac{3.30 \times 71}{12a} =$ - - - 21′

the Cshetijya.

B

Then : As Cosine Sun's Declination 1° 11′   - - - 3436′

To Cshetijya above found   - - - - - 21′

So Radius   - - - - - - 3438′

To   - - $\dfrac{21' \times 3438'}{3436} =$ - - - - 21′

the Sine of the Ascensional difference sought, which does not differ sensibly from its Arc.

    Q. E. In.

<div align="center">

PROBLEM X.

</div>

Given the Altitude of the Pole   - - - - 16° 15′

The Sun's Declination   - - - - 1° 11′ N

Wanted the Sun's Altitude at 10 dandas before and after noon.

<div align="center">

(*) SCHOLIUM.

</div>

The same result may be obtained by the following Canon:

As Sine of Declination 1° 11′   - - - - - 71ᵛ

To Cosine of Latitude 16° 15′   - - - - - 3299

So Palabah   - - - - - - 3a 30ᵛ

To $\dfrac{3299' \times 3a\ 30ᵛ}{71'} =$ - - 162a 36ᵛ, the same

as before.

PREPARATION.

Of 16° 15' the Sine is 962'   Cosine 3299'

Of 1° 11'   ,,   71   ,,   3436

10 dandas answer to an Arc of 60° (*) whose Cosine is   1719'

A

Say   As Cosine Latitude   3299'

To its Sine   962'

So Sine of Declination   71'

To $\dfrac{962' \times 71'}{3299} =$ 3' Sine of

the Cshetijya. (†)

B

As Cosine Declination   3436'

To Cshetijya   3'

So Radius   3438'

To $\dfrac{3 \times 3438}{3436}$ 3' Sine of

the Charajya.

C

Add the Cosine of the Hour Angle to the Charajya   1719'
                                      3'
                                      ———

You have the Wutrajya   1722'

D

Then say : As Radius   3438'

To the Wutrajya   1722'

So Cosine Declination   3436'

To $\dfrac{1722 \times 3436}{3438} =$ 1721'

the Chadam.

E.

As Radius   3438'

To the Chadam   1721'

So Cosine of Latitude 16° 15'   3299'

(*) Table XXXI.

(†) The Hindus instead of saying: As the Cosine of the Latitude : to its Sine, always say : As the Sanku or Gnomon : To the Vishama Chaya, or Equinoctial Shadow, &c.

To the Yesta Sanku (*)

$$\frac{1721 \times 3299}{3435} = \quad \cdot \quad \cdot \quad \cdot \quad \cdot \quad 1652'$$

or Sine of the Sun's Altitude, whose Arc is 28° 45' at 10 dandas before and after noon.

Q. E. I.

PROBLEM XI.

Given the Altitude of the Pole   .   .   .   16° 15'

The Sun's Declination   .   .   .   .   .   1 11 N

The Sun's Altitude 28 45

The time before or after noon.

Wanted the time before or after noon.

N. B.—The present proposition is only the converse of the preceding one.

A

Say : as Cosine Latitude : Sine Sun's Altitude :: So Radius : to the Chadam

$$\frac{1652 \times 3438}{3299} = 1721'$$

B

As Cosine Declination : to the Chadam :: So Radius : to the Wutrajya.

$$\frac{1721 \times 3438}{3436} = 1722'$$

C

As Cosine Latitude : to Sine of the same :: So Sine of Sun's Declination : to the Cshetijya.

$$\frac{962 \times 71}{3299} = 3'$$

D

As Cosine Declination : to the Cshetijya :: So Radius : to the Charajya.

$$\frac{3 \times 3438}{3436} = 3'$$

E

The Wutrajya (B) minus the Charajya (D) gives the Cosine of the Hour Angle from noon, i. e. 1722'—3'=1719'; the Arc answering to which is 60°; and this Arc answers to 10 dandas (†.)

Q. E. In.

(*) The Sine of the Sun's Altitude being called the Yesta, its Cosine is termed the Yesta Drog Jya; which explains the following analogy.

       As Yesta Drog Jya
       To Yesta
       So Yestu Chaya or length of Shadow
       To height of the Sanku

whose Hypothenuse is sometimes called *Yesta Carna.*

(†) Table XXXI.

Note.

1º   By help of the preceding Problems if the Altitude of the Pole be given, the *Ravi Sayana*, or Sun's Longitude reckoned from the Equinoctial point may be found from day to day, by means of the Madhyama Chaya or Meridian shadow.

2º   The length of the shadow being known (Problem VI), the Sun's Zenith distance may be found.

3º   The Meridian Zenith distance, and the Latitude of the place being known, the Sun's Declination may be found (Problem VII.)

4º   The Obliquity of the Ecliptic being always 24°, and the Sun's Declination being given, the Hypothenuse or Arc of the Ecliptic between the Sun and Equinoctial points, called the *Ravi Sayana*, is easily found.

Section II.

In order to determine the length of the Savan day, or the true time from Sun rise to Sun rise, in Sydereal time for every day in the year, we must establish : 1º   What the Sun's Declination is when his Longitude (*Ravi Sayana*) is I°; II°; and III°.—2º   The *Lagna*, or its Right Ascension when his Longitude is in the said points of the Ecliptic.— 3º   The *Agra* or Amplitude of the Sun under the same circumstances.—4º   The *Chara* or Ascensional difference under do.—5º   The *Ullagna*, or Oblique Ascension of each Sign of Longitude counted from the Equinoctial points, for the particular Latitude which is to be computed for.

The length of the Bhumi Savan day.

1º

To find the Sun's Declination when his Longitude is I°; II°; and III°.

Sun's Declination, 1st, 2d and 3d signs.

Data.

Obliquity of the Ecliptic (constant)	24°
Its Sine, or *Paramapa-Cramajya*	1397′
Cosine do.	3140′
The Sine of 30° or I° the Yekajya	1719′
of 60 II the Duojaya	2973′
of 90 III the Trijaya	3133′

N. B.—In order to save useless repetitions, it is to be understood that any expression given thus $\frac{1719'\times 1397'}{3433} = 698'$ implies the *Trirasica* and means : As Radius 3433 : to Sine 30° 1719 :: So is Sine Obliquity 1397′ : to 698′ the Sine of the Declination sought, which in the present case answers to an Arc of 11° 43′, whose Cosine is   3366′ the Declination due to I Sign or 30°.

$$\frac{2973'\times 1397}{3433} = 1211'$$ the Sine of the Declination due to 20° 35′

II Sign or 60°,

And for the III' or 90° the greatest Declination being 24' its Sine is   ⁑   1397'

And Cosine   3140

DECLINATION.

		Sines.
Signs I ⎱	11° 43'	698'
II ⎰	20 33	1211
III	24 0	1397

2°

To find the Lagna or Right Ascension under the foregoing circumstances.

FORMULA.

As Cosine of Declination

To Cosine Obliquity of Ecliptic

So Sine Yekajaya, Duojaya, &c. or Longitude I, II or III°

To Sine of Right Ascension.

For I Sign.

$$\frac{3140' \times 1719'}{3366'} = 1604' \text{ the Sine of the Right}$$

Ascension, whose Arc is   -   -   -   -   27° 50'

For II Signs.

$$\frac{3140 \times 2978}{3366} = 2907'$$

the Sine of Right Ascension, whose Arc is   -   °   57° 45'

For III Signs.

We have of course 3438 (equal to Radius)   -   -   90°

Hence, Lagna calas, or minutes of the Equator answering to each Sign respectively.

Signs I ⎱	1670' = 27° 50'
II ⎰	1795 = 57 45 — 27° 50'
III	1935 = 90 — 57 45

3°

For the Sun's Agra, or Amplitude, under the same circumstances.

FORMULA.

As Cosine of Pole's Altitude   -   -   -   (13° 4' Madras)

To Sine of Sun's Declination A.   -   -   .   1°

So Radius   .   .   .   .   .   3438'

To Agrajya or Sine of Amplitude.

For I Sign.

$$\frac{698' \times 3438'}{3348} = 716' \text{ the Sine of the Sun's}$$

Amplitude, whose Arc is   ‹   .   :   .   .   12° 1'

For II Signs.

$$\frac{1211\times3438}{3348} = 1243'\text{ the Sine of Am-}$$

plitude, whose Arc is   •   •   •   21° 12'

For III Signs.

$$\frac{1397\times3438}{3348} = 1434'\text{ the Sine of Am-}$$

plitude, whose Arc is   •   •   •   •   21° 40'

Hence, the following Sun's Agras.

Signs		Sines.
I	12° 1'	716'
II	21 12	1243
III	24 40	1434

3°

To find the Chara, or Ascensional difference, under the same circumstances.

Sun's Chara or Ascensional difference for Do.

FORMULA.

As Cosine Declination (Art. I)

To Sine of Pole's Altitude (13° 4')

So Sine of Agra (Art. 3)

To Sine of Chara, or Ascensional difference.

For I Sign.

$$\frac{716\times776.2'}{3366} = 165'\text{ the Sine of}$$

Chara, whose Arc is   •   •   •   •   2° 45'

For II Signs.

$$\frac{1243\cdot\times776.2}{3366} = 286'\text{ the Sine of Chara,}$$

whose Arc is   •   •   •   •   4° 46'

For III Signs.

$$\frac{1434\times776.2}{3366} = 331\text{ the Sine of Chara,}$$

whose Arc is   •   •   •   •   •   5° 51'

Hence, the Calas or minutes of the respective Ascensional differences are,

Signs			Calas.
I	Prathama Chara Cumda	2° 45' =	165'
II	Madhya Chara Cumda	4° 46'—2° 45' =	121'
III	Antera Chara Cumda	5° 51'—4° 46 =	45'

4°

To find the Ullagna, or Oblique Ascension of each Sign of Longitude for any particular place, which let it be Madras.

The Ullagna or Oblique Ascension.

Subtract the Chara Cumda from the Lagna, in the *First* and *Fourth* Quadrant of Longitude: add it in the *Second* and *Third* Quadrants.

	— 1st and 4th Quadrants.			+ 2d and 3d Quadrants.		
	Is or XII.	II or XI.	III or X.	IV or IX.	V or VIII.	VI or VII.
Lagna	1670	1795	1935	1935	1795	1670
Chara Cumda	165	121	45	45	121	165
Ullagna	1505	1674	1890	1930	1916	1835

Such is the *Ullagna* of Madras, which, together with the Altitude of the Pole 13° 4′ and the Palabah 2 angulas, 47 vinculas, exhibit constant quantities for calculating the duration of the artificial and natural day throughout the year. Every Indian Astronomer, or Almanac maker, generally calculates a Table of this sort for the place where he resides.

5°.

<div style="float:left">Diurnal motion in Oblique Ascension and length of natural day.</div>

For the Sun's diurnal motion in Oblique Ascension.

A

The Sun's true diurnal motion on the day commencing the Luni-solar year Cali yugam 4924 was 59′ 26″, and his true place (Sputa Graha) in the Hindu Ecliptic - 11° 11° 36′ 19″ (*)

| The Ayanansa for Do. | . | . | . | . | 19 | 50 | 25 |

| Ravi Sayana or true Longitude | . | . | . | 0 | 1 | 26 | 44 (†) |

So that the Sun is in the first Sign.

B

Calas.

Say then: As 30° (I Sign), or in calas 1800

To the Ullagna of the 1st Sign . . . 1505

So Sun's true diurnal motion in the Ecliptic on the given day . 59′ 26″

To $\dfrac{1505 \times 59' 26''}{1800}$ = ... 49′ 41″

The Arc of the Equator which rises above the Horizon *in the same time*, being the Sun's diurnal motion in Oblique Ascension on the given day.

C

For the length of the Savan day.

As the natural day of 60 dandas (according to the Murta denomination) contains 21600 pranacalas or respirations, which is the same number as there are of calas (minutes) in 360°, the

---

(*) Vide computation of Elements.

(†) In the present case the Booja is not required.

circumference of the Equator; the above motion 49cal. 41vic. in Oblique Ascension may be considered as pranacalas, which therefore dividing by 6, gives 8vic 1,6pra. (*)

The length of the Savan day from Sun rise to Sun rise is, therefore,

Dandas.	Vicalas.	Pranacalas.
60	8	1,6 Sydereal time.

6º

To find the length of the artificial day, or time of the Sun being above the Horizon.

Length of artificial day.

A

We have found in the preceding article that the length of the Bhumi Savan day on which the Luni-solar year Cali yugam begun, was 60^d 8^v 1,6^p, Sydereal time, one fourth part of which is 15^d 2' 0,4^p, or 15^s 2' 4^p.

B

For the Sun's Declination on the same day.

Given the Sun's Ravi Sayana - - - -	0^s 1° 26' 44^v	
Whose Sine is - - - - - - -	87'	
Obliquity of Ecliptic 24° and Paramapa-Cramajya - -	1397'	
Say: As Radius - - - - -	3438'	
To Sine Ravi Sayana - - - -	87'	
So Paramapa-Cramajya - - - -	1397'	
(Sine of Obliquity)		
To Crantijya $\frac{87' \times 1397'}{3438}$ = - - - -	35'	

the Sine of the Declination sought, equal to its Arc.

C

For the Sun's Chara, or Ascensional difference.

1º

			Sine.	Cosine.
Data—The Pole's Altitude	13°	4'	777'	3348'
Sun's Declination N.		35'	35'	3437'
Say: As Cosine Polar Altitude - - -				3348'
To Sine of the same - - -				777'
So Sine of Sun's Declination - -				35'
To - - $\frac{777 \times 35'}{3348'}$ = - - - -				8'

the Cshetijya; which gives only a first approximation.

(*) To convert the 49 calas, 41 vicalas (in degrees) into time, we have for the calas $\frac{42}{7}$ = 8v 1p, and 60 : 41 :: 10 : 6. Hence the time would be 8v 1,6p.

2o

As Cosine Sun's Declination $\quad$. $\quad$. $\quad$. $\quad$. $\quad$ 3437′

To Cshetijya $\quad$. $\quad$. $\quad$. $\quad$. $\quad$. $\quad$ 8′

So Radius $\quad$. $\quad$. $\quad$. $\quad$. $\quad$. $\quad$ 3438′

To $\quad$. $\quad$. $\quad$ $\dfrac{8′ \times 3438}{3437}$ $=$. $\quad$. $\quad$. $\quad$. $\quad$. $\quad$ 7′

the Charajya, or Sine of the Ascensional difference sought.

Hence the Sun's Chara on the first day of the year Cali yug 4923 was 7′, which corresponds to 1 vig. 10 paras of time nearly. (*)

D.
For the Dinarda, and Ratri Arda.

Because the Sun's Declination is North—To the 4th part of the Savan

	day (A) $\quad$. $\quad$. $\quad$. $\quad$. $\quad$.	15ˢ	2ᵛ	4ᵖ
	Add the time of the Chara (C) $\quad$. $\quad$. $\quad$.	+	1	10
Half the day.	Dinarda, or half the day $\quad$. $\quad$. $\quad$.	15	3	14
	And $\quad$. $\quad$. $\quad$.	15	2	4
		—	1	10
Half the night.	Ratri Arda, or half the night $\quad$. $\quad$. $\quad$.	15	0	54

CONCLUSION.

The day.   The artificial day, or Bhumi Savan dina, which opened the Luni-solar year Cali yugam 4923, was, therefore,

$$2 \times 15ˢ\ 3ᵛ\ 14ᵖ = \quad . \quad . \quad . \quad 30ˢ\ 6ᵛ\ 28ᵖ$$

The night.   And the artificial night

$$2 \times 15ˢ\ 0ᵛ\ 54ᵖ = \quad . \quad . \quad . \quad 30\ 1\ 48$$

COROLLARY.

	Hence if from 60+15ˢ $=$. $\quad$. $\quad$. $\quad$.	75ˢ		
	We subtract the Dinarda $\quad$. $\quad$. $\quad$.	15	3	14
Time of Sun rising.	Time of Sun rising at Madras on the given day, $\quad$. $\quad$.	59	56	46
	And if we add thereto the duration of the artificial day $\quad$.	30	6	28
Time of Sun setting.	The time of Sun setting on the same day, (90ˢ—60ˢ) $=$ $\quad$.	30	3	14

It will be readily perceived that these resolutions differ materially from those procured by European Astronomy, which is to be particularly ascribed to the defective Longitude assigned to the Sun in the Indian Calculus.

———

(*) Table XXXI.

ARTICLE 9.

Having thus expounded the doctrine of Hindu Gnomonics, we are now to apply it to the reduction of the end of the Amavasya Tidhi calculated for Lanca in the preceding article, to any other Meridian or Latitude ; and I shall select for that purpose, those of Madras, its *Acsha Bagahs* being 13° 4', *Desentara* in time 47ᵛ 4ᵖ East of Lanca : and *Palabah* 2ᵃ 46,8ᵛ.

For this we are to correct the Sun and Moon's Sputa Graha, or true places in the Indian Zodiac, as found at page 88, for midnight at Lanca, to what they were when it was midnight at Madras.

<div style="float:right">Reduction of the end of the Amavasya Tidhi at Lanca to any Meridian or Latitude.</div>

DATA.

☉'s Sputa Graha at true midnight at Lanca on the 12th Poongoni	11ˢ 11° 36' 19ᵛ	
☉'s ,, Gati or true motion	59 26	
☽'s Sputa Graha on Do.	11 17 51 22	
☽'s Do. Gati	14 1 54	
Desentara in time	47ᵛ 4ᵖ	
Acsha Bagahs	13° 4'	
Relative motion	13° 2' 28ᵛ	

<div style="float:right">12th of Poongoni at true midnight at Lanca.
Time complete.</div>

A

For the Sun's place on the 12th Poongoni 4923, reduced to the Meridian of Madras.

Say : 60 guddias : 59' 26ᵛ :: 47ᵛ 4ᵖ : $\frac{59\ 26 \times 47\ 4}{60g}$ = 46″, and as the Longitude of Madras lies East of Lanca, this quantity is *subtractive.*

Sun's true place at Lanca	11ˢ 11° 36' 19″	
Subtract motion during 47ᵛ 4ᵖ	46	
☉'s Sputa Graha on the same day at midnight at Madras	11 11 35 33	

B

For the Moon's place, reduced to the same Meridian.

The Moon's true motion on the given day was 14° 1' 54″, therefore say

: 60ᵍ : 14° 1' 54 :: 47ᵛ 4ᵖ : $\frac{14\ 1\ 54 \times 47\ 4}{60g}$ = 11' 0″, being the Moon's progress in the given time, which, as the Moon was proceeding from the Sun, is *subtractive.*

☽'s Sputa Graha at Lanca	11ˢ 17° 51' 22″	
Subtract	11 0	
Moon's Sputa Graha at midnight at Madras	11 17 40 22	

C
For the Sun and Moon's true distance.

⊙'s Sputa Graha - - - - -	11ˢ 11ᵃ 35′ 33″ (A)
☽'s Do. Do. - - - - -	1I 17 40 22 (B)
Soob-vi-Arca Indoo Graha at Madras	6 4 49

D
For the time due thereto, say

$$: 13° 2' 28'' \text{ (Rel. mot.)} : 60^s :: 6' 4' 49'' \text{ (C) } \frac{60g \times 6° 4' 49''}{13° 2' 28''} = 27^s 58' 27'$$

time before midnight when the conjunction occurred.

	a. v. r.
Therefore subtracting from mean midnight - -	45
	27 58 27
Time of conjunction after *mean* Sun-rise at Madras on the	
12th Poongoni, - - - - - -	17 1 33

E
For time after true Sun rise.

We have found at Section IIof Gnomonics (page 106), that the Sun rose

	c. v. p.
on the 12th of Poongoni, at Madras, at - - -	59 56 46
	60
Equation of time - - - - -	0 3 14 additive.
Time of conjunction after mean Sun-rise by present operations -	17 1 33
End of Amavasya Tidhi - - - -	17 4 47

True time of conjunction after Sun rise under the Meridian and Latitude of Madras. or instant of conjunction after true Sun rising, being the end of the 30th, or Amavasya Tidhi of the Lunar month *Phalguna* of the 4923d year of the Cali yug, and the beginning of the *Prathama* or 1st Tidhi of Chaitra of the 4924th year current, under the Meridian and Latitude of Madras.

And as the said Prathama Tidhi began *after Sun rise* on the 12th Poongoni, it is to be coupled with the 13th of the said Solar month, as may be seen in the Skeleton of the Panchangum, page 67.

I shall close this article with a remark of Audi Sashaya Sastra.

Some of the Moon's Equations not considered in this process. In the computation of Eclipses wherein the Elements must be rigidly computed, the Moon's place is subject to other Equations, which need not be considered in the construction of the common articles of the Panchangum, where the resolution of the end of the Tidhis, and disposition, and duration of the months and years, are principally considered. In the Solar or *Vakiam* process, of which a general account will be given in the second part of this Memoir, all the Equations which have been theoretically accounted for in the preceding articles, are computed by means of Tables where, in some cases, two or three are blended together, so as to be quite undistinguishable.

Thus for instance, what the Tamuls call the *Arca Bahoota phala, Desentara,* and *Beeja phala Sunscaras,* which are to account for the difference between mean and true time, of Longitude and Latitude, as these circumstances affect the Moon's place at a given instant and spot on the surface of the Earth, they compute together under the general designation of *Desentara Sumscara,* or Equation of Longitude, so that the vast majority of those who use these Tables and processes, are absolutely unable to give the least account of their construction.

Whatever process is followed, however, these reductions are very long and tiresome. The preceding investigation of Hindu Gnomonics has enabled me to dispose rapidly of the latter part of the last Problem, but the reader will have perceived that, in order to reduce the end of a Tidhi, and consequently that of any month and year, from its time at Lanca to any other place arbitrarily proposed, requires more time than the utility of such a proposition deserves when it does not refer to some of the higher Astronomical Problems. In order not to fatigue uselessly his attention, I shall therefore dispense in future from carrying my computations further than Lanca, excepting in the last Example of all, where I propose giving an entire solution of the *Cshaya* or expunged month, which will occur in the 5065th year current of the Cali yug; answering to the 1886th from the birth of Salivahana, and to the Christian year 1963.

ARTICLE 10.

How to compute Seriatim *all the Tidhis in the year, the end of the last* Amavasya *Tidhi of the preceding year being given.*

We have been under the necessity of interrupting our progress in the construction of the Kalendar, for the sake of elucidating the various theories on which it is to be modified according to time and place : we shall now resume the original research, to show how the end of the successive Tidhis of the new year may be determined, from the resolution of the end of that which closed the preceding one.

We have seen that the Amavasya Tidhi which ended the year Cali yugam 4923, and commenced the 4924th, at Lanca, terminated after Sun rise on Poongoni 12th, (page 90) [16ˢ 14ᵐ 28ᵖ]

$$\begin{array}{r} \text{Add} \quad 1 \\ \hline 13\text{th} \end{array}$$

to which date we are to adapt the Elements already obtained.

For the Sun's apparent place on the 13th Poongoni.

☉'s Madhyama Graha on the 12th, (page 87)			11ˢ	9°	26′ 37″
☉'s mean motion in one day		+			59 8
Madhyama Graha on the 13th			11	10	25 45
Place of Sun's *Mandocha* (Apogee) its motion insensible		+	2	17	17 18
Ravi Manda Kendra			3	6	51 33
			6		
Bhujah			2	23	8 27
Argument of Anomalistic Equation				83°	[8′ 27″
					507″

Proceeding as we have done before, we shall find the *Ravi Manda P'hala* 2° 9′ 38″

And the *Arca Bhagábala* $\dfrac{2°\ 9'\ 38''}{365}$ (*) . . ＋ 22

						2	10	0

⊙'s Madhyama Graha above found . . . 11° 10 25 45

Ravi Sputa Graha, 13th Poongoni, . . . 11 12 35 45

For the Sun's true motion.

Instead of deriving it as usual from the Tables, when computing *seriatim*, the Hindus take the difference of the Sun's Sputa Graha on the two successive days, because the increment or decrement of its Sputa Gati, (apparent motion) is comprehended in the Arca Bhagábala (page 83) as above applied (†).

We have consequently

Sputa Graha on the 12th Poongoni, (page 88) . . 11° 11° 36′ 19″

Do. Do. 13th do. . . . 11 12 35 45

Ravi Sputa Gati, 13th Poongoni, . . 59 26

For the Moon's true place on the 13th Poongoni.

A

First correct the Moon's mean place.

☽'s Madhyama Graha, 12th Poongoni . . 11° 21° 15′ 34″

☽'s mean motion in one day . . . 13 10 35

Madhyama Graha, 13th Poongoni . . 12 4 26 9

(‡) Arca Bhagábala depending on the Sun's Anomalistic

Equation . . . . . $\dfrac{2°\ 9'\ 38''}{27}$ = 4 48

☽'s Corrected Graha, 13th Poongoni . . 0° 4° 30′ 57″

(*) The regular process for resolving the Arca Bhagábala would be

: 360° : 59′ 8″ :: 2° 9′ 38″ (Anom. Equat.) $\dfrac{59'\ 8''\times 2°\ 9'\ 38}{360°} = 22''$

the same result as that used in the text. The two processes seldom vary by 1″. So that the short one may be used with all safety for general purposes.

(†) This explanation, as well as many others inserted in this work, were literally given to me by the Native Sástra whom I consulted on these operations.

(‡) The regular process would be

: 360° : 13° 10′ 35″ :: 2° 9′ 38″ : $\dfrac{13°\ 10'\ 35''\times 2°\ 9'\ 38''}{360} = 4'\ 43''$.

B

For the place of the Moon's Apogee on the 13th Poongoni.

Place of *Mandocha* on the 12th Poongoni	-	-		7'	4° 35'	53″
Motion of Do. in one day	-	-	+		6	41
Place of Mandocha on the 13th Poongoni	-	-		7	4 42	34
☽'s Corrected Graha (preceding article)	-	-	—	0	4 30	57
Chandra Manda Kendra	-	-	-	7 6	0 11	37
Argument of Anomalistic Equ. Bhujah	-	-		1	0 [11	37
					30 [11	37
						697″

C

Chandra P'hala Table for 30'	-	2°	32'	2
31	-	2	36	37
		4	25	= 275″

For fractional part

1st diff. - : 60° :: 697″ :: 275 : 50″ ⎫ 30° Ano. 2° 32' 2″
2d diff. - 360 :: -697 :: 2° 32' 2″ : 4 ⎬ 54
— 51 ⎭ — 2 32 56 Man. P'ha.

Which subtract from Corrected Graha	-	-		0°	4 30	57	
☽'s Sputa Graha on the 13th of Poongoni	-			0	1 58	1	The Moon's true place.

For Luni-solar distance.

☉'s Sputa Graha on the 13th Poongoni	-		—	11	12 35	45	
☽'s do. - - do	-		+	0	1 58	1	
Soob-vi-Arca Indoo Graha	-	-	-	0	19 22	16	

the Tidhi *Sputa*, or Argument of the true Tidhi on the 13th.

☉ and ☽'s distance at midnight.

How to find the end of the *Prathama* Tidhi, which began with the *Amavasya ending*, by means of that distance.

A

As the duration of a Tidhi is determined by the time that the Moon takes to run through 12° relatively to the Sun, we may have the Moon's true motion in one day, as we had that of the Sun, viz.

Moon's true motion.	☽'s Sputa Graha on the 12th Poongoni, at Lanca (page 39) —	11ˢ 17° 51′ 22″
	☽'s Graha on the 13th do. (page 111) $+$	0 1 58 1
	☽'s Sputa Gati on the 13th	0 14 6 39 and

Relative motion.

Relative motion.	☉'s Sputa Gati —	59 26
	Vi-Arca-Indoo-Gati	13 7 13

B

The distance on the 13th at true midnight at Lanca, was found

	(preceding article)	0ˢ 10° 22′ 16″
	Subtract motion for a Tidhi —	0 12
Arc of excess at midnight.	Excess of motion over a whole Tidhi at midnight	7 22 16

C

For time due to this excess, say

: as 13° 7′ 13″ (Rel. mot.) : 60ˢ :: 7° 22′ 16″ : $\frac{60 \times 7° 22′ 16″}{13° 7′ 13″}$ = 33ˢ 42′ 31″

To be retrenched from midnight at Lanca.

Say therefore	45g
	— 33 42 31
End of the *Prathama* or Padhyami Tidhi.	End of the *Prathama* Tidhi	11 17 29 after Sun

rise, and beginning of the *Vidya* Tidhi, or 2d Chaitram, A. C. 4924 current.

NOTE.

Registering the Tidhi.

As the *Vidya* Tidhi began on the 13th *after Sun rise*, it is to be coupled with the 14th of Poongoni, which is accordingly done in the Panchangum. (Vide page 67.) (*)

COROLLARY.

End of the *Vidya* Tidhi.

As 7° 22′ 16″ had already been run through at midnight at Lanca on the 13th, if we take the same from

	12°
	— 7 22 16
	4 37 44

we shall have the Arc which the Moon has to describe from the Sun before marking the end of the *Vidya* Tidhi, and beginning of the *Tadya*, or third Tidhi : but in order to get the correct time

Beginning of the *Tadya* Tidhi.

due to the same, the Sun and Moon's relative motion for the 14th of Poongoni must be computed ; then the last proportion will hold good as before ; et *Ceteris paribus.*

(*) Vide also description of the Siddhanta Chandra Panchangum, paragraph 10, page 72.

ARTICLE 11.

Resolution of a Cshaya Tidhi, or expunged Lunar day.

It has been observed (para. 7, page 72), that whenever a Lunar Tidhi commences and ends on the same Solar day, the precept requires that it be expunged out of the Kalendar; so that when such a case occurs, there is a chasm of an unit between two successive Tidhis. As this case recurs, on a medium, once in 64 days, the Epoch of any one *Cshaya* Tidhi being known, any other (past or future) may be anticipated within a day. *The Tidhis computed independently.*

In the present Example I shall assume, that a mean Cshaya Tidhi was due about the 8th or 9th Vaisacha of the current year Cm. 4924 and proceed to the resolution of the same, following still the precepts of the Surriah Siddhanta.

In what follows, I shall only give in detail what may be new to the reader; but the quantities, the resolutions of which have already been explained, will be given in the abstract. It would, however, be quite impossible to give an intelligible account of what remains unexplored of these processes, if repetition were entirely excluded; and on that account I claim the reader's indulgence for unavoidable prolixity.

I.

For the Sun's mean place on the 8th Vyassei complete.

We have found at page 87, that the Sun's Madhyama Graha on the 12th of Poongoni, Sydereal time, was 11' 9° 26' 37".

A.

To find the number of Savan days between the 12th of the Solar month Poongoni, 4923, and the 8th Vyassei 4924.

		Days.	
By the Solar Kalendar the Sydereal month Poongoni counts	-	31	*Number of days to be computed for the 8th Vyassei.*
Subtract - - —		12	
		—	
		19	
Duration of all Chaitram (Kal.)		31	
Proposed date in Vyassei		7 complete	
		—	
Number of Savan days for which the Sun and Moon's motion is to be found -		57 days.	

B. The Sun.

By Table XX, we have for 50 days	.	.	.	1˚	19˚ 16′ 48″	
7 ,,	.	.		0	6 53 57	
				1	26 10 45	
Add Sun's Madhyama Graha, 12th Poongoni	.	.	11	9 26 37	

Sun's mean place. ⊙'s Madh. Graha, 8th Vyassei complete, 9th current (*) 1 5 37 22

C. The Moon.

	D's place.		Apogee.
D's Madh. Graha, 12th Poongoni (page 89)	11˚ 21˚ 15′ 34″	. .	7˚ 4˚ 35′ 53″
By Table XXI, for 50 days	9 28 49 3	. .	0 5 31 9
7 ,,	3 2 14 4	. .	0 0 46 47

Mean place of Moon and Apogee.

Moon's Madh. Graha and Mandocha, 8th Vyassei complete; midnight at Lanca,   0 22 18 41 . . 7 10 56 49

Section I.

A

Elements for the 8th Vyassei complete, A. C. 4924 current.

Elements.

⊙'s Madhyama Graha	- - - -	1˚	5˚ 37′ 22″
⊙'s Mandocha (motion insensible)	- - -	2	17 17 18
D's Madhyama Graha	- - - -	0	22 18 41
D's Mandocha	- - - -	7	10 56 49

Proceeding as before, these quantities will give us:

The Sun.

⊙'s Anomalistic Argument or Manda Kendra	- -	1˚	11˚ 39′ 56″
,, Anomalistic Equation or Manda P'hala	- +		1 27 30
,, Area Bahoota P'hala	- - - -		,, ,, ,,
⊙'s true place or Spata Graha	- - -	1	7 5 6
,, true motion	- - - -		57 28

The Moon.

D's Anomaly	- - - -	5˚	11˚ 22′ 7″
,, Bhuja, Argument of Equation	- -	6	18 38 8 (†)
,, Chandra Phala, Anom. Equa.	- - —	1	37 17
,, Area Baa Sumscara P'hala	- - +		3 14

(*) This would be marked the 9th in the Panchangum, which always gives the *current* day. But as the fraction of the *Ahargana* for the 1st Vyassei is (Sunday) 38g. 10v. 10p. (as appears in the Kalendar given at the head of this Memoir), the Civil account for all that month dates *one day less*, and is therefore put down 8th current.

(†) D's mean place	0s	22˚ 18′	41″	
Place of Apogee	7	10 56	49	
	5	11 21	52	
	12			
Manda Kendra	6	18 38	3	

and

0' 22° 18' 41″ — 1° 37' 17″+3' 14″=0' 20° 44' 38″

☽'s Sputa Graha at midnight of the 8th Vyassei complete, at Lanca.

„ true motion found as before 14' 16' 19″.

B

Hence for the resolution of the end of the Tidhi, we have the following corrected Elements.

At midnight { ☉'s Sputa Graha	•	•	•	1° 7° 5' 6″	True distance 8th Vyassei complete.
at Lanca { ☽'s do. do.	•		•	0 20 44 38	
☉ and ☽'s true distance	•	•	•	0 16 20 28	
At { ☉'s Sputa Gati	•	•	•	•	0° 57' 28″	End of 8th.
Lanca { ☽'s Do. Do.	•	•	•	•	14 16 19	
Soob-vi-Arca Indoo Gati or Relative Motion		•		•	13 18 51	

C

Resolution of the end of the Tidhi.

As the Moon moves through 12 degrees of her Synodical Revolution in one Tidhi, the Hindu Astronomers have found means of abridging the process by computing, first " How many " complete Tidhis have elapsed in the *Bhuja*, or complement to 360° of the San and Moon's " Revolutions on the proposed day ; and, secondly, by finding the time due to the remainder."

Now having found this to be   •   •   •   0' 16° 20' 28″
                                                              12

Bhuja — 11 13 39 32
    or   343° [39 32

1° Say : As 12° : To 1 Tidhi :: 343° :

: $\frac{1 \times 343}{12°}$ = 28 Tidhis complete, with a remainder of 7°+39' 32″ of the *Bhuja* unaccounted

for, but which shall be considered presently.

The quotient, which was found to be 28, shews that the Tidhi sought, is the 28th of the Lunar month Vaisacha complete, and as we have worked for the 8th Vyassei Solar time, also complete, that Tidhi is to be coupled with the said Solar day.

And on account of the division of the Lunar month into two *Patchums*, it is customary to register the same 28—15=13th Christna Patchum ; which is accordingly done in the Panchangum, page 67.

To proceed.

2° As there were 28 complete Tidhis expired at the time for which the computation was made, the remainder, after division by 12° (viz. 7° 39' 32″) indicates a part of the 29th Tidhi (then current) which had expired, and in order to determine its end, or the beginning of the 30th Tidhi (which is always that of the conjunction)

Say   • • • • • = **From** 12ˢ

Take   7 39 32

Remainder to the conjunction.   Arc due to what remained of the 29th Tidhi, in degrees, &c. } at midnight at Lanca   4 20 23

D

For the time due to this Arc, considering that a great portion of the 29th Tidhi will fall **on** the 9th Vyassei, we require the *true* relative motion for that day, which, proceeding as before, will be found to be   • • • •   13' 22' 26"

Say therefore,

For the end of the 29th Tidhi,   : Relative motion 13° 22' 26" : 60ˢ ::

     Arc of complement 4° 20' 28" :

     : Time due to Arc from midnight at Lanca $\frac{60 \times 4° 20 28}{13 \ 22 \ 26}$ • • • •   19ˢ 23' 32ᵖ

Add midnight   45

61 28 32

Subtract   60

Time of 29th Tidhi ending after Sun rise on the 9th Vyassei, or beginning of the 30th   4ˢ 28' 32ᵖ

Registering the Tidhi.   Thus, the 30th Tidhi of the Lunar month Vaisacha having begun *after* Sun rise on the 9th of the Solar month Vyassei, if nothing had intervened, should have been coupled with the 10th of the said month. The remainder of the Example will shew us, whether the case admits of that arrangement.

SECTION II.

A

For the end of the 30th or Amavasya Tidhi.

For the 30th or Amavasya Tidhi, being an expunged one.   Proceeding as before, for the 9th Vyassei we shall find

At midnight } ☉'s Sputa Graha, 9th   • • •   1ˢ 7° 44' 3"
at Lanca   } ☽'s Do.   Do.   • • •   1 5 2 58

☉ and ☽'s distance   • • •   0 2 41 5

Relative motion.

At Lanca } ☉'s Sputa Gati, 9th   • • •   57' 26"
      } ☽'s Do. Do.   • • • •   14 19 52

Relative motion   • • • • •   13 22 26

B

For time due to distance.

Say   As relative motion   • • • • =   13° 22' 26"
     To one Savan day   • • • • •   60ˢ
     So distance at midnight   • • •   2 41 5

     To $\frac{60 \times 2' 41' 5''}{13° 22 26}$ = = =   12ˢ 2' 40ᵖ

After midnight at Lanca, which marks the true time of conjunction, and consequently the end of the 30th, or Amavasya Tidhi.

<div style="text-align: right">End of the 30th Tidhi.</div>

To express the same in Solar time, we have   -   - 45^s

+ 12 2 40

Time after Sun rise on the 9th   •   -   -   57 2 40
60

The same before Sun rise on the 10th   -   -   -   2 57 20

Conclusion.

As the 29th Tidhi ended at $4^s 28^v 50^p$ after Sun rise, and the 30th on the same day at $57^s 2^v 40^p$, it is manifest that the whole of the 30th or Amavasya Tidhi, was expended during the 9th of the Solar month Vyassei, and therefore, that it is a *Cshaya, or expunged Tidhi.* It is accordingly left out of the Panchangum; but its name and duration are inserted in the margin. (*) There is, in consequence, no 30th Tidhi registered in the column for the month Vaisacha (page 67.) Hence also the *Prathama Tidhi* of the Lunar month Jaish'ta, falls on the 10th Vyassei, Civil account; for (as has been said in the note at the foot of page 114.) it falls truly on the 11th Sydereal day current, but as Vyassei commenced at *night time,* its Civil beginning fell *one day later,* and hence the 11th Sydereal is only the 10th Civil day of that month. (Vide Skeleton of Luni-solar Kalendar, ibid.)

<div style="text-align: right">The *Cshaya* Tidhi determined and left out of the columns of the Kalendar.</div>

The case of the *Adigah,* or repeated Tidhi, being resolved precisely like that of the *Cshaya,* I shall not detain the reader by any further example.

<div style="text-align: right">The same process applies to the resolution of the intercalary days,</div>

I shall now take leave of the Surriah Siddhanta, and enter on the consideration of the *Vakiam* or Solar process.

(*) Oppadi or Cshaya Amavasya Tidhi 52g. 33v. 50p, the duration of that Tidhi being 57g. 2v. 40p.—4 28 50 —52 33 50.

PART II.

Of the Solar or Vakiam process.

In the first part of this Memoir we have explained the principles on which all Indian Kalendars which (like that of the Tellingas) rest on the doctrines of the Surriah Siddhanta, are to be constructed. In the second we shall disclose the mechanism of the Solar Kalendar, which is much more extensively used in the Southern parts of India than the former, being that of all the countries where the Tamul language prevails.

The process of Solar Astronomy.

Both Kalendars contain precisely the same Astronomical and Astrological articles, the only difference being, that the Elements from which the *Vakiam* Rules and Tables are constructed, are extracted from the *Ariah*, instead of the *Surriah* Siddhanta; and that the mode of proceeding for resolving the different Problems is totally different.

This process was, I believe, the first that became known to Europeans; and considering the nature of its *ostensible* Elements, and how concealed the *real* ones lie in its Tables and formulæ from their original source, it is no wonder that the appearance of these, at the time of discovery, should have led, (even very scientific men) into the most extraordinary conjectures.

The most remarkable difference between the Vakiam process, and that of the Surriah Siddhanta, is, that the computations of the former are directly for the *apparent*, without previously obtaining the *mean* places of the Asters; and that these refer to the time of *Sun rising*, instead of *mean midnight*, as is directed in the Surriah Siddhanta.

In the Key to the *Madhyama Saura mana* we have given all that was necessary for the resolution of mean Solar, into European dates, therefore in the present division of the *Kala Sankalita*, we shall only attend to *Luni-solar* and *Solar* Hindu times.

The primary Elements of the Vakiam and those of the Ariah Siddhanta.

The Elements of the *Vakiam* process being those of the Ariah Siddhanta, the Solar year consists of $365^d 15^g 31^v 15^p$ as was used in the Madhyama Saura mana (*) : the construction of

---

(*) According to that Sastra there are 1577917500 Bhumi Savan days (called Yuga dina) in a Maha yug, being 328 days less than by the Surriah Siddhanta. The Solar year is therefore $\frac{1577917500}{4320000}$ - 365^d. $15g$. $31v$. $15p$. or $365d$. 6h. 12′ 30″ in European time. Of periodical Revolutions of the Moon relatively to the Equinoxes, there are 57753336 in a Maha yug, the Lunar periodical month is therefore $\frac{1577917500}{57753336}$ - $27d$. $19g$. $17v$. $58p$. $29s$. &c. or $27d$. 7h. 43′ 11″ 23″ &c. in European time. If from the number of periodical Revolutions of the Moon we subtract 4320000 Revolutions, we have 57753336—4320000=53433336 Synodical Revolutions of the Moon in a Maha yug ; therefore $\frac{1577917500}{53433336}$ - $29d$. $31g$. $50v$. $5p$. $40s$. &c. or $29d$. 12h. 44′ 2″ 16″ &c. European time, is the mean duration of a mean Synodical Revolution of the Moon, according to the Ariah Siddhanta.

The Moon's Anomalistic Revolution is particularly noticed in the text, but in the Elements of the Vakiam it is taken to be 27d. 33g. 30v. Indian, and 27d. 13h. 20′ European time.

that year is, therefore, to be used in the present process, instead of that which was given in the Skeleton for the *Siddhanta* Solar year 4924, at page 65 : and the Roots of each of the 12 months, as well as the aggregate number of days in the concurring Lunations, will be,

Names of Solar months.	Types of Signs.	Roots of Ahargana for beginnings of Solar months.				Number of days in each month.		European dates of beginnings N. S.	Dom. Letter.	Lunations.	Aggregate time of Lunations.				
		D.	G.	V.	P.	Syde-real	Civil.				D.	G.	V.	P.	S.
Poongoni 1423	♓	(1) 59	51	28			Civil.	11 March 1822	F	1	29	31	50	5	40
Chaitram 1424	♈	(4) 20	12	30		31	30	11 April 1822		2	59	3	40	11	20
Vyassei	♉	(0) 15	44	31		31	31	12 May		3	88	35	30	17	0
Auni	♊	(3) 39	56	32		31	32	12 June		4	118	7	20	22	40
Audi	♋	(0) 16	34	33		32	31	14 July		5	117	39	10	28	20
Auvani	♌	(3) 44	46	35		31	32	14 August		6	177	11	0	34	0
Paratasi	♍	(6) 46	56	36		31	31	14 September		7	206	42	50	39	40
Aipesi	♎	(2) 14	18	37		31	30	15 October		8	236	14	40	45	20
Cartiga	♏	(4) 8	25	38		30	30	14 November		9	265	46	30	51	0
Margali	♐	(5) 38	49	40		29	30	13 December		10	295	18	20	56	40
Tye	♑	(6) 59	42	41		29	29	11 January 1823	E	11	324	50	11	2	20
Maussi	♒	(1) 26	58	42		30	29	10 February		12	354	22	1	8	0
Poongoni	♓	(3) 15	22	43		30	30	12 March		13	383	53	51	13	40
Chaitram 4925	♈	(5) 35	43	45		30	31	11 April							

N. B.—The Solar Ahargana may be found by means of Table XLVIII, part 2, of this collection, as follows :

				D.	G.	V.	P	
for	4000 yrs.	-	-	-	1461034	43	20	0	Solar Ahargana beginning of 4924 of the Cali yug.
	900	-	-	-	328732	48	45	0	
	20	-	-	-	7305	10	25	0	
	3	-	-	-	1095	46	33	45	

$$1798168 \quad 29 \quad 3 \quad 45$$

Subtract *Sodhyam* or Equation — 2 8 51 15

Solar Ahargana for the beginning of A. C. 4924 - - 1798166 20 12 30

With respect to the Luni-solar Ahargana, the Elements of the Ariah Siddhanta will give some difference from that which we found to proceed from those of the Surriah Siddhanta; but in this place, we can only account for that variation in a summary way. We shall, however, renew the full discussion of that subject in the Note where the method of resolving that Element by the Tables will be considered. *)

(*) The Rule for resolving the Luni-solar Ahargana is precisely the same as that used with the Elements of the Surriah Siddhanta: and therefore need not be repeated, but the same may be found with much less trouble by means of Table XLIX.

It will be seen in the marginal note of the preceding page, that according to the Ariah Siddhanta, a mean Lunation is 29ʳ 31ˢ 50ᵛ 5ᵖ 40' &c. consequently that the Lunar year of 12 months consists of 354ᵈ 22ˢ 1ᵛ 8ᵖ 2,6ˢ &c. Now as we require the Luni-solar Ahargana for the end of the year 4923 of the Cali yug, it will be found that in this number of Solar years, there are 5074 Lunar years, and three Lunar months over, in all 60891 Lunar months, which, therefore, multiplied by one mean Lunation gives 29ᵈ 22ˢ 1ᵛ 5ᵖ 2,6ᵛ×60891=1798146ᵈ [39ˢ 21' 28ᵛ 53ᵛ

And for the current day	+ 1
The Luni-solar Ahargana sought	1798147

This Ahargana differs in appearance, one day from that resulting from the Elements of the Surriah Siddhanta, but in reality only 22ˢ 24ᵛ 51ᵖ or 8ʰ 57' 56" 24" European time. It will be seen presently, that this variation is of no sort of importance, because the apparent position of the

Sun and Moon elicited by *any* Ahargana and the Vakiam Tables will soon shew, whether the Asters be within one day of the conjunction, or not; and in the latter case, the Ahargana must yield to the circumstance, and be fitted to the proper time.

For the Soota dina, or feria of last conjunction, we have as usual 7)1798147(256878

with a remainder of — — — 1 to be counted from Thursday. The Soota dina therefore, falls on *Friday*, and as the following Saturday was formerly found to fall on the 12th of the Solar month Poongoni complete of A. Cali yugam 4923, this Friday falls on the 11th of the same month, (also *complete*) which means the time of Sun rising on the 12th.

ARTICLE 1.
Of the Elements and their construction.

The Sun and Moon's apparent places in the Hindu Zodiac for apparent time at Sun rising at Lanca, are to be obtained by means of the following Elements and process.

1° The Sun's place is determined by converting the number of months, days, guddias, viguddias, &c. into signs, bagahs, calas, and vicalas; being that measure of time which the

Solar Ahargana	1798169ᵈ		Years.		D.	s.	v.	p.	s.
(0)	1744548		4000		1417 67	55	36	13	20,0
			900		318930	17	0	29	0,0
	53618		20		7087	20	22	40	52,0
(1)	35436		3		1063	6	3	24	7,8
	18182			(0)	1744548	39	2	57	19,8
(2)	17713	intercalations	100	(1)	25436	41	53	24	20,0
			50	(2)	17718	20	56	42	10,0
	464		1	(3)	354	22	1	8	2,6
(3)	354	3 months		(4)	88	35	50	17	0,6
	110				1798146	[39	24	28	53,0
(4)	88				+ 1				
	22		Luni-solar Ahargana sought —		1798147				

Hindus, in a special sense, call Saura (*). In this account, all days and fractions are always equal to one another, a sign corresponding to one month, a degree to a day, &c.

2o By equating (by means of a Table called Yoghiadi, the XXVIIth, 1st part, of this collection) the Arc so expressed, into that really gone through by the Sun in the same space of time; of which Table and operation a particular explanation follows.

3o By finding the Sun's true motion from eight to eight days, or, approximatively, for every day by means of the same Table, part 1; and still more correctly by the second part thereof, if judged necessary.

The Moon's apparent place is deduced for any proposed time, from her place at the beginning of the Cali yug. The rule includes at once her motion, and that of her Apogee; and the period when she completes a certain number of true Anomalistic revolutions in a known place of the Zodiac, affords means for finding how far, at any given time, she is advanced in a period of 248 days (called Devaram), which is taken to be equal to 9 of her Anomalistic revolutions; then, by help of another Table (the XXVIth of this collection), we know how much she takes to pass through each degree of her orbit, during the said period; and how far she is advanced at the proposed time in the Hindu Zodiac.

On calculating the number of Anomalistic revolutions which have occurred from the origin of the Cali yug, to any assigned period, the Hindu Astronomers have determined that there were exactly 3785 Anomalistic revolutions of the Moon in 105952 mean Tidhis; from which they concluded that there were 27,9926024 mean Tidhis in one revolution; and as the mean Tidhi is to the Bhumi Savan day as $\frac{59g\ 3v\ 38p}{60}$, they concluded 27d,354000, or 27d 33s 16' 33'',62 in natural days for the same. The period, however, which is used in the *Vakiam* process, differs a little from the above; being 27d 33s 20'; i. e. 3' 26'',38, or in European time 1' 22'',4 &c. longer.

The Moon's apparent place at Sun rise on any day at Lanca, is to be determined by means of five Elements, called *Vedam; Raza Gherica; Calunilam; Devaram;* and *Chandra Vakiam Dhurmavanham:* which are generated as follows.

1o The Devaram.

Multiply one Anomalistic revolution of the Moon, 27d 33s 20', by 9, and you have 248 days without a remainder, called a *Devaram*, when the Moon's place in Apogee is 0s 27° 44' 6'' from the beginning of the Solar Sydereal Zodiac.

(*) Vide Glossary at the end.

2o The Calanilam.

Calanilam.

Multiply one *Devaram* or 248', by 12, and you have   — :   2976⁴

Add two Anomalistic revolutions of the ☽,   —   •   55 6 40

            A Calanilam   —   —   3031 [6 40

neglect the fraction; and the Moon's place in Apogee is 11˚ 7° 31' 1". (*)

3o The Raza Gherica.

Raza Gherica.

Multiply one *Calanilam*, or 3031', by 4, and you have   —   •   12124⁴

Add one *Devaram*   —   —   —   —   —   •   248

            A Raza Gherica   —   —   —   12372

and the Moon in Apogee is 9' 27' 48' 10'.

4o The Vedam.

Vedam.

Multiply one Anomalistic revolution or 27' 33' 20", by 8, and you have   —   220⁴

Multiply one *Devaram* or 248', by 7   —   —   —   —   1736

Add one *Calanilam*   —   —   —   —   —   3031

Multiply one Raza Gherica or 12372', by 129   —   —   1595988

Add ⅓ of Moon's Anomalistic revolution, neglecting the fraction   —   9 [11 6 40

            The sum is a Vedam   —   —   —   1600984

and the Moon's place in Apogee is 7' 2° 0' 7".

Let these four Elements be arranged in the inverse order from that in which they were generated.

	Number of Days.	Place of the Moon in Apogee.
One Vedam	1600984	7 2° 0 7'
,, Raza Gherica	12372	9 27 48 10
,, Calanilam	3031	11 7 31 1
,, Devaram	248	0 27 44 6

The Chandra Vakiam Dhurmavanham.

To deduce the *Chandra Vakiam Dhurmavanham*, (which is the fifth Element of the Solar process) from the four preceding ones, it is supposed that the Solar and Luni-solar *Aharganas*, are previously known. Taking these as data, we have the following,

---

(*) There are two fractions arb trarily neglected in the construction of these Elements, viz. 6g. 40v. in the *Calanilam*, which produce a difference of 26g. 4v (in minu) in the Raza Gherica. In the Vedam, the neglecting of this fraction, together with 11g 6v. 10 p. on the third part of one Anomalistic revolution, will produce a very considerable Equation. Thus on 1 Calanilam   —   —   —   01 6g 40v 0p

          On 129 Raza Ghericas   —   —   57 20 0 0

          On 1-3d of 1 Anom. Revolution   —   0 11 6 40

                                          57 37 46 40

Two Anomalistic Revolutions 2×27d. 33g. 20v.   —   —   55 6 40 0

Difference on one Vedam. 2 Anomalistic Revolutions   —   — + 2 31 6 40

I could obtain no information on the reasons which have rendered the subtraction of that quantity necessary for having the Moon's true place at the end of a Vedam.

PRECEPT.

For the Argument of the Moon's Equation.

" Divide successively the Luni-solar *Ahargana* by 1 Vedam, 1 Raza Cherica, 1 Calanilam and
" 1 Devaram, the remainder in days will be the *Chandra Vakiam Dhurmavanham*, which is the
" Argument of Table XXVI, both for the Moon's true place and motion."

Elements for the Sun's Apparent place.

PRECEPT.

" 1o Convert the number of months and days elapsed since the beginning of Chaitram Υ,
" the former into the numeral of the last Sign gone through by the Sun, the latter into degrees,
" which will answer to the time expired at the end of the proposed day.

" 2o If the month (whatever be the day computed for pending its duration) begins at day
" time, *deduct* the guddias as calas, which had elapsed between Sun rise and the time of his
" entering a new Sign ; the remainder will give his *Saura* place on the morning of the day on
" which the Sydereal month commenced.

" 3o If the month begins at night time, *add* the guddias as calas which are wanting to com.
" plete the night and begin the next day.

" 4o To find the Sun's Equation for one day by means of the *Yoghiadi* Table, divide by 8
" the quantity given therein for the day itself ; or (if it be not in the Table) for that nearest
" below it, and the quotient will be the Equation of the Sun's true motion to 1° in a day, sup-
" posed to be his true progress during 8 days.

" 5o Multiply the Equation thus found by the number of days you require in the interval of
" 8 days, and the product will be the Equation required.

" 6o The Equations so obtained are *additive* from the beginning of Arpesi to the end of
" Maussi, and *subtractive* from the beginning of Poongoni to the end of Paratasi."

As the preceding precepts are insufficient for a clear understanding and application of Table
XXVI, the following article is intended for giving the reader a more distinct view of its
construction.

ARTICLE 2.

Account of the Vakiam Tables.

1o Of the Chandra Phala and Sputa Gati Table, being the first of the Vakiam process and
the XXVIth of this collection.

The Argument of this Table is the *Chandra Vakiam Dhurmavanham*, or the remainder in days
of the *Ahargana*, after division by the four Elements above described, 248 of these (equal to one
Devaram) are registered in the first column.

The second column contains the Chandra Phala, or Moon's Equation, always to be added to
her *Druca*, and the third gives her true motion for each Vakiam day.

The *Equation* is in all cases to be taken for the Vakiam day itself, such as indicated by the operation: but the Moon's true motion may be taken for that or the next day, according to the following rule.

If by the result of the operation it appears that the conjunction has not yet occurred, or (if during the course of the Lunar month) that the Tidhi is at, or near its end, then the Chandra Gati, or true motion, is to be taken for the next day to that indicated by the Vakiam (or Argument).

But if at the time of Sun rising it appeared from the Sun and Moon's Longitudes that the conjunction had passed over, or that more than one half of the Tidhi was expended, then in such a case, the Moon's true motion is to be taken as given in the Table for the day itself.

The Moon's *mean* motion, to which her *true* one is referred in Table XXVI, is 791 calas, or 13° 11' per diem.

Account of the Yoghiadi Table, being the second of the Vakiam process and the XXVIIth of this collection.

Of Part First.

The account which was originally given to me of this Table was so very unsatisfactory, that it was a long time before I could understand its right application.

Independently of the precept which we have delivered in the preceding pages, it is to be understood that the calas or minutes given in the 4th column opposite to any day of the month in the division of which it is registered, represents the Equation of the Sun's motion in *plus* or *minus* to 1° for each day, for *eight* consecutive days. So that if opposite to the 1st day in the month Chaitram we find 11 calas, we are to understand that so many minutes will be the complete Equation due *on the eighth complete day* of the said month.

These 11 calas divided by 8, give a quotient of 1' 22" 30", which is the *mean* daily Equation used by common computers from the 1st to the 8th Chaitram complete.

But on the 9th day this Equation varies, for by the Table it gives 14 calas, meaning the aggregate Equation from the 8th to the 16th, both complete. During that interval the daily Equation will therefore be 1-8th of 14' or 1' 45"; and if we want that due to the 9th, it will be $11 + 1' 45'' = 12' 45''$, the second member being added because the calas are increasing; but the whole Equation is subtractive, on account of the Sign — expressed in the column of months. Proceeding in the same manner, we shall find the Equation for the 16th Chaitram complete, to be $11' + 14' = 25'$ also subtractive.

Lastly, if the month Chaitram of the proposed year happened to be of 32 days and the Equation for its last day were required, we would add $11' + 14' + 16 + 17'$ (those due to 1st, 9th, 17th, 25th days,) $= 58'$ for the quantity sought.

(margin notes:)

The same always taken, for the Vakiam day found by the operation.

The Moon's motion to be taken for the next day when the conjunction is to come, or the Tidhi ending.

The same to be taken for the day itself when the conjunction is passed, or the Tidhi beginning.

1st Part of the Yoghiadi Table.

The Moon's true motion referred to 1° to a day.

But then on the ensuing day, because the Sun would enter a new Sign, all the foregoing Equations would be abandoned, and if it happened to enter the Sign Vrisha ♉ at it's rising (which very rarely occurs), the Equation for that instant would be Zero. I shall illustrate the foregoing exposition by a few Examples.

<div align="right">The Equation equal to 0, when the Sun enters a new Sign at his rising.</div>

Example I.

Let it be required to find the Sun's apparent place on the 15th Chaitram of the 4924th year of the Cali yug current, at his rising at Lanca.

<div align="right">The Sun's place for 15th Chaitram A. C. 4924.</div>

On the 1st Chaitram the Sun entered the Sign Mesha ♈ at 20ᶜ 12ᵛ 30ᵖ after Sun rise (1st General Table), then

	0ˢ	0°	0′	0″
☉'s place, 1st Chaitram				
For 15 days complete		15	0	0
	0	15	0	0
But as at his rising he was still in the Sign Min ♓, therefore we are to deduct the guddias as *calas* for 20ˢ 12ᵛ 30ᵖ		—	20	13
☉'s Saura place, 15th Chaitram	0	14	39	47

To find his Equation, the *Yoghiadi* Table gives for 8 days complete 11 calas, we want therefore for 7 days more; and finding 14′ for 9th Chaitram, the 1-8th part of that quantity or 1′ 45″ is the daily Equation from the 8th to the 16th complete: therefore $7 \times 1′ 45″ = 12′ 15″$, is the Arc to be added to 11 calas, before found; the sum amounting to 23′ 15″.

But we have retrenched from the Sun's Saura place 20′ 13″, on account of 20 guddias, 13 vig. (nearly), in the ratio of which we are to decrease the above Equation.

Now having found that the daily Equation from the 9th to 17th beginning, was 1′ 45″.

Say : 60ˢ : 1′ 45″ :: 20ˢ 13ᵛ : 35″ and	23′ 15″
	35
Corrected Equation	22 40
☉'s Saura place above found	14° 39 47
His *Sputa Graha* or true place sought	14 17 7

Example II.

The same for the 24th Audi complete of the 4724th year of the Cali yug.

<div align="right">The Sun's place 24th Audi 4724.</div>

Let us take for data, that the Sun entered the Sign Carcata ♋ on the 1st Audi of the proposed year, at

	51ˢ	34ᵛ	33ᵖ
	60		
After Sun rise—remains of the day	8	25	27

	3ˢ	0ᵛ	0′	0″
Proceeding as before, say, 1st Audi				
For 24 days complete	24	0	0	
For the time wanting to Sun rise		8	25	
☉'s Saura place, 24th Audi	3	24	8	25

The Table XXVII, part 1, for 8 days in Audi gives 24′; for 16¹, 23′ ; for 24¹, 22′, and in the present case, as the Equation is required exactly for 24 days, all these calas being added together give 69′ for part of the Equation sought.

But we have added, for S⁵ 25ᵛ 27ᵖ that remained of the day, an Arc of 8′ 25ʺ to the Sun's Saura place ; the Equation must therefore be increased in ratio to the same.

As on the 24th Audi complete it was 22′ ; 1-8th thereof is 2′ 45ʺ, the daily Equation from the 17th to the 25th.

Say therefore : 60ˢ : 2′ 15ʺ :: 8g 25v 22p :   ·   ·   + 22

Equation above found   ·   ·   ·   ·   ·   1 9 0

Corrected Equation   ·   ·   ·   —   1 9 22

☉'s Saura place, 24th Audi complete   ·   ·   3 24 8 25

Sun's *Sputa Graha* sought   ·   ·   ·   ·   3 22 59 3

How to compute the Sun's true diurnal motion.

These two Examples will suffice to show, how the Sun's Saura place may in all cases be equated to his true one. There remains now to explain, how the Sun's daily motion is to be computed by means of the same Table, which however, has been in a great measure explained in the preceding article ; for the mean daily motion for 8 days is obtained by dividing by 8, the calas registered opposite to the day next below the proposed one, the quotient being the Equation ± to be applied to 60′ for obtaining his true motion on the same day.

Example 1.

Wanted the Sun's true motion on the 15th Chaitram 1921.

From Table XXVII, part 1, take the calas opposite to the 9th Chaitram, which are 14′; 1-8th of which, 1′ 45ʺ, is the Equation from the 9th to the 17th, being subtractive.

    60

    1 45

Uncorrected Sun's diurnal motion   ·   ·   ·   58 15

and by the common Tamul Kalendar makers, this quantity is used indiscriminately as the true motion on any day during that interval.

Second differences of the Sun's diurnal motion.

But the few who aim at greater accuracy, take the second differences,—seldom, it is true, for equating the Sun's Saura to his true place, but frequently for finding his true motion on any specific day, the process of which is as follows :

Take the calas for the ensuing eight days, which in the present case will be those for the 17th Chaitram, viz. 16'; 1-8th of which is . . . . 2' 0"

Equation for the 9th, as above found 1 45

Difference 15

then 8' : 15" : 6' : 11" 22" &c. which as the calas are increasing, add to 1 45

$+$ 11 22

Corrected Equation . . . . . . — 1 56 22

Which subtract from 60

⊙'s true motion on the 15th Chaitram . . . 58 3 38

N. B.—In Table XXVIII that Equation is . . 58 8

Difference 4 22

on the 17th as the calas are 16', the Equation would be 2' and the Sun's motion exactly 58'.

OBSERVATION.

It is manifest that these corrections are equally applicable to the Equations for reducing the Sun's *Saura* to his *true* place; and it may appear singular that, whereas in equating the Sun's *Longitude*, the Tamul computers never omit to take into consideration that fraction of the day which marks the interval between Sun rising, and his entrance into a new Sign (whatever be the day of the month computed for) yet when calculating the Sun and Moon's distance and relative motion, they should entirely overlook these second differences.

Of the second Part of Table XXVII.

This part serves to find the Sun's Anomalistic Equation, and consequently the Solar and Luni-solar Arca Bhagábalas, and the Sun's true motion for every day in the year, much more accurately than the first. Its Epoch is the beginning of the 4941st year of the Cali yug, answering to the 11th April 1839, when the place of the Sun's Apogee will be in 2' 17° 17' 20".

This quantity, which is to be found at the head of the fifth column, is the Supplement of the Sun's Anomaly to a complete Circle, on the 1st Chaitram, at the precise time when he will enter the Sign Mesha; and is therefore the Argument of his Equation for that day. The following quantities are the same for the beginning of the succeeding Solar months; but in using these, the positive and negative Signs must be taken as given in this Table, and not as exhibited in Tables XXII and XXIV, because the Argument of the former is always the Supplement of the Sun's Anomaly; and of the latter, the Anomaly itself; whereas in the 2d part of Table XXVII, it is either the one or the other, or their respective Bhujahs to the Sun's Apogee or Perigee, conformably to the rules of the Sastras, a construction which saves the possibility of error.

2d Part of the Yogaadi Table.

Its Epoch A C. 4940 complete A, D. 1839.

The Sun's true progress is referred, in this second part, to his mean motion, or 59' 8", and not to 60', as in the first. The positive and negative Signs in the 7th column, indicate when the apparent is greater or less than the mean motion, following the same order as in part 1st, which however, has not the advantage of shewing the precise day when the Signs change.

I shall now proceed to give some examples of the application of this Table: but it is to be understood that, neither its first nor second part can be considered as affording results strictly correct, for I cannot find that any part of the Vakiam process can pretend to more than furnishing approximations, the limits of which, when compared to the resolutions by the Surriah Siddhanta modified by the Tikas, are by no means narrow.

Example I.

Let the Sun's Equation, true motion, and Solar, as well as Luni-solar Arca Bhagábala, be required for the 15th Chaitram of the 4911st year of the Cali yug.

1º The Argument of the Sun's Equation for the 1st Chaitram, by Table

XXVII, part 2, is - - - - 2ˢ 17° 17' 20"

His mean motion for 15 days, by Table XX - — 14 47 3

2 2 30 17

which motion is to be subtracted, because the Argument is decreasing in the fourth quadrant of Anomaly.

2º With 62° 30' 17" as an Argument, refer to either Tables XXII or XXIV (but in preference the latter, because it gives the Equation for every degree), and the *Ravi P'hala* will be found 1° 56' 4", which is to be taken as positive on account of the sign + in Table XXVII, part 2.

The same Argument will give the difference between the true and mean daily

motion of the Sun - - - - - — 59"

59 8

☉'s true motion, 15th Chaitram 4911 - - - - 58 9

N. B.—The same by the Table XXVIII - - - 58 8

Difference 1

The Solar and Lunar Arca Bhagábala will be found as usual, viz.

The ☉'s - - - - - $\frac{1° 56' 4"}{365} = + 19"$

The ☽'s - - - - - - $\frac{1\ 56\ 4}{27} = + 4'\ 17"$

but the Sun's is not used in the Vakiam process.

Example II.

The same for the 20th of Audi ♋ of the same year.

The Manda Kendra, or Argument for 1st Audi, column 5th, is - 0' 12° 42' 40"

Add Sun's motion for 20 days, because the Argument is increasing

    in the 1st quadrant   -   -   -   19 42 43

Argument, 20th Audi   -   -   -   - 1   2 25 23

                          or   32° 25' 23"

The Equation answering to which is -   -   — 1 10 47

Difference between ☉'s true and mean motion -   — 1 53

☉'s true motion, 20th Audi -   -   -   59   8

                               57 15

N. B.—The same by Table XXVIII, -   -   57 14

    ☉'s Arca Bhagábala   — 11"   Difference   1

    ☽'s   do.   — 2 37

EXAMPLE III.

The same for the 18th Paratasi of the same year.

    Argument, 1st Paratasi, column 5th -   -   - 2° 12° 42' 40"

    ☉'s mean motion for 18 days, Table XX, -   - 17 44 26

    To be added because the Argument increases in the 1st qua-

    drant of Anomaly -   -   -   - 3   0 27 16

                        Equation —   2° 10' 32'

        1-365th of which is the ☉'s Arca Bhagábala - = — 21

        1-27th the Lunar Arca Bhagábala -   - = — 4 48

    Equation of true to mean motion -   -   -   0

    True motion, 18th Paratasi -   -   -   -   59 8

which is the same as that given in Table XXVIII.

EXAMPLE IV.

The same for the 18th Margali of the same year.

    Argument, 1st Margali -   -   -   -   — 0° 17° 17' 20

    ☉'s mean motion for 18 days -   -   + 17 44 36

    Of which take the difference -   -   0   0 27 16

    The Equation answering to this Argument -   - —   0° 3' 23"

    ☉'s Arca Bhagábala insensible.   ☽'s = 3".

    Equation of ☉'s true to mean motion -   -   +   2' 18"

                                 59 8

    ☉'s true motion on the 18th Margali, which is at its maximum - 61 26

                       By Table XXVIII the same.

The same for the 18th Paratasi.

The same for the 18th Margali.

These operations are so obvious, that it would be a waste of time to carry them any further. They leave little doubt in my mind that Table XXVIII (which was communicated to me by a Native Astronomer) was computed by means of the 2d part of Table XXVII, though in some instances I have found a few seconds of difference.

N. B.—As the Sun's Apogee is supposed to move at the rate of 1′ in 517 years, the latter Table may easily be fitted to any remote Epoch, by a common rule of proportion, all the Arguments being equally affected by its motion.

Of Table XXVIII.

This Table furnishes the Sun's true diurnal motion for every day in the year, and therefore requires no particular explanation. I suspect it to have been constructed by the person who communicated it to me, by means of the 2d part of Table XXVII. Be this as it may, as it saves the trouble of computing the Sun's true diurnal motion by either of the processes which we have formerly explained, I have thought it deserving to be inserted in this collection.

Table XXVIII, as well as the preceding one, supposes the Sun's Apogee in 2ˢ 17° 17′ 20″, and on account of the slowness of its motion, will be sufficiently true for a great number of years.

Of Table XLVII. (*)

I profess to understand very imperfectly the construction of this Table, which was communicated to me by a Native Kalendar maker named *Sami Nada Sashya*, who made all his computations with shells and tamarind seeds, but who, (though he used it constantly), could not give me the least account of the theories on which it was grounded.

There can be no doubt, however, both from the name given to the quantities registered in the 2d column, and from the manner of using it, that it accounts for the effects of the difference of Longitude on the Moon's apparent motion, between Lanca and some other place (+), which *Sami Nada* believed to be *Tanjore*, but in my opinion *Trivalore*, because that place lies not far from it, and is still reputed to be the seat of the sciences in these Southern parts of the Peninsula.

This Table, I was informed from the same source, is used indiscriminately for all places between Cape Comorin and Madras, though my informer acknowledged it would not do for *Malasyan*; by which he meant the Coast of Malabar. The lateness of the Epoch when this Table fell into my hands, prevented the possibility of my analyzing it as I could have wished: I am, therefore, compelled to confine myself to a mere explanation of its application, which I shall do in a solitary example; for as its results are confined to one particular spot, and as the

---

(*) The arrangement of the Tables having accidentally been disturbed, the present one, which should have been the XXIXth, is the XLVIIth, of this collection.

(†) The Sangscrete word for Terrestrial Longitude is *Desentara*; and for the Celestial *Sayana*.

object of the present research is general, I shall, in the remainder of what I have to say on the *Vakiam* process, have recourse to those general methods, which though more operose, may be applied to any geographical position on the globe.

The Equations furnished by the Table under consideration (which is the 4th of the *Vakiam* process) are to be applied to the Moon's uncorrected place, such as it has been elicited by her *Druva*, and *Chandra Vakiam P'hala.*

The *Desentara* calas or minutes, registered in the second column, are always additive, and to be taken for the month which *precedes* that for which the computation is made. Application of the Desentara calas.

The *Andra* vicalas, or odd seconds, registered in the third column, are for *any day* in the month itself that the computation is made for. They are to be used as multiples of the odd degrees, minutes and seconds of the Sun's true place, at Sun rising on the proposed day; the product of the degrees giving *vicalas*, or seconds; that of the minutes, *tarparies* or thirds, and so forth, which implies a division by 60'. Of the Andra vicalas.

This latter Equation is to be applied $\pm$ to the Moon's uncorrected place, as indicated in the Table.

EXAMPLE.

Let the Sun's apparent place on the 24th Audi *complete*, be	3ˢ	22°	59'	3"
And the Moon's uncorrected place at the same instant	4	3	57	13
1o Add the Desentara calas for *Auni* II,			+ 7	0

2o The Andra vicalas, for any day in Audi ♋ (the month computed in) are + 2", and the odd degrees, minutes, &c. of the Sun's Longitude - 22° 59' 3"

Multiply by	× 2	
Equation	45" 58" 6‴	
And on account of the 58" say		+ 46
D's place corrected *for Desentara*, 24th Audi		4 4 4 59

Of the Equation due to the difference between the Moon's true and mean motion. Moon's place uncorrected.

There is a last Equation used by the Tamul Kalendar makers, of which *Sami Nada* could give me no other account, but that it was indispensable, and which I believe answers to the *Arca Bhagábala*, though the process for eliciting it, bears not the least resemblance to any of the methods that we have hitherto seen. Second correction supposed to answer to the Moon's Arca Bhagábala.

In the Example which I have selected, there were, after division of the *Ahargana* by the respective Elements, 9 *Devarams*, and the Chandra Vakiám Dhurmavanham was 100, for which, by Table XXVI, the Moon's true motion is   844' Difference of Moon's true and mean motions.

Her mean motion being supposed to be   791

Difference 53

<div style="float:left">An Equation of 32″ per Devaram.</div>

Now for each *Devaram* the precept directs an Equation of 32 tarparies or thirds; therefore $9 \times 32'' = 288'''$, which product multiply by as many units as there are in the difference of the Moon's apparent and mean motion, and this second product, which amounts to $288'' \times 53 = 4'$

<div style="float:left">Resolution of 2d correction.</div>

$14' 24''$, is to be applied $\pm$ to the Moon's place once corrected, as her *true* is greater than her mean motion; and *vice versa*.

<div style="float:left">Moon's place twice corrected.</div>

In the present case it will therefore be

	4°	4°	4°	59″
☽'s place once corrected				
Add Equation $+$			4	14
☽'s place twice corrected	4	4	9	13

supposed to be her *Sputa Graha*, or apparent place at the instant of Sun rising on the 25th of Audi, at the place computed for.

ARTICLE 3.

<div style="float:left">Resolution of the last conjunction of the year 4923 of the Cali yug, reduced to a given Meridian.</div>

Resolution of the *Amavasya* which ended the 4923d Luni-solar year of the Cali yug, called *Brisya*; and preceded the commencement of the 4924th called *Chitrubhunŭ*, reduced to the Meridian of Trivalore, as is supposed.

A

We have found at pages 119 and 120, that the Solar and Luni-solar *Aharganas*, with the respective *Soota dina* for the end of the 4923d year of the Cali yug, were,

	D.	G. V. P.
Solar Ahargana, 1st Chaitram 4924	1798166	20 12 30
Luni-solar do. 30th Phalguna 4923	1793147	
The Solar Soota dina consequently	Thursday.	
The Luni-solar do.	Friday.	

1° Divide the Lunar Ahargana successively by - 1 Vedam 1600984)1778147(1
1600984

1 Raza Gherica 12372)197163(15
12372
 ̅ ̅ ̅ ̅ ̅ ̅
73443
61860

1 Calanilam 3031)11583(3
9093

1 Devaram 248)2490(10
248
 ̅ ̅ ̅ ̅
10

Chandra Vakiam Dhurmavanham the Argument of Table XXVI.

2° Multiply the analogous Longitudes by the respective quotients; viz.

1 Vedam	-	-	7ˢ	2°	0′	7″	× 1	-	-	7ˢ	2°	0′	7″
Raza Gherica	-	-	9	27	48	10	× 15	-	-	4	27	2	30
Calamlam	-	-	11	7	31	1	× 3	-	-	9	22	33	3
Devaram	-	-	0	27	44	6	× 10	-	-	9	7	21	0

☽'s Druva	-	-	-	6	28	56	40
Equation for Chandra Vakiam 10 (Table XXVI)	-	-	4	7	58	0
Moon's place uncorrected	-	-	-	11	6	54	40

at the time of Sun rising at Lanca, on the 11th Poongoni ending, or 12th commencing; to be rectified hereafter.

B

For the Sun's place.

We find by the Solar Ahargana given at Article A, that the Sun entered the Sign Mesha ♈

when there had expired since the beginning of the Cali yug - 1798166ᵈ 20ᵍ 12ᵛ 30ᵖ
Subtract abstract duration of the month Poongoni, Table III, — 30 20 21 2

Ahargana, 1st Poongoni 4923 - - - 1798135 59 51 28

which shews that the Sun entered the Sign Min ♓ at night time; and that there remained to complete the night, and begin the day (60ˢ — 59ᵍ 51′ 28ᵖ) 0ᵍ 8′ 32ᵖ; which according to the precept delivered at page 123, article 3°, are to be added as *vicalas* and *tarparies* to the signs and degrees of his Longitude, in order to have that Element precisely for the time of his rising. Then to proceed,

Sun's Saura place, 1st Poongoni	-	-	-	11ˢ	0°	0′	0″
For 11 days complete	-	-	-	-	11	0	0
Add for 8′ 32ᵖ, or say 9ᵛ	-	-	-	-			9

☉'s Saura place on the 12th Poongoni at his rising at Lanca 11 11 0 9

which to reduce to his apparent Sydereal place according to the precepts delivered at pages 119 and 120, we have by Table XXVII, part 1st, for the first 8 days in Poongoni — 2′; for the ensuing 8 days (from the 9th to the 17th) — 4′; and ⁴⁄₈ = 30″ for one day; and from the 8th to the 11th there being 3 days, say 3 × 30″ = 1′ 30″; which added to 2′, gives — 3′ 30″ for the Equation sought; and as only 9ᵛ were added to the Sun's Saura place on account of what remained of the night when the Sun entered the Sign Min ♓, the second Equation adverted to at page 125, para. 3, is insensible. Hence

☉'s Saura place above found	-	-	11ˢ	11°	0′	9″
Subtract Equation	-	-	-	-	—	3	30

☉'s Sputa Graha, or apparent place at Sun rising at Lanca
on the 12th Poongoni A. C. 4923. (*) - - 11 10 56 39

(*) As far as this step, the rule is the same whether we work for the Area Bhagábala by the 2d part of Table XXVII, or by the rule delivered at page 128, or if we mean to find the Sun's true motion on the day computed for by Table XXVII or XXVIII, because these Elements have nothing to do with the preceding part of the operation.

To correct the Moon's place for the Desentara and other Equations.

Reductions to the Longitude.

By Table XLVII, the *Desentara* calas for the month preceding that of Poongoni (page 131) i. e. Maussi, are +26′.

The *Andra* vicalas by the same Table for Poongoni itself are — 10″; and the odd degrees, minutes, &c. of the ☉'s Longitude are   -   -   -   10° 56′ 39″

Which according to precept multiply by   -   -   -   ×   — 10

               — 1′ 49″ 20‴   -   -   109″ 20‴ 30⁗

For the last Equation (page 125), the Moon's true motion due to Vakiam 10, Table XXVI, is 829′; but the Sun's apparent place is   -   -   -   11ˢ 10° 56′ 37″

And the Moon's (uncorrected)   -   -   -   -   11 6 54 6

which shews that on the 12th at Sun rising, the conjunction had *not* occurred ; therefore by precept, page 124, her motion is to be taken for the next Vakiam day, viz. 11, the motion for which is   -   -   -   -   -   -   840′

         ☽'s mean motion   -   -   -   -   -   791

                                    Difference   49

Last Equation answering to the Arca Bhagábala.

But the operation (page 132) shewed 10 *Devarams* in the Ahargana, to each of which, 32″ are due : therefore 10×32″=320″, which product drawn into the difference 49, gives 320″×49= 4′ 21″ 20″, and because the Moon's *true*, is greater than her *mean* motion, that Equation is additive.

For the Moon's corrected place and distance.

☽'s uncorrected place (page 127) - -		11ˢ	6′ 54″	6‴
Add Desentara calas - - - -			26	0
And last Equation - - - - -			4	21
		11	7 24	27
Subtract Andra vicalas - - - -			— 1	49
☽'s Sputa Graha, or corrected place - - -		11	7 22	38
☉'s do. do. - - - - -		11	10 56	39
☉ and ☽'s distance, 12th Poongoni, at ☉ rising -			3 34	1

For the relative motion.

Moon's place corrected.

☽'s Sputa Gati, Table XXVI, .	.	840′	0″
☉'s do. do. Table XXVIII, : : :	.	59	23
Relative motion, 12th Poongoni , : .	.	780	37
or		13° 0′	37″

For the end of the Tidhi or time of conjunction.

True time of conjunction.

Say: 13° 0′ 37″ : 60ᵍ :: 3ˢ 34′ 1″ : 16ᵍ 26′ 59‴, the time after Sun rise on the 12th when the conjunction occurred.

With a view to establish the difference in the time of conjunction which would result from computing the same by means of an *Ahargana* (or sum of days) greater by one day than that which was obtained from the Elements of the Ariah Siddhanta, I have computed the Ahargana for the same conjunction as it would be by the Elements of the Surriah Siddhanta (Table XLIX, part 1), which is 1798148', being *one day more* than that which we have used in the preceding computation. Now if we divide this new quantity by the four Elements, the remainder in days, or *Chandra* Vakiam, will be 11, instead of 10 that it was before; which 11 days used as the Argument of Table XXVI, for the Moon's Equation, and true motion, and then following the process to the end, as has already been shewn, will give only a difference of 1' 42'' in minus, in the ultimate result; (*) the reason of this being, that if one day more be taken in the Ahargana, you compute necessarily the Sun and Moon's apparent places for the morning *after* the conjunction ; in consequence of which, at the end of the operation, you have to deduct the time due to the Sun and Moon's distance from 60 guddias, supposed to mark the time of Sun rising.—Whereas if you compute with one day less, you will find the Sun and Moon's apparent places in the morning *before* the conjunction, and therefore the time due to their distance must be *added*, instead of *subtracted*, to that of Sun rising on the day computed for. It is therefore immaterial which of the two Aharganas, by the Ariah or Surriah Siddhanta, are used in the Vakiam process.

ARTICLE 4.

In the preceding Article I have shewn how the Sun and Moon's apparent places, their distance and time of conjunction are to be determined by certain Tamul Tables constructed for a particular spot in the Peninsula, which I conceive to be Trivalore. But as there should be a specific Desentara Table for every Meridian which is not that of Lanca, and as the object of this research is general, I shall dispense in future from using Table XLVII; and (excepting in the last example of all, where I propose resolving the time of the expunged month which will fall on the 5065th year of the Cali yug, reduced to the Meridian of Madras) all the rest of the computations will stop at *Lanca*. With a view to uniformity I shall therefore recompute the last operation from the point where it ceased to be common to all places, and by means of Table XXVII, determine the time of the last conjunction of the Luni-solar year 4923, as it would be reckoned at Lanca.

We have found at page 133, that the Moon's uncorrected place at Sun rising on the 12th Poongoni of the said year, at Lanca, was   -   -   -   11° 6° 54' 40''

And the Sun's (page 133)   -   -   -   -   11 10 56 39

(*) The quantity elicited by the last proportion, which is the time due to distance, was 43g. 34v. 18p.
60

Time of Amavasya by Vakiam 11   ⁝   ⁝   ⁝   -   16 25 48

which on account of his presence, and the comparative slowness of his motion, the Tamuls never correct for the difference of Longitude nor his Arca Bhagábala. The last quantity is therefore, considered as his true or apparent place on the proposed day.

But there remains to apply the Moon's Arca Bhagábala to her uncorrected place, even for Lanca; and in order to be independent of Table XXVIII, which though sufficiently true for present time and for a great number of years past and to come, yet in process of time will be affected by the change in the position of the Sun's Apsis, we shall compute the Sun's diurnal motion as well as the Lunar Arca Bhagábala by means of Table XXVII, part 2.

That Table gives the Argument of the Sun's Equation on the 1st Poongoni, + 2ˢ 12° 42′ 40″

⊙'s mean motion for 10 days, Table XX, . . . 9 51 22

for 1 do. . . . 59 8

Manda Kendra, or Argument, on the 11th Poongoni complete . . 2 23 33 10

.or 83 33 10

with which referring to Table XXIV, we find his Anomalistic Equation 2° 9′ 44″, marked additive in Table XXVII, part 2, and for the reasons given at page 127.

The Lunar Arca Bhagábala is therefore . . $+ \dfrac{2° 9′ 44″}{27} = +$ 4′ 48″ (*)

With regard to the Sun's diurnal motion, the same Argument of Anomaly referred to the same Table XXIV, will give the Equation of the Sun's true to his mean motion 13″; which as the day computed for falls before the 18th Poongoni, is still marked additive . . 59′ 8″

+ 13

The Sun's true motion on the 12th current is therefore . . . 59 21

For the Moon's corrected place and her distance from the Sun at his rising on that day.

☽'s uncorrected place . . . 11ˢ 6° 54′ 40″

Her Arca Bhagábala . . . . + 4 18

☽'s apparent place sought . . . 11 6 59 28

⊙'s do. 11 10 56 39

Distance 3 57 11

For relative motion.

☽'s Sputa Gati . . . . 14° 0′ 0″

⊙'s do. do. 59 21

Relative motion sought 13 0 39

(*) The Equation found at page 134, supposed to correspond to this, was + 4′ 21″.

py

(137)

For time due to distance.

Say 15° 0' 39" : 60° :: 3° 57' 11" :   18ˢ 4ᵛ 33ᵖ

the end of the Amavasya Tidhi after Sun rise at Lanka.

The same was found for a different place in the preceding article   -   16 26 59

Difference   1 37 31

margin: True time of conjunction.

The end of the 30th Tidhi of the Lunar month Phalguna of the year 4923, occurred therefore on the 12th of the Solar month Poongoni of the same year; and the *Prathama Tidhi* or first of the Lunar month Chaitram of the year 4924, on the 13th of the same month of the Solar year 4923.

Q. E. I.

margin: Registering of the last Amavasya Tidhi of A. C. 4923 and of the *Prathama Tidhi* of 4924.

The same conjunction computed by the Siddhanta process, was found to occur on the same day at 15° 14' 28"; the difference of the result is therefore 1ˢ 50ᵛ 5ᵖ and in European time 41' 2", a difference easily accounted for by the dissimilarity of the processes, and of the Elements used in each method. Nor is it to be believed that there may be found a greater degree of coincidence in the computations of different Tamul Astronomers, though using equally the Solar process; for in the plurality of the Tables known to them all, they contrive others for their own private use, both for general and local purposes, which do not always agree; and occasion quarrels among them, which their ignorance of theory renders generally interminable.

Article 5.

Resolution of the two Amavasya Tidhis which determine the Cshaya or expunged month in a double intercalary year.

margin: Resolution of the two Amavasyas which determine a Cshaya month.

In order to save a number of useless trials of years and months on which the discarded Lunar month may fall, I shall shew in the 3d part of this Memoir, how the Hindus foretel that accident, by computing the time when the Moon's Apogee lies in one of the Signs of the Solar Zodiac which corresponds to any of the three shortest Solar months of the year, and also when a mean *Adigam*, or Lunar intercalary month is due, in a particular Solar month where it *cannot* be introduced. For it will be seen, that the first of these cases is to be expected when the Moon in Apogee is in the same sign, degree, &c. as the Sun in Perigee; and the second when the Moon in Perigee concides with the Sun in Apogee; and the probability of either occurring, is greater or less in proportion to the degree of coincidence of these Elements.

margin: Indication when a Cshaya month will occur.

The same of an Adigam month.

In the present article I shall be contented with the common trial of the three Cycles of 19; 141; and 160 years; and as the second is always the most probable one, considering that the last Cshaya occurred when the 4782d year of the Cali yug had expired (A. D. 1681 and 1603 Sara), I shall conclude that the next must fall when 4923 years of the Cali yug have elapsed; and lastly, as the month of *Margali* (Bhagal Patikhe) in the present position of the Sun's Apsis, is the shortest month of the Solar year, I shall try the time of the two conjunctions, which may fall near to its beginning and end.

margin: Resolution of the 1st Amavasya which determines a Cshaya month.

I.

For the first Amavasya.

A

The respective Aharganas for the beginning of Margali will be obtained as follows :

	4923	*Lunar.*	4924		*Solar.*		
Aharganas 30th Phalguna	1798147	1st Chaitram		1798166	20	12	30
Add 9 Lunations	265 46	Add number of days to the end of Cartiga (*)		216	18	37	10
	1798112 [46			1798112 [38	49	40	
	1			1			
Aharganas sought	1798113	2d Margali		1798113			

Here the two Aharganas are alike, but of the *Soota dina* after division by 7, the remainder for that of the Sun must be counted from *Friday*, and that for the Moon from *Thursday* : Hence the 2d Margali falls on *Saturday*, and the nearest Amavasya, on *Friday*, which by the Kalendar will be found to fall on our 13th of December (page 119).

B

For the Sun's Anomalistic Equation and Moon's *Arca Bhagábala*, proceeding as in the preceding article, and with reference to Table XXVII, we shall find that the Sun's distance from his Perigee on the 2d Margali was 16° 18′ 12″, and by Table XXIV his Equation — 37′ 14″. The Moon's Arca Bhagábala is therefore — $\frac{37′\ 14″}{27}$ = — 1′ 22″.

C

The Moon's *Druva* will be	7'	26° 40'	46"
The Chandra Valiam 28 ; and its Equation, Table XXVI,	0	8 26	0
	8	5 6	46
Lunar Arca Bhagábala (B)		— 1	22
☽'s Sputa Graha on the 1st Margali	8	5 5	24

complete, or 2d commencing at Sun rise at Lanca.

And Moon's true motion, Table XXVI, 722′ or 12° 2′.

D

The Sun on the 1st Margali enters his 8th Sign (Kalendar, page 119) at | 3ᵉˢ 47ᵛ 40ᵖ
60
Time to run to 2d Margali commencing | 21 10 20

which guddias and viguddias, because the month began at night time, are to be added to his *Saura*

(*) Vide Table XLVIII, part 2d.

place, as *calas* and *vicalas*. Hence, after applying the usual Equation of Table **XXVII**, part **1**, for 21ˢ 10ᵛ 20ᴾ, which is 26″ 27‴, the Sun's Sputa Graha at Sun rise at Lanca on the 2d Margali, will be S 0° 21′ 36″; and by Table **XXVIII**, his true motion 61′ 23″.

E

For the Sun and Moon's distance.

2d Margali at Sun- ⎰ ☉'s Sputa Graha (D) · ·	8ˢ	0ˢ	21′	36″
rise at Lanca. ⎱ ☽'s do. do. (C) · ·	8	5	5	24
Soob-ri-Arca Indoo Graha ⌐ · ·	0	4	43	48

F

For relative motion.

☉'s Sputa Gati (D) · · · ·	1°	1′	23″
☽'s do. do. (C) · · · ·	12	2	0
Soob-vi-Arca Indoo Gati · · ·	11	0	37

G

For time due to distance.

The rule will be as before $\dfrac{60 \times 4° \, 43′ \, 48″}{11° \, 0′ \, 37″}$ and the time due to distance 25ˢ 46ᵛ 27ᴾ, and because the Moon was more advanced than the Sun in the Zodiac, the above result shews the time elapsed at Sun rise on the 2d Margali since the conjunction had occurred; therefore, from ‒ 60ˢ

Subtract	25	46ᵛ	27ᴾ
True time of Amavasya · · · ·	34	13	33

after Sun rising on the 1st of Margali.

H

But it appears by the Solar Kalendar, page 119, that the Sun entered the sign Dhanus ♐ on the same day, at · · · · · ·

	38ˢ	49ᵛ	40ᴾ
	34	13	33
End of the 30th or Amavasya Tidhi ∠ ·	4	36	7

before the Sydereal commencement of the Solar month Margali, when the Sun was therefore still in the sign Vrischica ♏; that is, in the Sydereal month Cartiga, although the *Civil* Margali had begun.

I

Since the *Amavasya* Tidhi of the Lunar month *Cartiga* fell on the 1st Margali Sydereal account, at *night time*, it is to be coupled with *that* Solar date; and the *Prathama* Tidhi of the

ensuing Lunar month *Margali* as (if any such month were to be counted in the year 4924 of the Cali yug) should correspond to the 2d *Margali*. But by the *Kalendar*, page 119, the Sydereal Solar month *Cartiga* counted 30 and the Civil 30 days, therefore the *Amavasya* under consideration, instead of the 1st *Margali*, must stand opposite to the 30th Civil day of *Cartiga*; and the *Prathama* Tithi of the ensuing Lunar month, the 1st Civil *Margali*, which was accordingly done in the *Panchangam* for that year (vide page 68). We shall see, however, presently, that the next Lunar month was not to be called *Margasias*, but *Pausha*.

II.

For the second *Amavasya* or next conjunction, which must fall about the end of the Solar month *Margali* ♐ or beginning of *Tye* ♑.

A

Not to repeat unnecessarily what must now be familiar to the reader, I shall state that if one Lunation be added to the last Lunar Ahargana, and the absolute duration of the month *Margali*, as given in Table III, to the last Solar one, the respective Aharganas, now required, will be, viz. the Lunar 1798449, and the Solar — — — 1798441' $\lfloor 195° 42' 41''$

and therefore that to be used for the Moon's *Druva* and Chandra — + 1

Vakiam — — 2d *Tye* 4924, is — — 1798442

The Solar *Soota dina* will therefore be *Sanivara*, Saturday, the 11th January 1823; and the Lunar, *Sucra-vara*, Friday, 10th.

B

For the Sun's Anomalistic Equation and Lunar *Arca Bhagabula*, it must be observed on referring to Table XXVII, part 2, that passing from *Margali* to *Tye*, the Sun has entered the third quadrant of his Anomaly; and consequently, that the Argument of his Equation, though still referred to his Perigee, is now increasing, from decreasing that it was before. In computing the *Manda Kendra*, we are therefore to take from Table XXVII, part 2, 1st *Tye* 12° 43' 40"

    ⊙'s mean motion in one day — — — + 59 8

    Manda Kendra, 2d *Tye* — — — 13 41 48

which by Table XXII gives, ⊙'s Equation — 30' 29"; and consequently the ☽'s *Arca Bhaga-bula* $= \frac{30' 29'}{27} = 1' 7''$.

C

For the Moon's apparent place at Sun rise on the 1st *Tye* complete, or 2d at Sun rise, the Chandra Vakiam will be 57.

    Her Druva — — — 7° 26° 40' 46"

    And the Equation of Vakiam 57 — — 0 23 58 0

                        8 25 38 46

From which subtract *Arca Bhagabala* — — — 1 7

☽'s Sputa Graha, 1st *Tye* complete — — 8 25 37 39

and by the same Table XXVI, her true motion or Sputa Gati 720cals, or 12° 6'.

D

For the Sun's apparent place on the 2 1 Tye at his rising, we see by the Kalendar, page 119, that he completed his 9th Sign and entered Macara ♑, at . 59ˢ 42ᵛ 41ᵖ

$$\frac{59^s\ 42^v\ 41^p}{60}$$

| | 0 | 17 | 19 |

which shews *night* time ; therefore the *vicalas* and *paras* are to be added to his Saura place, and are 17′,3.

At the expiration of the 1st of Tye or at Sun rising on the 2d, the Sun has therefore only gained 17′ in his 10th Sign, and the ☉'s Sputa Graha is 9ˢ 0° 0′ 17″ (*), and by Table XXVIII the Sun's true motion on the 2d Tye is 61′ 23″ or 1° 1′ 23″.

E

For the Sun and Moon's distance.

				9ˢ	0°	0′	17″
2d Tye at Sun rising { ☉'s Sputa Graha (D)	-	-		9	0	0	17
at Lanca { ☽'s do. do. (C)	-	-		8	25	37	39
Soob-vi-Arca Indoo Graha	-	-	-		4	22	38

F

For the relative motion.

☉'s Sputa Gati (D)	-	-	-	-	-		1°	1′	23″
☽'s do. do. (C)	-	-	-	-	-		12	6	0
Soob-vi-Arca Indoo Gati	-	-	-	-			11	4	37

G

And for the time due to distance.

$$\frac{60 \times 4^\circ\ 22'\ 38''}{11^\circ\ 4'\ 37''} = 23g\ 42v\ 35p.$$

and as the Moon was less advanced than the Sun, the above quantity marks the time *after Sun rise* when the conjunction was to occur.

H

By the Kalendar, page 119, the Sun entered the Sign Macara ♑ on the 1st day of the Solar month Tye, at - - - - - - 59g 42v 41p

$$\frac{59g\ 42v\ 41p}{60}$$

that is, *before* Sun rise on the 2d	-	-	-		17	19
Now the Amavasya occurred (G)	-	-	-	-	23	42	35
after Sun rise.				23	59	54

(*) Here, as the fraction is only 17″, the Equation by Table XXVII, part 1, is insensible.

adding therefore these two quantities, we find that the conjunction occurred 23ˢ 59ᵛ 54ᵛ, after the Sidereal beginning of the Solar month *Tye*.

I

By the first part of this article, the conjunction near the beginning of Margali ♐ fell 4ˢ 36ᵛ 28ᵛ *before* the Sun entered the Sign Dhanus ♐ (page 139), and by the second part, the *Amavasyu* which was to occur about the beginning of Tye ♑ took place 23ˢ 59ᵛ 54ᵛ *after* he had left it (page 141). Hence there was *no conjunction* during the time that the Sun was in the Sign Dhanus ♐ ; in consequence of which the *name* of one of the Lunar months, (which in the present case is *Margasiras*) is to be *passed over ;* and that which follows the Solar month *Cartiga,* (viz. *Paushia*), is to be used. In the Panchangum, however, it is customary to write the names of both ; annexing the word *Cshaya* thereto. Thus we find in the Kalendar of A. C. 4924, page 88, for the month under consideration, *Cshaya Margasiras Paushia.*

How in that year the Lunar month *Cartica* happened to correspond with the Solar *Cartiga,* and occasioned *Paushia* to answer to *Margali,* will be explained in the next article.

I shall close these observations by a remark of Audy Sashaya, which I give in his own words.

" As it is customary in the first instance to compute the general *Adigah*, and *Cshaya* months,
" such as these would occur at Lanca, which is supposed to have neither Latitude, nor Longi
" tude, the results of such computations must be considered as indispensable approximations,
" without which, the problems could not be resolved.

" But when afterwards computing the Kalendar for any particular place, where there is of
" course Latitude and Longitude, there may sometimes be both an *Adigah* and a *Cshaya* at
" Lanca, and none at the proposed place.

" When there is a great difference of time between the commencement of the Solar month, and
" the preceding conjunction, then the *Adigahs* and *Cshayas* will be the same all over India ; but
" in the contrary supposition, when that interval is but small, the case may be otherwise."

ARTICLE 6.

Resolution of the two Amavasyas which determine the first intercalation due to the year 4924 of the Cali yug.

Resolution of the two Amavasyas which determine an Adigah month.

If the order of the times were followed, this article should have preceded that which treats of the expunged month of the same year, for in the case of a double intercalation the first *Adigah* month always precedes the *Cshaya.*

But it will be shewn in the third part of this Memoir, that the first indication of a *Cshaya* is that a mean Adigah month will fall in any particular year, on a month where it cannot possibly be inserted, because the Solar month happens to be shorter than the Lunar one. The *Cshaya* is therefore the accident which draws with it the double intercalation, and prepares us for the same, and on that account it was entitled to the precedence.

As it generally occurs that when the Cshaya falls on *Margasiras*, the first Adigah due in the same year occurs in the Solar months which answer to the Lunar *Aswina* and *Phalguna*, and which are *Paratasi* and *Poongoni*, I shall now proceed to the resolution of the two changes which affect the former.

Resolution of the first Amavasya which determines an Adigah month.

For the Aharganas.

	4923	Lunar.	4924		Solar.
Ahargana 30th Lunar Phalguna	1798147		⊙ 1st Chaitram	- -	1793166⁴ 20ˢ 12ᵛ 30ᵖ
Add 6 Lunations	- -	177	Time to run to the last day of Auvani, Table XLVIII, p. 2. }		156 26 44 6
		1798324	Ahargana 1st Paratasi	-	1798322 [46 56 36
					+ 2

Ahargana 3d Paratasi at Sun rise   7)1798324(256903
                    remainder 3

which remainder 3 being counted from Friday, gives the *Soota dina*, *Soma-vara* (Monday); and as we have added 2 days to the Ahargana of the 1st Paratasi, the computation will be for the 3d at Sun rising.

Having found that the Sun entered the Sign *Canya* ♍ on the 1st Paratasi at 46ˢ 56ᵛ 36ᵖ after Sun rise (Kalendar, p. 119), and that the Ahargana to be used was 1798324ᵈ, I shall briefly state, that the Chandra Vakiam is 167; the Moon's Arca Bhagabala — 4′ 40′; her Druva 6ˢ 28ˢ 56′ 40″, its Equation 10ˢ 3ˢ 52′ 0″, and the Sun's Equation — 1 40 (Table XXVII). The respective Longitudes at Sun rise on the 3d Paratasi, will therefore be,

3d Paratasi at Sun {	⊙'s Sputa Graha	-	-	-		5ˢ 1ˢ 11′ 23″
rise at Lanca {	☽'s do. do. -	-	-	-		5 7 44 0
Soob-vi-Arca Indoo Graha	-	-	-	-		0 6 32 37

The relative motion by Tables XXVI and XXVIII.

⊙'s Sputa Gati	-	-	-	-		53 26
☽'s do. do.	-	-	-	-	-	13 3 0
Soob-vi-Arca Indoo Gati	-	-	-	-	-	12 4 34

The time due to distance is therefore $\frac{60 \times 6ˢ 32′ 37′}{12\ 4\ 34}$ -   32ˢ 30ᵛ 42ᵖ

and as the Moon was more advanced than the Sun, it shews that the conjunction had passed, and that the time above found is to be retrenched from that of Sun rising on the 3d Paratasi, when the 2d is completed.

60ˢ	0ᵛ	0ᵖ
32	30	42

Time of conjunction on the 2d after Sun rise   -   =   27 29 18

	G.	V.	P.
Now the Sun entered the Sign Canya ♍ on the 1st Paratasi, at	46	56	36
	60	0	0
After Sun rise ; there remained therefore from that instant to the 2d	13	3	24
And the time of conjunction being on the 2d after Sun rise, at	27	29	18
The Amavasya took place - - - -	40	32	42

after the Sun's entrance into the new Sign, when 40ˢ 32ᵛ 42ᵖ had elapsed.

Second Amavasya.

Resolution of the 2d Amavasya which determines an Adigah month in Paratasi.

When two successive conjunctions are to be determined, the Hindu computers contrive to abridge the process by omitting to consider the *Ahargana*, and working for the Sun's place, by adding the absolute duration of the following Solar month to the fractional part, in guddias, viguddias, &c. of the time of beginning of the month elapsed. This gives the Sydereal end of the month to be worked for: but as the Sun and Moon's apparent places are wanted for the time of Sun rising, the excess of time over a complete day (which in Solar computations is always the instant referred to) is to be retrenched from the entire Sign, *if the preceding morning be wanted :* but its complement to one degree is to be added if the *end* of the same day be required.

In the same manner they avoid computing again the ☽'s *Druva*, by considering first what the *Chandra Vakiam Dhurmavanham* was at the last conjunction ; then adding thereto the number of complete days resulting from the addition of the duration of the absolute month to the fractional part spoken of at the beginning of this article, and subtracting the number of days that may have been added to the beginning of the month for reaching the Lunar *Soota dina*, the remainder gives the *Chandra Vakiam*, or Argument sought. And secondly, considering that the Moon's Druva varies only once in a *Devaram* or 248 days, they conclude that having only added 29, 30, or 31 days to the original *Ahargana*, it may not have increased during that interval, on which they proceed, being certain that the result will prove whether the assumption has been a right or a wrong one.

A particular method for shortening the process.

As the process here adverted to has not yet been presented to the reader, I shall compute the second *Amavasya* more in detail than I otherwise should have done.

A

	D.	G.	V.	P.
The fractional part of the last Solar Ahargana (page 143) was -		46	56	36
The absolute number of days in the Solar month Paratasi, Table III, is	30	27	22	1
Epoch of Sun's entrance into the Sign Tula ♎ - -	31	14	18	37

which therefore began at day time, so that the guddias and viguddias are to be subtracted as calas and vicalas from the Sun's Saura place; but as on the 1st Arpesi the Equation given in Table XXVII, part 1st, is only 1' in 8 days, it is insensible in the present case, being only 1", and may be neglected. The Sun's Longitude at Sun rise of the 1st Arpesi, will

therefore be	6[s]	0°	0'	0"
Subtract the guddias as calas	— 0	0	14	18
☉'s Sputa Graha sought	5	29	45	42

and by Table XXVIII his true motion is 59' 44" on the 1st Arpesi.

B

The Sun's Anomalistic Equation by Table XXVII, part 2d, will be found — 2° 7' 25"; and the Lunar Arca Bhagábala — $\dfrac{2°\ 7'\ 25"}{27}$ — — 4' 43"

C

For the Moon's Druva, Chandra Vakiam; and apparent place.

The Chandra Vakiam found for the last conjunction (page 143) was	187[d]
To which add the number of entire days found at article A	31
	218
But 2 days had been added to the Solar Ahargana for equating it to the Lunar one, which subtract	— 2
Chandra Vakiam for the present operation	216

Now as we have only added 31 days to the *Ahargana* for *Paratasi,* the Vakiam of which was 187 days, we may suppose that the Moon's Druva has not changed; we take it therefore as at page 143.

☽'s Druva	6[s]	28°	56'	40"
Add Equation due to Vakiam 216	11	0	21	0
	5	29	17	40
Subtract Moon's Arca Bhagábala			4	43
☽'s Sputa Graha, 1st Arpesi	5	29	12	57

and her true motion, Table XXVI, 761 calas, or 12° 41'.

D

For the Sun and Moon's distance.

2d Arpesi at Sun rise at Lanca ☉'s Sputa Graha (A)	5[s]	29°	45'	42"
☽'s do. do. (C)	5	29	12	57
Distance	0	0	32	45

E

Relative motion.

☉'s Sputa Gati (A) - - - -	0° 59′ 44″
☽'s do. do. (C) - - - - -	12 41 0
Relative motion - -	11 41 16

F

For time due to distance.

$$\frac{60 \times 0° \; 32′ \; 45″}{11° \; 41′ \; 16″} = 2° \; 48′ \; 6°,8 \text{ after Sun rise.}$$

G

We have found at article **A**, that the Sun entered the Sign Tula ♎ on the 1st Arpesi after San

rise, at - - - - -   14° 13′ 37°

And by the last article **F**, that the conjunction took place also on the 1st,

after Sun rise, at - - - - -   2 48 7

There wanted therefore - - - - -   11 30 30

11° 30′ 30° of time when the Amavasya occurred, for the Sun to enter the Sign Tula ♎ ; he

being then still in Canya ♍.

CONCLUSION.

Conclusion.

The first Amavasya took place on the 2d Paratasi (page 144) 40° 32′ 42° after the Sun had entered the Sign *Canya* ♍ ; and the second, or that of the ensuing Lunar month, when there wanted 11° 30′ 30° of his entrance into the Sign *Tula* ♎, from which it follows that two con-junctions occurred during the time that the Sun was in *Canya* ♍, and therefore, the name of the Lunar month *Aswina*, which concurs with the Solar *Paratasi*, must be repeated, calling it *Adigah* the first time, and *Nija* the second.

It would be a misapplication of time and labour to give the further resolution of the second inter-calation, which in the 4924th year of the Cali yug, (or the 1745th from the birth of Salivahana) occurred during the Solar month *Poongoni*, and fell on the Lunar *Phalguna*, called *Phalguna Mitiek*, or Adigah *Chaitra*; so that in the said Luni-solar year there were two *Chaitras*, and no *Margasiras*. The process for both intercalations is in every respect the same, and (as far as I am able to judge) requires no further illustration.

I shall, therefore, close here my researches into the Astronomical part of the Luni-solar Panchangum, which by some classes of readers will, I have no doubt, be deemed unnecessarily extended. I declare, however, that I long, but vainly endeavoured to reduce these two parts of the second Memoir to a narrower compass. Whatever I attempted to retrench, left a chasm which I was compelled to fill again, because it interrupted the course of argument, prevented the exposition of certain ingenious methods intended to shorten the process, and in some cases deprived the reader of the opportunity of useful references.

Note.

I have already stated that it is an invariable practice throughout India, to call each Solar and Luni-solar year by the name of that of the Cycle of 60 years to which it corresponds; a custom which may prove of great resource in Chronological researches. As there will be found in this collection a separate Tract which treats especially of the three different modes according to which the years of the *Vrihaspati Chacra* are computed in different parts of India, I shall only advert here to two very short practical Rules which elicit the name due to any proposed year, either according to the precepts of the Surriah Siddhanta, or to the Tellinga account, both of which are given in the General Tables at the end of the Volume.

I.

According to the Surriah Siddhanta.

" Divide the numeral of the proposed year by 86; add the quotient to the dividend; divide the
" sum by 60, and the quotient will give the number of cycles expired since the beginning of the
" Cali yug; and to the remainder, if the proposed year be less than 31 from the last expunged
" year of the *Chacra* (to be found in Table XVIII), add 28; but if the said year falls in the
" 55 remaining years of a cycle of 86 years, add 27; and the remainder so increased will indicate
" the numeral of the year current of the Chacra, and consequently its appropriate name."

(For an Example, see page 214).

II.

The same according to the Tellinga account.

" Divide the years expired of the Cali yug by 60; the quotient will give the number of
" cycles expired, and the number of units in the remainder counted from *Pramathi*, the 13th
" of the Chacra, as *one*, will give the name of the last Vrihaspati year expired, and the following
" one that of the year sought.

Example.

Let the name of the same year of the Cali yug 4924, be wanted according to the Tellinga account.

$$60)4923(82$$
$$\underline{120}$$
$$\text{remainder} \quad 3$$

which counted from *Pramathi* as *one*, gives *Brisya* for the name of the last expired, and *Chitra-bhanù*, the 16th of the Chacra, for that of the current one.

Although I have taken notice of some of the *Astrological* articles and ephemerides in the description which I have given of the Siddhanta Chandra Panchangum at the beginning of this Memoir, yet I shall not attempt to analyze any of them before dismissing it. But if the reader

be curious in these matters, he may collect valuable information on the *Yoga*, *Carna* and *Isharum*, on referring to the commentary which follows the present tract.

N. B.—I was told by the Madras Sastras that the Luni-solar year, which is chiefly used in Bengal, is the *Bhanu Husputtia Chandra Mana*, the months of which, considered as secondary, are called *Gauna*, in contradistinction to *Múkya*, the name given to those of the *Siddhanta Chandra Mana*, which are primary, the former beginning with the *full Moon* instead of the new Moon which precedes the commencement of the Solar year. As I have sometimes found the Carnatic Pundits and Sastras misinformed on matters of Bengal usages, and customs, and particularly on those which depend on Hindu Astronomy, they may also be mistaken in this statement; but it is a point which may be easily settled in Calcutta. Be this as it may, however, as I find it stated in several books that the *Bhanu Husputtia*, differs in no respect, but in the time of its beginning, from the *Siddhanta Mana* (as it is called on this Coast), the same principles and rules which were disclosed in this Memoir, will serve equally for the construction of the above mentioned Luni-solar year.

PART III.

On the Hindu method of determining the mean Epochs of Intercalation.

ALTHOUGH Hindu Astronomers seem never to have been much in the habit of foretelling celestial Phœnomena for remote times, yet (as we have already seen) they are in no respect deficient in means for calculating with a certain degree of accuracy, the occurrences which depend on time for any Epoch whatever.

The manner of intercalating the Lunar months being an article of the first importance in the construction of the Panchangum, the rare and unequal recurrence of double intercalations with a consequent expunged month, made them consider how these circumstances might be anticipated with a tolerable degree of certainty and without that expenditure of time and labour, which loose trials by the Siddhanta rule, must necessarily occasion. This attempt naturally suggested the resolution of the mean Epochs when from the combined revolutions of the Sun and Moon these Equations were due. They seem first to have attended to the relative motion of the two Luminaries, and then proceeding more scientifically to those of their Apogee, they concluded that when the Moon in Apogee coincided with the Sun in Perigee, it necessarily occasioned a simultaneous short Solar, and long Lunar month ; lastly, they discovered that when the Moon's Apogee was in about fifteen degrees of either of the Signs *Vrischica* ♏, *Dhanus* ♐ or *Macara* ♑, (which for many ages past are in possession of the Sun's Perigee), if a mean intercalation was due about the middle of the corresponding Solar month, it was *impossible* that the Epoch elicited by their rules for intercalating should be the true one consistently with their own theories.

For since each of the three Solar months *Cartiga*, *Margali* and *Tye* are now shorter than a mean Lunation ; and since the Moon when near her Apogee has a slower *apparent* than *mean* motion, it is manifest that under such circumstances neither of the three aforesaid short Solar months could contain two changes of the Moon.

The same consideration must have also led them to discover that when there was no change in either of the said short Solar months, then there were two new Moons in two other months of the same year (or to be more precise, a double change in one of the six preceding, and another in one of the six following months), occasioning thereby two intercalations where only one could be admitted. They appear then to have taken a hint from nature, and agreed to suppress the month on which no conjunction occurred: thus preserving, with apparent metaphysical consis-

tency, both the general theorem, and that Equation of one Lunar month *only* which was sufficient for keeping the commencement of the Luni-solar year, within its accustomed distance, from that of the Solar one.

If we consider well the nature of their Chronological doctrines, we must admit that, under the force of circumstances, they could not adopt a less arbitrary measure; for it depends more upon nature (though much less to the purpose) than our bissextile intercalations, and is less exceptionable than the irregular, and indefensible duration of our months.

Such, after an attentive consideration of the doctrine of Lunar intercalations, appears to me the origin of the theory and practice of a method which has no doubt led to the discovery of the three Cycles of 19, 141, and 160 years, in either of which a double intercalation must recur.

ARTICLE 1.

The resolution of mean intercalations by the Hindu rule.

Mean intercalations.

Let it be proposed to determine whether an intercalation be due to the 4924th year of the Cali yug current.

Rule.

1º Reduce the proposed years into mean or *Saura* months.

$$4923 \times 12 = 59076 \text{ Saura months.}$$

Then say, as the number of Saura months in a Maha yug	51840000
To the number of Adigah months in the same	1593336
So the number of Saura months above found	59076
To the number of Adigah months sought $\dfrac{1593336 \times 59076}{51840000}$	1815

with a remainder of 38317506.

Now from the divisor	51840000
Subtract the remainder	38317506
Second remainder	13522494

which second remainder divide by the number of Adigah months in a Maha yug.

```
1593336)13522494(8 months
Remainder   775806
Multiply by   ×   30
            )23274180(14 days
Remainder   967476
Multiply by   ×   60
            )58048560(36 guddias
Remainder   788464
Multiply by   ×   60
            )47307840(29 viguddias
Remainder   1100096
Multiply by   ×   60
            )66005760(41 paras
Remainder which need be carried no further   673984
```

This result shews therefore, that a mean intercalation is due when 4923ʸ 8ᵐ 14ᵈ 36ᵍ 29ᵛ 11ᴾ of the Cali yug have elapsed, referred to mean midnight at Lanca; and therefore, that the intercalation will fall in the 4924th year of the said æra; about the 15th Margali at 36ˢ 29ᵛ after mean midnight.

Observing that the Hindus compute that the first intercalation that was due after the beginning of the Cali yug, fell when 2ʸ 8ᵐ 16ᵈ 3ˢ 55ᵛ &c. had expired, I analyzed that proposition as follows :

The primary period of 2ʸ 8ᵐ 16ᵈ 3ˢ 55ᵛ &c. may be reduced to this expression in months and parts, 32ᵐ,535510400S &c. : Hence by the Hindu formula we have $\frac{1593926 \times 32,5355104008}{51840000} = 0.$

The numerator being equal to 51839999,99 &c. or 51840000, which shews that at the above *primary* period (2ʸ 8ᵐ 16ᵈ 3ˢ 55ᵛ 7ᴾ,39 &c.) there was precisely an intercalation due ; and from this cause at every succeeding period a mean intercalation recurs.

Account of Table XXIX.

After what has been said, the Table of Intercalations is easily explained ; the only thing to be remarked is, that the additional 7,39 paras are neglected in its construction.

This Table, however, is subject to an additive Equation or *Cshepa* of 3ˢ 50ᵛ which remains unexplained.

EXAMPLE I.

Let it be proposed to determine whether the year Cali yugam 4924 current be subject to an intercalation.

			Y.	M.	D.	G.	V.
By Table XXIX, part 3, for 1898 years			1897	10	25	41	40
		Multiply by				×	2
	(1)		3795	9	21	23	20
	Part 3 -		948	11	12	50	50
Assumed *Druva* for succeeding years	(2)		4744	9	4	14	10
	Part 2 -		170	4	22	6	45
	(3)		4915	6	26	20	55
Part 1 -	(4)		8	1	13	11	45
			4923	8	14	32	40
Cshepa -				+		3	50
			4923	8	14	36	30
			4923	8	14	36	29,6
Difference insensible							0,4

Indices.
4923
Sub. (1) 3795
_____
1178 Take the nearest in the Table.
_____
4923
Sub. (2) 4744
_____
179 do. do. do.
_____
4923
Sub. (3) 4915
_____
(4) 8 do. do. do.

EXAMPLE II.

For the year 4732.

Here, in order to save trouble we may start from the nearest year already expounded.

Which being 4741 (Example I) we take any Epoch already

expounded, which call *Druva*

	Y	M.	D.	G.	V.	
Druva	4744	9	4	14	10	(Example I).
Part II,	37	11	14	54	50	
	4782	8	19	9	0	
Cshepa, or Equation			+	3	50	
	4782	8	19	12	50	

which quantity is the same as that produced by the Hindu rule.

EXAMPLE III.

For the year 5064.

We may commence with the Epoch of 4923, elicited in Example I.

	Y	M.	D.	G.	V.	
Druva	4923	8	14	56	30	(Example I).
Part II,	132	10	7	11	55	
	5056	6	21	48	25	
Part I,	8	1	13	11	45	
	5064	8	10	0	10	

Here we need not add the Equation, because it is already involved in the quantity which marks the Epoch of intercalation for the year 4923 (vide Example I).

In the three preceding cases we are to notice the same circumstance, namely, that each indicates the intercalation to be due on the 9th month (or 8th complete) of the respective years, which falling on the Solar month Margali (one of the 3 short ones and when the Sun is in the Sign Dhanus ♐), indicates that the order of *true* intercalations is interrupted (page 149); and as in the three cases, the days on which the mean one is due, are not remote from the middle of the month, if the Moon's Apogee should lie about that time somewhere near 15° of the Signs

Vrischica or *Dhanus* (♏ and ♐), the Hindus conclude that there must be two intercalations with an expunged month, in the years Cali yugam 4782, 4923 and 5064.

We shall shew presently how that Element may be expounded without having recourse to the endless Rule of the Surriah Siddhanta.

The preceding Rule and Tables, may serve equally to determine what year is a common one; for if by adding any number of the periods given in the Table we do not elicit the proposed one, then it is certain that it is neither an Adigah nor a Cshaya year.

EXAMPLE IV.

Let it be required to know whether the year Cali yugam 4731 be an Adigah year?

Then proceeding as before.

				Y.	M.	D.	G.	T.
Example II and Table XXIX,	•		•	4741	9	4	14	0
Part 3,	•		•	18	11	22	27	25
Do.	•	•	•	16	3	6	23	30
Do.	•	•	•	2	8	16	3	55
				4782	8	19	9	10
Equation	•	•				+	3	50
Epoch, giving 1 year too much	•		•	4782	8	19	13	0

and as in the present case we could not take a lesser period out of Table IX than 2y 8m 16d 3g 55v (the next above zero), it is clear that the proposed year 4781 is a common *Sumvat-saram*, or year of 12 Lunar months.

ARTICLE 2.

I shall now proceed to shew how the place of the Moon's Apogee for any Epoch not ascending beyond the year Cali yugam 4399 complete (A. D. 1297) may be ascertained by means of Table XXI, as accurately as if it had been computed by the Siddhanta process.

<small>To find the mean place of the Moon's Apogee by the Tables.</small>

This method, which is supposed to have been devised by Vavilala Cuchinna, an Astronomer said to have lived at the above Epoch, presupposes the knowledge of a Rule contrived for elicit-ing a sum of days in lieu of the Ahargana, which serves as an Index to all the Tables of the author referred to.

<small>Rule of Vavilala Cuchinna for finding the *Ahargana* from the year 4399 complete of the Cali yug, as an Epoch called the Index in his process.</small>

This Rule differs little from the common one in point of form, for like all these that we have hitherto seen, it is performed with the universal instrument the *Tirrasica*; only that in order that the results may always be the same as if they had been computed from the origin of the Cali yugam, we are to add 85211 before division by 180,000, and subtract 3875864 before division by 13358334.

<small>Precept.</small>

RULE.

To find the sum of days which will serve as an Index to the Table, for the year Cali yugam 4923.

<small>Rule.</small>

As 4923 years of the Cali yug ended on the 12th of the Solar month Poongoni at midnight at Lanca, say

		•	•	•	4923
Epoch	•		•	•	4399
Number of years elapsed	•	•		•	524

For the Index and initial feria $\dfrac{66389 \times 524 + 85211}{180,000} = 193$ Adigah months.

$$524$$
$$12$$
$$\overline{6288}$$
$$+ 193$$

Number of Lunar months elapsed $= 6481$

$$\frac{6270563 \times 6481 - 9875864}{13358334} = 3011 \text{ Cshaya Tidhis.}$$

$$
\begin{array}{r}
6481 \\
30 \\
\hline
194430 \\
3041 \\
\hline
\end{array}
$$

Index. Sum of days or Index   -   -   191389 (*)

7)191389(27341

Remainder   2

which, as in the case of the Tellinga rule, is to be counted from *Thursday*, and therefore we have, as before, *Sani-vara* (Saturday) the initial feria of the Luni-solar year 4923.

The *Druva* or mean place of the Moon's Apogee, for the last day of the 4399th year of the Cali yug was   -   -   -   -   -   4ˢ 15° 26′ 17″

The Bijah, or correction due to the same   -   -   -   1 29 1 (†)

The motion of the ☽'s Apogee in 1 day   .   -   -   6 40 59″

For the mean place of the Moon's Apogee by the Tables on the beginning of the year.

With these data proceed as follows; the Index being 191389 days.

For the Moon's Mandocha.

100000	-	-	-	-	11ˢ	8°	17′	27″	44‴
90000	-	-	-	-	10	4	27	42	57
1000	-	-	-	-	3	21	22	58	29
300	-	-	-	-	1	3	24	53	33
80	-	-	-	-		8	54	38	17
9	-	-	-	-		1	0	8	48
191389	-	-	-	-	2	17	27	49	48
Druva	-	-	-	-	4	15	26	17	0

And as the Rule and Druva are adapted for the preceding noon - 7 2 54 6 48

Add semi-diurnal motion of the Apogee   -   -   + 3 20 29

                              7 2 57 27 17

The same by the Siddhanta process, (p. 84)   -   -   7 2 57 26 12

                          Difference   1′ 5″

Correction of Bijah for 4 Revolutions in a Maha yug.

100000	-	-	-	-	-	4′	55″	52‴
90000	-	-	-	-	-		4	26	17
1000	-	-	-	-	-		2	58
300	-	-	-	-	-			53
80	-	-	-	-	-			14
9	-	-	-	-	-			2
191389							9	26	16

Equation due to Druva   -   -   -   -   1° 29 0 54

                              1 38 27 10

Mean place of the Moon's Apogee   -   -   7ˢ 2 57 27 17

                    Corrected place   7 4 35 54 27

The same by the Siddhanta process (p. 86)   -   -   7 4 35 53 22

For the Prathama Tidhi of the year 4923.   Difference   1″ 5‴

(*) This process is the same as that which is used for finding the Index to the Table of the Planets for computing their mean places.

(†) Table **XXI.**

But we want the place of the Moon's Apogee for 8ᵐ 14ᵈ 36ᵍ 30ᵛ later + the remainder in the month of Poongoni 4923 from the time of the Luni-solar date of the beginning of the Chandra year.

Now by Table III the absolute month of Poongoni contains   -   30ᵈ 20ᵍ 21ᵛ 2ᵖ
From which subtract   -   12

18	20	21	2

For 8 Solar months complete   -   275   39   30   11
+   14   36   30   0

Number of days elapsed   -   308   36   21   13

And for the motion of the Moon's Apogee due to the same.

Table XXI	-	300 days	-	1ˢ	3°	21′	53″	33‴
		8	-			53	27	50
		30 guddias	-			3	20	29
		6	-				40	48
		Bijah for 300 days	-					53

1	4	22	23	33

Place of the ☽'s Apogee, 1st Chaitram 4924   -   7   4   35   54   27

Corrected place of the Moon's Apogee   -   -   8   8   58   18   0

at the time when the intercalation was due.

Thus we have expounded that important Element by a comparatively short process, and with as much accuracy as if we had used the Sastra Rule.

Now observing that an intercalation was due on the 15th day of the 9th month of the year 4923 (8ᵐ 14ᵈ complete) and that at the same instant the Moon's Apogee was in 8° 58′ 18″ of the Sign Dhanus ♐, corresponding with the Solar month *Margali* (one of the three short ones of the Solar year), whereas the Sun's Perigee was in 17° 17′ 18″ of the same Sign Dhanus (*), there can be no doubt, from their near coincidence, that *no two conjunctions* can occur in the said month *Margali;* and that the Luni-solar month corresponding thereto is a *Cshaya,* or expunged month, and not an *Adigah.*

The same circumstance may be argued, and the same results obtained for the years 4782 and 5064 *complete*, a notation which it is always necessary to keep in view when considering Hindu expressions; because the intercalation truly falls in the years Cali yugam 4783, and 5065 *current.* But as the Indians invariably make their computations for the *end* of the years, as well as of the Tidhis, those which their notation presents, imply always the year or Tidhi which has *last expired;* the fractional part of the quantities belonging to the ensuing ones.

But if we come to convert the years so expressed into European time, then as the new Hindu year generally commences (as it has done for many centuries past) during the first months of the European concurring years, the intercalations and omissions, mostly fall in the course of the *same Christian year.*

In reading the columns of the second General Table, if we seek the character of the Hindu year

(*) The Sign Dhanus being the 9th current, the Perigee is in 8s 17° 17′ 17″ 54ᵖ because the Sun's Apogee was at that time in 2s 17° 17′ 15″ 54ᵖ (vide page 83).

which falls opposite to A. D. 1822, and which happens to be A. Cali yugam 4923, we are therefore to understand that the latter *ended* in 1822, and being marked AC in the fith column, that the intercalation and omission fall in 1921 *current;* but that notwithstanding the change in the notation of the Hindu year, these Equations are still introduced during the course of A. D. 1822. It must be acknowledged that this method of noting a year by its end, instead of its commence, ment, is somewhat incommodious, and liable to occasion mistakes; but it could not be altered without departing from the manner of computing of the Indians, which in matters that concern them and their Tables we are bound to preserve.

Such is the preparatory method used by Hindu Almanac makers for approximating the recur, rence of the Adigah and Cshaya months, before entering into the actual computation of the same. It might have been curious to ascertain what is the greatest distance of the Solar Perigee from the Lunar Apogee necessary to cause an expunged Lunation; but I am not aware that this research would lead to any useful purpose. That circumstance occurs very rarely, and as the Indians in

their approximations (besides their calculating the place of the Moon's Apogee) resort also to the probable evidence of the Cycles of 19, 141 and 160 years, I shall leave the resolution of that problem to those who may be curious in abstract speculations, the limits of certainty being suffi, ciently narrowed by the foregoing two rules for all practical purposes.

I shall close this Memoir by giving a last and complete resolution of the Cshaya year and month which are to occur at the period nearest to our times, by all the *short* rules which have been dis, closed in the course of it. For this purpose we must begin by constructing the Skeleton of the Solar Kalendar for the year 5065 current (*) (A. D. 1963), as was done for A. Cali yugam 4921 current, which fell 141 years before; but as some of the articles are constant, all that we require now, is a Table of the Initial Roots of, and duration, of its months, which are variable. Dominical Letter A. D. 1963, F. Dominical Letter A. D. 1964, ED.

European dates of beginning of Solar months	Names of Solar months.	Initial Roots of months.	Sydereal duration of months.	Civil duration of months.	Names and order of Zodiacal Signs.	Types or Signs.	Signs current.	Signs complete.
14 March	Poongoni 5064	(4) 2S 17 43			Min	♓	12	11
13 April	Chaitram 5065	(6) 48 38 45	30	31	Mesha	♈	1	0
14 May	Vyassei	(2) 44 10 46	31	31	Vrisha	♉	2	1
15 June	Auni	(6) 8 22 47	32	31	Midhuna	♊	3	2
16 July	Audi	(2) 45 0 48	31	32	Carcata	♋	4	3
17 August	Auvani	(6) 13 12 50	32	31	Tinha	♌	5	4
17 Septem.	Paratasi	(2) 15 22 51	31	31	Canya	♍	6	5
17 October	Arpesi	(4) 42 41 52	30	31	Tula	♎	7	6
16 Novem.	Cartiga	(6) 36 51 53	30	30	Vrischica	♏	8	7
16 Decem.	Margali	(1) 7 15 55	30	29	Dhanus	♐	9	8
15 January	Tye (A.D. 1964)	(2) 28 8 56	29	29	Macara	♑	10	9
13 February	Maussi	(3) 55 24 57	29	30	Cumb'ha	♒	11	10
13 March	Poongoni	(5) 43 48 58	30	30	Min	♓	12	11
13 April	Chaitram 5066	(1) 4 10 0	31	30	Mesha	♈	1	0

(*) Vide Part III, Article 1, Introduction.

ARTICLE THE LAST.

Resolution of the double intercalation with an expunged month which is to occur at the nearest period to present times, reduced to the Geographical position of Madras.

By the Vakiam Tables and Solar process.

Although the present article contains no new doctrine, but merely applies to a particular case those which have already been disclosed, yet after due consideration of the expediency of retrenching it from the body of this work on that score, I have suffered it to remain as a document which predicts a remote contingency; the only one of its kind that can possibly occur before 140 years have revolved. What follows may therefore interest the philosophers of the twentieth century, if these imperfect but elaborate pages live to that extent of time.

The Rule for determining the Epochs of mean intercalations given at page 152, has warned us that a mean intercalary Lunar month will be due in the ninth month of the 5065th Solar year of the Cali yug (1886 Saca); and as on the beginning of that year the Sun's Apogee will lie in 2ˢ 17° 17′ 31″ of the Hindu Sydereal Zodiac; and as the Ayanansa on the 1st Chaitram of the same year (13th April 1963) will be 21° 51′ 19″, the said 9th month, (that of Margali) will still be one of the three short months of the Solar year. The Lunar intercalation which is due at that time, cannot therefore be introduced in that specific month, particularly if the Moon's Apogee happens then to lie near the middle of any of the three Zodiacal Signs *Vrischica* ♏, *Dhanus* ♐, or *Macara* ♑.

Having computed that Element by means of Vavilala Cuchinna's Index and Tables, as shewn at page 153, and found it to lie, on the 10th Margali 5065, in 7ˢ 11° 36′ 9″ 12‴; and the precise time of mean intercalation above referred to, being 5064y 8m 10d 0ġ 10ᵛ; knowing also that the Sun will complete its 8th Sign on the 1st Margali, we may conclude from these joint considerations, that the Lunar month which will happen to coincide with that of *Margali* instead of an *Adigah*, will on the contrary be a *Cshaya* month.

On this supposition if we proceed according to the Vakiam process, we shall find the follow- ing Elements.

SECTION I.

The Solar Ahargana on the 1st Margali 5065, by the Ariah Siddhanta (Table XLVIII, part 2) is 1849914ᵈ 7ᵍ 15′ 55″, and the Lunar, at the expiration of the 9th Lunation of the correspond- ing Luni-solar year, by the Surriah Siddhanta (Table XLIX, part 1) 1849914. The *Soota dina* or initial feria of the Solar month Margali is *Soma-vara*, or *Monday* (Kalendar, page 156).

	⊙'s apparent place	-	-	-	-	7'	29°	52'	51"

	G.	V.	P.	

1st Margali 5065 at Sun rise at Lanca.

⊙'s apparent place - - - -	7'	29°	52'	51"
His true motion - - - -		1	1	23
☽'s apparent place (her Chandra Vakiam being 2; Druva 7' 4° 28' 3"; Equation 0' 24' 9' 0"; and Arca Bhagabala — 1' 27") - - -	7	23	35	36
Her true motion - - - -		12	6	0
⊙ and ☽'s distance - - - -		1	17	18
Relative motion - - - -		11	4	37
And the time due to distance - - -		6ⁱ	58ᵛ	17ᵖ.

And as the Sun at his rising at Lanca will be more advanced than the Moon, the last result indicates the time that will be wanting of the instant of conjunction at that moment, and shews that the *Amavasya* will occur after Sun rising.

But the Sun (Kalendar, page 156) will enter the Sign Dhanus ♐ on

	G.	V.	P.
the 1st Margali, after its rising, at - - -	7	15	55
From which subtract time of *Amavasya* - -	6	58	17
Time before the commencement of the Sydereal Solar month -	0	17	38

Time of conjunction before the commencement of the Sydereal month Margali.

So that the Amavasya will take place at Lanca, not in the Solar Sydereal month *Margali*, but on the last Sydereal day of *Cartiga*.

Section II.

Second Amavasya.

After having added to the foregoing Solar Ahargana, the absolute duration of the Solar month *Margali*, as given in Table III, the Solar Ahargana will be 1849943ⁱ 28ⁱ 8ᵛ 56ᵖ; but as in the present position of the Sun and Moon's Apogees the Lunar Synodical, is longer than the Solar month *Margali*, we are to add one day more thereto, and the Ahargana to be used will be 1849944 corresponding to the 2d Tye 5065, which, proceeding as usual, will be found to fall on a *Wednesday* or *Bhuda-vara*. But it will be more expeditious to dispense with the Ahargana, and use the short process indicated at page 147. By either way, however, the Elements for the 2d Amavasya will be found to be as follows:

Elements of 2d conjunction in the beginning of Tye.

On the 2d Tye 5065 at Sun rising at Lanca.

⊙'s apparent place - - - -	9'	0°	32'	35"
His true motion - - - -		1	1	23
☽'s apparent place (the Chandra Vakiam being 32; her Druva, the same as for the preceding month, 7' 4° 28' 3"; Equation 1° 27° 30' 0"; and Arca Bhagabala — 1' 7")	9	1	56	56
Her true motion - - - -		12	28	0
⊙ and ☽'s distance - - - -		1	24	21
Relative motion - - - -		11	26	37
And the time due to distance - - -		7ⁱ	22ᵛ	10ᵖ

As the Moon is more advanced than the Sun, the last quantity shews the time that will be elapsed at Sun rise since the conjunction has taken place.

	G.	V.	P.
Therefore from	60		
Subtract	7	22	10
End of Amavasya Tidhi, 1st Tye, after Sun rise at Lanca	52	37	50

	G.	V.	P.
But it appears by the Kalendar, page 156, that the Sun will enter the Sign Macara ♑ on the 1st Civil day of Tye, after Sun rise, at	28	3	56
If therefore we retrench this time from that of the Amavasya	52	37	50
	24	28	54

we have the time elapsed between the Sun entering the new Sign, and that when the conjunction is to occur.

CONCLUSION.

We have seen in the preceding article, that the last conjunction was to happen on the last Sydereal day of the Solar month *Cartiga* (page 158) at 17' 38" before the Sun entering the Sign Dhanus ♐, and by the present operation, that the ensuing one will fall 24ˢ 28' 54ᵖ after he was to leave it ; therefore it happens that no change will take place during the whole of the Solar Sydereal month Margali ♐, and that under the Meridian and Latitude of Lanca, the Luni-solar year 5065 will be a *Cshaya*, or double intercalary year.—From which we conclude, that as the Lunar month *Aswina* of the same year must in consequence be an *Adigah*, or intercalated month, (page 149) ; *Margasiras* (also called *Agrahayan*) which would concur with *Margali*, should be expunged out of the *Chandra Panchangum* for that place.

SECTION III.

Having now obtained the certainty that the 5065th year of the Cali yug is a *Cshaya* year for *Lanca*, we are to determine whether it be equally so for Madras ; and for this we have the following

DATA.

	Angulas.	Vinculas.
Latitude of Madras or *Acsha Bagahs* (Table XXXIII) — 13° 4'		
Longitude of do. or *Desentara* (Table do.) in yojanas — 65 E.		
Mean Time — 47" 4ᵖ E.		
Equinoctial Shadow or *Palabah* (Table XXXIV) — 2		47

	°	'	"
Ayanansa, 1st Margali 5065 (*)	21°	58'	3"
☉'s apparent place at Sun rise at Lanca 7ˢ	29	52	54
True motion	1	1	23
☽'s apparent place at do. 7	28	35	36
True motion	12	6	0"

(*) 141 × 54" = 2° 6' 54". From 1st Chaitram to 1st Margali 275 days ; and from Poongoni 11th to 30th, 19 days ; therefore 275 + 19 = 294, and 365d : 54" .: 294 : 44". Hence

	°	'	"
Ayanansa, 1st Chaitram 4924	19°	59'	25"
Cranti Patagati for 141 years	2	6	54
294 days			44
Ayanansa, 1st Margali A. Cali yug 5065	21	58	3

N. B.—The same may be obtained much quicker by Table XXXV.

OPERATION.

The ☉'s true motion on the 1st Margali being 61′ 23″, and the Longitude of Madras in time being 47ʳ 4ᵖ East, the Equation due to that interval of time is — 48″, and consequently the Sun's apparent place at time of mean Sun rising at Madras is 7ˢ 29° 52′ 6″.

The ☽'s true motion on the same day being 12° 6′, and the Longitude as before, the Equation due to the same is — 9′ 29″, and the Moon's apparent place on the 1st Margali at time of mean Sun rising is 7ˢ 28° 26′ 7″. The ☉ and ☽'s true distance is 1° 25′ 59″; the relative motion 11′ 4′ 37″, and the time due to distance 7ᶜ 45′ 41ᵖ, which, because the Moon was less advanced than the Sun, marks the time wanting of the conjunction at mean Sun rising at Madras.

SECTION IV.

We are now to compute the time of true Sun rising at the proposed place on the said 1st Margali, so as to express the time of conjunction with reference to that instant; and for the resolution of that problem, we have recourse to what has been said in the second part of this Memoir on Hindu Gnomonics.

Although we have already given an example of the application of these doctrines when computing the end of the 30th or last Amavasya Tidhi of the year 4923 of the Cali yug, yet as other matters have intervened, one example more, of a rather intricate proposition, may not be superfluous for those who may be desirous of making further progress in Hindu Astronomy.

A

The Sun and Moon's places referred to the Tropical Sphere.

For the Ravi Sayana, or Sun's Longitude on the Tropical Sphere.

☉'s Sputa Graha, 1st Margali	- -	7ˢ 29° 52′ 6″
Ayanansa on the same day	- -	+ 21 58 3
Ravi Sayana, 1st Margali, at Madras	- -	8 21 50 9

B

For the *Ullagna* of Madras, or Arc of the Equator which rises above the Horizon with the Sun, being what the Hindus call the *Sputa* or true quantity which determines the Sun's diurnal motion in oblique ascension.

Diurnal motion of the Sun in oblique ascension.

By article 5° , Section II, Problems A and B of Gnomonics, page 104, we have

As 30° (1800 calas) to 1980 calas, (the Ullagna of Madras for 9 Signs, Table XLVI), So 61′ 23″ (the Sun's true motion in Longitude), To $\frac{1980′ \times 61′ 23″}{1800}$ - 67′ 30″ the Sun's diurnal motion in *oblique ascension*, required.

C

For the length of the *Savan* or natural day.

We have already observed that as there are 216000 pranacalas (6 in a vicala) in a natural day,

and the same number of calas (minutes of a degree) in the Equatorial Circle, or 360°; these 67 calas, 30 vicalas, represent *pranacalas in time ;* therefore if we divide by 6, or $\frac{67' \ 30''}{6}$, we have 1st $\frac{67}{6} = 11$vic. 1pra. ; and 2d, 60 : 30″ :: 10 (castacalas) : 5. Hence the Equation sought is 11vic. 1,5pra. to be added to the *mean* Sydereal day.

The length of the Savan day required is therefore 60 dan. 11 vic. 1,5 pran. expressed in Murta time.

<div style="float:right">Length of the natural day in *Murta* time.</div>

For the length of the artificial day or time of the Sun being above the Horizon on the 1st Margali 5065 current.

A'

The length of the natural or Bhumi Savan day being 60 dan. 11 pal. 1,5 pran., its fourth part, is 15 dan. 2 pal. 4,9 pran. (*) or 15ᵍ 2ᵛ 49ᵖ, being one half the *mean artificial day* and *night.*

<div style="float:right">The same in Solar time.</div>

To have the true duration of each we are to find the Sun's Declination, or *Cranti Bagahs,* and Ascensional difference, or *Chara Cumda.*

B'

For the Sun's Declination (Gnomonics, Sect. II, para. 6° B, page 105).

The Ravi-Siyana (A, preceding page) . . 8ˢ 21° 50' 9″

The Sine of which is . . . 3402'

The Obliquity of the Ecliptic (constant) . . 24°

And its Sine or *Paramapa-Cramajya* . . 1397'

Then say

: Radius 3138 : Sine Sun's Longitude 3402' :: Sine Obliquity 1397' : $\frac{3402 \times 1397'}{3438'} = 1382'$ the Sine of the *Cranti Bagahs,* or Declination sought, corresponding to an Arc of 23° 43' South.

<div style="float:right">The Sun's Declination.</div>

C'

For the *Chara Cumda,* or Ascensional difference (Gnomonics, Sect. II, 6° C, page 105).

DATA.

	Sine.	Cosine.
The Altitude of the Pole is 13° 4' its	777'	3348'
The Sun's Declination 23° 43' South	1382'	3148'.

Say 1° (Cos. 13° 4') 3348' : (Sine Do.) 777' :: (Sine 23° 43') 1381' : $\frac{1381 \times 777'}{3348'} = 320'$, the *Cshetijya,* being the first approximation.

2° (Cosine 23° 42') 3148' : (Cshetijya) 320' :: (Radius) 3438 : $\frac{320' \times 3438}{3148'} = 349'$, the *Chara,* or Ascensional difference sought, which converted into time by Table XXXI, answer to 58ᵛ 10°.

<div style="float:right">Ascensional difference.</div>

(*) Because in a vicula or pala there are 6 pranacalas, and that in a viguddia there are 60 paras.

For the *Dinarda* and *Ratri-Arda,* or half the artificial day and night on the 1st Margali at Madras. (Gnomonics, Sect. II, 6° D, page 165).

<div style="text-align:center">A″</div>

	G.	V.	P.
Because the Sun's Declination is *South,* from the fourth part of the natural day (A', preceding page) - -	15	2	49
Subtract Chara in time (C', preceding page) - —		53	10
Dinarda, or half artificial day - - -	14	4	39
And for the night - - - - -	15	2	49
Add Chara - - - - - +		58	10
Ratri-Arda, or half artificial night - -	16	0	49

<div style="text-align:center">B″</div>

Artificial day and night.

	G.	V.	P.
The *Dina,* or entire day, is therefore 2 × 14ᶜ 4ᵛ 39ᵖ -	28	9	18
And the *Ratri* or entire night - 2 × 16 0 49 -	32	1	38

<div style="text-align:center">C″</div>
<div style="text-align:center">For the true time of Sun rising.</div>

The time of noon is always expressed by - -	75	0	0
Subtract Dinarda - - - -	14	4	39

True time of Sun rising at Madras.

60 gud. + Equation of time, that of Sun rising at Madras on the 1st Margali - - - -	60	55	21
Add the whole Dina or artificial day - -	28	9	18
True time of Sun setting on do. - -	29	4	39

<div style="text-align:center">D″</div>

It was found, page 160, that the conjunction will occur at Madras after *mean* Sun rise at - - - - - -	7	45	44
But the Sun rises truly on the 1st Margali at Madras after 60 guddias (C', present page) - - - —		55	21
Difference	6	50	23

Conjunction after true time of Sun rising, 1st Margali. which shews that the Amavasya will fall at 6ᶜ 50ᵛ 23ᵖ after *true* Sun rising at Madras, on the 1st Margali 5065.

<div style="text-align:center">E″</div>

	G.	V.	P.
When the Sun entered the Sign *Dhanus* ♐, at Lanca (Kalendar, page 156), at - - - - - -	7	15	55
Add *Desentara* in time - - - +		47	4
It was mean time at Madras - - -	8	2	59
Subtract Equation of time (C') - - —		55	21

Time of conjunction before Sydereal beginning of Margali.

Time of ☉'s entrance in ♐ after true Sun rising -	7	7	38
Time of conjunction above found - - -	6	50	23
Time before Sydereal commencement of Margali ♐ - -		17	15
That which was found at page 158 (being computed for Lanca) was		17	38
Difference - - - -			23

Second Amavasya.

The process being absolutely the same, I shall only give the results.

⊙'s Sputa Graha mean time of rising at Madras after accounting

for the difference in Longitude of 47ᵛ 4ᵖ E. 2d Tye 5065	9ˢ 0ᵒ	31′	47″
☽'s do. do.	9 1	47	10
⊙ and ☽'s distance	1	15	23
Relative motion	11	26	37

	G.	V.	P.
Time of conjunction *before* Sun rising of 2d Tye	6	35	14
Or after mean Sun rise on the 1st do.	53	24	46
⊙'s motion in Oblique ascension	1ᵒ	4′	24″

	dan.	vicalas.	pra.
The same reduced into *Murta* time		10	4,4
Duration of natural day at Madras in do.	60	10	4,4

Therefore ¼ the natural day;

	d. c. pra.		dan. vic. pra.		G.	V.	P.
or ½ the artificial	$\dfrac{60\ 10\ 4,4}{4}$		15 2 4,1	or 15		2	41

The ⊙'s Declination	22ᵒ	3′
The *Cshetijya*		299
The *Charajya*		322
And the *Chara Cumda* in degrees	5	20

	V.	P.
The same in time by Table XXXI,	53	20

	G.	V.	P.
Hence the artificial day	28	18	42
the artificial night	32	12	2
Dinarda or half artificial day	14	9	21
Ratri-arda or half artificial night	16	6	1

From these results we come to the following conclusions.

	G.	V.	P.
The expression for noon time being always	75	0	0
And the *Dinarda* being	14	9	21
We have 60 guddias + the Equation of time for Sun rising	60	50	39
Add the whole *Dina* or duration of artificial day	28	18	42
Time of Sun setting after Sun rise on the 2d Tye	29	9	21

For time of conjunction after true Sun rising at Madras, on the 1st Tye 5065.

	G.	V.	P.
Time of conjunction after mean time of Sun rising on the 1st Tye 5065 (present page) at Madras	53	24	46
Equation of time, present page, subtract	—	50	39
Time of true conjunction after true Sun rise on the 1st Tye A. Cal. 5065 at Madras	52	34	7

Conclusion.

		c.	v.	p.
By the Kalendar, page 156, the Sun will enter the Sign *Macara* on the 1st Civil day of Tye, at Lanca, after Sun rise, at	-	28	8	56
Add Longitude in time . . . +			47	4
The same at Madras after *mean* Sun rising -	-	28	56	0
Subtract Equation, preceding page - - —			50	39
		28	5	21
Which remainder subtracting from time of conjunction above found	52	34	7	
Leaves the time of conjunction at Madras -	-	24	28	46

after the Sun will have left the Sign Dhanus ♐ and entered Macara ♑.

It appears therefore, that the 5065th year of the Cali yug will have two intercalary, and one expunged, months at *Madras*, as well as at *Lanca*, because the first conjunction under consideration will occur at that place 17ᵛ 13ᵖ before the Sun enters the Sign Dhanus ♐, and the second 24ᶜ 28ᵛ 46ᵖ after he has left it, which was to be determined.

The year 5065 of the Cali yug a Cshaya at Madras as well as at Lanca.

Observation.

Delalande complains somewhere, that although the science of Astronomy has appeared to the greatest men of all ages a study worthy to be followed through life, yet he was often compelled to answer the following question " Of what use is Astronomy ?"

In the same manner, after having waded through a mass of theories and computations, the seeming object of which was merely to determine two circumstances to which the Hindu Luni-solar account of time is subject, I expect that many a reader will ask " Of what utility is so " long and fatiguing a research?" especially since it has been observed that (with the only exception of the country called *Tellingana*) the custom of dating documents by the *Tidhis*, has long since been abrogated in all parts of India ; and that even there, a Luni-solar Tidhi is never proposed as a date, without annexing thereto the concurring Solar *Thidy*.

To which I shall answer, as the French Philosopher did, that to do away an error widely diffused, and to remove ignorance from any post which has influence over the concerns of men, must be practically useful in all times and countries. When several years ago I was called upon to look into the Tellinga Kalendar, so little was its construction understood, that the best informed Gentlemen with whom I conversed, even some who from inclination and habits were best acquainted with Hindu learning and usages, entertained a belief that I might invent some sort of perpetual Kalendar of the Siddhanta Chandra Mana, which would supersede the necessity of referring to the Native *Sastras* on any question of time, and answer all the common purposes of office. Nay, after the present Memoir had already assumed some consistency, a scientific friend objected that it was rather a Tract on Hindu Astronomy than on the Kalendar, and recalled my attention to the original design of the research : But after a perusal of all

that he could collect on the same subject, he ultimately admitted (as I trust every person who has read with attention the preceding pages will) that any attempt to subject the contingencies of the Luni-solar years to any mechanical process, would be as hopeless a task as if it were proposed to elicit the articles of the English *Nautical Almanac,* or French *Connoissance des Tems,* by any other means than their regular computation.

One point has therefore been gained ; namely, that of undeceiving several Gentlemen, well informed in other matters, on a subject respecting which they were much mistaken.

Lastly, if it be at any time of public importance to fix or expound dates according to Luni-solar account, having now disclosed the means by which these questions are resolved by the Native Sastras themselves, and (with *the exception of a few particular contrivances invented by private Kalendar makers) the only ones* that can answer the same end, I may be permitted to hope, that although the rules here given, be long and harassing in the extreme, yet the Key to the *Siddhanta Chandra Mana* has furnished an Instrument for Chronology which was hitherto unknown in this part of India.

END OF THE SECOND MEMOIR.

APPENDIX

TO THE

KEY to the SIDDHANTA CHANDRA MANA.

A COMMENTARY

ON

VAVILALA CUCHINNA'S

RULES and TABLES for computing the TELLINGA KALENDAR.

Written in the year 1797.

THE following Commentary on Vavilala Cuchinna's Rules and Tables, is inserted here, rather as a Tract extremely remarkable, both for the singularity of the topics which it investigates, and for the ingenuity displayed in expounding them, than as an instrument which is likely to prove serviceable to the main object of these Memoirs. Such documents should be kept on record, although they be seldom referred to; because they may lead into unexpected discoveries, and teach better than any series of precepts, how to unravel the manner of reasoning of a people who have frequently found their way to truth by paths widely different from those usually followed by European philosophers.

It may be said of this Tract, that presented by itself, it would throw but little light on the theories of Hindu Astronomy. The contrivance of an arbitrary Index for using the Tables of the Planets, and other Elements, is in particular, calculated to throw a veil over the problems to be resolved, which nothing short of the penetration and perseverance of the scholiast who undertook the trying task of exploring them could ever have removed. But I trust that those who have perused the two first Memoirs of the *Kala Sankalita*, will find no difficulty in tracing back the rules contained in the following pages to their legitimate source.

RULES and TABLES

For computing the principal articles of the Hindu Luni-solar Kalendar for the Meridian of Lanca reducible to any other Meridian, communicated to A. SCOTT, Esq. by JOSELA BARCARJOSEY of the Village of Sutiaveram near Chicacole, in the year 1797. (*)

PART I.

1. On the last day of the Tellinga year which ended on the 28th March 1797 at noon, 4898 years of the Cali yug expired, and also 1719 years of the æra of Salivahana: the Epoch from which the computations commence is the end of the 1220th year of the æra of Salivahana, or *Epoch.* 499 years before the commencement of the present Tellinga year.

2. To find the number of days elapsed from the given Epoch to the beginning of the Tellinga *Ahargana from* year answering to the 28th March 1797 at noon. *Epoch.*

1º	2º	3º	4º
499	5988	5988	6172
12	86	184	30
5988	6074	6172	185160
41	15		304
70)6029(86	33)6039(184		708)185464(261
6020	6072		134788
9	17		676

5º	6º	7º
135160	185160	7)182263(26037
261	2897	182259
185421	182263	4
13		
64)135434(2807		
185103		
26		

It appeared on consideration, that the number 6172 found by the 3d operation, is that of the

---

(*) The first part of this Tract refers to the XXXVIIIth, XXXIXth, XLth, and XLIst Tables.

Lunar months contained in 499 years; and that the number 182203 found by the 6th operation, is that of the number of days in the same period of years. The days divided by 7 shew that 26037 weeks had elapsed and four days over, and as the Epoch was on a Friday, the last day of the last Tellinga year fell on a Tuesday. From a consideration of the operations, I find that 385 years answer to 4762 Lunations, and that 7552 Lunations answer to 223015 natural days, without a remainder in either case. By combining these, it is found that 2907520 years answer exactly to 35962624 mean Lunations, and also exactly to 1061997430 natural days.

Ratio of the Sun's Zodiacal revolution to mean Lunation in the same. It follows that one Zodiacal revolution of the Sun contains 12.3688312 mean Lunations; that a mean year or Zodiacal revolution of the Sun contains 365.2588563 days, that is 365ᵈ 15ˢ 31' 52° 96 as the Indians reckon, or 365ᵈ 6ʰ 12' 45″ 18 as Europeans reckon; that one mean Lunation contains 29.5305879 days, that is 29ᵈ 31ˢ 50ᵛ 6.99, or 29ᵈ 12' 44' 2.79; and that one mean Zodiacal revolution of the Moon contains 27.3216747 days, that is 27' 19ˢ 18ᵛ 1.66 or 27ᵈ 7ⁿ 43' 12' 66″.

Tidhis or Luni-solar days. A Tidhi or the 30th part of a Lunation is on a medium equal to 0.9843529 of a day, or to 59ˢ 3' 40ᴾ 23, so that 64 mean Tidhis are nearly equal to 63 days. It also appears that 34 mean Lunations or Lunar months are nearly equal to 33 Solar months or 12th parts of the Sun's revolution in the Zodiac. Since the last Tellinga year ended 28th March 1797 N. S. or 17th March O. S. at noon, and since 182263 days had elapsed from the Epoch to the end of last year, it follows that the Epoch answers to Friday the 14th March 1298; for 182263 days make 499 Julian years, including 125 Bissextiles, and 3 days over.

For the Prathama or Padyami Tidhi. 3. To find the mean time of the first Tidhi Padyami's beginning, or in other words the mean time of new Moon.

This is only a continuation of the computation at the beginning of the last article; by that the day of the new Moon was found, but this serves for finding the time of the day.

```
       1°                      2°
      676              64    0    0    0
       60              26   57   17   17
    ─────              ──────────────────
708)10560(57      64)37    2   42   43(0
    40356              60
    ─────          ─────
     204            )2222(31
      60             2176
    ─────           ─────
   )12240(17          46
    12036             60
    ─────          ─────
     204            )2802(43
      60             2752
    ─────           ─────
   )12240(17          50
    120.36            60
    ─────          ─────
     204            )3013(47
                     3008
                    ─────
                      35·
```

The remainder left in the 4th operation of the last article is first reduced to sexagesimal parts, and joined to the remainder left in the 5th operation, of which it makes a part; as the quotient of the 5th operation is however subtractive in the 6th, its remainder including the fractional part, is first subtracted from its divisor 64, and then the difference reduced to sexagesimal fractions of a day. The result shews, that the time of the mean new Moon at the original Meridian, was the 27th March at 34ˢ 43ᵛ 47ᴾ after noon.

3ᵒ
.
80)75(0
60
———
)4500(56
4480
———
20
60
)1200(15
1200

The method here used for finding the allowance to be made for the difference of Meridian, is equivalent to this proportion. As the circumference of the Parallel of Latitude or 4800 yojanas, is to a day or 60ˢ, so is 75 yojanas which we are to the Eastward of the original Meridian, to 56' 15ᵖ.

4ᵒ
.
34ˢ 43ᵛ 47ᵖ
56 15
——— ———
35 40 2

The time of mean new Moon is therefore considered to have happened at the place where we now are, at 35ˢ 40ᵛ 2ᵖ after noon of the 27th March.

N. B.—It was often long before I could discover the objects which the following operations aimed at, and indeed I had gone thro' the whole method and seen to what purposes the computed numbers were applied, before I could form any conjecture about what was intended.

4. To find the number of mean Zodiacal revolutions of the Moon from the given Epoch to the beginning of the Tellinga year answering to the 23th March.

1ᵒ
.
182263
10 ×
———
1822630
2300 +
———
1341)1825130(137
1814128
———
11002

2ᵒ
.
182263
137
———
182400
69 +
———
85)182469(2146
182410
———
59

3ᵒ
.
182263
2146
———
180117
1
———
27)180116(6670
180090
———
26

The number 182263 is that of the natural days from the Epoch to the beginning of the present year, and when it had been discovered that the number 180116 in the 3d operation was Nacshatras, it was easy to find that the Moon is supposed to describe 556243 Nacshatras in 562870 days exactly. The mean time of the Moon's describing one Nacshatra is therefore 1ᵈ.0119139 or 1ᵈ 0ˢ 42' 53ᵖ 39. As 84 Nacshatras answer nearly to 85 days, it follows that if to a small Arc expressed in Nacshatras and sexagesimal parts, be added its 84th part, we have the time in which that Arc will be described, by the Moon, expressed in days and sexagesimal parts.

Having also discovered that the quotient 6670 in the 3d operation is that of the Zodiacal revolutions, it is easy to see that the Moon is supposed to complete exactly 556243 Zodiacal revolutions in 15197490 days; one Zodiacal revolution of the Moon is therefore equal to 27.32167116 days, that is 27ᵈ 19ˢ 18ᵛ 1ᵖ 62, or 27ᵈ 7ʰ 43' 12' 65.

1º
81
60

1238)4860(3
3714

1146
60

)68760(55
68090

670
60

)40200(32
39516

684

2º
16
2

14   3   55   32
60

13)343(19
833

10
60

)655(38
646

9
60

)572(33
561

11

The quotient 3 55 32 is properly subtractive from 2 the remainder in the second operation in the last article, but the complement of the whole to the former divisor 16 is here taken, because it is not the time since the 24th Yoga ended that is required, but the time until the end of the 25th Yoga. The dividing by 17 instead of 16 gives the second quotient 49ˢ 38ᵛ 33ᵖ in time, to which adding 59ᵛ 15ᵖ on account of Meridian distance, we get 50ˢ 34ᵛ 48ᵖ for the mean time of the end of the 25th Yoga after noon.

8. To find the number of Anomalistic revolutions of the Moon from the Epoch to the beginning of the present Tellinga year.

1º
185160
3 ×

555480
614 +

3784)556094(146
552464

3630

2º
555480
146

555626
49 +

84)555675(6615
555660

15

The number 185160 on which this computation is founded, appears to be that of the Tidhis elapsed from the Epoch to the beginning of the year (art. 2, no. 4), and having found out that the quotient 6615 must be that of the Anomalistic revolutions of the Moon, it follows that 105952 Tidhis are equal to 3785 Ano-malistic revolutions. One Anomalistic revolution of the Moon is therefore equal to 27.9926024 Tidhis, or 27.554600 natural days, that is 27ᵈ 33ˢ 16ᵛ 33ᵖ 62 or 27ᵈ 13ʰ 18ᵛ 37ᵛ 55ᵛ.

9. To find the Moon's mean Anomaly, expressed in terms adapted to the Index of the Tidhi Table, for the mean time of new Moon.

3630
80

3784)290400(76
287584

2816
60

)168960(44
166496

2464

The first remainder in the last computation is multiplied by 80, but the following fractions are sexagesimal parts of it. The quotient thus found is joined to the second remainder in the last computation, and gives 15 76 44 for the Index required.

Each unit in the first term of this *Index* is the 84th part of one Ano-malistic revolution of the Moon, or 328th of a natural day. Each unit of the second term being one 80th part of the first, is .041 of a natural day, or .246 of a guddia. To reduce guddias to the 246th part of a guddia, multiply

by 4, and to the product add its 60th part. Thus if 15ˢ be given, then $4 \times 15 \times \frac{4 \times 15}{60} = 61$, and 61 : is to 15 :: as 1 : to 246 nearly. The reason of this remark will appear hereafter.

For the number of
mean Anomalistic
revolutions of the
Sun from the Epoch.

10. To find the number of Anomalistic revolutions of the Sun from the Epoch to the beginning of this year.

1°		2°
185160		185160
1900 $+$		32
5720)187060(32		185128
183040		92 $+$
4020		371)185220(499
		185129
		91

From this computation I find that 5719 Anomalistic revolutions of the Sun are supposed equal to 2122120 Tidhis, so that one Anomalistic revolution must be 371.0043714 Tidhis or 365.2587933 natural days; that is 365ᵈ 15ˢ 31ᵛ 39ᵖ 46 or 365ᵈ 6ʰ 12′ 39″ 78‴.

For the Sun's mean
Anomaly for the
mean time of new
Moon in terms of
the Index.

Index of the Solar
Table XL ,90 2 59.

11. To find the Sun's mean Anomaly for the mean time of new Moon expressed in terms adapted to the Index of the Solar Table.

4020	
10 $\times$	
5720)40200(7	
40040	
160	
60	
)9600(1	
5720	
3880	

The quotient is subtracted from the second remainder in the last computation, and leaves 90 2 59 for the Index required.

Each unit in the first term of this Index being the 371st part of one Anomalistic revolution of the Sun, or .9845 of a natural day; each unit of the second term will be .09845 of a day or 5.907 guddias. To reduce guddias to the scruples of time expressed by the second term of the Index, divide by 6, and to the quotient add its 60th part. Thus if 13ˢ be given, then $\frac{13}{6} \times \frac{18}{6 \times 60} = 305$, and 18 is to 3.05 as 5.902 to 1 nearly.

12. To find the Index to the Nacshatra Table for the mean time of the Moon's completing the 26th Nacshatra.

1°			2°			3°		
43ˢ	40ᵛ	25ᵖ	15	76	44	16	29	18
35	40	2		32	34		62	20
8	0	23	21)16	29	18(0 62 20	15	46	58
		4 $\times$	16	29	0			
32	1	32			18			
	32	1						
32	33	33						

From the time of the Moon's completing the 26th Nacshatra (5) subtract the mean time of new Moon (3) which shews the former to be

8ˢ or 25ᵖ later than the latter. Multiply this difference by 4 and to the product add its 60th part (9), which gives 32 31 nearly for the increase answering to that time.

To the Index of the Tidhi Table for the mean time of new Moon (9), add the increase thus found, and it gives the Index of the Tidhi Table for the time of the Moon's completing the 26th Nacshatra 16 29 18.

The Index of the Tidhi Table being expressed in 84th parts of the circumference of a Circle, and the Index to the Nacshatra Table being expressed in 80th parts of the same, the Index of the

former must be diminished *four* 84th parts, or one 21st part, in order to adapt it to the latter Table.

This correction being made, gives 15 46 53 for the Index to the Nacshatra Table at the given time. Index to the *Nacshatra* Table 15 46 53.

13. To find the Index to the Yoga Table for the mean time of the end of the 25th Yoga, or for 50g 34v 48p after noon (7). To find the Index of the *Yoga* Table XXXIX 17 9 13.

	1o				2o				3o	
50	34	48		15	76	44		16	57	23
35	40	2			60	39			31	50
14	54	46		42)16	57	23(0 31 50		17	9	13
		4 X		16	57	0				
59	39	4				23				
	59	39								
60	38	43								

This computation is the same in principle with the last, only that as the Index to the Tidhi Table is expressed in 84th parts of the circumference, and the Index to the Yoga Table in 86th parts of the same, the Index of the former must be augmented two 84th parts, or one 42d part, in order to adapt it to the latter Table.

14. The four Tables made use of in this method, are next to be considered.

The XXXVIIth, or Tidhi Table, answers to an Anomalistic revolution of the Moon, and as its Index increases to 84, each unit thereof is nearly one third of a Tidhi, there being 27.9926 Tidhis in an Anomalistic revolution (8). For each Tidhi, therefore, the Index to this Table must be increased 3 0 4. The first column after the Index seems to be that of the Moon's Equation converted into time by the following proportion, viz. as the Moon's true diurnal motion minus the Sun's mean diurnal motion, is to the Moon's Equation expressed in degrees, &c. so is 60g or a natural day to the Equation inserted in the Table. The last column seems to be that of the true diurnal motion of the Moon minus the mean diurnal motion of the Sun expressed in degrees, &c. Table XXXVII

The XXXVIII, or Nacshatra Table, answers also to an Anomalistic revolution of the Moon, and as its Index increases to 80, each unit thereof, is nearly one third of the time in which the Moon describes a Nacshatra. Hence, as an Anomalistic revolution or 27ᵈ 55 44 (8), is to 80, so is the time of describing a Nacshatra or 1ᵈ.01191 (4) to 2.9379 or 2 75 2, the increase of the Index of this Table answering to one mean Nacshatra. The other column seems to be that of the Moon's Equation converted into time by this proportion, viz. as the Moon's true diurnal motion, is to her Equation expressed in degrees, so is 60g, to the Equation inserted in this column. Table XXXVIII

The XXXIX or Yoga Table, answers still to an Anomalistic revolution of the Moon, and as its Index increases to 86, each unit thereof answers to one third nearly of the time of a mean Yoga. Hence 27ᵈ 55 46, is to 86, as the time of a Yoga, or .94149 (6), to 2.9385 or 2 75 4, the increase of the Index for one Yoga. The first column after the Index seems to be that of the Moon's Equation Table XXXIX

converted into time, by the following proportion, viz. as the **Moon's** true diurnal motion plus the mean diurnal motion of the Sun, is to the **Moon's** Equation expressed in degrees, &c., so is 60g to the Equation inserted. The last column appears to be that of the true diurnal motion of the Moon plus the mean diurnal motion of the Sun.

Table XI.   The XI. st, or Solar Table, answers to an Anomalistic revolution of the Sun, and as it increases to 371, each unit thereof answers nearly to one Tidhi. The first column after the Index seems to be that of the Sun's Equation expressed in degrees, &c. (in the original it was expressed in seconds), but by the manner in which it is used, the Sun's Anomaly seems to be reckoned from the Perigee and not the Apogee. The last column is that of the semi-diurnal Arcs expressed in time.

For the true time of new Moon.   15. To find the true time of new Moon, or of the beginning of the first Tidhi Padyami.

(15   76   44)   Refer to the Tidhi Table with the Index before found (9), and take out the corres-
23g 49v
11′ 50   ponding numbers, with the proportional parts.

6)23g 49v(3 58   The Lunar Equation being additive, the Index to the Solar Table before found
    23   48   4
          1   4   2   (11) requires an augmentation proportioned thereto. Divide therefore the Lunar

90   2   59   Equation by 6, and to the quotient add its 60th part, which gives the cor-
    4   2
90   7   1   rection to be added to the Index to the Solar Table before found.

(90   7   1)   With the Index thus corrected, refer to the Solar Table, and take out the corres-
2° 10′ 23″
14g 41v   ponding numbers from both columns.

710)7823(11   Divide the Sun's Equation expressed in seconds, by the number taken out of the
7810
——
13   last column of the Tidhi Table expressed in minutes, (they are so inserted in the
60   original Tables) and the quotient is guddias and viguddias of time. In other
)780(1   words, say, as the Moon's diurnal motion from the Sun, is to 60g, so is the Arc
expressed by the Sun's Equation, to the time in which it will be described.

0d   35g 40v   To the mean time of new Moon (3), add the Lunar Equation, and also the Solar
0   23   49
0   11   1   Equation reduced to time, and the sum shews the true time of new Moon to
1   10   30   fall on the 28th March at 10g 30v after noon, and by adding the semi-diurnal
0   14   44   Arc, that it fell on the 28th March at 21g 14v after Sun rise.
1   21   14

For the true time of the end of the 26th Nacshatra.   16. To find the true time of the end of the 26th Nacshatra, or the beginning of the 27th named *Revati*.

(15 46   58)   Refer to the Nacshatra Table with the Index before found (12), and take out
225   9v   the corresponding Equation.

```
0  43  40
0  22   9
───────────
1   5  49
0  11  41
───────────
1  20  33
```

To the mean time add this Equation, and also the semi-diurnal Arc, which shews that the 27th Nacshatra began on the 28th March at 5ʒ 49ᵛ after noon, or at 20ʒ 33ᵛ after Sun rise.

17. To find the true time of the end of the 25th Yoga, or beginning of the 26th named *Indra*.

```
17   9  13
20ʒ 47ᵛ
13°  55'
```

Refer to the Yoga Table with the Index before found (13), and take out the corresponding number including the proportional parts.

```
50ʒ 34ᵛ 48ᵖ
35  40   2
────────────
14  51  46
20  47   0
────────────
6)35  41  46(5  57
 35  42   0     5
         ──────────
            6   2
90   2  59
     6   2
────────────
90   9   1
```

The Index to the Solar Table is here not only to be augmented on account of the Lunar Equation, but also on account of the difference between the mean time of new Moon (3) and the mean time of the Yoga, or for 35ʒ 42ᵛ in all; and the correction found by article 11 is to be added in the present instance, to the Index to the Solar Table before found.

```
)90   9  1(
2°  10'  25"

835)7825(9
    7515
    ─────
     310
      60
    ─────
  )18600(22
   18370
   ─────
     230
```

Refer to the Solar Table with the Index thus corrected, and take out the corresponding Equation.

Divide the Sun's Equation expressed in seconds, by the last number taken out of the Yoga Table expressed in minutes, as in article 15th; or say, as the sum of the diurnal motions of the Sun and Moon, is to 60ʒ, so is the Sun's Equation to the time corresponding.

```
0  50  34
0  20  47
───────────
1  11  21
0   9  22
───────────
1   1  59
0  14  41
───────────
1  16  43
```

To the mean time of the Yoga (7), add the Lunar Equation, and from the sum subtract the time answering to the Solar Equation. Add also the semi-diurnal Arc, and the result shews that the 26th Yoga began on the 28th March at 1ʒ 59ᵛ after noon, or at 16ʒ 43ᵛ after Sun rise.

18. To find the Carna for the beginning of the year.

```
30
 2
──
60
 1
──
7)59(8
  56
  ──
   3
```

Thirty Tidhis having elapsed since the preceding new Moon, multiply this number by 2, because a Carna is half a Tidhi; and subtract one from the product, because the first Carna begins in the middle of the first Tidhi. As 59 Carnas have passed since the series began, divide this number by 7, and the quotient 8 shews that so many complete series of the seven ordinary Carnas have passed, and the remainder, that three of the four extraordinary Carnas are also past. The last of the eleven Carnas, or

the fourth extraordinary Carna begins with the first Tidhi, or at 21ᶜ 14ᵛ after Sun rise on the 28th March, as already found (15).

For the mean time of the beginning of the 2d Tidhi.

19. To find the mean time of the beginning of the 2d Tidhi, 23th Nacshatra and 27th Yoga; or end of the 1st Tidhi, 27th Nacshatra and 26th Yoga.

Tidhi.				Nacshatra.				Yoga.			
D.	G.	V.	P.	D.	G.	V.	P.	D.	G.	V.	P.
0	35	40	2	0	43	40	25	0	50	34	48
0	59	3	40	1	0	42	53	0	56	29	22
1	34	43	42	1	44	23	18	1	47	4	10

This is simply to add the mean time of one Tidhi, one Nacshatra and one Yoga (2, 4 and 6) to the mean time of the beginning of the last Tidhi, Nacshatra and Yoga (3, 5 and 7).

For the Indices of the *Tidhi, Solar, Nacshatra* and *Yoga* Tables.

20. To find the Indices of the Tidhi, Solar, Nacshatra and Yoga Tables, for the time of the beginning of the 2d Tidhi, 28th Nacshatra and 27th Yoga.

Tidhi.			Nacshatra.			Yoga.			Solar.		
15	76	44	15	46	58	17	9	13	90	2	59
3	0	4	2	75	2	2	75	4	1	0	0
18	76	48	18	42	0	20	4	17	91	2	59

To the Indices before found (9, 11, 12 and 13) add the increase of each respectively, for one Tidhi, one Nacshatra, and one Yoga (11).

For the true time of the beginning of the 2d Tidhi.

21. To find the true time of the beginning of the 2d Tidhi.

1ᵒ	2ᵒ	4ᵒ	5ᵒ	6ᵒ

(18 76 48)

6)24 47,4 8
   24 48   4
   ─────
          4 12

(91 7 11)

725)7827"(10
     7250
     ─────
       577
        60
     ─────
)34620(48
     34800

	D.	G.	V.
	0	34	43
	0	24	47
	0	10	48
	1	10	18
	0	14	44
	1	25	2

G. V.
24 47

12ᵒ 5'

G. V.
24 47

2ᵒ 10' 27"
G. V.
14 44

3ᵒ
91 2 59
 4 12
─────
91 7 11

The 2d Tidhi begins therefore on the 29th March or 1st day of the Tellinga year, at 10g 18ᵛ after noon or 25g 2ᵛ after Sun rise.

For the true time when the 28th Nacshatra begins.

22. To find the true time when the 28th Nacshatra begins.

1ᵒ	2ᵒ		
	D.	G.	V.

(18 42 0)

	0	44	23
	0	22	59

G. V.
22 59

	1	7	22
	0	14	44
	1	22	6

It begins therefore on the 29th March at 7g 22ᵛ after noon or 22g 6ᵛ after Sun rise.

23. To find the true time when the 27th Yoga begins.

1°			2°			3°			5°		D.	G.	V.
			c.	**v.**	**p.**				850)7827ʳ(9		0	47	4
(20	4	17)	47	4	10	91	2	59	7650		0	21	22
			34	43	42		5	42					
G.	**V.**								177		1	8	26
21	22		12	20	28	91	8	41	60		0	9	12
			21	22	0								
14ˢ	10′								)10620(12		0	59	14
			6)33	42	28(5 37		4°		10200		0	14	44
			33	42	0	91	8	41					
					5				420		1	13	58
					28 5 42	2	10	27					

The 27th Yoga begins therefore, on the 29th March at 13ˢ 58ᵛ after Sun rise.

24. To find the Carna.

A Carna being half a Tidhi, the computation of the former differs in nothing from the computation of the latter ; only that instead of advancing by a mean Tidhi at a time, as in art. 19, no. 1, we must only advance by half a mean Tidhi at a time.

In the present instance, it need only be observed that the 2d Carna begins with the 2d Tidhi.

25. To find the Wurjum next after the new Moon.

	1°				
1ᵈ	22ˢ	6ᵛ		30ˢ	46ᵛ
0	20	33		20	33
1	1	33		51	19
		30		29	28
60)30	46	30(30 46		21	51
30	46	0			

From the time when the 28th Nacshatra begins (22), subtract the time when the 27th begins (16), and the difference 1ᵈ 1ˢ 33ᵛ is the time in which the Moon describes the 27th Nacshatra : then say, as 1ᵈ or 60ˢ, is to the time of the Moon's describing it, so is 30ˢ the Druva of the 27th Nacshatra to the time of the Moon's describing that Arc, viz. 30ˢ 46ᵛ.

To the time thus found, add the time of the Moon's entering the 27th Nacshatra ; which shews that the Wurjum began 51ˢ 19ᵛ after Sun rise, and subtracting double the semi-diurnal Arc, that it began 21ˢ 51ᵛ after Sun set.

The Thyajum or continuance of the Wurjum, is reckoned to be 4ˢ of time.

PART II.

Method of computing the mean and true places of the Planets in the Zodiac, by means of Astronomical Tables.

1. **N**o Tables are made use of in the Surriah Siddhanta, but modern Astronomers often make use of Tables, and as I have been told that *Vavilala Cuchinna*'s Tables agree very well with the Rules given in the Surriah Siddhanta, I shall insert them here, according to the copy which I obtained.

Epoch of Vavilala Cuchinna's Rules and Tables.

It has already been observed, that those who use these Tables commence their computations from noon of the last day of the 4399th year of the Cali yug, for which Epoch, Vavilala has given the Druvas or mean places of the Planets, and their higher Apsides.(*) I have no doubt that he gave the places of the ascending Nodes for the same time, but as I did not obtain this information from my Instructor, I endeavoured to supply it otherwise. Indeed the person from whom I procured a copy, did not know the use of the last column of the Tables for the Annual Equations of the Planets, which I found to be the Chila Carna, and necessary, (according to the method taught in the Surriah Siddhanta,) for finding the Latitudes of the Planets.

2. Druvas or mean places of the Planets, their Apsides, and Nodes, for noon of the last day of the 4399th year of the Cali yug.

Mean place of the Planets on the last day of the 4399th year of the Cali yug, called their *Druva*.

Planets.			s	°	Mean place. ′	″	‴	s	°	Apsis. ′	″	s	°	Node. ′	″
Sun	-	-	11	15	26	34	23	2	17	16	19				
Moon (†)	-	-	11	5	48	37	29	4	15	26	17	0	6	12	9
Mars	-	-	9	22	35	27	41	4	10	2	5	1	10	3	42
Mercury	-	-	10	26	48	8	46	7	10	27	18	0	20	42	4
Jupiter	-	-	10	15	45	15	40	5	21	19	48	2	19	40	35
Venus	-	-	8	22	20	19	15	2	19	50	46	1	29	41	56
Saturn	-	-	2	28	53	31	36	7	26	37	27	3	10	22	39

Motion of the Apsides.

The motion of the Apsides of the Planets was stated to me as follows: Sun's Apogee 1′ in 517 years. Mars' Apsis 1′ in 980 years. Mercury's do. 1′ in 544 years. Jupiter's do. 1′ in 222 years. Venus' do. 1′ in 374 years. Saturn's do. 1′ in 5123 years.

(*) Vide Appendix at the end of the Note.

(†) The Moon's Apogee and Node are subject to a Bijah or correction of 4 revolutions in a Maha yug, as was shewn in the Second Memoir, Part II; but the Tellinga Astronomers do not seem to make use of it. This *Bijah*, with its *Druva*, will be found in Table XXII.

The motion of the Nodes, according to the rules given in the Surriah Siddhanta, may be stated as follows : Mars' Node 1′ in 935 years. Mercury's do. 1′ in 410 years. Jupiter's do. 1′ in 1149 years. Venus' do. 1′ in 222 years. Saturn's do. 1′ in 302 years. It is to be remembered, that all the Nodes are supposed to have a retrograde motion.

Motion of the Nodes.

In finding the Ayanansa, or distance between the vernal Equinoctial point and beginning of *Mesha* ♈, at a particular time ; it is only to be remembered, that these points are supposed to have been coincident at the expiration of the 3600th year of the Cali yug, and that the Equinoctial points have a retrograde motion at the rate of 54′ in one Sydereal year. To find the Ayanansa, therefore, for the end of the 4899th year of the Cali yug, we have 4899 — 3600 = 1299, and 1299×54′ = 19° 29′ 6″, which is but little different from the Ayanansa for the same period found by the former method.

The Ayanansa.

3. A. To find the mean place of the Sun, for the mean time of midnight, at the beginning of the 4900th year of the Cali yug, under the meridian of *Lanca.* From the expired years 4899 of the Cali yug, subtract 4399 years (§ 3), and find the number of days contained in the 4399 difference, which is 182618 (*). Then the Sun's mean motion for this number of days, 500 will be found by the Table, as follows :

The Sun, Table XX, mean Elements.

	s	°	′	″
100000	9	10	15	56
80000	0	8	12	44
2000	5	21	12	19
600	7	21	21	42
10	0	9	51	22
8	0	7	53	5
182618	11	18	47	8

The Sun's mean motion in 182618 days, is therefore found to be 11ˢ 18° 47′ 8″.

Sun's mean motion from Epoch, Index to Solar Table.

s	°	′	″
11	18	47	8
11	15	26	34
11	4	13	42
0	0	29	34
11	4	43	16

To the Sun's mean motion for 182618 days, add the Druva (2) and this gives his mean place at noon of the last day of the 4399th year of the Cali yug, to which adding half the Sun's diurnal motion, we get his mean place for midnight, or the beginning of the 4900th year of the Cali yug.

Sun's mean place at Lanca for mean midnight at Lanca.

B. To find the place of the Sun's Apogee for the beginning of the 4900th year of the Cali yug.

As the Sun's Apogee moves at the rate of 1′ in 517 years (3), we have $\frac{1' \times 500}{517} = 58''$ for its motion in 500 years.

(*) The manner of finding the Index to Vavilala Cuchinna's Tables was given at Part III, Article 2 of the 2d Memoir. In the present case it will be

I. $\frac{66389 \times 500 + 85211}{180000}$. 184 Adigah months, and 12 × 500 + 184 = 6184.

II. $\frac{6270563 \times 6184 - 3875864}{13355331}$. 2902 Cshaya Tidhis, and 30 × 6184 — 2902 = 182618 Bhumi savan days, the Index sought.

Place of the Sun's Apogee.

°	°	′	″
2	17	16	19
			58
2	17	17	17

To the Druva or place of the Sun's Apogee at the Epoch, add the motion of his Apogee in 500 years, and this gives the place of his Apogee at the time required.

True or apparent Elements.

C. Given the Sun's mean place 11' 4° 43′, and the place of his Apogee 2' 17° 17′; to find his true place.

Table XXII.

2	17	17
11	4	43
3	12	34

1° With the Argument 3' 12° 34′ refer to the Sun's Anomalistic Table (5) and take out the corresponding Equation + 2 7.

Sun's true place for mean midnight.

°	°	′
11	4	43
+ 2	7	
11	6	50

To the Sun's mean place for the mean time of midnight, apply the Equation with its proper Sign, and it gives his true place for the mean time of midnight.

Sun's true place and true midnight Arca Bhagabala.

2° For the Arca Bhagábala, take the 365th part of his Equation $+ \frac{2° 7'}{365} = 20''$, which being less than 1′, is here neglected.

Sun's mean diurnal motion 59′ 8″.

Table XXII.

D. Given the Sun's mean diurnal motion 59′ 8″; to find his true diurnal motion.

The Tabular increase of the Sun's Equation for 3' 45′ answering to the Argument 3' 12° 34′ is 1′ 53″, hence $\frac{1'-53 \times 59' 8''}{3° 45'} = 30''$ is the Equation sought.

59′	8″
	30
59	38

The Sun being nearer his Perigee than his Apogee, the Equation is additive.

The Moon, Table XXI, mean Elements.

4. A. To find the mean place of the Moon, as also of her Apogee and Node, for the beginning of the 4900th year of the Cali yug, and Meridian of Lanca.

First find the motion of each respectively for 182618 days, and then add the Druvas (6 3).

Days.	Moon.				Apogee (*)				Node.			
100000	1'	5°	12′	53″	11'	8°	17′	27″	8'	18°	28′	52″
80000	0	28	10	18	9	0	37	53	9	8	47	6
2000	2	12	42	15	7	12	45	57	3	15	58	11
600	11	15	48	41	2	6	49	47	1	1	47	27
10	4	11	45	49	0	1	6	50	0	0	31	48
8	3	15	24	39	0	0	53	28	0	0	25	26

Index.

	Moon.				Apogee				Node.			
182618	11	29	4	35	6	0	31	27	10	15	58	50
Druva	11	5	48	37	4	15	26	17	0	6	12	9
Place at Noon	11	4	53	12	10	15	57	44	1	20	13	19
½ Diurnal motion		6	35	17			3	20			1	35
Place at midnight	11	11	28	29	10	16	1	4	1	20	11	44

Moon's mean place.

B. Given the Moon's mean place, and the place of her Apogee; to find her true place.

(*) The Bijak of 4 revolutions in a Maha yug, additive, is here omitted, as already noticed.

11ˢ	11°	28′
		5
11	11	33

1° To the Moon's mean place *for the mean time of midnight,* add the 27th part of the Sun's Equation $\frac{2° 7′}{27} = + 5′$, for the Arca Bhagábala; *Arca Bhagábala.* and it gives the Moon's mean place for the apparent time of midnight.

10ˢ	16°	1′
11	11	33
11	4	23

2° With the Argument 11ˢ 4° 23′, refer to the Lunar Table, and take *Table XXIII.* out the corresponding Equation 2° 11′.

11	11	33
	2	11
11	9	22

From the Moon's mean place corrected, subtract the Equation thus found, *True or apparent Elements.* and it gives the Moon's true place. *Moon's true place.*

C. Given the Moon's mean diurnal motion 13° 10′ 35″, and her diurnal motion from her Apogee ; to find her true diurnal motion.

The increase of the Moon's Equation for 3° 45′ answering to the Argument 11ˢ 4° 28′, is *Table XXIII.* 13′ 4″; and $\frac{13° 3′ 51″ \times 18′ 4″}{3° 45′} = 1° 2′ 56″$, the Equation sought.

13°	10′	35″
1	2	56
12	7	39

This Equation, in the present instance is to be subtracted from the mean motion.

D. To find the Moon's Latitude for the time given.

11ˢ	9°	22′
1	20	12
9	19	10

From the Moon's true place, subtract that of her Node, to get the Argu- *Moon's Latitude.* ment ; the Sine of which is 3247′, and the Sine of 4° 30′ the inclination of the Moon's Orbit, is 270′, so that $\frac{270′ \times 3247}{3438} = 252′$ is the Sine of the Moon's Latitude and 4° 12′ the Latitude sought, which is South in the present example.

THE PLANETS.

A. To find the mean place of Mars for the beginning of the 4900th year of the Cali yug. *Mars, Table XLI .*

100000	-	6ˢ	21°	56′	16″
80000	-	5	11	33	1
2000	-	10	28	2	19
600	-	10	14	24	42
10	-	0	5	14	25
8	-	0	4	11	32
182618	-	9	25	22	15

To Mars' mean motion for 182618 days add the Druva *Ahargana from the Epoch or Index.* (6 3) 9ˢ 22° 35′ 23″, and half his mean diurnal motion (6 8) 0° 15′ 43″, which gives 7ˢ 18° 13′ 26″ for his mean place at midnight, at the time given. *Mars' mean place at midnight at Lanca.*

B. To find the place of Mars' Apsis and Node for the same time.

Since Mars' Apsis moves at the rate of 1′ in 980 years (3), we have $\frac{1′ \times 500}{980} = 30″$ for its *His Aphelion.* motion in 500 years, and this added to the Druva (6 3), gives 4ˢ 2° 10′ 35″ for its place at the time given.

And since Mars' Node moves at the rate of 1′ in 935 years (3), we have $\frac{1 \times 500}{935} = 32″$ for *His Node.*

Its motion in 500 years, which subtracted (because the Nodes move retrograde) from the Druva (3), gives 1ˢ 10° 5′ 10″ for its place at the beginning of the 4900th year of the Cali yug.

For Mars' true place.

C. Given Mars' mean place, the place of his Apsis, and the Sun's mean place; to find the true place.

1° To the Sun's mean place apply the 365th part of his Equation before found, and to Mars'

Arca Bhagábala.

♂ place once corrected.

mean place apply the 687th part of the Sun's Equation for the Arca Bhagábala; but as these corrections are each of them less than 1′, they are omitted.

s	°	′
11	4	43
7	18	13
3	16	30

Table XLI , part 3.

Twice corrected.

7	18	13
+	18	34
8	6	47

2° From the Sun's mean place, subtract that of Mars, both corrected as above, and with this Argument take out the Equation + 37° 8′ from Mars' Annual Table, and apply one half of this to his mean place once corrected, to get it *twice* corrected.

4ˢ	10°	3′
8	6	47
8	3	16

3° From the place of Mars' Apsis, subtract his place *twice* corrected, and with this Argument take out the Equation 10 20, and apply the half of this to his

8	6	47
	5	10

Thrice corrected.

8	1	37

place twice corrected, to get his mean place *thrice* corrected.

4ˢ	10°	3′
8	1	37

Table XLI , part 2.

8	8	26

♂ true Heliocentric place.

7	18	13
	10	45
7	7	28

4° From the place of Mars' Apsis, subtract his place *thrice* corrected, and with this Argument take out the Equation 10° 45′ from the Anomalistic Table, which apply to Mars' place *once* corrected, in order to get his *true Heliocentric* place.

11ˢ	4°	43′
7	7	28
3	27	15

Part 3.

7	7	28
+	1	9	10

♂ true Geocentric place.

8	16	33

5° From the Sun's mean place corrected by the Arca Bhagábala, subtract Mars' Heliocentric place, and with this Argument take out the Equation + 1ˢ 9° 10′ from the Annual Table, which apply to Mars' Heliocentric place, in order to get his true Geocentric place.

For his true diurnal motion.

D. Given Mars' mean, to find his true diurnal motion.

3521′

Table XLI , part 3.

3438
83

1° From the *Chila carna* answering to the Argument 3ˢ 16° 30′, subtract the *Radius*. From the Sun's mean diurnal motion, subtract that of Mars.

58   8
31   26
―――
27   42

31   26
     20
―――
31   46

Then half the Equation $\frac{27' \, 42'' \times 83'}{3521} = 39''$ is to be added to, or subtracted from Mars' mean diurnal motion, according as the Chila carna is greater or less than the Radius, in order to get his diurnal motion *once* corrected.

Once corrected.

31' 46"
+1   29
―――
33   15

2o The increase of the Anomalistic Equation for 3° 45' when the Argument is 8s 3° 16' is 21'; and half the Equation $\frac{31' \, 46'' \times 21'}{3 \quad 45} = 2' \; 58''$ being added to the diurnal motion *once* corrected, gives it *twice* corrected.

Part 2.

Twice corrected.

31' 26"
+2   21
―――
33   47

3o The increase of Mars' Anomalistic Equation for 3° 45' when the Argument is 8s 8° 26', is 16; and the Equation $\frac{33' \, 15'' \times 16'}{3 \quad 45} = 2' \; 21''$ being applied to Mars' mean diurnal motion, gives his diurnal motion *thrice* corrected.

Part 2.

Thrice corrected.

3438'
3124
―――
 314

Part 3,

4o Take the difference between the Radius and Chila carna answering to 3s 27° 15'.

59'   8"
33   47
―――
25   21

33   47
 2   33
―――
31   14

From the Sun's mean diurnal motion, subtract that of Mars *thrice* corrected.

Then is the Equation $\frac{25' \, 21'' \times 314'}{3124} = 2' \; 33''$ to be applied to Mars' diurnal motion *thrice* corrected, to get his true diurnal motion.

True diurnal motion.

E. To find Mars' Latitude from the foregoing data.

For ♂ Latitude.

1s 10°   3'
1   9   10
―――
2   19   13

To the mean place of Mars' Node (B), add the annual Equation (C, no. 5), which gives its corrected place.

Part 2.
Node corrected,

8s 16° 38'
2   19   13
―――
5   27   25

From Mars' true place (C, no. 5), subtract the corrected place of his Node, and the Sine of the difference is 15 5', Mars' greatest apparent Latitude being

Table XXX.

1° 30', its Sine is 90', and the Chila carna is 3124' (D, no. 4). Hence $\frac{90 \times 155'}{3124} = 4'$ is the Latitude sought, which in the present example is North.

♂ true Latitude.

A. To find the mean place of *Mercury* for the beginning of the 4900th year of the Cali yug.

		°	'	"
100000	- 9	1	48	16
80000	- 4	25	26	37
2000	- 8	24	33	10
600	- 9	25	23	27
10	- 1	10	55	23
8	- 1	2	44	19
182618	- 11	0	56	12

To *Mercury's* mean motion for 182618 days, add the Druva (6 3) 10s 26° 48' 9" and half his mean diurnal motion 2° 2' 46", which gives 9s 29° 47' 7" for his mean place at midnight at the time given.

Mercury, Table XLII.

His mean place at midnight at Lanca,

B. To find the place of Mercury's Apsis and Node for the same period.

Since Mercury's Apsis moves 1′ in 544 years, we have (6 3) $\dfrac{1' \times 500}{544} = 55''$ for its motion in 500 years, and this added to the Druva, gives 7s 10° 28′ 12″ for its place at the given period, and since his Node moves 1′ in 410 years $\dfrac{1' \times 500}{410} = 1' \, 13''$ is its motion in 500 years; and this subtracted from the Druva, gives 0s 20° 40′ 51″ for its place at the time required.

C. Given Mercury's mean place, the place of his Apsis, and the Sun's mean place; to find Mercury's true place.

1° Find the Arca Bhagábala for the Sun as before, and to Mercury's mean place add the 88th part of the Sun's Equation $+ \dfrac{2° \, 7'}{88} = 1'$, which gives 9s 29° 48′ for his mean place once corrected.

9s	29°	48′
11	4	43
10	25	5
11	4	43
	4	36
11	0	7
7	10	28
11	0	7
8	10	21
11	0	7
	2	7
10	28	0
7	10	28
10	28	0
8	12	28
11	4	43
	4	16
11	0	27
9	29	48
11	0	27
10	29	21
11	0	27
	8	6
10	22	21

2° From Mercury's mean place, subtract that of the Sun, both once corrected, and with this Argument take out the Equation 9° 11′ from the Annual Table, one half of which applied to the Sun's place once corrected, gives it twice corrected.

3° From the place of Mercury's Apsis subtract the Sun's place twice corrected, and with this Argument take the Equation 4° 14′ from the Anomalistic Table, one half of which applied to the Sun's place twice corrected, gives it thrice corrected.

4° From the place of Mercury's Apsis, subtract the Sun's place thrice corrected, and with this Argument take the Equation 4° 16′ from the Anomalistic Table, and this applied to the Sun's place once corrected, gives the fourth correction of the Sun's place.

5° From Mercury's place once corrected, subtract the Sun's place four times corrected, and with this Argument take the Equation 8° 6′ from the Annual Table, and this applied to the Sun's place four times corrected, gives Mercury's true Geocentric place.

D. Given Mercury's mean, to find his true diurnal motion.

4533
3438
——
1095

1º From the *Chila carna* answering to the Argument 10ˢ 25º 5′, subtract the Radius.

4	5	32
	59	8

3 6 24

From Mercury's mean diurnal motion, subtract that of the Sun.

| 0 | 59 | 8 |
| + | 22 | 31 |

1 21 39

Then half the Equation $\frac{3º\ 6'\ 24''\times 1095'}{4533}$ = 45′ 2″ is to be applied to the Sun's mean diurnal motion, in order to get the diurnal motion *once* corrected.

| 1º | 21′ | 39″ |
| + | 1 | 6 |

1 22 45

2º The increase of Mercury's Anomalistic Equation, when the Argument is 8ˢ 10º 21′, being 6′, for *one Pinda* or 3º 45′, half the Equation $\frac{1º\ 21'\ 39''\times 6'}{3\ 45}$ = 2 11 is applied to the mean motion once corrected, to get it twice corrected.

| 0ˢ | 59′ | 8″ |
| | 1 | 50 |

1 0 58

3º The increase of the Anomalistic Equation for 3º 45′ when the Argument is 8ˢ 12º 23′, being 5′, the Equation $\frac{1º\ 22'\ 45''\times 5}{3\ 45}$ = 1 50 applied to the Sun's mean diurnal motion, gives it *thrice* corrected.

4572
3438
——
1134

4º From the *Chila carna* answering to the Argument 10ˢ 29º 22′, subtract the Radius.

| 4ˢ | 5′ | 32″ |
| 1 | 0 | 58 |

3 4 34

From Mercury's mean diurnal motion, subtract the Sun's *thrice corrected*.

| 1º | 0′ | 58″ |
| + | 45 | 47 |

1 46 45

Then the Equation $\frac{3º\ 0'\ 31''\times 1134'}{4572}$ = 45′ 47″ applied to the Sun's diurnal motion *three times* corrected, gives Mercury's true diurnal motion.

E. To find Mercury's Latitude from the same data.

| 0ˢ | 20º | 41′ |
| | 4 | 16 |

0 24 57

To the mean place of Mercury's Node, add the Anomalistic Equation (C, no. 4), which gives the Node's place corrected.

| 9ˢ | 29º | 48′ |
| 0 | 24 | 57 |

9 4 51

From Mercury's mean Heliocentric place, subtract the corrected place of his Node, and the Sine of the difference is 3125′. Mercury's greatest apparent Latitude being 2º, its Sine is 120′, and the Chila carna 4572 (D, no. 4). Hence $\frac{120'\times 3125'}{4572}$ = 80′ gives 1º 30′ for the Latitude sought, which in this example is South.

NOTE.—The true places of *Jupiter* and *Saturn* are computed in the same manner, *mutatis mutandis*, with that of the Planet *Mars*, and the true place of *Venus* is computed like that of *Mercury*; so that it is needless to add more examples.

A. To find *Jupiter's* mean place for the beginning of the 4900th year of the Cali yug.

100000	0ˢ	29º	38′	3″
80000	5	17	42	27
2000	5	16	11	24
600	1	19	51	28
10	0	0	49	51
8	0	0	39	53

13.618 1 24 53 16

To Jupiter's mean motion for 182618 days, add the Druva 10ˢ 13º 45′ 16″, and half the diurnal motion 2′ 29″, which gives 0 10ˢ 41′ 1′ for his mean place at midnight at the time given.

His Aphelion.

B. To find the place of Jupiter's Apsis and Node for the same period.

Since Jupiter's Apsis moves 1' in 222 years, we have $\frac{1 \times 500}{222} = 2' 15''$ for its motion in 500 years; and this added to the Druva gives 5^s 21° 22' 3'' for its place at the given period.

His Node.

And since his Node moves 1' in 1149 years, $1 \times 500 = 25''$ is its motion in 500 years, which subtracted from the Druva gives 2^s 19° 43' 9'' for its place at the time required.

Venus, Table XLIV.

A. To find the mean place of Venus for the beginning of the 4900th year of the Cali yug.

100000	0	14	38	22
80000	0	11	42	42
2000	10	24	17	24
600	8	1	17	16
10	0	10	1	17
8	0	12	49	2
182618	8	20	46	13

Index.

Mean place at mid-night at Lanca.

To Venus' mean motion for 182618 days, add the Druva (6 3) 8^s 22° 20' 19'', and half her mean diurnal motion 48' 4'', which gives 5^s 15° 54' 56'' for her mean place at midnight at the time given.

B. To find the mean place of Venus' Apsis and Node for the same period.

Her Aphelion.

Since Venus' Apsis moves 1' in 871 years, we have $\frac{1 \times 500}{871} = 1' 20''$ for its motion in 500 years, and this added to the Druva gives 2° 19° 52' 6'' for its place at the given period.

Her Node.

And since her Node moves 1' in 222 years, $\frac{1 \times 500}{222} = 2' 15''$ is its motion in 500 years, and this subtracted from the Druva gives 1° 29° 39' 41'' for its place at the time required.

Saturn, Table XLV.

A. To find Saturn's mean place for the beginning of the 4900th year of the Cali yug.

100000	3	13	55	51
80000	5	5	8	40
2000	2	6	52	43
600	0	20	3	49
10	0	0	20	4
8	0	0	16	3
182618	11	16	37	10

Index.

His mean place at midnight at Lanca.

To Saturn's mean motion for 182618 days, add the Druva 2° 29° 59' 32'', and half his diurnal motion 1' 0'', which gives 2° 15° 31' 42'' for his mean place at midnight at the time given.

B. To find the place of Saturn's Apsis and Node for the same period.

His Aphelion.

Since Saturn's Apsis moves 1' in 5123 years, we have $\frac{1 \times 500}{5123} = 5''$ for its motion in 500 years, and this added to the Druva gives 7° 26° 37' 32'' for its place at the time required.

His Node.

And since his Node moves 1' in 302 years, $\frac{1 \times 500}{302} = 1' 39''$ is its motion in 500 years, which subtracted from the Druva gives 3° 10° 22' 0'' for its place at the time required.

Arca Bhagábalas of the respective Planets.

In using this method, the Arca Bhagábala for Jupiter is supposed to be the 4334th part of the Sun's Equation; that for Venus the 593th part, and that for Saturn the 10300th part of the Sun's Equation.

These contractions are easily deduced from what was explained in the former section, it being only necessary to divide 360° by the mean diurnal motion of the Planet.

PART III.

Method of computing the Declination, Ascension, Amplitude, &c. of the Planets, &c. &c. a Fragment

A. GIVEN the *Moon's* true place in the Zodiac, her Latitude, and the Ayanansa, to find her Declination.

The Moon.

11s	9°	22'
	19	29
11	28	51

1° To the *Moon's* true place, add the Ayanansa, which gives the Moon's Longitude, the Sine of which is 69' and $\frac{69 \times 1397}{3435} = 28$, answers to the Declination of a point of the Ecliptic which has the same Longitude that the Moon has in her own Orbit.

4°	17'	
	23	
4	40	

2° Because the *Moon's* Latitude and the Declination just found are both South, their sum is supposed to give the Moon's true South Declination.

B. Given *Mars'* true place, the Ayanansa, and his Latitude, to find his Declination.

Mars,

8s	16°	33'
	19	29
9	6	7

1° To *Mars'* true place, add the Ayanansa, which gives his Longitude, the Sine of which is 2416' and $\frac{3416 \times 1397}{3435} = 1389'$, which answers to 23° 51' the Declination of that point of the Ecliptic which has the same Longitude that Mars has in his Orbit.

23°	51'
	4
23	47

2° From the Declination thus found, which is South, subtract Mars' Latitude, which is North, and the difference is the Declination sought.

Given Mercury's true place, the Ayanansa, and his Latitude, to find his Declination.

Mercury.

10s	22°	21'
	19	29
11	11	50

1° To *Mercury's* true place, add the Ayanansa for the Longitude, the Sine of which is 1072'; and $\frac{1072 \times 1397}{3458} = 436'$, which answers to 7° 17' the Declination of the corresponding point of the Ecliptic.

7°	17'
1	30
8	47

2° As the Declination of this point and Mercury's Latitude are both South, their sum is to be taken as Mercury's true Declination.

NOTE.—Although this method of finding the Declination of the Planets be not perfectly correct, yet the principles on which it is founded, are exceedingly obvious.

The Moon's Declination being supposed 4° 40' South, to find the Ascensional difference.

The Moon's Ascensional difference.

For the Cshetijya $\frac{96 \times 280}{599} = 82'$, and for the Charajya $\frac{82' \times 3438'}{3436} = 82$, which is the Ascensional difference sought.

In both this and the last example the second operation might have been omitted, but that is only the case when the Declination happens to be small.

————————

As the reader may be desirous to see how the mean Elements of the Planets are resolved by the Rules of the Surriah Siddhanta, I shall close this paper with summary examples for each. The manner of deducing their apparent places, therefrom, are the same as those indicated by Vavilala Cuchinna.

General Problem.

For the mean places of the Planets.

To find the mean distance of each Planet from the beginning of the Zodiac for the commencement of any year, which let it be that of the 4900th year of the Cali yug (falling on the 19th March 1798) at midnight, under the Meridian of Lanca.

Rule.

The Rule may be expressed as follows:

As the number of Bhumi-savan or natural days in a Maha yug;

Is to the number of Bhaganas, or mean Sydereal revolutions of the Planet, in the same time;

So is the Strostidi Digona;

To the number of Revolutions and parts of a Revolution of the Planet in the same time.

N. B.—The complete Revolutions are seldom wanted; but the excess above complete Revolutions, gives the mean place of the Planet from the beginning of the Zodiac.

1? The Strostidi Digona being computed for the end of the Luni-solar year 4899 of the Cali yug, as indicated in the second part of the Key to the *Siddhanta Chandra Mana*, will be found to be 711404086004 Bhumi-savan days, of which there are 1577917828 in a Maha yug.

			Revolutions. B. Savan days.	Complete Revolutions.	Parts.
☉.	1?	For the Sun's mean place	$\dfrac{4320000 \times 711404086004}{1577917828}$ =	(1955834809)	11^s 4° 43′ 15′
☽.	2?	For the Moon's mean place	$\dfrac{57753356 \times 711404086004}{1577917828}$ =	(26147878366)	11 11 23 29
♂.	3?	For Mars' mean place	$\dfrac{2296832 \times 711404086004}{1577917828}$ =	(1039893292)	7 18 13 26
☿.	4?	For Mercury's mean place	$\dfrac{17937060 \times 711404086004}{1577917828}$ =	(8121024255)	9 29 47 7
♃.	5?	For Jupiter's mean place	$\dfrac{364220 \times 711404086004}{1577917828}$ =	(164901018)	0 10 41 1
♀.	6?	For Venus' mean place	$\dfrac{7022376 \times 711404086004}{1577917828}$ =	(3179338697)	5 13 54 36
♄.	7?	For Saturn's mean place	$\dfrac{146568 \times 711404086004}{1577917828}$ =	(66358828)	2 15 31 42

For the mean distances of the higher Apsides from the beginning of the Hindu Zodiac.

For the higher Apsides of the Planets.

To find the mean distances of the higher Apsides and ascending Nodes of the Planets from the beginning of the Zodiac, for the commencement of the 4900th year of the Cali yug, the rule

differs in nothing from that in the last article ; only that instead of a *Maha yug*, a Calpa (or 1000 Maha yugs) is made use of for this purpose ; excepting for the Moon.

		Revolutions.	Bhumi Savan days.						Apogee.
1º	For the Sun's Apogee - - -	$\dfrac{387\times714404086004}{1577917825000}$	=	(175)	2ˢ	17ᵉ	17'	16"	☉ A
2º	For the Moon's Apogee A Maha yug	$\dfrac{488803\times714404086094}{1577917828}$	=	(221034461)	10	16	1	4	☽ A
	For the Bijah or correction (*) - -	$\dfrac{4\times714404086004}{1577917828}$			+ 0	1	38	1	
				Moon's Apogee	10	17	39	5	
3º	For Mars' Aphelion - - A Calpa	$\dfrac{204\times714404086004}{1577917828000}$	=	(92)	4	10	2	35	Aphelion. ♂ A
4º	For Mercury's Aphelion - - -	$\dfrac{368\times714404086004}{1577917825000}$	=	(166)	7	10	23	12	☿ A
5º	For Jupiter's Aphelion - - -	$\dfrac{900\times714404086004}{1577917828000}$	=	(407)	5	21	22	3	♃ A
6º	For Venus' Aphelion - - - -	$\dfrac{535\times714404086004}{1577917825000}$	=	(242)	2	19	52	6	♀ A
7º	For Saturn's Aphelion - - - -	$\dfrac{39\times714404086004}{1577917828000}$	=	(17)	7	26	37	52	♄ A

For the place of the Nodes.

The rule is the same as for the upper Apsis of the Planets, with this only difference, that they are all supposed to move in *Antecedentia* or retrograde.

<p align="right">For the Nodes of the Planets.</p>

		Revolutions.	Bhumi Savan days.					
1º	For the Moon's Node A Maha yug	$\dfrac{232238\times71440086004}{15779178.8}$	=	(105146017)	10ˢ	9°	48'	16"	☊ ☽

<div align="center">

The Bijah the same as for the Apogee +   0   1   33   1

Place of ☽'s Node - - - 10   11   26   17   and its

</div>

supplement to 12ˢ is 1ˢ 48° 33' 43".

2º For Mars' Node -   A Calpa $\dfrac{214\times714404086004}{1577917828000}$ = (96) 10ˢ 19° 56' 50" and its supplement   ☊ ♂.
to 12s is 1ˢ 10° 3' 10".

3º For Mercury's Node - $\dfrac{488\times714404086004}{1577917828000}$ = (220) 11 9 19 9 and its supplement   ☊ ☿.
to 12ˢ is 0ˢ 20° 40' 51".

4º For Jupiter's Node - $\dfrac{174\times714404086004}{15779178.8000}$ = (78) 9 10 19 51 and its supplement   ☊ ♃.
to 12ˢ is 2ˢ 19° 40' 9".

5º For Venus' Node - $\dfrac{903\times714404086004}{1577917828000}$ = (408) 10 0 20 19 and its supplement   ☊ ♀.
to 12ˢ is 1ˢ 29° 39' 41".

6º For Saturn's Node - $\dfrac{662\times714404086004}{1577917828000}$ = (299) 8 19 39 0 and its supplement   ☊ ♄.
to 12ˢ is 3ˢ 10° 31' 0".

N. B.—The places of the Planets may be resolved from the beginning of the Cali yug by

---

(*) The Bijah is prescribed by the *Tika*, but not by the *Surriah Siddhanta*.

means of Table XX, XXI, XLI, XLII, XLIII, XLIV, and XLV, when the Ahargana is known. But for the Aphelions and Nodes, if these Tables be used, the Epochs and *Druvas* given at the foot of the Tables must be referred to, and the Index must be computed as shewn at Part III, Article 2, of the Key to the *Siddhanta Chandra Mana.*

END OF THE APPENDIX TO THE SECOND MEMOIR.

THIRD MEMOIR.

ON THE

INDIAN CYCLE of 60 YEARS

OR

VRIHASPATI CHACRA;

OR

CIRCLE of JUPITER.

ADVERTISEMENT.

———●●●●●●——

The Indian Cycle of 60 years, or *Vrihaspati Chacra*, in any one of its forms, is of little, or no use in the resolution of Astronomical Problems. The Tellinga Astronomers alone, apply theirs to the computation of the years elapsed of the Cali yug, for finding the Ahargana and *Soota dina*, or day of the full or new Moon.

But in a Chronological point of view Jupiter's Cycle is important, because it was ever a practice in Southern India, when dating documents, to annex the name of the year of the Chacra to that of the concurrent Solar and *Luni-solar* years; and as we know of three different styles bearing the same denomination, two of which occasionally expunge one Chacra year out of the Kalendar, whereas the third (also under the name of *Vrihaspati*) records merely *common Solar years, without any omission*, it follows that in verifying dates, great mistakes may be made, if attending merely to the name or numeral of the Chacra year. It will be seen in the following pages, that in present times the expunged years of the *Jyautistava* Style, precedes those of the Surriah Siddhanta by 13 *years;* and that the whole of the Chacra or Cycle, according to the Tellinga Astronomers, whilst in reality it was 56 years in A. D. 1800 behind those of the two former authorities, yet from their manner of telling off the odd years of the Cycle, it seems to lose only 11 years in the said Christian year.

A view of the Epochs of expunged years from the beginning of the Cali yug to A° 5128 complete (A. D. 2026) according to the Surriah Siddhanta, is given in a separate Table (XVIII, page 20), and in another (XIX, page 23) the same, according to the Jyautistava, from the birth of Salivahana (A. C. 3179, A. D. 78) down to the 2033d Christian year. It also exhibits the difference of Epochs of the two Styles.

These Tables will suffice to rectify by *inspection*, any date recorded in Vrihaspati years *only* (which sometimes happens on old inscriptions, when that of the other Styles is obliterated by time), provided it be known to which Style it belongs; a circumstance which must depend on the country which gave birth to the document.

On the Indian Cycle of 60 Years or Vrihaspati Chacra. (*)

—•◦◦◦◦·◦◦•◦•——

I HAVE not been able to discover the origin of the practice of reckoning time with reference to the revolutions of the Planet Jupiter, but it is no doubt very ancient; not only from there being nothing on record, but from the circumstance of its legitimate application having (if it ever did) long since fallen into disuse in the Peninsula of India, where 60 Solar years are supposed to be equal to five revolutions of the Planet, a proposition which is warranted neither by the Surriah Siddhanta, the Tikas, nor observation.—Generally, one year of Jupiter's Cycle is supposed to answer to the time during which the Planet passes through one Sign of the Zodiac.

The mean Solar Sydereal year, according to the Surriah Siddhanta, consists of 365^d 15^g $31'$ 31^c 24^3 (neglecting 24 suras). Of Jupiter's revolutions there are 364220 in a Maha yug; therefore Jupiter's motion in a Solar year is $\frac{364220}{4320000} = 1^s$ 0° $21'$ $6''$ exactly. Subsequent Astronomers however, finding that this quantity deviated from the observation, have imagined a correction of 8 revolutions of the Planet in a Maha yug; whence we have, as 4320000 to 8 revolutions, so one Solar year of 365^d $15'$ $31'$ 31^c to $2''$ $24''$ the correction or Bijah, which is subtractive;

<div style="float:right">

Solar year of the Surriah Siddhanta 365d 15g 31v 31p 24s

♃'s motion uncorrected 1s. 0° 2′ 6″

Bijah 2″ 24″ per annum.
</div>

Therefore	—	—	—	—	—	1^s 0° $21'$ $6''$ $0''$
Bijah	—	—	—	—	—	— 2 24
Corrected motion in 1 Solar year	—	—	—	1 0 21 3 36

In order to have Jupiter's year expressed in Solar time we have, as 30° $21'$ $3''$ $36''$ to 365^d $15'$ $31'$ 31^c, so 30° to 361^d 2^d 4^p 44^c,2329 &c. the true duration of the Chacra year.

<div style="float:right">

Motion in 1 Solar year 1s. 0°21′3″36″

♃'s year 361p 2d 4p 44c,2329 in Solar time.
</div>

Such are the quantities which govern the Tables at the end, constructed for the purpose of abridging these long and tedious operations.

There are several Rules for computing the years of the Chacra, three of which I shall consider as being the most in use, viz. 1º That of the *Surriah Siddhanta;* 2º that of the *Jyautistava;* and 3º that of the *Tellingas,* the latter of which is followed in the Southern parts of India.

<div style="float:right">

Three Rules or Styles for the Cycle of 60 years.
</div>

Mr. Davis has explained in a general manner the theory of the two former, in a Memoir published in the IIId volume of the Asiatic Researches, but as it required much extension to reduce the respective problems to practice, I shall enter more minutely into the subject than he did.

(*) This Cycle has been imagined, but without foundation, to be the same as the Chaldean Saros.

According to the Surriah Siddhanta.

" Multiply by 12 Jupiter's expired bhaganas (revolutions) and (to the product) add the Sign " he is in; divide (the sum) by 60, the remainder or fraction shews his *current* year, counting " from Vijaya" (the 27th of the Chacra inclusive) " as the first of the series." (Asiat. Researches, volume III, page 213).

How to find Jupiter's elapsed revolutions and mean Heliocentric Longitude at any given Epoch, will be shewn in another part of this collection. At present let it be understood, that it may be readily obtained by means of Table XI. As for the Bijah, Mr. Davis has shewn that 4320000 years are to 8 revolutions, as 1500 years, to 1. Hence $1500 : 1 :: x : \frac{x}{1500}$, which is the general expression of the Bijah, x representing the years expired since the commencement of the Cali yug, when the Planets were supposed to be in conjunction in the first point of the Hindu Zodiac.

EXAMPLE I.

Let it be proposed to find the rank, name and beginning of the *Vrihaspati* year concurring with A. C. 4871, relatively to the commencement of the said Solar Sydereal year *current*, or 4870 *complete*.

Say, as 4320000 Solar years, to 364220 revolutions of Jupiter, so 4870ʸ to 410ʳ 7ˢ 2° 37′ 0″, the revolutions and Longitude of ♃, at the end of the said year.

For the Bijah we have $\frac{4870}{1500}$ = — 0ˢ 3° 14′ 48″

Longitude uncorrected 7 2 37 0

♃'s mean Heliocentric Longitude corrected 6 29 22 12

For the number of Cycles expired and years current.

$$
\begin{array}{r}
\text{Rev.} \quad 410 \\
\times \quad 12 \\
\hline
4920 \\
+ \quad 7 \\
\hline
60)4927(82 \text{ Cycles.} \\
127
\end{array}
$$

Remainder   7 years, from Vijaya, the 27th year of the Chacra inclusive, which therefore makes *Vicari* the 33d, the year current. But here it is to be remembered, that the numeral 33 is merely *nominal*, as will be shewn hereafter.

For the time of beginning of the said year Vicari, relatively to that of the concurrent Solar year 4871, say, as 2° 30′ to 1 month *of 30 days of Jupiter's own time*, so 29° 22′ 12″ (the remaining part of the Longitude) to 11 months, 22 days (352ᵈ), 26 dandas, 23 palas, 19,80 casta. calas of *Sawra* time, which shews the portion of the Planet's time in the year Vicari *expired* on the 1st Chaitram (Bengal Vaisácha) A. C. 4871 current.

Now to have the precise date in *Solar time*, say as before (page 199), as 30° 21′ 3″ 26″ to 365ᴅ 15⁴ 31ᴾ 31°, so 29° 22′ 12″ to 353ᴅ 27ᵈ 10ᴾ 31° (*), the number of Solar days, dandas, &c. elapsed of *Vicari* on the 1st Chaitram 4871 of the Cali yug.

For the date of the beginning of the said Vrihaspati year according to the Christian Kalendar, finding by the General Solar Table at the end of the volume, that the year Cali yugam 4870 *ended* on the 9th April 1769 N. S. it follows that the commencement of the year *Vicari* fell on the 21st April 1768.

And if the Civil date according to the Hindu Solar Style be required, the process indicated in the preceding Memoir, is to be followed.

How to compute the same by the Tables.

Let Jupiter's mean Heliocentric Longitude for the end of the same year Cali yugam 4870, be required. Then by Table XI, we have

				R	S	°	′	″
Epoch 4400	Druva	-	-	370	11	17	20	0
4870	Column III, 400	-	-	33	8	20	40	0
——	II, 70	-	-	5	10	24	37	0
470								
				410	7	2	37	0
		Bijah	-	-	—	3	14	48

For the Bijah, Table XII, page 15. | 410 6 29 22 12
Epoch 4400 | 12
Druva - - 2° 56′ 0″ | ——
Column III, 400 16 0 | 4920·
Column II, 70 2 48 *for 6°* | + 7
——————— | —— Cycle. y.
Bijah - - 3 14 48 | 60)4927(82 7 from Vijaya the 27th.
  | 127

Therefore Vicari the year current - - 7

		°	′	″	
For the Solar time due to	29	22	12	By Table XIII, page 16.	
Column I, 20°	240	41	23	9,4886	
9	108	18	37	25,2699	
II, 20′	4	0	41	23,1581	
2	24	4	8,3159		
III, 10″	2	0	20,6929		
2	24	4,1386			

Solar time expired of *Vicari* - 353ᴅ 27ᵈ 10′ 31°,0640

The same (neglecting the decimals) as in the preceding Rule.

N. B.—The Table XLIII (page 56 of the Tables) of Vavilala Cuchinna, give ♃'s motion in 30 days 2° 29′ 31″ 24″, which for one Solar year amount to 1° 0° 21′ 3″ 26″, differing only from the

---

(*) For ♃'s year expressed in Solar time, say :

As 30° 21′ 3″ 36″ : 365ᴅ 15d 31p 31c :: 30° : 361ᴅ 2d 4p 44c,23293
  6555816″ 78895891c 6·80000″ 77983484,23293

The length of Jupiter's year, which governs Table XIII, page 16.

quantity given by the Surriah Siddhanta, (corrected by the Bijah) by 10", answering to 2 pal. 0,3448 cast. in Solar time.

RULE.

The same according to the Jyautistava (a book on Astrology.)

This Rule expounds the *last expired*, instead of the current year of the Chacra.

" The Saca years note down in two places. Multiply (one of the numbers) by 22. Add (to the " product) 4291. Divide (the sum) by 1875. The quotient (its integers) add to the 2d number " noted down, and divide (the sum) by 60. The remainder or fraction will shew the last year " expired, counting from Prabhava (inclusive) as the first of the Cycle. The fraction, if any left " by the divisor 1875, may be reduced to months, days, &c. expired of the current year." (Asiat. Res. vol. III, p. 214).

Here it is proper to observe, that the fraction of the first term when amounting to unit represents one Chacra year of 360 days, which the Hindus call *Saura* time ; therefore, in order to have the true *Solar time* elapsed it will be, as 360ᵈ Saura to 365ᵈ 15ˢ 31' 15ᵖ (the duration of the Solar year according to the Aria Siddhanta), so is the number of Saura days elicited by the fraction reduced into time, to the corresponding number of days, &c. in Solar Sydereal time.

EXAMPLE II.

Let the year of the Cali yug 4870, or (4870—3179, 1691 Saca complete, be proposed : wanted the circumstances of the concurrent Vrihaspati year.

By the foregoing precept we have 1691.

$$\frac{1691 \times 22 + 4291}{1875} = 22 \ \frac{873}{1875} \quad \text{and} \quad \frac{1691 + 22}{60} = 28 \ \frac{33}{60}$$

The first fraction when reduced into time ($\frac{873}{1875}$), shews that 5m 17d 36dan 57p,6 had expired of the year indicated by the 2d fraction ($\frac{33}{60}$), i. e. *Vicari*, on the 1st Chaitram of the year 1692 Saca current, in *Saura time;* to reduce which into *Solar time* we have, as 360ᴅ : 365ᴅ 15d 31p,25 :: 5m 17d (167d) 36dan. 57p,6 : 170ᴅ 3d 51p,91 or 170ᴅ 3d 51p 54,7cast. And as the Solar year began on the 9th April A. D. 1769 (*), it follows that (according to this Rule) the Chacra year *Sarvari* (the 34th and current one) began on the 21st October A. D. 1768.

In comparing hereafter the results of the two foregoing Rules, we shall thus find them expressed in the same species of time, which Mr. Davis has omitted to consider.

How to compute the same by the Tables.

The fraction of the first member of the expression will be expounded as follows, by Table XIV, page 16.

	Numerator.		D. dan. p.
Column III, for	800	-	153 56 0
II,	70	-	13 26 24
I,	3	-	34 33,6
5m 17d 36dan. 57p,6		in Saura time	167 36 57,6

(*) Solar General Table at the end.

To reduce which to Solar time, by Table XVI, page 18.

			D.	dan.	p.
Column I,	100	-	101	27	33.68200
II,	60	-	60	52	35,20920
	7	-	7	6	8.10774
	50	-		30	26,29341
	6	-		6	5,25868
III,	50	-			50,70037
	7	-			7,10224
	0,6	-			0,60876

		D.	dan.	p.	cast.
Expired in Solar time	-	170	3	51,91240 or 170 3 01 54,744

The same result as by the Rule.

ILLUSTRATION.

The multiplier 22, and the divisor 1875, are explained in the following manner by Mr. Davis.

According to the Astronomical treatise called the Aria Siddhanta, there are 364224 mean revolutions of Jupiter in a Maha yug (instead of 364220 assigned by the Surriah Siddhanta, the Solar years of the latter being 365ᴰ 15ᵈ 31ᵖ 31ᶜ and of the former 365ᴰ 15ᵈ 31ᵖ 15ˢ); therefore 364224 rev. contain 4370088 of the Planet's *own years,* which exceed the Solar years in a Maha yug by 50688", and 4320000' and 50688 being reduced to their lowest terms are 1875 and 22; therefore in 1875 Solar years, there is an excess of 22 Vrihaspati years.

The additive number (1st member) 4291, by the Hindu Astronomers called *Cshepa,* adjusts the computation to the commencement of the Æra Saca, or the birth of Salivahana, which occurred when 3179 years of the Cali yug had expired. In order, therefore, to have the time elapsed of the Vrihaspati account at that Epoch, if we use the above formula it will be $\frac{0 \times 22 + 4291}{1875} = 2 \frac{541}{1875}$ and $\frac{0 + 2}{60} = 0 \frac{2}{60} = \frac{4291}{1875} = 2y$ 3m 13d 52dan. 19p,2 in *Saura* time, and 2y 105d 23Jan. 21p 29c,8872 (Table XVI) *of mean Solar Sydereal time,* which had already expired of the 54th Cycle when that Æra began. (*)

(*) In order to compare this Epoch as expounded by the two Rules, we shall compute the same by that of the Surriah Siddhanta, as follows :

Epoch 4400				years.	R.	s.	°	'	"
3179	Table XI, Column III,	1000	-		84	3	21	40	0
———		200	-		16	10	10	20	0
1221	II,	20	-		1	18	7	2	0
	I,	1	-		0	1	0	21	6
		1221	—		102	11	9	23	6
	Druva	-	-		370	11	17	20	0

For the Bijah.			'	'	"
Table XII.					
Column III, 1000	-	40	0	0	
200	-	8	0	0	
II, - 20	-		48	0	
I, - 1	-		2	24	
1221	—	48	50	24	
Druva - 2	-	53	0	0	
Bijah - 2	-	7	9	36	

Bijah - - - -

268	0	7	56	54
	2	7	9	36
268	0	5	49	44	24
12				
536				
2680				
1				

60)3217(53 17/60
217
Remainder 37

RULE.

According to the Tellinga Astronomers.

Rule according to the Tellingas. This Rule gives the last expired year from the beginning of the Cali yug : it takes no notice of the commencement of the Vrihaspati year, which it identifies with that of the *Chandra mana*, or Luni-solar year current.

Precept. " Divide the expired years of the Cali yug by 60, the quotient will give the number of Cycles " expired, and the first year of the remainder will answer to *Pramathi* the 13th year of the " Chacra. Count the number of units of the said remainder from the said Pramathi (inclusive), " you have the year of the Chacra last expired, and that which follows is the current one."

EXAMPLE.

Rule. Let it be proposed to find the rank and name of the Vrihaspati year concurrent with A. C. 4870 complete, or 4871 current.

By the above precept we have

$$60)4870(81 \tfrac{10}{60}$$
$$70$$
$$10$$

and the numerator of the fraction 10 being told off from Pramathi *inclusive*, gives *Sarvadhari* the 22d, as the last expired, and *Virodhi* the 23d, as the current year sought ; the integers shew-ing that 81 Cycles have elapsed since the beginning of the Cali yug, and therefore that the 82d is the current one.

Comparison of the three results.

Comparison of the three results. In order to compare the number of Cycles and years expired according to each Rule, we are not to refer to the *numerals* of the Chacra years, as arranged in the series given in modern Astronomical books; because each authority begins from a different point of the Chacra for counting the odd years after division by 60; without any reference to the revolutions of the Planet at any given Epoch, which nevertheless are the true scale by which such time should be measured.

which remainder 37, counted from Vijaya the 27th of the Chacra, falls on Suda the 3d year current of the 54th Cycle complete ; and for the time due to 5° 49′ 44″ 24‴ Longitude of the Planet on the 1st day of the Solar year Cali yugam 3180, we have

					r.	d.	p.	e.
Table XIII, Column 1,	5°	.	.	.	60	10	20	47,3722
II,	40′	.	.	.	8	1	22	46,3163
	9	.	.	.	1	48	18	37,4212
III,	40″	.	.	.	.	8	1	22,7719
	4	.	.	.	.	.	4S	8,2772
IV,	20‴	.	.	.	.	.	4	0,6897
	4	.	.	.	.	.	.	48,1380

	Cycles.				
Solar time expired at the beginning of the Æra Saca	54	2 years	70	8	56	30,9865
		2	105	23	21	29,8872
Difference			35	14	24	58,9067

The Surriah Siddhanta, from counting the odd years from Vijaya (the 27th) as *one* or Nandana (26th) as zero, considers manifestly that Jupiter and the Sun were once in the first point of Mesha at the beginning of *Vijaya* and of the Cali yug. Thus in Example I, page 200, we found that at the end of the Solar year of the Cali yug 4870, the current Chacra year was *Vicari* (33d) and the last expired *Vilamva* (32d) of the 82d Cycle current. But the revolutions and Longitude of Jupiter at that instant were 410^r 6^s 29° 22' 12", which gave 82° 6' *complete*, the 6 years to be counted from *Nandana* as zero, and therefore *Vilamva* the 6th in the series marks the true time elapsed, and not *Vilamva* the 32d, as numbered in the modern list. The former is consequently that to be used for comparison.

2º The *Jyautistava* rule which computes in Solar years, but with reference to Jupiter's motion, takes the series to be numbered as in the list referred to, viz. *Cshaya* the 60th year of the Chacra as zero and *Prabhava* as one. But in so doing it uses a *Cshepa* of 27 years earlier than the Surriah Siddhanta, which adapts the numerator of the fraction of the second member of its rule, to the year elicited by the latter.

Thus in Example 2, page 202, the cycles and years expired in the year Cali yug 4870 complete from the birth of Salivahana are, 28 cycles, 33 years, to which adding 54 years, we have for the cycles and years expired since the beginning of the Cali yug 82° 33', if from this we subtract 27

$$82° 33' - 27 = 82° 6'$$

we have 82 6, the same numbers as those elicited by the rule of the Surriah Siddhanta when taking Vijaya as 1 of the series.

3º With respect to the Tellingas, as their account is entirely *Solar* without any reference to the motion of Jupiter, the difference is exactly that arising out of the *Solar* and *Vrihaspati* years expired. Hence if we divide the year of the Cali yug 4870 by 60,

we have for quotient		81° 10'
which subtracted from		82 6
leaves		0 56

which 56 years mark the number of expunged or *Cshaya* years which have occurred since the beginning of the Cali yug, as will be shewn from other principles.

From the foregoing considerations it follows, that the relative measure of time of the respective accounts is not to be deduced from the numerals of the years of the Chacra according to our list, but from the actual revolutions of the Planet as expounded at page 200, Example I, the former giving the following *erroneous* results, viz.

From the Surriah Siddhanta	82° 32'	$\}$ + 0° 1'
Jyautistava	82 33	
Tellinga	81 22	$\}$ − 1 10 or 70 years, which on

a first view might be supposed to be the correct ones.

Of the Cshaya *or expunged year.*

I shall now proceed to explain the occasion of the Cshaya, or expunged year of Jupiter due at certain periods, resulting from the theories of the Surriah Siddhanta and Jyautistava, that omission being unknown to the Tellingas.

Surriah Siddhanta.

We have seen at page 199, that the mean motion of Jupiter in Heliocentric Longitude according to the Surriah Siddhanta (corrected as the Tíka directs), in a Solar year of 265° 15d 31p 31c, is $\quad = \quad$ 1ˢ 0° 21′ 3″ 36‴

Multiply by $\quad \times$ 85

Mean motion during 85 Solar years	7ʳ	1	29	50	6	0
Add motion for 1 year		1	0	21	3	36
Mean motion during 86 Solar years	7	3	0	11	9	36

Here it will be perceived that during the interval from 85 to 86 Solar years, the degrees pass from 29 to 30; and the signs from 1 to 3; and as the signs represent years of the Planet, it is clear that between 85 and 86 years the name of one of the Chacra is to be omitted.

In order to ascertain the precise period in Solar time, multiply the duration of one Solar year $\quad$ 365ᴅ 15ᵈ 31ᵖ 31ᶜ

by $\quad \times$ 86

☉ sum of days	31412	15	10	26
And the duration of 1 of ♃'s year (page 199)	361	2	4	41,23293
by				87
♃'s sum of days	31410	0	52	8,26501
☉ sum of do.	31412	15	10	26
Difference		2	14	18	17,73499

which difference answers to 11′ 9″ 36‴ of Longitude in degrees above found (vide Table XIII, page 16 of the Tables).

It appears therefore, that 86 Solar years answer to 87ʳ 2ᴅ 14ᵈ 13ᵖ 17ᶜ,73499 &c. of Jupiter's time (the days, dandas, &c. expressed in Solar time,) and that 7ʳ 3ˢ 0° 11′ 9″ 36‴ of his motion in Longitude have a constant ratio to the period of recurrence of the expunged year.

Let ♃'s Longitude at the end of the Solar year Cali yugam 4871, computed by Table XI and XII be, with the number of his expired revolutions $\quad$ 410ʳ 7ˢ 29° 43′ 15″ 36‴

add $\quad$ 16 44 24

You have 8 signs without a remainder $\quad$ 410 8 0 0 0 0

Now 16′ 44″ 24‴ (Table XIII) answer to 3ᴅ 21ᵈ 27ᵖ 26ᶜ,4027 of Solar time very nearly.

It follows therefore, that a *Cshaya* or expunged year will be due in the Solar year 4872 current, when 3ᴅ 21ᵈ 27ᵖ 26ᶜ of the month Chaitram have expired.

To the Solar year 4871, add 86 years, the sum will be 4957 complete.

		R.	S.				
To ♃'s Longitude above found	- - - - -	410ʳ	7ˢ	29°	43′	15′	36″
Add for 86 Solar years (Table XI)	- - - - -	7	3	0	11	9	36
♃'s Longitude at the end of 4957	- - -	417	10	29	54	25	12
	add					5	34	48
You have 11 signs without a remainder	-	417	11	0	0	0	0

But by Table XIII, 5′ 34′ 43″ answer to 1ᴅ 7ᵈ 9ᵖ 8ᶜ,8009, therefore the expunged year was due in the Solar year 4958 current, when 1ᴅ 7ᵖ 9ᵖ 8ᶜ of the month Chaitram had expired.

		y.	ᴅ.	d.	p.	c.
Hence, as the 2d Cshaya was due in 4958		1	7	9	8	8009
		(365	15	31	31)	

		4957	366	22	4	39,8009
And the 1st in - - -	4872	3	21	27	26,4027
		85	363	1	13	13,3982, which reduced into Jupiter's

time by Table XVII, page 18, will be

Solar.		Of Jupiter.						Period of the Cshaya
y.		y.	ᴅ.	d.	p.	c.		85y 363ᴅ 1d 13p
Column 2, 80 - - -		80	337	55	42	21,2416		13c,3982.
5 - - -		5	21	7	13	53,8274		
		+	363	1	13	13,3982		
		2) 722	4	9	28,4672		
One year of Jupiter, page 190 - - -		(361	2	4	44,2336)		
Sum of ♃'s years - - - - -		87	0	0	0	0	

Therefore 85ʸ 363ᴅ 1ᵈ 13ᵖ 13′,3982 &c. of Solar time, answer precisely to 87 years of Jupiter's, and the former quantity marks *in Solar time* the period when one of Jupiter's years is to be expunged. This is the quantity which governs Table XVIII, page 20, where the Epoch of every *Cshaya* due since the beginning of the Cali yug is exhibited. (*)

It need hardly be hinted that the Equation 16′ 44″ 24″ added to the process for the year 4871, and 5′ 34″ 48″ for the year 4957, when added together amount to 11′ 9″ 36″, the common excess of ♃'s Longitude over 3 signs in 86 Solar years, as has been shewn at page 206.

In the preceding Examples, as the degrees of ♃'s Longitude did not amount to a whole sign when the Solar year began, the *Cshaya* was due in the beginning of the following Solar year: but if we continue as before for the next period, viz.

		R.	S.	°	′	″	‴
Revolution and Longitude A. C. 4957	- -	417	10	29	54	25	12
86	- -	7	3	0	11	9	36
5043	- -	425	2	0	5	34	48

(*) The mean difference used in that Table is 85y 363 1 13 13,3989, differing from the above $\frac{7}{10000}$.

As the minutes, seconds and thirds exceed a complete sign (whereas the same quantity was wanting from it in the preceding Example), it shews that the *Cshaya* was due before the end of the Solar year 5043; and that the interval of time wanting to reach it, is that which answers to 5′ 34′ 48‴, viz. 1ᴰ 7ᵈ 9ᵖ 8ᶜ,8009: so that the precise Solar Epoch is A. C. 5043y 354ᴅ 8d 22p 22c,1991.

By help of these observations, the construction and use of the Tables from XI to XVIII may be easily understood and demonstrated.

I shall now turn to the consideration of the periods of the expunged years of the Chacra according to the *Jyautistava* account, the theory of which is rather more intricate than that of the foregoing style.

Of the expunged year according to the Rule of the Jyautistava.

We have already observed (page 202) that the Jyautistava follows the periods of the Aria Siddhanta, which assigns 4370688 revolutions of Jupiter in a Maha yug, or 4320000 mean Solar Sydereal years, the duration of each being 365ᴅ 15d 31p,25. It appears, however, that the author of the rule has occasionally warped these quantities, so as to make them fit his system, which represents the duration of one year of ♃ to be equal to $\frac{1875}{1875}$, and which fraction serves to express the different circumstances of the Problem.

From what precedes, Jupiter's year is $\frac{4320000}{4370688}$ = 0y 11m 25ᴅ 49d 29p,95255, &c. or 355ᴅ 49d 29p,95, &c. expressed in *Saura* time of 360 days in the year.

In order to have the same expressed in Solar Sydereal time, say, as 360ᴅ : to 365ᴅ 15d 31p,25, so is 355 49 29,95255, &c. to 361ᴅ 1d 21p,6496, which is the duration of the Vrihaspati year according to the Aria Siddhanta.

It will be shewn however, presently, that the Jyautistava takes the Vrihaspati year nearer to 355ᴅ 49d 30p,418604, &c. of Saura time, the difference being 0p,466050, and that in one of its Equations, it retrenches 2p,03239, &c. from the duration of the same, for no other purpose, that I could discover, than to fit the theory to the rule.

Of the occasion of the Cshaya year.

Let the circumstances of the Vrihaspati year concurring with A. C. 4858 or 1679 Saca, be computed; there will be $\frac{1679 \times 22 + 4291}{1875} = 21\frac{1854}{1875}$ and $\frac{1679+21}{60} = 28\frac{20}{60}$.

The 1st term reduced into Saura time will give 21 years, 11m 25ᴅ 58d,4, by which quantity (at that period) the Vrihaspati had advanced before the Solar time, and the last member of the rule

shews that 28 cycles and 20 years had elapsed since the Epoch. *Vijaya* was therefore, the last expired year, being the 20th of the Chacra, and *Sarrajit* the 21st, the current one, of which the above number of Saura months and days had expired on the 1st Chaitram (Bengal Vaisacha), or the beginning of the Solar year 1680.

Compute now for the ensuing year Cali yug 4859, or 1680 Saca.

$$\frac{1680 \times 22 + 4291}{1875} = 22 \frac{1}{1875} \text{ and } \frac{1680 + 22}{60} = 23 \frac{22}{60}.$$

Here it will be perceived, that the first member has passed from $21 \frac{1854}{1875}$ to $22 \frac{1}{1875}$ and the second from $28 \frac{20}{60}$ to $23 \frac{22}{60}$, the numerators of the last fractions 20 and 22 shewing that in the space of one Solar year, *one* of the Chacra is to be passed over: Hence, on the beginning of the Solar year 1681 the last *Vrihaspati* year expired is not *Sarvadhari* the 22d, but *Virodhi* the 23d.

Again, as in the computation for 1679 the fraction of the 1st member was $\frac{1854}{1875}$, which answered to $11^m 25^p 58^d,4$ Saura time expired, there wanted only $4^p 1^d 56p$ for reaching the commencement of the next Chacra year *Sarvadhari*.

But in the rule for 1680, the fraction of the 1st term was $\frac{1}{1875}$ answering to $11^d 31p,2$ Saura time already elapsed on the 1st Chaitram since the year *Sarvadhari* had *ended*. Hence the whole of the Chacra year *Sarvadhari* was expended during the Saca year 1630 current, on which account (like the Lunar Tidhis which begin and end in the same Solar day in the Chandra Mana) that year is expunged out of the Kalendar. **Cause of the Cshaya.**

In order to account for that circumstance, we shall consider generally the period of recurrence of the expunged year. **Illustration.**

For the periods of the Cshaya.

It is to be observed that, the only variable quantity of the first member of the rule is the numeral of the Solar year for which the time is computed, and as that quantity is always multiplied by 22, it follows that the first term increases yearly by $\frac{22}{1875}$, and if we raise this quantity by 86, the first term will increase by $(86 \times \frac{22}{1875})$ ly $\frac{17}{1875}$ in 86 years.

Thus if we compute for the years Saca 572 and 658, we shall have for 86 Solar years

$$\text{1st.} \quad \frac{572 \times 22 + 1291}{1875} = 9 \frac{0}{1875} \text{ and } \frac{572 + 9}{60} = 9 \frac{41}{60}.$$

$$\text{2d.} \quad \frac{658 \times 22 + 4291}{1875} = 10 \frac{17}{1875} \text{ and } \frac{658 + 10}{60} = 11 \frac{8}{60}.$$

2d. (11° 8ʸ or) 10° 68ʸ $+ \frac{17}{1875}$
1st.   9 41 $\frac{0}{1875}$

Difference   1 27 $\frac{17}{1875}$ or 87ʸ $\frac{17}{1875}$.

Therefore 86 Solar years answer to $87 \frac{17}{1875}$ *of the rule*, and subtracting the fraction *from* both, we have $85 \frac{1854}{1875}$ and 87 years, which however, must not be taken to be exactly 87 years of the Planet, as shall be shewn presently.

The fraction $\frac{1854}{1875}$ being converted into time (Table XIV, page 16) will answer, together with the years, to 85y 356ᴰ 44d 9p,6, and this is one of the periods which will serve for finding the Epoch of any other expunged year, *that* of any one being given.

The other period requisite for the general resolution of the problem, is the *time due to 86 of*

1st period. $85 \frac{1854}{1875}$
or 85y 356ᴰ 44d 9p.6
or 85 361 56 49,206
in Solar time.

Jupiter's years, which being one less than the preceding, may be obtained by subtracting from the integer the annual increase or $\frac{1875 - 22}{1875} = \frac{1853}{1875}$. This quantity subtracted from the first period, viz. 85 $\frac{1858 - 1853}{1875} = 85 \frac{5}{1875}$, will give the period sought; and the fraction $\frac{5}{1875}$ answering to 57ᵈ 36ᵖ, will be in *Saura time* 85y 0D 57d 36P precisely *according to the rule.* (*)

Resolution of the Epochs.

By means of the two periods above determined, the recurrence of the expunged year may be found with precision according to the Jyautistava account.

EXAMPLE.

Let the given Epoch be that calculated at page 209, by means of the year Saca 572, where the fraction of the 1st member being zero, shews that the commencement of the Solar and Vrihas-pati years were simultaneous. We shall have the following series.

$$572 + \begin{cases} 85 & \frac{1858}{1875} = 572 + 85 + \frac{1858}{1875} = 657 \frac{1858}{1875} = 657 \quad 356 \quad 41 \quad 9,6 \\[2mm] 2\times85 & \frac{5}{1875} = 572 + 170 + \frac{1858+5}{1875} = 742 \frac{1863}{1875} = 742 \quad 357 \quad 41 \quad 45,6 \\[2mm] 3\times85+2\times\frac{5}{1875} = 572 + 255 + \frac{1858+10}{1875} = 827 \frac{1868}{1875} = 827 \quad 358 \quad 39 \quad 21,6 \\[2mm] 4\times85+3\times\frac{5}{1875} = 579 + 340 + \frac{1858+15}{1875} = 912 \frac{1873}{1875} = 912 \quad 359 \quad 36 \quad 57,6 \end{cases}$$

with header: y. 572, D. 0, d. 0, p. 0

Saura time,

where the 1st period (of 87 Chacra years) has first been added to the Epoch A. S. 572, and then the 2d (of 86 C. years) added in succession so long as the fraction does not exceed unity or $\frac{1875}{1875}$.

In the present case the fraction amounting in A. S. 912, to $\frac{1873}{1875}$ cannot evidently be increased by $\frac{5}{1875}$ without exceeding unity, as was the case at the preceding periods: Hence, the last resolution A. S. 912 $\frac{1873}{1875}$ becomes a new Epoch, to which the first equation is again to be applied; the remainder of the fraction to unity being $\frac{2}{1875}$.

(*) That these periods of Jupiter's revolutions are only *true*, relatively to the Rule, will appear from multiplying his year according to the Aria Siddhanta (above determined) by 86 and 87.

$$355_D \, 49d \, 29p,95255 \times \begin{matrix} 86 = 85y & 0_D \, 56d \, 55p,91930, \&c. \\ 87 = 85 & 356 \quad 46 \quad 25,87185, \&c. \end{matrix} \Big\} \text{ Saura time.}$$

N. B.— In the following Examples I have preserved the *Saura* in preference to the *Solar* time, because the fraction is easily reducible to it by means of Table XIV.

For the succeeding Epochs we have, therefore,

$$912 + \begin{cases} \text{Y.} & \text{Epoch} & 912 \ \dfrac{1873}{1875} = & 912 & 359 & 36 & 57,6 \\[2mm] 85 + & \dfrac{1858 + 1873}{1875} = & 998 \ \dfrac{1856}{1875} = & 998 & 356 & 21 & 7,2 \\[2mm] 170 + & \dfrac{1858 + 5 + 1873}{1875} = & 1083 \ \dfrac{1861}{1875} = & 1083 & 357 & 18 & 43,2 \\[2mm] 255 + & \dfrac{1858 + 10 + 1873}{1875} = & 1168 \ \dfrac{1866}{1875} = & 1168 & 358 & 16 & 19,2 \\[2mm] 340 + & \dfrac{1858 + 15 + 1873}{1875} = & 1258 \ \dfrac{1871}{1875} = & 1253 & 359 & 13 & 55,2 \end{cases}$$

Saura time,

where the period for the year Saca 998 has been found by adding $912 \frac{1873}{1875}$ to $85 \frac{1856}{1875}$ the 1st equation (page 210) $= 912 + 85 + 1 + \frac{1856}{1875} = 998 \frac{1856}{1875}$, and the subsequent ones by adding $85 \frac{5}{1875}$ for each interval to $912 \frac{1873}{1875}$.

Here again the last fraction warns us that the series can be carried no further, the remainder to unity being $\frac{4}{1875}$ and the periodical increase being $\frac{5}{1875}$. Therefore a new Epoch must again be determined by adding $85^y \frac{1858}{1875}$ to $1258 \frac{1871}{1875}$, as we have done in the preceding case.

And thus the periods, when a Chacra year is to be expunged, may be calculated ad infinitum without the least error.

N. B.—The series of Epochs the difference of which is 86 Chacra years, and which in the two preceding Examples extend only to *four*, may in some cases amount to *five*; which circumstance depends on the fraction approaching sooner or later to unity. Thus if the foregoing periods be carried on, by the same rule, the 4th period from the last Epoch will be $1594 \frac{1869}{1875}$ and the fraction admitting of a farther increase by $\frac{5}{1875}$ without reaching unity, the next will be $1679 \frac{1874}{1875}$, wanting only $\frac{1}{1875}$ from it, and therefore occasioning a new Epoch.

General Observations.

As it has been customary from time immemorial in Southern India, to annex the name of the Vrihaspati year to all dates expressed in Luni-solar time, and as the Jyautistava rule which is followed in some countries gives Epochs for expunged years greatly different from those of the Surriah Siddhanta, I have taken some pains to investigate the mechanical operation of the rule of the former with a view to establish the difference of their Epochs, and this will be found in Table XIX, p. 23, where the Epoch of every expunged year according to the two Styles, has been computed since the Epoch of Salivahana, beyond which the Jyautistava account does not ascend.

Concurrence of the Siddhanta and Jyautistava Chacra years.

Table XIX, page 23, shews that whereas in the year of the Cali yug 3239, or Saca 60, the Jyautistava account placed the Cshaya *two* years *later* than the Surriah Siddhanta, in the present time, on the contrary (1679 Saca) it falls 13 years earlier.

For the years of the Chacra according to the Tellingas relatively to those of the Sastra's style, see page 205, where it is shewn that in the 4870th of the Cali yug the former was slower by 56

Concurrence of the Siddhanta and Tellinga Chacra years.

years, the number of expunged years since the commencement of the yug, an equation unknown to the Tellingas.

On the concurrence of the Vrihaspati and Christian years.

Lastly, with regard to the concurrence of the Christian years with those of the Chacra, although we have been compelled for the sake of arrangement to annex the numeral of the Christian year which coincides most with the Hindu Solar years, to the beginning of which the time elapsed of the Vrihaspati year is referred, yet it is sufficiently obvious from what has been stated in the first part of this article, that it may be very near ending when the former is about to commence; in which case there would be so much of the *Vrihaspati* year elapsed on the Christian date on which the Hindu Solar year begins (which for a long time past has been in the month of March, *Julian style*), that the said *Chacra* year would more propeily be coupled with the preceding Christian year than the former.

Thus on the 1st Chaitram of the Solar year 4871 from the Cali yug current, there remained, according to the rule of the Surriah Siddhanta, only 7 days to run of the Chacra year *Vicari* ($362^d\ 2^v$—$353^d\ 17^v$)—but the said Solar year began on the 9th April 1769; therefore the greatest part of Vicari from its beginning elapsed in A. D. 1768. But the custom has always been to couple the name of the Vrihaspati year, at whatever period it may begin, with that of the Solar years from whose commencement that of the former is deduced. Now as A. D. 1769 is considered mainly to coincide with A. Cal. 4871 *current* (4870 ending in the said Christian year), so is Vicari, the Chacra year under consideration, coupled with 1769; and thus Mr. Davis has found that the year of Christ 1784 corresponded with *Anauda* and *Racshasa* the 48th and 49th years of the Chacra (*); but this double notation would be attended with so much inconveniency, that I have seen it used no where.

On the Vrihaspati Cycle of twelve years.

In the Cycle of sixty are contained 5 Cycles of twelve years, each supposed equal to one year of the Planet. I only mention this Cycle because I found it mentioned in some books, but I know of no nation or tribe that reckons time after that account.

The names of the five Cycles, or Yugas, are as follows:

Names.		Presided by
1. Sumvatsara	- -	Agni.
2. Parivatsara	- -	Arca.
3. Iduvatsara	- -	Chandra.
4. Anuvatsara	- -	Brahma.
5. Udravatsara	- -	Siva.

The name of each year is determined from the Nacshatra in which Vrihaspati rises and sets heliacally ; and they follow in the order of the Lunar months.

The years beginning with the month *Cartic* commences with the Nacshatra *Critica*, and to each year there appertains two Nacshatras, except the 5th, 11th, and 12th years, to each of which belongs three Nacshatras.   These are arranged in the following order :

	Months beginning years.	Nacshatras.		Months beginning years.	Nacshatras.
1	Cartic	Critica, Rohini	7	Vaisácha	Visac'ha, Anurádhà
2	Agrahayan	Mrigasiras, A'rdrà	8	Jyaishtá	Jyést'ha, Mula
3	Paushia	Punarvasu, Pushia	9	Ashar	P. A'shád'hà, Ut. A'shád'hà
4	Mágha	Asleshà, Maghà	10	Srávana	Srávana, Dhanish'tà
5	P'ha'lguna	P. Phalguni, Ut. Phalguni, and Hasta	11	Bhádrapada	Satabhisha, P. Bhádrapada, Ut. Bhádrapada
6	Chaitra	Chitra, Swáti	12	A'swina	Revati, A'swini, Bharani.

It may be remarked that in the foregoing arrangement *Cartic* is placed the first in the Cycle of 12.   It may therefore be inferred, that there was a time when the Hindu Solar year, as well as the *Vrihaspati* Cycle of 12, began with the Sun's entrance in, or near the Nacshatra *Critica*.

It follows also from this, that the first year of the Cycle of 60, begins in the Lunar month Cartic.   But the Southern Indians, if they ever did, have long since ceased to attend to the months of the Chacra year.

The Tables, from the XIth (page 15) to the XIXth (page 23 of the Tables) were constructed for the purpose of abridging all the operations disclosed in the preceding pages : which, independently of their being very tedious from the constant reduction of one sort of time to another, or degrees into time, expose the computer to frequent mistakes.   It is to be remembered that the Tables which refer to the Surriah Siddhanta take the Solar year to be 365ᴰ 15ᵈ 31' 31",24 and those which refer to the Aria Siddhanta 365ˢ 15ˢ 31' 15ᵖ.—And furthermore, that the duration of Jupiter's year according to the former is 361ᵈ 2ˢ 4' 44ᵖ,2 &c. and to the latter 361ᵈ 1ˢ 21' 39ᵖ,1 &c. in mean Solar Sydereal time, as has been shewn in the course of this Memoir.

There will be found annexed to Table XVIII (page 20 and following) a variety of Examples of the application of all the rest, which supersedes the necessity of adding any thing here on the subject of these Tables. (*)

POSTSCRIPT.

From the preceding investigation we derive a Rule, which will be found very convenient for finding the Chacra year answering to any proposed Christian or Hindu Solar year.

(*) The names and numerals of the years of the Chacra will be found in the General Solar Table at the end of the volume.

PRECEPT.

" If the Christian year be proposed, find the corresponding one of the Cali yug by adding
" 3101 thereto, the sum will be the last year expired of the same.

" Divide the expired years of the Cali yug by 86 ; add the quotient to the dividend ; divide
" again the sum by 60, the quotient will give the number of Cycles expired, and to the remainder,
" if the proposed year be *less than* 31 from the last expunged year of the Chacra (found in Table

" XVIII', *add* 28, and if it falls *in the* 55 remaining years of the Cycle of 86, *add* 27, and the
" sum will be the numeral of the year current of the Chacra.

EXAMPLE 1.

Let A. D. 1600, answering to A. C. 4701 complete, be proposed.

By Table XVIII we find that the last expunged year fell on A. D. 1598

$$1600$$

Year of the Cycle of 86 years -   -   2

1°.	2°.
Then - 86)4701(54	4701
401	54
57	60)4755(79
	555
	15
	23
	43 Saumya.

Here we have added 28, because the proposed year was the second of the Cycle of 86 years.

EXAMPLE 2.

Let A. D. 1824, answering to the 4925th year of the Cali yug complete, be proposed.

By the Table XVIII the last expunged year of the Chacra fell on A. D. 1770

$$1824$$

Year of the Cycle of 86 years   -   -   54

1°.	2°.
86)4925(57	4925
625	57
23	60)4982(83
	182
	2
	27
	29 Manmat'ha.

Here we added 27, because the proposed year exceeded the 31st of the Cycle of 86 years.

EXAMPLE 3.

Let A. D. 0, answering to the 3101st of the Cali yug complete, be proposed.

By Table XVIII the last expunged year of the Chacra fell on A. A. C. 36, which marks the rank of the proposed year in the Cycle of 86 years.

<div style="display:flex">
<div>

1º

86)3101(36
   521
   ‒‒‒
    5

</div>
<div>

2º.

3101
  36
‒‒‒
60)3137,52
   137
   ‒‒‒
    17
    27
   ‒‒‒
4 1 Sadharana.

</div>
</div>

Here again we added only 27, because the year proposed was the 36th of the Cycle of 86 years, exceeding 31.

The reason of this operation may be explained as follows :

As the parts or fractions of years are neglected in the short Rule, the expunged years resulting from the same do not coincide with those of the Sastra rule; although both be governed by the Cycle of 86 years.

86)4901(56
   601
   ‒‒‒
    85

For instance, let the Christian year 1800 answering to 4901 of the Cali yug complete, the remainder 85, after division by 86, shews that the quotient 56 will increase by *one* on the next Solar year; and therefore, that a Chacra year will be expunged.

4901
  56
‒‒‒
60)4957(82 years.
   157
   ‒‒‒
    57
    27
   ‒‒‒
    4

But by Table XVIII we find that the last expunged year of the Chacra according to the Sastra, falls on A. D.
    1770
    1801
    ‒‒‒
    31

that is to say, 31 years before.

So that until then the results by the Sastra, preceded that of the short Rules by one year.

86)4902,57
   602
   ‒‒‒
    0

4902
  57
‒‒‒
60)4959,82
   159
   ‒‒‒
    39
    27
   ‒‒‒
    6

But as in 1801, or 4902 of the Cali yug complete, the quotient after division by 86, increased by *one*, and as there was zero for remainder; it follows that the remainder after division by 60, increased by *two;* and therefore, one year of the Chacra must be expunged; that is, the numeral in the series will be increased by one; so that from the said year, to the end of the Cycle of 86 years (55) the results of both Rules will agree.

Having thus found the manner of expounding quickly the year of the Chacra, from that of the Cali yug according to the precepts of the Surriah Siddhanta, we may easily deduce that which is elicited by the Jyautistava rule by a comparison of Tables XVIII and XIX.

END OF THE THIRD MEMOIR.

FOURTH MEMOIR.

ON THE

LUNAR YEAR

OF THE

MAHOMMEDANS.

Written in A. D. 1814 *; Revised in* 1823.

MEMOIR

On the Lunar year of the Mahommedans and on the Æra called Hejira.

ON a subject so fully explored as that of the Lunar year used throughout Islaamism for the purposes of civil life, independently of all sects and geographical positions, it would be vain to pretend to offer any thing new : the occasion of this paper could therefore only arise from particular circumstances. Thus being lately engaged in a research which required the knowledge of the Christian dates concurring with those of the Hejira, and not having been able to procure any Treatise or Tables that could give me assistance, I prepared the Elements of the present Note for my own use, but without the least intention of communicating it to the public. Being lent, however, to a learned friend (*) who, like myself, wanted access to the Mahommedan Kalendar, the original tract, (which contained only a few practical rules for finding the conjunctions on which the beginnings of the Civil years and months of the Hejira, depend) acquired in his hands a public existence for which it never was intended, and in consideration of this unexpected distinction, I was induced to give it subsequently its present form and extension : although, for reasons already stated, I forbore entering into the particulars of a theory which is familiar to every student in Chronology.

When on the revival of the sciences in Europe, the Arabs were resorted to for the embers of that hallowed fire which the Kalif Omar had extinguished, the works of Almamon (1), Alfragan (2), Thebith-Ben-Chora (3), Albategni (4), Arzachel (5), Alhazens (6), and others, drew the attention of all the votaries of science ; and even afterward, when its light began to dawn again on the West of Europe, the works of Ulug-Beg (7) proved a further and fertile source of information. It is universally admitted, that we owe to that successful appeal to the labours of the Arabian Astronomers, some of the most ingenious discoveries in modern Astronomy : but to reap this harvest, it was indispensable to find means for reducing the observations which they had recorded according to their particular account of time, to the concurrent dates of the Christian Kalendar, and that work, which was not without considerable difficulties, was performed by the most celebrated Mathematicians of successive ages. Melancton, Christman, Bianchini, Snellius, Gravius, F. Peteau, F. Riccioli, Wolfius and others, have left nothing to add to their researches. (†) What follows, is a short abstract of their labours.

A. D. 1300.

(1) Son to Aaron-al-Rashid, ascended the throne A. D. 814.
(2) 800.
(3) 859.
(4) 880.
(5) 1030.
(6) 1130.
(7) 1430.

(*) The late Mr. Ellis.

(†) Vide Gravius in commentary on Ulug-Beg; Christman on Alfragan; F. Petean in his 7th Book " De " Doctrina Temporum;" F. Riccioli's Reformed Caronology ; and the Elements of Mathematics of Wolhius.

Every one knows that the Epoch of Hejira, or flight of Mahommed from Mocha to Medina, from which all Moslems reckon their Civil year, was found to concur with Friday, the 16th July, A. D.

622.—A certain sect of Islaamites, however, (of which were most of their Astronomers) reckoned it from the preceding day; i. e. Thursday, the 15th of July of the same year; a circumstance not to be forgotten when reading their ancient authors. (*)

It was established that the first year of the Æra was the 5335th of the Julian period;—Solar Cycle 23—Lunar Cycle 15—Cycle of Indiction 10—and of the Æra of Nabonassaar (the current year of which began on the 21st March preceding) the 1370th.

The Lunar year was found to consist of 354 days, 8^h 48' 36", and the Lunar Synodical month of 29 days, 12^h 44' 3". So that the Mahommedan year falls short of the Julian by 10 days, 21^h 11' 24" (nearly 11 days); from which it follows that 12 Julian years are equal to 12 years, 130 days, 14^h 16' 48" Mahommedan reckoning; and 12 Tropical years are equal to 12 years, 130 days, 12^h 1' 48" of the same.

With these data there was no difficulty for finding the concurring Astronomical periods of both styles: but this would not have been sufficient for understanding the Arabian authors, who had recorded their observations according to the *Civil* Kalendar used in their own time and country.

And as the Arabs had made their Civil day, month and year, begin in the evening immediately after Sun set, on the day after the conjunction, when the Moon's crescent began to be visible, it was found necessary to analyze the system on which their Kalendar had been established, and to understand how the mode of assigning the unequal duration of the Civil months, and of intercalating the Civil years, which they had adopted, made each so to keep pace with the Moon's Synodical revolutions, that the beginning of every month always followed the conjunction by the least time necessary for the Moon to become again visible. This was the part of the problem which tried the skill of the European Astronomers: but with which we have at present nothing to do; what follows, being perfectly sufficient for all practical purposes.

The Arabs divide time into Cycles of 30 years, 19 of which are called *common*, and consist of 354 days, and 11 are called *intercalary*, which are of 355 days. The latter, in the order of the Kalendar, are the 2d; 5th; 7th; 10th; 13th; 16th; 18th; 21st; 24th; 26th and 29th of the Cycle.

The year of Hejira is divided into 12 Kalendar months, which consist alternately of 30 and 29 days; excepting the last month, which in the intercalary years consists of 30 days.

The months are also composed of four weeks, and 1 or 2 days, which differ in nothing from ours.

(*) Vide observation, page 34 Infra.

The names of the months are as follows:

		Days.			Days.
1	Mahorum	30	8	Shahaban	29
2	Suffr, or Sepher	29	9	Rhamadan ; or Ramazan	30
3	Rabi-el-Avul	30	10	Shawal	29
4	Rabi-el-Aukeer, or Sanee	29	11	Zoolcada; or Zoolcayadah	30
5	Giumadi ; or Giumaasil } el-Avul	30	12	Zooledgee ; or Zoolcagiadah	29 or 30
6	Giumadi ; or Giumaasil } el-Aukeer	29			
7	Regeb, or Regihab	30			

which last month in intercalary years counts 30 days.

The names of the days of the week are,

Indian Names.		Arabic Names.	
Etwar	1	Yoom-el-Ahad	Sunday
Peer	2	Yoom-el-Thani	Monday
Mungul	3	Yoom-el-Thaleth	Tuesday
Char Shumbol	4	Yoom-el-Arbaa	Wednesday
Jummah Rhaut	5	Yoom-el-Kamis	Thursday
Jummah	6	Yoom-el-Dgiooma	Friday
Avul Haftah	7	Yoom-el-Effabt	Saturday

The Arabic names of the days of the week are numerals; first, second, third, &c.

Arabian Astronomers call the weekly day or feria by which the year or month commences, the *Character* or *Root* of the said year or month; so that in the Mahommedan Kalendar each year and month has its peculiar Root or Character, which serves to find their succession, as shall be explained hereafter.

Roots of years and months, the day of the week on which each begins.

Thus much it was necessary to disclose of the construction of the Mahommedan Kalendar to render the third General Table, and those numbered L and LI, intelligible. The process for determining the root, and initial feria of every month and year (to begin from the evening of the 15th July A. D. 622, and continue to any subsequent month and year) is fully explained at page 221 of this Memoir.

EXPLANATION *and* USE *of the* TABLES *which refer to the* MAHOMMEDAN YEAR.

Of the General Table III *of this collection, being the* 1st *for this Memoir.*

This Table gives the beginning of every year of the Hejira from A. H. 1 to 1318, and the Christian concurrent years from A. D. 622 to 1900, according to the Gregorian and Julian styles. It differs from other Tables of the same kind (of which there are several) only in the arrangement of the years, which are here disposed according to their respective roots, or initial feriæ; the

Disposition of the General Table III.

figures 1, 2, 3, 4, 5, 6, and 7 in the transverse column at top, indicating that all the years regis-
tered under each respectively, begin on a Monday, Tuesday, &c. which roots are indispensable
for finding the commencement of the 11 last months of the year. I have preferred this arrange-
ment to the more natural one of following the series of numbers, from local circumstances; and
because it facilitates a reference to the beginning of Hindu years of all styles, which like those of the
Hejira, are elicited by their initial feriæ : so that in many cases their beginnings may be compared
or verified by mere inspection. The inconveniency resulting from the interruption of the series,
which retards a little the finding of the year sought, is more than compensated by the advantage
of avoiding the possibility of mistaking the roots; for the initial feria is known the instant the year
is found.

B indicates an in-
tercalary year.

The letter B affixed to any particular year of Hejira, indicates that it is one of the eleven
intercalaries of the Cycle of 30 years, and that it consists of 355 days.

* that the year is
the last of the Cycle
of 30 years.

The asterisk * and stroke $=$ above and below the same year, indicates that it is *the last* of the
Cycle of 30 years, and that the intercalations begin anew from that period, according to their
permanent order.

Concurring years
of the Cali yug and
Saca how noticed.

Each page contains a century of Christian years, and its number is indicated at the top of it. In
the margin on each side is entered the first and last concurring years of the Hejira; of the Æra
Cali yugam, and from the birth of Salivahana, usually called Saca.

In those particular cases where the Mahommedan year begins and ends in the same Christian
year (or, which is the same thing, when two years of the Hejira begin in the same Christian year),
the commencement of both is inserted in the column of the root *proper to one* of the said two
years; so that the other is out of its place; on which account its own character is affixed to it,
and these years are repeated twice in the same page. Thus we find A. D. 1258 in the first and
third column of the page containing the 13th century, because the roots of A. Hejira 656 and 657
are 3 and 1, and that the beginning of both fell in the said year of Christ 1258. I have preferred
repeating, to separating these years ; because the former method gives a warning which may pre-
vent troublesome mistakes.

From the year 1582, when the Gregorian style was introduced on the Continent of Europe,
the notation is registered according to both styles, which was found necessary, because the
new one only obtained in England in the years 1752. What remained of years to reach the
end of the 19th century, was not of sufficient consequence to alter again the form of the Table.
The commencements of the years of the Hejira continue therefore to be given till the end, accord-
ing to old and new style.

Example I.

How to find the
Christian year cor-
responding with any
of the Hejira by
Table III.

Thus if I want the Christian year concurring with that of the Hejira 271, I look into that page of
the General Table III, where 184 (the nearest below that year at the top of any page) is registered

in the margin; and finding that it falls in the 9th century and in the column, the root of which is 2, I conclude that it concurs with A. D. 881; that the 1st Mahorum of that year fell on Yoom-el-Thani (Monday) the 29th June O. S.; and lastly, as the notation of the Mahommedan year bears no B, that its last month *Zooledgee*, consists only of 29 days, the year being a common one.

EXAMPLE II.

But if the Christian year 1824 be proposed, and the beginning of the concurrent Mahommedan year be wanted, referring to the same Table where the 19th century is indicated, I find the given year to concur with A. H. 1240, under the root 5, which shews that it begins on a Thursday (Yoom-el-Kamis), and as its notation bears a B, it is a sign that the year is an intercalary one, and therefore, that the last month, *Zooledgee*, consists of 30 days.

For finding the beginning of the intermediate months of the Mahommedan year, by help of the General Table III, it is supposed that the Dominical Letter is known. But although it be not expressed on its face, it may quickly be deduced from the European date and character which indicates the commencement of the year of Hejira.

EXAMPLE III.

For as we have found that the year of Hejira 1240 will begin on the 14th of August *Julian* and 26th *Gregorian* styles A. D. 1824, and as the root for that Mahommedan year was 5 (Yoom-el-Kamis, or Thursday), on referring to any Kalendar wherein the Dominical Letters are inserted, and taking the 14th August to fall on a Thursday, we find, (counting three days therefrom) that the Sunday following corresponds to the Letter E, which is therefore the second Dominical Letter of that *Bissextile* year, and F the first according to the *Julian style*.

In the same manner the 26th August falling on a Thursday, the Letter opposite to the next Sunday will be found to be C, the second, and D the first Dominical Letter according to the Gregorian style.

But as it seldom happens that the beginning and end of the same year of the Hejira falls during the course of the Christian year in which it begins, the Dominical Letter of the ensuing one is almost always required: but it is sufficiently known to be the preceding one in the order of the alphabet to that previously found.

Of TABLE L, *being the second for this Memoir.*

As the General Table III only gives the root of the year and Mahorum, it was necessary to establish some means for obtaining that of the remaining months of any proposed year, from which the particular dates might be deduced.

For this purpose a Table was constructed by *Gravius* on the following principle.

As the twelve months of the Lunar year are alternately of 30 and 29 days, the latter begin and end on the same weekly day or feria; and the former end on the next to that on which they began.

Thus when the month of *Mahorum*, which consists of 30 days, begins on the first feria (Sunday) it ends on the 2d (Monday); *Suffr*, which comes next, has only 29 days, and therefore begins and ends on the 3d feria (Tuesday); Rabi-el-Avul, having 30 days, begins on the 4th feria (Wednesday) and ends on the 5th (Thursday); and so on of the rest.

The only particular attention required in this process, is to notice whether the year be a common or an intercalary one; because (as has been explained at page 220) in the latter case Zooledgee counting 30 days, ends on the feria next to that on which it began, whereas in common years it ends on the same.

<div align="center">EXAMPLE.</div>

Let it be required to find the beginning of every month in the year of Hejira 1240.

Referring to the General Table III, where A. H. 1216 stands at top in the margin, with 1240, we find that this year falls in the 19th century, and in the column whose root is 5, which shews that it will begin on a Thursday (Yoom-el-Kamis). The letter B, annexed to its notation, indicates also that it is an intercalary year, consisting of 355 days; and therefore, that the month of Zooledgee counts 30 days.

Again, since the same Table informs us that the proposed year begins on Thursday the 14th August 1824, *Julian style*, if we follow the process indicated at page 223, we find that the Dominical Letters for that *Bissextile* year are FE; and for 1825 D, Julian style, or DC for 1824 and B for 1825 Gregorian style.

With these data we are to proceed as follows:

The character of the proposed year being 5 (Thursday), we turn to the column in Table L, the initial feria of which is 5 at top; and in which we are to continue for the remainder of the year of Hejira 1240.

<div align="center">2. For the month of Suffr.</div>

The root of this month, Table L, is 7; i. e. Yoom-el-Effabt (Saturday).

To check this, if we count 30 days in the Kalendar from 14th August, we find 13th September; which truly falls on a Saturday.

<div align="center">3. Rabi-el-Avul.</div>

Root 1, i. e. Yoom-el-Ahad, Sunday; count 29 days from 13th September, and we have 12th October, which also falls on a Sunday.

<div align="center">4. Rabi-el-Aukeer.</div>

Root 3, i. e. Yoom-el-Thaleth, Tuesday; count 30 days from 12th October, and we have 11th November, and it also falls on a Tuesday.

<div align="center">5. Giumadi-el-Avul.</div>

Root 4, i. e. Yoom-el-Arbaa, Wednesday; count 29 days from 11th November, and we have 10th December, Wednesday.

6. Giumadi-el-Aukeer.

Root 6, i. e. Yoom-el-Dgiooma, Friday ; count 30 days from 10th December, and observe that the Dominical Letter for 1825 becomes D, Julian style ; and we have 9th January 1825, Friday.

7. Regeb.

Root 7, i. e. Yoom-el-Effabt, Saturday ; count 29 days from 9th January, and we have February 7th, Saturday.

8. Shahaban.

Root 2, i. e. Yoom-el-Thani, Monday ; count 30 days from 7th February, and we have 9th March, Monday.

9. Ramazan.

Root 3, i. e. Yoom-el-Thaleth, Tuesday ; count 29 days from 9th March, and we have 7th April, Tuesday.

10. Shawal.

Root 5, i. e. Yoom-el-Kamis, Thursday ; count 30 days from 7th April, and we have 7th May, Thursday.

11. Zoolcade.

Root 6, i. e. Yoom-el-Dgiooma, Friday ; count 29 days from the 7th May, and we have 5th of June, Friday.

12. Zooledgee or Zoolcagiadah.

Root 1, i. e. Yoom-el-Ahad, Sunday ; count 30 days from 5th June, and we have 5th July, Sunday.

If we wish further to check this operation, say,

To the 5th of July add 30 days (because the year of the Hejira 1240 is an intercalary one, and Zooledge has therefore 30 days) and you have 4th August, which by the Julian Kalendar falls on a Tuesday, and therefore 3 should be the character for the ensuing Mahommedan year 1241. Referring to Table I, we find in fact that the said year began on the 4th of August, Julian style, and that it bears 3 for root ; therefore, the operation has been well performed.

For having the concurrent beginnings according to the Gregorian Kalendar, the process is exactly the same, excepting that a different Dominical Letter must be used.

Thus employing DC, and B, instead of the former Letters, we shall have,

1	Mahorum A. H. 1240	Yoom-el-Kamis	Thursday	26th August.
2	Suffr	Yoom-el-Effabt	Saterday	25th September.
3	Rabi-el-Avul	Yoom-el-Ahad	Sunday	24th October.
4	Rabi-el-Aukeer	Yoom-el-Thaleth	Tuesday	23d November.
5	Giumadi-el-Avul	Yoom-el-Arbaa	Wednesday	22d December.
6	Giumadi-el-Aukeer	Yoom-el-Dgiooma	Friday	21st January.
7	Regeb	Yoom-el-Effabt	Saturday	19th February.
8	Shahaban	Yoom-el-Thani	Monday	21st March.
9	Ramazan	Yoom-el-Thaleth	Tuesday	19th April.
10	Shawal	Yoom-el-Kamis	Thursday	19th May.
11	Zoolcade	Yoom-el-Dgiooma	Friday	17th June.
12	Zooledgee	Yoom-el-Ahad and	Sunday	17th July.
	Mahorum A. H. 1241	Yoom-el-Thaleth	Tuesday	16th August.

Thus it was that beginning from the 16th July A. D. 622, of which the corresponding year of the Hejira was 1 *commencing*, and whose root was 6 (Yoom-el-Dgiooma or Friday), the whole of the General Table III was constructed. It is easy to perceive how that Table may be prolonged at pleasure, to any assignable Epoch whatever.

There remains now only to shew, how to deduce any particular date when the commencement of the months and year have been determined.

How to expound any particular date.

This question presents no sort of difficulty; for let Yoom-el-Thani, the 18th of Shawal, A. Hejira 1240, be proposed.

Having found in the preceding article, that the said month will begin on the 19th May N. S. 1824, add 18 days to that date, and you have Monday, the 6th of June at Sun set, Gregorian style.

In the same manner, let the 15th of January 1825 O. S. be proposed, and its concurrent date in the Mahommedan Kalendar be wanted.

Having found in the preceding article, that the 1st Giumadi-el-Aukeer will fall on Friday, the 9th of January O. S. 1825, subtract the same from 15 ; and the remainder 6, shews that the proposed date will fall on Yoom-el-Kamis, the 6th of Giumadi-el-Aukeer.

Of Table LI, *being the third of this Memoir.*

How to find the Hirdu Solar year current on the beginning of any year of the Hejira.

This Table serves to find by approximation the Hindu Solar year current on the beginning of any proposed year of the Hejira, so that their juxta position may always be determined, excepting in a very few cases, which are so clearly indicated that there is no mistaking them (as will be seen hereafter): but to compare any *particular* date, recourse must be had to the means which were disclosed in the Memoir on the Hindu Solar year, because the present Tables give only the

commencements of Hindu years concurrent with Christian *Secular* years, which mark the limits of the intermediate years of any century in the scope of three days *Julian* and four days *Gregorian* styles.

. The first division of Table LI exhibits the years of the Hejira, with their beginnings according to European expression, concurrent with Christian Secular years from A. D. 622 to 1900.

The second division gives the Hindu Solar years Cali yugam and Saca, with their common beginning, according to European expression, and to the Julian or Gregorian Kalendar, both referred to the same Christian Secular years, which are expressed in the last column on the right.

Now let it be proposed to determine by inspection what Solar year of the Cali yug or Saca, commences or ends in the year of the Hejira 562 ?

1º Refer to the General Table III in that page which has A. Hejira 495 at top in the margin; you find that 562 falls in the 12th century, on the Christian year 1166 Julian style, and that it begins on the 28th October of that year.

2º To 1166 add 3102; you have 4268 the notation of the year Cali yugam current, and from 4268 subtract 3179, you have 1089 that of the year Saca, or from the birth of Salivahana.

Now reverting to Table LI we find (sec. 2) that the Hindu Solar year concurring with A. D. 1100 began on the 23d of March of that year; and that the Hindu year which concurs with A. D. 1200, began on the 24th of the same month : therefore (preceding article) the year of the Cali yug 4268, concurrent with A. D. 1166, cannot have begun before the 22d, or after the 25th of March of that year; and as the General Table III gave the commencement of the proposed year of the Hejira on the 28*th October following*, it is manifest that it fell in A. Cal. 4268, and Saca 1089, and therefore, that these Hindu Solar years commenced in Anno Hejira 561.

In the present case, as the year of the Hejira proposed, began so late in the Christian year as the 28th October, and as the Hindu Solar years from A. D. 0 to 1900 commence somewhere in all the month of March, Julian style, there was no danger of mistaking the notation of the corresponding Solar years of the Cali yug and Saca.

But if instead of A. H. 562, which we have expounded, A. H. 1035 had been proposed, then extracting its notation and beginning according to European expression, out of the General Table III, we find it to concur with A. D. 1674, and to fall on the 28th March, *Julian*, and 7th April, *Gregorian* styles.

Now Table LI shews that the Solar Hindu year which concurs with A. D. 1600, began on the 27th March, *Julian*, and 6th April, *Gregorian* styles. And that the Hindu year concurrent with A. D. 1700 began on the 28th March O. S. and 8th April N. S. Therefore, the Hindu year may have commenced either on the same day, or two days before, or two days after the proposed year of the Hejira ; so that its notation, viz. whether it should be 4817 or 4816 Cali yugam, remains

An irreducible case by the Tables.

doubtful. This case is therefore irresoluble by the present Tables alone, and recourse must be had to the Hindu rule for determining the beginning of the particular Solar year proposed.

But these occasions are so rare, that between A. D. 1500 and 1900 they occur only four times, and in order to render every resolution possible by help of the present paper, I have cal. culated the commencement of the Solar years of the Cali yug 4711, 4776, 4841 and 4906, on which the irresoluble case recurs, which, according to European expression, are as follows :

Hindu years.		Chris-tian years.	Years of the Hejira.				Beginning of concurrent Hindu Solar years.	
Cali yug.	Saca.		Old Style.			New Style.	O. S.	N. S.
4711	1532	1609	1018	27th March		6th April	28th March	7th April
4776	1597	1674	1055	28th March		7th April	29th March	8th April
4841	1668	1739	1152	30th March		10th April	29th March	9th April
4906	1727	1804	1219	31st March		12th April	29th March	10th April

It will easily be concluded from this Table, that the 1st Chaitram A. Cali yug 4711, falls on the 2d Mahorum A. Hejira 1018.

1st Chaitram A. Cali yug 4776—2d Mahorum A. Hejira 1055.

1st Chaitram A. Cali yug 4841—29th Zooledgee A. Hejira 1151.

1st Chaitram A. Cali yug 4906—28th Zooledgee A. Hejira 1218.

Given the years of the Cali yug or Saca, how to find that of the Hejira,

The converse of this proposition is still of easier solution ; for suppose that the year of the Cali yug 4940, or 1761 Saca, be proposed, and that it was found to begin on the 11th April A. D. 1838 N. S.

Then referring to the General Table III we find at once that its commencement fell on A. Hejira 1254, the beginning of which occurred on the 27th March N. S. But as that Mahommedan year lasts only until the 11th April following, it is manifest that the commencement of A. Hejira 1255 will also fall in the same year Cali yugam 4940; but that from the 6th Mahorum the year of the Hejira 1255 will concur with A. Cali yug 4941, and Saca 1762.

It will be observed, that the irreducible case adverted to in the preceding article, does not exist on this side of the question ; for as the feria beginning the Hindu Solar year, and its date according to European expression, are supposed to be given by the proposition, the General Table III shews at once whether that date falls before, or after the commencement of the concurrent year of the Hejira.

NOTE I.

On the juxta position of the beginnings of the Mahommedan Lunar and Hindu Luni-solar years.

I F the *Chandra mana* had not been subjected to intercalations which have no analogy to those which are used in the Arabian Kalendar, there would have been no difficulty in comparing dates proposed in these two accounts of time, the difference of their periods being so very trifling, that for a great number of years it might have been neglected without inconveniency. Here follows a comparative view of the respective Lunar years and months on which the operation would depend.

Mahommedan and Hindu Luni-solar periods compared.

		Hindu time of 60 guddias to a day.					European time in hours.				
		D.	G.	V.	P.	S.	D.	H.	'	"	"'
Hindu Lunar year (Surriah Siddhanta)		354	22	1	23	57	354	8	48	33	34,8
Arabic		354	22	1	30	0	354	8	48	36	0,0
	Difference, Arabic	+			6	3				2	25,2
Hindu Lunar month do.		29	31	50	6	59	29	12	44	2	47.6
Arabic		29	31	50	7	30	29	12	44	3	0,0
	Difference, Arabic	+				31					12,4

Thus whilst the Arabian Synodical Cycle of 30 years consists of (*) 10631 0 18 0 0
The same number of Hindu Lunar years is 10631 0 16 47 24

The difference being in 30 years 1 12 36

But although the Hindas really add or retrench nothing in their computations of Astronomical periods, yet as the construction of their Civil Kalendar requires every two or three years the intercalation of the *name* of a month, whilst time follows its regular course, and as the Arabs only intercalate days, all that can be done is, after computation of the same, to compare the *Prathama Tidhis* which begin each Lunar month and year, with the dates of the Civil beginnings of some Mahommedan month which fall nearest to them and which never differs more than a couple of days therefrom, but which will not recur as to *names* in a similar series, for reasons which it is unnecessary to repeat in this Memoir.

The beginnings of the Mahommedan and Hindu Luni-solar months may be compared without any reference to names.

(*) The Civil Arabic Cycle is thus constructed.

19 years of 354 days 6726
11 years of 355 days 3905

Number of complete days 10631

As for referring the Hindu Tidhis, or Luni-solar days of the Hindu year, to those of the Mahommedan Kalendar, it would be vain to attempt it by any mechanical process; a Tidhi being the space of time which is requisite for the Moon to move through 12° of her path, to or from the Sun, and consequently beginning at no fixed instant of the day or night.

Computation of the conjunction which preceded the beginning of the Æra of Hejira, by the Vakiam, or Solar process.

We have seen at Example V, page 38, of the Key to the Madhyama Saura mana, that the first Civil day of the Hejira, according to vulgar account, viz. 16th July A. D. 622, fell on Friday the 26th Audi of the 3724th year of the Cali yug: but that Hindu Solar date was deduced from the European one, and not computed on the principles of Indian Astronomy, which we shall do in the present Note; and as independently of its peculiar interest, it presents a case where the Ahargana is less than a *Vedam* or 1600984 days, (hitherto not considered), I shall insert it at full length for the reader's information. The computation will be referred to the supposed Meridian of Trivallore.

The Aharganas resolved in the usual manner, or by Tables XLVIII and XLIX, will be

	Solar.					Lunar.			
	D.	G.	V.	P.		D.	G.	V.	P.
1st Chaitram 3724 - - -	1359855	55	12	30	30th Phalguna 3723 -	1359854	2	41	51
add 3 Solar months, Tab. XLVIII,	93	56	22	3	add 4 Lunations, Tab. XLIX,	118	7	20	12
1st Audi - - -	1359949	51	34	33		1359972[10	2	3	
	+ 24					+ 1			
25th Audi commencing	1359973	51	34	33	Lunar Ahargana -	1359973			
		60			Solar Ahargana -	1359949			
or 24th when the time wanting of Sun rise was - -		8	25	27		24			

Dividing the respective Aharganas by 7, the Soota dinas will be, *The Sun, Thursday; The Moon, Wednesday;* and the Dominical Letter being expounded by Tables V and VI, is C, giving Wednesday the 14th and Thursday the 15th July 622.

For finding the Moon's place we are therefore to compute her *Druva, Chandra Vakiam, Dhurmavanham,* and *P'hala,* by her Ahargana above found, which being only 1359973, shews that it bears not division by a *Vedam.*

	D.
Vedam	1600984)1359973(0
Raz. Gherica 12372)1359973(109	
	12372
	122773
	111348
Calanilam	3031)11425(3
	9093
Devaram	243)2332(9
	2232
Chandra Vakiam	100

	s	°	'	"		s	°	'	"
109 ×	3	27	43	10	- -	2	0	30	10
3 ×	11	7	31	3	- -	9	22	33	9
9 ×	0	27	44	6	- -	8	9	36	54
						8	2	40	13
Equation of Vakiam 100, Table XXVI,						8	1	17	0
☽'s place uncorrected			-	-	-	4	3	57	13

In order to find the Moon's *true* place, compute that of the Sun at his rising on the same day, 25th Audi commencing :

On the 1st Audi the Sun entered the Sign Carcata ♋ the 4th of the Zodiac. He had therefore completed - - - - - 3ˢ 0° 0′ 0″

To which add for 24 days, - - - - - + 24 0 0

And as on his entrance into the new Sign there wanted of Sun rising

8ˢ 25° 27″, add the guddias as calas and viguddias as vicalas - + 8 25

⊙'s Saura place on the 25th at Sun rise - - 3 24 8 25

And his Equation by the Yoghiadi Table (XXVII, part 1) being — (22′ + 23′ + 24′) for 24 days complete, and 22″ for 3ˢ 25°, we have 1° 9′ + 22″, which subtract - - - - - — 1 9 22

⊙'s Sputa Graha or true place, 25th Audi - 3 22 59 3

For the Moon's place corrected.

Having found the Sun's *true* place, we may now correct that of the Moon, as follows :

	s.	°	′	″

☽'s place uncorrected - - - - - 4 3 57 13

By Table XLVII, we find the *Desentara calus* for the preceding month Avni II - - - - - - + 7 0

For the andra vicalas (same Table) we find + 2, and the odd degrees, minutes and seconds of the ⊙'s apparent Longitude being 22° 59′ 3″

Multiply by - - - × 2

The 1st Equation will be - - - 45′ 58″ 6‴ or say + 46

For the 2d Equation. As the Moon is more advanced than the Sun, from Table XXVI take her true motion for Chandra Vakiam 100, 8 44′

And her mean motion being - - - 791

Difference - 53

Now after division of the Ahargana by the three last Elements there were, among the rest, 9 Devarams, to each of which are due 32″, which gives 9×32″=4″ 48″, to which multiplying by the difference 53′ gives 4′ 14′ 24″, which because the ☽'s *true* is greater than *her* mean motion, add + 4 14

☽'s Sputa Graha, or apparent place, 25th Audi at Sun rise - - 4 4 9 13

⊙'s do. - - do. present page - - - 3 22 59 25

⊙ and ☽'s apparent distance at do. - - 11 9 48

For the Sun's true motion.

By the Yoghiadi Table (XXVII, part 1) the Equation of the Sun's motion for 8 days *to come*

on the 24th Audi complete, is $-22'$ $=$ therefore for that day it is $\dfrac{-22'}{8} = - 2'\ 45''$

Which subtracted from	.	.	.	60
Gives the ☉'s Sputa Gati, or true motion sought			.	57 15

For the relative motion.

☽'s Sputa Gati	.	.	.	.	844' 0''
☉'s do. do.	.	.	.	.	57 15
Relative motion	.	.	.	.	786 45 . 13° 6' 45''

For time due to distance.

$$13°\ 6'\ 45'' : 60^s \text{ (one day)} :: 11°\ 9'\ 48'' : 51^s\ 4'\ 51''.$$

And because at the time of Sun rising on the 25th Audi, the Moon's apparent Longitude, was greater than that of the Sun, it shews that the conjunction was past, therefore subtracting the

quantity above elicited from	.	.	.	.	60^s 0' 0''
					51 4 51
We have the true time of conjunction, 24th Audi 3724					8 55 9

The preceding result (though only an approximation) is perfectly sufficient for our present purposes, and shews that according to the Rules of Indian Astronomy, the conjunction which preceded the 1st Civil day of the Hejira fell some time in the morning of the 24th Audi A. Cal. 3724, and therefore the *Prathama* Tidhi of the Lunar month *Bhádrapada*, on the 25th, answering to Thursday the 15th July A. D. 622, which is precisely the day referred to by most Arabian Astronomers as that which begins the Hejira.

This coincidence may give rise to some speculations respecting the authority which was originally consulted when the Epoch of the *Flight* was determined. For at the time when the prophet unfurled the standard of the faith, the Arabs had certainly no Astronomy of their own, and probably none at all of others; and although he may have resolved on assuming the day of his exile for the first of his new æra, the task of fixing it permanently must have devolved on his successors.

But the Alexandrian School and Library, were destroyed on the 2d *Maharym* of the 21st year of the Hejira, a time too near the beginning of the revolution to suppose that it may have been previously consulted on the construction of a new Kalendar. It is therefore more probable, that when in more settled times, Mahommed's successors resolved on that measure, they may have had recourse to their Indian neighbours, who since the destruction of the Alexandrian School were the only nation in the East who cultivated the sciences.

NOTE II.

On Dr. Hutton's Rule for finding the year of the Hejira.

It is difficult to understand on what principles Dr. Hutton has established the Rule which he gives in his Mathematical Dictionary for finding the Christian year concurring with any proposed year of the Hejira : it runs as follows :

" Reduce the given years of the Hejira into days by multiplying by 354, divide the product " by $365\frac{1}{4}$ and to the quotient add 622 years of the Hejira commenced."

[Mathem. Dictio. Vol. I, page 593.

I fear that this rule is more remarkable for its brevity than for its accuracy (for the above passage contains the whole of the Rule). If it were sufficient to multiply the proposed years of the Hejira by 354 for obtaining the sum of days elapsed since its Epoch, what becomes, it may be asked, of the eleven intercalated days in the Cycle of 30 years, which make the years on which they fall be of 355 days, and in the course of 90 years retard the beginning of the Civil year by 33 days ?—Let us try the merits of this rule by its results.

Let it be proposed to find the Christian year concurring with A. Hejira 1215.

We have $1215 \times 354 = 430110$; and $\frac{430110}{365\frac{1}{4}} = 1177, + \frac{210.75}{365,25,}$ and lastly $1177 + 622 = 1799$. So that following the letter of the precept A. H. 1215 would concur with A. D. 1799, which however, throughout Christendom and Islaamism is taken to be 1800 : the 210 days which remain after division by $365\frac{1}{4}$ are insufficient to account for such a difference, although they would bring the epoch of coincidence about 7 months later ($206^d\ 17^h\ 3'\ 31'$ being equal to that number of Lunar months), but these odd days *end* at no definite period ; and no notice is taken of them in the precept : We are therefore compelled to conclude, that the very learned and justly celebrated author has only glanced at a subject which it did not enter into his views to investigate minutely, as may be inferred from the shortness of an article which, though intimately connected with Astronomy, was disposed of in twelve lines of his Dictionary.

POSTSCRIPT.

Some time after the Kala Sankalita was committed to the press, Mr. Bentley's posthumous work, entitled " An Historical View of the Hindu Astronomy from the earliest dawn of that " science, down to the present times" came to my hands, having just appeared for the first time in Madras, though published in Calcutta two years before.

On a cursory perusal of that production, (which remained only a few days in my possession, and at a time when I was engaged in editing the present work), I congratulated myself on having pursued an object totally different from that which Mr. Bentley had in view : For it was then too late to have benefited by his instruction; and in case of collision, with such unequal means and powers, I would have had cause to apprehend the judgment of the public on the issue.

Fortunately for me, Bentley soared to the highest regions of investigation, whilst I was collecting tools for labour, and toiling in the lower walks of research. He strove to drive error from the seat of truth, whilst I was employed in shewing how she ruled the population of the East, during many centuries of usurpation; in fine, his object was philosophic, and mine merely one of practical expediency. Our works may therefore (with an inverse degree of applause and censure) subsist together, and prove useful in their respective departments.

It will be observed that the abolition of Sydereal Astronomy pronounced by the work alluded to, to have taken place from the VIth century upwards, renders a great part of my speculations unavailing ; to which I shall reply that, although agreeing in substance to a doctrine which the scholiast has so ably supported, yet I do not go with him the whole length of believing that the use of Ancient or Tropical Astronomy, was so suddenly relinquished, and the Sydereal so readily adopted, as might be inferred from the *precise Epoch* which he assigns to that event (March A. D. 538, page 73). It required nearly two centuries to drive the Aristotelean philosophy out of the Universities of Europe, and arguing from analogy, it is not to be supposed that a people, of all others the most attached to its institutions, would have simultaneously adopted new theories, when the old ones were still found to answer, (and were in reality better than the new), for no other purpose than " to appear the most ancient nation in the universe (70);" for, although I do not pretend to say that Mr. Bentley meant to convey absolutely such a notion, yet his text bears that construction.

Before the Epoch referred to, the Sydereal Astronomy (certainly the most commodious of the two) must surely have thrown out some roots in the minds of the learned men of those times, and have lurked, perhaps during several centuries in the public opinion. Some sect of philosophers must have taught it ; and some separate tribe or nation must have counted time by the same, before it became the general doctrine of India. And from the same considerations it may be believed

that Ancient Astronomy has left shoots which it must have taken time to extirpate. Nor can I believe that the Braminical power, (which rests entirely on opinion, great as it now is, and has been) can have proved so efficient as to have occasioned the sudden and total overthrow of the latter, in the same manner as Timur Long, and Nadir Shaw subsequently annihilated their public institutions. It is therefore highly probable, that Sydereal Astronomy began to be in repute, some hundreds of years before it openly superseded the Tropical one ; and as to the motive of its abolition, I cannot be persuaded that the specific purpose of any set of men, when effecting a change can have been *to do away their Ancient History* (page 70).

Some old documents (and particularly inscriptions) may therefore still be found bearing dates in *Sydereal account*, more ancient than the Epoch assigned to its legal admission, and to these my Tables will apply. I beg it, however, to be understood, that I intend no review of Mr. Bentley's valuable production, for which I have neither leisure, means, nor abilities ; most of his conclusions appear to me decisive, and, more than all the rest, those which attack the unfathomable antiquities of the Hindus. But I did not wait for the appearance of the " *Historical View*" to decide against them ; for although unacquainted with Bentley's discoveries, I have long since been persuaded, and have declared it to be my opinion, that their periods and yugs were nothing else but mathematical contrivances, resting at one end on observations taken at the time when they were invented ; and at the other, on some Epoch so very remote, that the greatest possible error in the position of the Planets at the time referred to (which could never exceed 6 signs in Longitude) must become almost insensible in their annual revolutions, and unimportant until after a great number of years intervene, either before or after the time of invention.

There is something so obvious in this view of the subject, that it cannot be wondered at, if Bentley fancied (though erroneously) that the attacks made on his doctrines were designed for him, personally. Another motive, perhaps equally reprehensible, was I fear, the hidden cause of their having been so frequent and repeated. In France I can affirm, on the *verbal* and *written* assurance of the late M. *Delambre*, that Bailly's doctrines never obtained any proselytes among men of real science ; and when on a particular occasion the celebrated *La Place* asked me (*) whether we Indian Gentlemen, and Members of the Asiatic Society, believed that any of the Indian periods were established on actual observations, on my assuring him of the contrary he expressed much satisfaction, and replied that he was sure such a notion could never have been long entertained by any *Savant*.

But I fear the author of the " *Historical View*" more justly ascribed the perseverance of some of his critics, to a bent towards infidelity, which in some instances was hardly denied ; such was the prevalent philosophy at the close of the XVIIIth century. But as *scepticism* has now

(*) At a meeting of the Board of Longitude in April 1816.

succeeded to incredulity, and as the ruling maxim of the beginning of the XIXth, is that *any thing may be true*, I have no doubt that the doctrines contained in that *most profound* work that has hitherto appeared on Hindu Astronomy, will meet with little or no opposition from any quarter; at least from such as the author need have cared for if he had lived to enjoy the success which I anticipate.

Whatever be the final opinion of the scientific world on the antiquity of Sydereal Astronomy, and the manner I have applied it to the construction of the Hindu Kalendars (which was the only province I was desired to investigate), I commit the present work to the judgment of the public with no sanguine expectation of success; but with a sincere desire that it may, (in its measure) prove useful to Chronology. Should I be disappointed in that expectation, I shall be consoled by the recollection of the amusement it has procured me during several years ; and the opinion it has enabled me to form of the skill and ingenuity of the Natives of India, which, though duly appreciated by many of their rulers, is not sufficiently known to the great mass of Europeans who live among them.

END OF THE FOURTH MEMOIR.

APPENDICES.

APPENDIX I.

—◆C◆—

On the manner of computing the Ahargana *for the beginning of the Solar years, and end*
of the Luni-solar years, counted from the commencement of the Cali yug, by means of
the Tables, from which the Strostidi digona *and* Soota dina *for either may easily be*
deduced.

A̲ᴌᴌ the Rules given in Hindu books for the resolution of the *Ahargana*, are very operose,
and consequently liable to mistakes in the computation. It will be found, however, that in the
Indian process, that Element is unnecessarily wrapped up in mystery ; and that both the Solar
and Luni-solar Aharganas may be obtained with perfect accuracy, by help of Tables which are
neither difficult to use, nor to understand.

I shall first consider the Solar Table XLVIII, which is divided into two parts, the first giving
the Ahargana according to the *Surriah*, and the second to the *Aria* Siddhantas.

<div style="float:right">Table XLVIII,
part 1.</div>

According to the former Sastra, the duration of the diurnal revolutions of the Stars in one year
is $\frac{1582237828}{4320000}$ - 366^d 15^s 31' 31^p 24' and 1582237828 — 4320000, is the number of Bhumi savan
(natural) days in a Maha yug : hence the Solar Sydereal year, according to the Surriah Siddhanta
is $\frac{1577917828}{4320000}$ - 365^s 15^s 31' 31^p 24', and this quantity is the constant ratio of the first part of
the Table.

<div style="float:right">Number of diurnal
revolutions of the
Stars in one year.</div>

<div style="float:right">Solar Sydereal year
Surriah Siddhanta.</div>

In the same manner the diurnal revolutions of the Stars in one year according to the Aria Sid-
dhanta is $\frac{1582237500}{4320000}$ - 366^s 15^s 31' 15^p ; and 1582237500 — 4320000 = 1577917500^d, is the
number of Bhumi savan days in a Maha yug ; consequently the Solar Sydereal year is $\frac{1577917500}{4320000}$
365^d 15^s 31' 15^p, which is the constant ratio of the second part.

<div style="float:right">Do. Aria Siddhan-
ta.</div>

Lastly, we have shewn at page 12, 1st Memoir, that because the year which opened the Cali yug
began 4^u 51^s 8' 45^p from the commencement of an entire week, the Hindus, with a view to reckon
from a complete period, added a *Cshepa* of 2^d 8^s 51' 15^u (complement to 7 days) to the Ahargana,
which was the same thing as retrenching it from the Epoch itself.

It is therefore always to be remembered, that with respect to the true Epoch of the Cali yug,
there will be found that difference in the Tabular results.

There being not the least difference from what precedes in the manner of using the second part of Table XLVIII, and all cases, either according to the Surriah or Aria Siddhantas, being to be resolved precisely in the same manner, I shall dispense with giving any more Examples for the Solar Ahargana.

To find the Luni-solar Ahargana by means of Table XLIX.

The construction of both parts of this Table, is as simple as that of the preceding one. Its whole theory rests on what follows. *For the Luni-solar Ahargana, Table XLIX.*

According to the Surriah Siddhanta, there are 57753336 periodical revolutions of the Moon in a Maha yug or 1577917328 natural days. Hence the Moon's periodical month is $\frac{1577917328}{57753336}$, or $27^d 20^g 20^v 21^p 30^s,77$, &c. ($27^d 8^h 8' 8'' 39''',6$ European time.) From the number of periodical revolutions in a Maha yug, subtract the number of Solar days in that period, or 57753336 — 4320000, you have the number of Synodical revolutions in the same time, $= 53433336$; and $\frac{1577917328}{53433336}$ or $29^d 31^g 50^v 6^p 59^s,73$ ($29^d 12^h 44' 2'' 47''',6$ European time) is the duration of a mean Lunation, according to the Surriah Siddhanta: a mean Lunar year of 12 months is therefore equal to $354^d 22^g 1^v 23^p 57^s,14$ ($354^d 8^h 48' 33'' 48'''$ European time) which is the constant ratio of the first part of Table XLIX. *First part.*

That of the second part is deduced from the same principles, the only difference being that the Aria Siddhanta counts only 1577917520 natural days in a Maha yug. According to that authority the Moon's periodical month is therefore $27^d 19^s 17^v 58^p 29^s$ &c. ; the Synodical $29^d 31^s 50^v 5^p 40',21$, and the Lunar year of 12 months $354^d 22^s 1^v 8^p 2',6$ which is the constant ratio of the said second part. *Second part.*

Considering how very intricate the process is for finding the *Adigah* months and *Cshaya Tidhis* by the Sastra rule (*), I originally concluded that there could be no simpler means for finding the Luni-solar Ahargana, and when from stress of labour I endeavoured to free myself by means of Tables, from those perpetual rules of three which it imposes, a typographical error in Mr. Davis' paper on the Astronomical computations of the Hindus (†), making the Lunar Synodical month $29^d 31^s 50'',6$ instead of $29^d 31^s 50^v 6^p$ &c. for a long time defeated my endeavours. But when once I had discovered the *erratum*, there was no further difficulty in constructing my Table, which I subjected to the following test.

We have seen in the article of *mean intercalations*, Part III, Article 1 of the second Memoir, that the period of recurrence of an *Adigah* month was $2y 8^m 16^d 3^g 55^v$ &c. and I resolved the same by means of the first part of Table XLIX, as follows : *Epochs of intercalations by the Tables.*

(*) Vide Key to the Siddhanta Chandra Mana, Part II, Article I.

(†) Asiatic Researches, vol. II, page 232, English Edition, which teems with errata of the most fatal kind to the true exposition, and acquisition of the first notions of Hindu Astronomy, from that otherwise, elegant production.

	D.	G.	V.	P.	S.
The mean Solar Sydereal year being -	365	15	31	31	24
And the Lunar year of 12 months -	354	22	1	23	57,14
The annual difference is - -	10	53	30	7	26,36
So that for one month of 30 days the Equation is		54	27	30	37,23
And for one day of 60 guddias - -		1	43	55	1,273

If with these quantities we expound the period of intercalation referred to, we shall find

	D.	G.	V.	P.	S.
For 2 years -	21	47	0	14	53,72
,, 8 months -	7	15	40	1	57,84
,, 16 days - -		29	2	40	20,07
	29	31	42	57	11,63
Which subtract from 1 mean Lunation -	29	31	50	6	59.78
Difference -			7	9	48,15

and for the time due to this difference say, as 1ᵛ 48ᵛ,91 (the Equation for one day), to 3600 (the number of viguddias in a day of 60 guddias) ; so 7ᵛ,15 &c. (the difference to a mean Synodical month), to 3ᵴ 55ᵛ,8 &c. which, with the above quantities, gives the time due to the intercalation of *one mean Lunar month*, 2y 8ᵐ 16d 3ᵴ 55ᵛ,8 &c. very nearly the same as was found by the Hindu rule referred to.

<div style="float:left">The same by the Hindu rule.</div>

Having premised thus much, I shall give the following Precept and Example.

PRECEPT.

<div style="float:left">Find the Solar Ahargana of the proposed Luni solar year for an Index.</div>

1ᵒ Find the Solar Ahargana for the proposed year of the Cali yug, which will serve as an Index for finding the Luni-solar one.

2ᵒ Take out of the two first columns of Table XLIX, part 1, the quantities answering to as many Lunar years of 12 months as there are Solar ones proposed, and add them together: the rest of the operation will serve to find the intercalations.

<div style="float:left">Manner of using the Table.</div>

3ᵒ Subtract the sum of days, &c. so obtained (neglecting the fraction) from the sum of days of the Solar Ahargana, and take out of Table XLIX the quantity nearest to the remainder, which write both under the Lunar sum and the remainder of the Solar Ahargana, of which take again the difference; follow the same process as before until the last remainder under the Solar Ahargana be less than a mean Lunation, which in that case neglect.

4ᵒ Cast up all the Lunar periods so obtained, and the sum will be the Luni-solar Ahargana sought.

N. B.—This process has the advantage that in no case whatever the Luni-solar, can exceed the Solar *Ahargana*, which is not the case in the Sastra rule, and that it shews at once the number of intercalary months which have been introduced in any proposed interval. The Precept applies equally to part 1 and 2 of Table XLIX.

EXAMPLE II.

Wanted the Luni-solar Ahargana for the end of the year of the Culi yug 4923, by part 1.

Rule.

		Y.		D.	G.	V.	P.	S.
Table XLIX, part 1, column 2	-	4000	-	1417468	13	16	49	20
Sum of days in the Solar		900	-	318980	20	59	17	6
Ahargana found by Table		20	-	7087	20	27	59	2,8
XLVIII . 1798166		3	-	1063	6	4	11	51,42
(1) . 1744549								
			(1)	1744519	0	43	17	50,22
53017		100	(2)	35433	42	19	55	14
(2) . 35436	Intercalations.	50	(3)	17713	21	9	57	27
		1	(4)	354	22	1	23	57,11
18181		3 Lunar months (5)	83	85	30	20	59,31
(3) . 17713								
		Ahargana sought		1798147	1	49	55	7,70
463		By the Tellinga rule		1798147	1	50	32	0
(4) . 354								
		Difference	-	-			36	52,3
109								
(5) . 83								

Neglect remainder 21

But as the day current is wanted, and as 1z 49v 55p have already expired of it,

To 1798147
Add 1

Ahargana to be used 7)1798148(256878
Remainder   2   i. e. *Saturday* the Soota dina;

and as this Element is only used to the nearest day, the difference of 36,5 paras, from whatever it proceeds, is of no sort of importance.

As 151 Lunar years and 3 months have been intercalated for bringing the Luni-solar to the nearest possible time of the Solar Ahargana, it follows that in 4923 Solar Sydereal years (account of the Surriah Siddhanta) there have been 1815 Luni-solar months intercalated. *For the Strostidi digona.*

Lastly, if to the constant number   -   -   -   714102296527 days
We add Ahargana   -   -   -   -   -   1798148

We have the Strostidi digona for A. C. 4923   -   714404094775

as accurately as if it had been computed by the process explained in the 1st Article of the 2d Part of the *Key to the Siddhanta Chandra Mana.*

The rule by the second part of Table XLIX being precisely the same as the preceding one, *mutatis mutandis*, no Example is necessary; I shall only state that the Ahargana   D.   G.   V.   P.   S. *2d part of Table XLIX.*
according to the quantities used in the Aria Siddhanta for the same year is 1798146[39 21 28 53,0
And consequently for the current day   -   -   -   + 1
And for the Soota dina   -   -   -   -   7)1798147(256878
                                          remainder   1   which counted
from Thursday, gives *Friday* for the Soota dina.

Here it may be observed that according to the Surriah Siddhanta,   D.   G.   V.   P.   S. *Difference of Luni-solar Aharganas by the Surriah and Aria Siddhantas.*
the Ahargana was   -   -   -   -   1798147   1 49 55   7,7
And by the Aria Siddhanta   -   -   -   -   1798146 39 21 23 53,0

Difference   22 25 26 14,7

So that although by the *Soota dina*, there seems to be one day of difference for the conjunction, yet there is in fact only 22s 25v 26P 14s,7 disagreement between the two accounts, which difference is of no sort of importance, because in the computation of the Tidhis, the Sun and Moon's *real* positions in Longitude at mean midnight at Lanca, and not the time wrought by the rule, are what determine the beginning of the Lunar mouth, which will find its true place whether we use *Friday* or *Saturday* as the day to work for.

Of no consequence.

Generally the Southern Astronomers, though working in Solar time, prefer making use of the Lunar Ahargana of the Suriah Sidchanta.

It sometimes, though rarely, happens that on certain years (as will be the case at the end of the 4951st year of the Cali yug, answering to A. D. 1850) on computing the two *Aharganas* by the Sastra rules, the *Luni-solar* will be found *greater* than the *Solar* one ; which would seem to indicate that the Chandra Mana begins, *after* the Solar year: but in such an occurrence the rule directs that an intercalary month be retrenched, from both Aharganas, and thus the antecedent conjunction determines the beginning of the new Astronomical year. This of course disturbs temporarily the order of the intercalations ; and is the cause why the original series in the Cycle of 19 years undergoes a change in its disposition (*): but the only consequence in the Kalendar is, that as the year on which the case occurs would have been *embolismic*, it becomes a common one, and that the following one from *common* that it would have been, becomes an intercalary one. On working the two Aharganas by the Tables XLVIII and XLIX, there can be no fear of a mistake respecting the true commencement of the *Chandra Mana* arising from the above cause ; because by the Precept, the Lunar is unavoidably kept below the Solar Ahargana.

Case where the Luni-solar is greater than the Solar Ahargana.

An intercalary month to be retrenched when using the Sastra rule.

Not to be cared for when using the Tables.

(*) Vide page 60.

END OF APPENDIX I.

APPENDIX II.

⎯⎯◇⎯⎯

Describing a particular method for expounding dates found in old Inscriptions, the only vestiges   **Object of Appendix II.**
of which consist of the recorded years expired since the beginning of the Cali yug, from the
birth of Salivahana or of the Cycle of 60 years, and of the Sun's apparent place in the
Hindu Sydereal Zodiac at the time of the commemorated event, and also, for referring
the Epochs of ancient phænomena recorded in European time, to their corresponding Hindu
Solar dates.

THE questions under consideration are to be resolved by means of certain formulæ which
enable the computer to refer the Sun's mean place in the Indian Sydereal Ecliptic, as deduced   **To refer the Sun's mean place in the Indian Sydereal Ecliptic, to his mean place at the same instant in the European Tropical Ecliptic, by one single operation.**
from the time assigned to his entering any of its Signs in the Solar Kalendar, to his mean place
in the *European* Tropical Ecliptic, at the same instant of time, by one single operation ; thus
affording means for correcting the Hindu Solar Tables, and also those of the Planets, as far as the
computation of their position depends on the Sun's place and the beginning of the Sydereal Zodiac,
the duration of the Solar year being $365^d\ 15^s\ 31^v\ 15^o$.

I have stated in the Preface of this work (page iv), that my intention was to expound the
operations of the system now generally in use in these parts of India, as if it had been followed   **The present Hindu system of Astronomy supposed permanent.**
during all past ages, and were to continue to be so to the end of time ; and in the present tract
my purpose remains unaltered, although I profess to be one among those who have no faith in
that proposition. Any person who has looked into books of Hindu Astronomy knows, that in
remote times the Solar year was made to begin successively with the months Aswina (now the
6th of the year), Cartica, Margasiras (*), Paushia, Magha, Phalguna, Chaitra, and lastly Vaisácha   **Not so in reality,**
(†); the line of the *Ricshas* or *Rishis* (‡) intersecting at the corresponding times the first points of

---

(*) The name of which was changed into that of Agrahayan on that occasion.

(†) In the present paper I shall use the Bengal denomination of the Solar months in preference to that of the
Tamul, being more generally known ; though, from the Bengal names being the same as those of the Lunar months,
the latter be less convenient, because less distinct.

(‡) The line of the Ricshas, as called in Tellingana, and Rishis in Bengal, is a great circle passing through the
Pole of the Ecliptic, cutting a certain Star in the Constellation of the Great Bear, called *Maha Ricsha*, supposed
by some to be β, by others to be γ or δ Ursæ Majoris, and meeting the Hindu Yoga Star *Vaidhriti*, believed to be
the same as ζ Piscium, although no great circle passing through the Pole of the Ecliptic could be made to inter-
sect with any precision, any three of these points.

the Lunar mansions *Chitra, Vaisac'ha, Jyést'ha, Purva A'shád'hà, S. ávana, Satabhisha, Uttara Bhádrapada,* and lastly *A'swini,* which according to present theories, marks the beginning of the fixed Lunar and Solar Zodiacs.

<div class="marginal-note">Epochs of the various beginnings of the Hindu Solar year the subject of much discussion.</div>

At what precise Epochs these changes have been effected is a question which, for the last five and twenty years, has divided those of our European cotemporaries who have cultivated Hindu Astronomy ; and as the succession of these changes must have depended on the precessional variation, the motion of the Equinoctial points has given rise to discussions which would have been rendered still more animated, if the Native Sastras had been called upon to take a part in

<div class="marginal-note">Not considered in this paper.</div>

them. With these changes, and their Epochs, I shall have nothing to do. The labour of a man's whole life would probably not suffice to pass a competent decision on such divergent opinions, and no time would remain to apply a final resolution to any useful purpose. It suffices to mine to know, that the most averse to the antiquity of the Surriah Siddhanta admit, that its doctrines have been followed by Indian Chronologists from so early a period as A. D. 538, to the present times ; whilst other no less respectable authorities, without going the length of supposing that it was revealed in the 17,27900th year of the *Treta yug,* have thrown that Epoch so far back as

<div class="marginal-note">The Solar Sydereal system supposed to have been introduced in A. D. 538.</div>

A. A. C. 2041, that is to say, 311 years after the universal deluge. But confining ourselves to the most moderate of these computations, it will no doubt be admitted that a system of Chronology which has lasted 1287 years (A. D. 1825), and according to which almost every Kalendar that has been used in India (*), whether Solar, Luni-solar, or Planetary, was constructed, was well worthy of investigation ; for its application cannot fail to find materials for consideration, little doubt existing in my mind but that the dates of many considerable events recorded in Indian

<div class="marginal-note">Uncertainty of the methods hitherto used for expounding ancient Hindu dates.</div>

history lie hid from Europeans, or are much mistaken by them, for want of a competent instrument for unravelling the various Kalendars which have passed through their hands during the last century.

<div class="marginal-note">The Ayanansa, the principal Element used in this research.</div>

As the problem under consideration depends chiefly on the relative position of the Hindu Sydereal and Tropical Ecliptic, the *Ayanansa* or Arc of distance between the Vernal Equinoctial point, and the 1st in the Solar Sign Mesha Υ, is an Element which, (as it is understood by the

---

(*) In the country called *Malayala,* extending along the greatest part of the Coast of Malabar between Mangalore and Cape Comorin, the Natives reckon time from the birth of *Parasurama,* which they divide into Cycles of 1000 years. The years of that Epoch begin on the Sun's entrance into the Sign *Canya* ♏, which answers to the month *Aswini,* the sixth in the present order of the Solar months. Dr. Buchanan has calculated that in the month of September A. D. 1800, two complete Cycles had expired since the Epoch, and that the year beginning was the 977th of the third. This computation throws, therefore, the birth of Parasurama in A. A. C. 1176. I regret that my ignorance of the existence of that style when I was on the Coast of Malabar, prevented me from enquiring into the particulars of the *Malayala* Kalendars. I believe however, that their circulation is very confined, for in the Northern Provinces of that Coast the Natives chiefly reckon from the birth of Salivahana.

modern Hindu Astronomers) must be clearly defined; therefore, although I have already spoken of it at page 84 and other parts of this collection, I shall give here a detailed account of its Phases, without pretending, however, to decide on the grand question whether the original invention of Hindu Astronomy conceived it to librate in an Arc of 27° of the Ecliptic on each side of Υ, to revolve in an Epicycle about the same point as a center, or to move round the Platonic Cycle in a period of 24000 years.

$$1 \begin{cases} \text{A. C.} & 0 \\ \text{A. A. C.} & 3101 \end{cases}$$
$$2 \begin{cases} \text{A. C.} & 7200 \\ \text{A. D.} & 4099 \end{cases}$$

A. Cal. 1800
A. A. C. 1301 $\mathcal{H}$

A. Cal. 5400
A. D. 2299 $\mathfrak{X}$

C

27°

A. C. 3600
A. D. 499

If the Ayanansa be considered to revolve in an Epicycle, let each of the Quadrants $\Upsilon \mathcal{H}$, $\Upsilon \mathfrak{X}$, be supposed to be equal to an Arc of 27° of the Deferent: but if it be supposed to librate from C to $\mathfrak{X}$, and from C to $\mathcal{H}$, let the radius C$\mathfrak{X}$, or C$\mathcal{H}$ be divided into 27 parts, each equal to 1° of the Ecliptic, and to either supposition what follows will apply.

Imagine a point Ex in the circumference of the Epicycle, or another ex in its diameter, revolving in one supposition from Υ to $\mathcal{H}$, or in the latter from C to $\mathcal{H}$, at the annual rate of 54″ of a degree, the Indian *Cranti-Patagati*, or precessional variation.

. Then in the Epicircular hypothesis from the year 0 to 1800 of the Cali yug complete, Ex (and ex in the libratory) will have moved through an Arc equal to 27° of the Deferent or Ecliptic, contrary to the order of the Signs: and as in the first and second Quadrants the Ayanansa is *negative*, the Tropical Longitude of the Vernal Equinoctial point at the beginning of the year, or (as Europeans would consider it) that of the beginning of the Sydereal Zodiac would be 12° — 27° $=$ 11° 3′, shewing that the Equinoxes were then in 3° of Min $\mathcal{H}$ and of Canya $\mathfrak{m}$.

From this limit, which it is supposed never to exceed, or from the year 1800 to 3600 of the Cali yug complete, the Ayanansa will have decreased until Ex coincided with Υ in the lower part of the Epicycle (or ex with C) when it became again equal to zero.

It is to be observed that during the two first Padahs, or Quadrants, although Ex in the first, moved contrary to, and in the second according to the order of the Signs, yet as in both cases it lies West of γ, it is *negative*; therefore the Longitude of the first point of the Sydereal Ecliptic, is the *Supplement* of the Ayanansa to 12 Signs. And for the same reason, because in the third and fourth, Ex lies East of the same, moving in the direction of, in the 3d, and *contrary* to, the Signs in the 4th, the Ayanansa becomes *positive* (i. e. from A. Cm. 3600 until 7200), during which interval the Longitude and the Ayanansa are one and the same thing..

It need hardly be added that when Ex, after having passed γ (or ex, C) coincides with ♉, which will occur when 5400 years of the Cali yug have expired, then its Ayanansa and Longitude will be $+27°$, shewing that the Equinoctial points will then be in $27°$ of Vrisha ♉, and Vrischica ♏; and lastly, that when 7200 years of the Cali yug have expired, Ex will have regained γ in the superior part of the Epicyle (or ex, C), and therefore the Ayanansa, as well as the Tropical Longitude of the first point in the Sydereal Zodiac, will be equal to *zero*.

As the Supplement of the Ayanansa to 12 Signs, in the 2d, and the Ayanansa itself, in the 3d Quadrants of the Epicycle, increase in the same manner as the European precessional variation, the Arc of distance between the first point of the Sydereal Ecliptic and the Equinox Ex (i. e. between A. A. C. 1301 and 2299) in the said Padahs, may easily be compared to the Tropical Longitude of the same point, computed by means of the European Tables.

But as in the 1st and 4th Quadrants (i. e. from A. A. C. 3101 to 1301 complete in the *first*, and from A. D. 2299 and 4099 in the *fourth*) the Hindu theory supposes that Ex, or ex returns towards γ or C, with contrary Signs; whereas by the European doctrines, these continue to recede therefrom according to the laws of the precessional variation, until Ex or C have reached their greatest elongation in the great scope which they have to describe, the Equation of the Ayanansa to the European Tropical Longitude at either season is of course equal to *nearly* twice the Cranti-Patagati (the motion of the Equinoctial points) due to the number of years elapsed between A. A. C. 3101 and 1301 in the first Quadrant, or between A. D. 2299, and 4099 in the fourth ; as shall be shewn hereafter.

From what has been said it follows, that if any document could appear, which should bear as its only distinguishable date, the Sun's place in the Indian Sydereal Ecliptic, according to the fictitious system of the Ayanansa, in any year comprised in the said first and fourth Quadrants, another Equation would be required to refer the mean Longitude of Ex (or ex) in the Sydereal Zodiac to its true Longitude in the European Tropical Ecliptic.

As this work has principally *practice* for its object, instead of giving an analytical demon-stration of the problems under consideration, I shall disclose the theory on which they rest by a number of Examples, which will present them under every aspect that such questions may assume : and it will be found in the present case, as in every other treated of in this collection, that the

most difficult task imposed on the reader as well as the author, does not arise from the application of deep scientific knowledge, but from the difficulty of exposing briefly, and understanding clearly, methods which have little analogy with those used by European mathematicians.

To find the Tropical Longitude of any point of the Hindu Sydereal Ecliptic, as computed by the Native Astronomers, presents no sort of difficulty : the problem consists merely in the computation of the Ayanansa explained at page 86, and rendered still more easy by Table XXXV, and in adding the same if *positive*, or its Supplement to 12 Signs if *negative*, to the proposed Sydereal Longitude in the Ecliptic, if it be occupied by the Sun, or in the Orbit of the Planets if these be considered, referring it however, to their obliquity with the Ecliptic in the latter case. The sum of the *Ayanansa* and *Mudhyama* Graha (mean place in the Sydereal Zodiac) is what the Hindus call the *Sayana* or Tropical Longitude of the Aster when in the proposed point, which they no longer count by the names of the Solar signs Mesha, Vrisha, Midhuna, &c. but by I, II, III, &c. as European Astronomers are in the habit of doing.

[margin: The Hindu Tropical Longitude of any point of the Ecliptic deduced from its position in the Hindu Sydereal Ecliptic, by means of the Ayanansa.]

[margin: As also that of the Planets.]

[margin: The Hindus count the Signs of their Tropical Ecliptic by their numerals.]

But the present question involves one consideration more, namely, how to deduce at once the *European* Tropical mean Longitude of a point given in the Hindu Sydereal Ecliptic, without any other reference to the Indian Tropical Zodiac than the consideration of the Ayanansa at the beginning of the Hindu Solar year when the Sun is in the proposed point of his Orbit.

[margin: Reduction of a point in the Hindu Sydereal to the European Ecliptic, considered.]

The operation which forms the subject of this paper depends entirely on an annual Equation of $1' 45'',6$ European time ($4^r 24^p,04$ Hindu time $=$ a) amounting in a century to $2^h 56' 1'',6$ European time ($7^s 20^r 4^p$ Hindu time $=$ S) to be applied $\pm$ to the time when, according to the Hindu computation, the Sun occupies the proposed point, as shall be shewn hereafter. But the Longitude deduced from the time so equated is subject to a small reduction, by drawing the same into $\dfrac{54''}{54'' 1''' 15''''}$, as it answers to a precessional variation greater by $1''' 15''''$ than $54''$ per annum. (*)

[margin: Elements, Value of A. and S.]

[margin: Reduction of the precessional variation supposed to be $54'' 1''' 15''''$ to $54''$.]

General View of the Proposition.

It was found in the course of this research that the European Tropical Longitude of the Sun, when in a certain point of the Hindu Sydereal Ecliptic which corresponds in time to the 14th December of A. D. 2519, *Julian* Style (†) at $18^h 53' 14''$ P. M. under the Meridian of Paris, will be precisely the same as that which would result if computed by the Ayanansa due to the beginning of the 5621st year of the Cali yug ; *plus* the Sun's mean motion for $253^d 7^h 18' 54'',6$ ($18^s 17' 17^p$ Hindu time) at Lanca. But it was also found, as stated in the present page, that the

[margin: Epoch when S and a = o. A. C. 5621, 7th Paushia. A. D. 2519, 14th December, Julian Style; 28th December, Gregorian Style.]

(*) This part of the Equation is subtractive when the Longitude equated by means of S and a, which gives always that which would result of a precessional variation of $54'' 1''' 15''''$, is greater than by $54''$, and vice versa: but the multiplication by $\dfrac{54''}{54'' 1''' 15''''}$ is dispensed with by help of Table XXXVI.

(†) 28th December, Gregorian Style.

divergence of the European Tropical, and Hindu Sydereal Solar Tables, *from that instant of time* increases precisely at the rate of 1′ 45¼″ per annum ; it follows therefore, that if this Equation, which I call a, its multiples or fractions, be applied with contrary Signs in ascending and descending years, to the time when the Sun, by the Hindu account, is in the proposed point of the Sydereal Ecliptic, his Longitude answering to the time so equated, drawn into $\frac{5'}{54'' 1' 15''}$ will be the same as would result from its being computed with reference to the *Ayanansa*, the difference of the proposed Hindu and equated time shewing the error of the Indian Solar Tables.

If therefore, the remoteness of an Epoch (A. D. 2510) which is thrown so far off from our times ; and the inconveniency of a broken period of 253 days, &c. from the commencement of the Hindu Solar year, were not a strong objection against its being resorted to, the following general formula would be found to apply to all past and future times.

$$T = \beta \pm (SnC + ma) \pm dx$$

where β represents the time when the Sun is in the proposed point of the Ecliptic. S = the secular Equation 7s 20ᵛ 4ᵖ Hindu time ; SnC = any multiple of the same ; a = the annual Equation 4ᵛ 24ᵖ,04 Hindu time ; ma = any multiple of the same (ʳ) ; dx = the correction adverted to in the note at the foot of the preceding page ; and T = the equated time sought, which will indicate the error of the Hindu Solar Tables.

The broken period of 19 years, 348ᵈ 13ʰ 53′ 14″ referred to the Julian year and Meridian of Paris (preceding page), or of 253ᵈ 7ʰ 18′ 54″,6 referred to the time of the commencement of the Hindu Solar year 5621, may easily be done away, by referring the above formula to the beginning of the century (A. D. 2500), which would then correspond to the 5602ᵈ year of the Cali yug ; for say

365ᵈ (one common year): 4ᵛ 24ᵖ,04 :: 19ᵛ 253ᵈ 18ˢ 17ᵛ 17ᵖ :: 1ˢ 26ᵛ 40ᵖ, which last term calling △, the new formula for all years ascending from A. C. 5602 (A. D. 2500) will be,

$$T = \beta + SnC + \triangle + ma \pm dx$$

and it will be found sufficiently accurate for all practical purposes.

But these Epochs are too remote from our times, not to be extremely inconvenient in practice. In the following tract, I have therefore referred the general formula to two different Epochs, viz. to the year of Christ 1700 for ascending, and 1800 for descending Julian years, the intermediate Hindu Solar years which concur with those of the 18th Christian century, being subject to two special formulæ, reducible as the others to the general one.

In all cases it is to be understood, that the Julian Kalendar alone is to be referred to in the resolution of problems depending on the Sun's position in the Hindu Sydereal Ecliptic, on account

(*) In case of fractions of years $\frac{a}{365}$ will be found equal to 0p,7283, the equation for one day, and 1ᵛ 12p,3418 for 100d. from which the fraction for any number of days may easily be deduced.

of the 25 Bissextile years of that style in a century (all Secular years being Leap ones) and the invariable regularity of its construction.

The application of the method under consideration supposes a knowledge of the use of the European Solar Tables, which implies no great degree of science, for all that is required of the computer is, that he should know how to find the Sun's mean Longitude for any year, day or instant that may be proposed. (*)

Notation, Formulæ, and Examples.

The foregoing introduction seeming sufficient to give a general notion of the nature of an instrument which I have used with success for the resolution of some very remote and obscure cases, I shall now proceed to shew how it is to be handled, and conclude by shewing its application.

It is to be regretted that the remoteness of the Epoch to which the general formula refers has necessitated the splitting of it, into several special formulæ, which give an appearance of complexity to the problem, which in reality it has not, and which has increased the notation beyond the usual measure ; but if the reader has the patience of expounding a couple of cases, he will soon find that the process is by no means a delicate one, and that he need not be detained more than a quarter of an hour on any one case that can be proposed.

Instead of presenting the formulæ collectively, I have separated them into several propositions, which will render the references easier, and prevent confusion.

Notation.

Let β represent any time according to the Hindu Solar Sydereal Kalendar, where the year consists of $365^d 15^g 31' 15^p$, the Hindu monthly date being previously expounded into its concurring European date according to the Julian Kalendar, (vide Key to the Madhyama Saura mana), but the fractions of days remaining expressed in guddias, viguddias and paras.

$S=$ The secular Equation $7^s 20^v 4^p$ Hindu time ($2^h 56' 1'',6$ European time) mentioned at page 249.

$nC=$ Any number of centuries.

$a=$ The annual Equation $4^v 2 1'',04$ Hindu time ($1' 45'',6$ European time) mentioned at the same page.

$\frac{a \times D}{365} =$ The same Equation for any number of days not exceeding one year.

$ma=$ Any number of years not exceeding a century.

(*) As all sorts of Tables are scarce in India, I have compressed Delalande's four first Tables (Edition of 1764) into two, and added at the foot directions for using them ; these will be found in Table LII, part 1st and 2d.

A= A constant Equation applicable to all years ascending from the 4802d of the Cali yug (A. D. 1700) =7' 12ᵖ Hindu time (2' 52" European time).

B= A constant Equation applicable to all years descending from the 4902d year of the Cali yug (A. D. 1800) =7ˢ 12' 52ᵖ Hindu time (2ʰ 53' 8",6 European time.

E= A constant Equation applicable to all Hindu Solar years from the 4804th to the 4899th year of the Cali yug (A. D. 1702 to 1799) answering to the 97 last years of the Christian 18th century =1' 36",08 Hindu time (24",2 European time).

ɣ= An Equation applicable only to the 4803d year of the Cali yug (A. D. 1701) =2' 47",66 Hindu time (1' 17",1 European time).

△= A constant Equation, being one of the terms of the formula which applies the computations referred to the 5602d year of the Cali yug (A. D. 2500) =1ˢ 26' 40ᵖ Hindu time (34' 40" European time) as stated at page 250.

x= The general multiple $\frac{54''}{54''\ 1''\ 15''}$ mentioned at page 249.

dx= A correction which dispenses from using the multiple x, being the difference of the Ayanansas given in Tables XXXV and XXXVI, to be applied ±, as stated in the note at the foot of page 249.

H= 6 hours (constant).

L= The difference of Longitude in time between Paris and Lanca (constant).

T= The time sought.

   N. B.—As H and L are constant quantities, and are applied in the same manner in all cases, they are not considered in the formulæ, although they are always used in expounding them.

PROPOSITION I.

   " If to the time of the beginning of the 5602ᵈ year of the Cali yug (A. D. 2500) you add the " constant quantity 1ₛ 26ᵛ 40ᵖ (34' 40") △; and if for any other Solar Sydereal year ascending " therefrom, besides the said quantity △ you add 4ᵛ 24ᵖ,04 (1' 45",616 European time) a " for each year ; and 7g 20ᵛ 4ᵖ (2ʰ 56' 1",6) S for each century, the Sun's mean Longitude due " to the time so equated drawn into $\frac{54''}{54''\ 1''\ 15''}$ will be equal to the Ayanansa or its Supplement " for the beginning of the said Solar year."

   " And the general formula for all years not exceeding the 5602ᵈ of the Cali yug will be

$$T = \beta + (SnC + \triangle + \text{ma}) \pm dx \; (*), \; (\text{page 250})$$

(*) The term dx is the difference of the Ayanansa given by Tables XXXV and XXXVI converted into time by means of Table LII, and dispenses from drawing the Sun's Longitude due to the equated time into $\frac{54''}{54''\ 1''\ 15''}$. It is additive when the *Ayanansa* or its Supplement to 12 Signs (when it is negative) is greater than that given by Table XXXVI, and subtractive when it is less.

where nC represents the number of centuries, and m the number of years between that which is proposed, and the Epoch 5602.

PROPOSITION II.

" If to the commencement of the 4802¹ year of the Cali yug (A. D. 1700) you add one day " and the constant quantity 7ˢ 12° (1′ 45′,6 European time) A; and if besides the said quan- " tity, you add for any other year ascending therefrom the value of a for every year, and of S " for every century as above noted, the Sun's mean Longitude due to the time so equated drawn " into $\frac{54''}{53'' 1'' 15'''}$ will be equal to the Ayanansa, or its Supplement to 12 Signs if it be negative, " for the beginning of the said Solar year.

" The formula for all years *ascending* from A. C. 4802 (A. D. 1700) to any Epoch not " exceeding A. C. 1800 (A. A. Christ. 1801), will be

$$T = \beta + 1^{day} + (SnC + A + ma) \pm dx$$

" the notation remaining as before.

" The formula for A. C. 4802 (A. D. 1700), is therefore merely

$$T = \beta + 1^{day} + A - dx.$$

PROPOSITION III.

" If to the commencement of the 4902¹ year of the Cali yug (A. D. 1800) you add 1 day, " and from the sum you subtract 7ˢ 12° 52° (2° 55′ 8″,0 European time) B; and if besides the said " constant quantity you subtract farthermore the value of a for each year, and of S for each " century *descending*, the Sun's mean Longitude due to the time so equated drawn into " $\frac{54''}{54'' 1'' 15'''}$ will be equal to the Ayanansa for the beginning of the said Solar year.

" The formula for all years *descending* from A. C. 4902 (A. D. 1800) to any year not " exceeding A. C. 5400 (A. D. 2299), will therefore be

$$T = \beta + 1^{day} - (SnC + B + ma) - dx$$

and for the 4902¹ (A. D. 1800)

$$T = \beta + 1 - B - dx.$$

The Hindu Solar years which concur with those of the XVIIIth century, may all be equated by means of the first or general formula,

$$T = \beta + SuC + \triangle + ma - dx;$$

but the same may be done by means of the following special formulæ.

PROPOSITION IV.

" If to the commencement of the 4803¹ year of the Cali yug (A. D. 1701) you add *one*

(*) In Bissextile years m.a = 0.

" day and 2' 47ʳ,06 (1' 17″,1 European time) ʏ, the result will be the same as in the foregoing

" propositions, and the formula for *that particular year* will be

$$T = \beta + 1 + \gamma - dx.$$

PROPOSITION V.

Special for all years from A. Cal. 4894 to 4901, A. D. 1792 to 1799.

" If from the commencement of the 4804th year of the Cali yug (A. D. 1702) you subtract the " constant quantity 1' 36″,03 (24″,2 European time) E ; and if for the remaining years down " to A. C. 4901 (A. D. 1799) you subtract furthermore the value of *a* for each year descending, " the results will be as before stated, and the formula

$$T = \beta + 1^{day} - (E + ma) - dx.$$

OBSERVATION.

The limits in Propositions III and IV explained.

It will have been remarked in Proposition III, that the rule answers no higher than the 1800th year of the Cali yug *complete* (A. A. C. 1301) ; and in Proposition IV, no lower than the 5400th Cal. complete (A. D. 2299), whereas at Proposition I, it is extended up to A. C. 5601 (A. D. 2500) complete, or the beginning of the 5602d ; and that no limits were fixed for ascending years, but the restrictions at Propositions III and IV proceed, from the supposed Epicircular,

Case where the Hindu, is supposed to proceed in a contrary direction from the European, precessional variation.

or Libratory motion of the Equinoctial points, which are only retrogade in the 2d and 3d Quadrants of the Ayanansa, and consequently progressive in the two others, so as to return in a contrary direction towards *zero*.

But although we should use the Ayanansa Table for finding the Longitude of the 1st point of Mesha ♈ on the beginning of any Solar year, according to the erroneous notions of the Indians, yet as the Hindu difference of the *true* and *supposed* Longitude is always equal to double the quantity of precessional variation (Cranti-Patagati) due to the interval elapsed between the passing of Ex either into the 1st Quadrant, in *ascending*, or into the 4th in *descending* years, having established that constant ratio, the formula will still hold good.

For let the Ayanansa for the 1599th year of the Cali yug complete (A. A. C. 1100) be by the Tables (and according to Hindu theory) 23° 59' 6″ ; say from 1399 to 1599 there are 201 years, for which the motion of the Equinoxes is 201×54' =

					3°	0'	54″
						×	2
The double of which					6	1	48
Added to the supposed Ayanansa				23	59	6
Gives the true Hindu Longitude sought			1ˢ	0	0	54

to which the time equated by the formula will correspond.

SECTION I.

EXAMPLE I.

Let it be required to compute the time at Paris when the Sun's mean Longitude is equal to the

Ayanansa on the beginning of the Hindu Solar Sydereal year 4802 of the Cali yug, answering to A. D. 1700, a Bissextile year O. S.

Examples for Hindu Solar Years concurring with Christian Secular years O. S.

Cali yug 4802, A. D. 1700 Secular.

The formula in the present case is (page 253.)

$$T = \beta + 1 \text{day} + A - dx. \quad \text{(Proposition II.)}$$

Time of commencement of the Solar year 4802 expounded in the usual manner.

			G.	V.	P.	
β = March	-		28	46	40	0
+ 1	- -	-	1			
+ A	-	-		7	12	
Hindu time	-		29	46	47	12

The same European time	29	18	42	52	
Subtract, to count from noon, II - - -			- 6		
	29	12	42	52	p. m.
Longitude in time between Paris and Lanca, L -			- 4	54	12
Equated time uncorrected, - - March	29	7	48	40	p. m.

when the Sun's mean Longitude is equal to the Ayanansa such as given in Table XXXVI, and will be found to be 18° 1′ 19″,9 which drawn into $\frac{54''}{54'\ 1'\ 15''} = 18° 0′ 53″,8$.

In order to save the trouble of the latter operation, say

Table XXXV, Ayanansa A. C. 4802	-	-	18°	0′	54″,0
XXXVI, do. do.	-	-	18	1	19,9
Difference dx					25,9 (*)

and the time which the Sun will take to move through that number of seconds (Table LII) is 10′ 31″, which subtracted from March

	29	7^h	48′	40″
			10	31
Leaves the true equated time T = March -	29	7	38	9

at which time the Sun's mean Longitude (at Paris) will be found equal to the Ayanansa, as may be computed thus :

From 1st January to 29th March 89 days; but as the Sun's mean Longitude for 1700 in Table LII is given for noon 1st January (on account of the Bissextile), take only for 88 days.

		°	′	″
☉'s mean Longitude Table LII, 1st January 1700 -	9	20	57	51
For 80 days, part 2d - - - -	2	18	51	6,4
8 do. do. - -		7	53	6.6
7 hours - - -			17	14,9
30 minutes - - - -			1	13.9
8 minutes - - -			1	9,7
9 seconds - - -				.4
Sun's mean Longitude equal to the Ayanansa -	0	18	0	52,9

differing only 1″,1 from that given in Table XXXV.

N. B.—The same calculated by Delalande's Tables gives exactly 18° 0′ 54″.

(*) Generally dx is subtractive when the Longitude given by Table XXXVI, is greater than that by Table XXXV, and vice versa.

SCHOLIUM.

According to the Hindu Kalendar the Sun is supposed to have entered the sign Mesha γ on the 28th March 1700 at 12^h $40'$ p. m. Meridian of Lanca ($1°$); but according to European computation, he only entered it on the 29th of the same month at 12^h $32'$ $21''$ also at Lanca; i. e. 23^h $52'$ $21''$ later: during which

	G.	V.	P.		
$1°$	23	46	40	0	from ⊙ rising.
To count from noon, subtract	—	15			
Hindu time . . .	28	31	40	0	p. m.

	H.	′	″	
European time . .	23	12	40	0	p. m.

	H.	′	″	
$2°$				
Equated time . .	29	7	38	9	p. m.
To reduce to Lanca .	+	4	54	12	
True time . . .	29	12	32	21	
Time as above . .	23	12	40	0	
Error in time . . .	0	23	52	21	

time the Sun would move through an Arc of $58'$ $51''$,4. It follows therefore, that the Hindu Kalendar advances too much the Sun's position, since it assigns it $12°$ $0°$ $0'$ $0''$ when it is only $11°$ $29°$ $1'$ $8''$,6. Hence the correction of the Hindu Tables should be subtractive from the *Ayanansa*, or additive to the *time*.

EXAMPLE II.

Let the same be proposed for the beginning of the 4902d year of the Cali yug, answering to A. D. 1800, being (according to the Julian Kalendar) a Bissextile year. (*)

The formula is $T' = \beta + 1 - B - dx$ (Proposition III).

Ayanansa and Longitude of γ 19° 39′ 54″.

Ayanansa.	°	′	″	‴			G.	V.	P.	
By Table XXXV,	19	30	54	0	$\beta =$	March	29	38	45	0
do. XXXVI,	19	31	21	6	$+1$.		1			
Difference			27	6			30	33	45	0
Answering to 11′ 0″ of time = dx.					$— B$.		—	7	12	52
					In Hindu time		30	31	32	8
					In European time		30	12	36	51 from ⊙ rising.
					Subtract, to count from noon, — H .		—	6		
							30	6	36	51 p. m.
					Longitude in time between Paris and Lanca — L .			4	54	12
							30	1	42	39
					$— dx$.		—	11	0	
					Equated time, Meridian of Paris, T =		30	1	31	39 p. m.

(*) Not to repeat uselessly the same words, the time of commencement of the Hindu Solar Sydereal year, represented by β, will be supposed known. (Vide 1st Memoir.)

The process for finding the Sun's Longitude by the European Tables, or Table LII of this collection, being the same as in the preceding Example, need not be repeated. It gives 19° 30′ 51″,2, differing only by 0″,2 from the Ayanansa.

EXAMPLE III.

The same for the commencement of the Solar Sydereal year 3102 of the Cali yug, answering to A. D. 0.

The formula is T = β + 1 + SnC + A + dx (Proposition II), and in this case as the Ayanansa is negative, being in its second Padah, the difference of its Supplement to 12 Signs (or Longitude according to European expression) is to be taken for finding dx.

Cali yug 3102, A. D. 0 secular.

OPERATION.

```
1700
   0    nC = 17                      β = March 14  1 15  0
  ────                  1ᵈ + SnC + A =   +    3  4 48 20
 (17) 00
          G . V.  P.                         17  6  3 20
   S =    7 20  4                            ─────────
          × 17                               17  2 25 20 from ⊙ rising
                                            — H — 6
  S,C     2¹ 4 41  8
   + A         7 12                          16 20 25 20  p. m.
                                            — L — 4 54 12
  SnC + A   2  4 43 20                       ─────────
   +        1                                16 15 31  8
                                            + dx  +   4 26
 1ᵈ + SnC + A  3  4 48 20                    ─────────
```

Longitude (*)

Table XXXV, 11 22 30 54
  do. XXXVI, 11 22 30 43
  ─────────
Difference   11

T. Equated time, Meridian of Paris, March 16 15 35 34 p. m.

As the Epoch of this Example is very remote, I shall subjoin the computation of the Sun's Longitude by means of Table LII.

Ayanansa.
s ° ′ ″
0 7 29 6
12 0 0 0
Long. 11 22 30 54

From the beginning of the European year to the 16th March, 76 days: but as the proposed year is Bissextile, take for 75 days.

	s	°	′	″
Table LII, ⊙'s mean Longitude 1st January A. D. 0	9	7	57	5
do. part 2, for 70 days	2	8	59	43,1
5 do.		4	55	41,6
15 hours			36	57,7
30 minutes			1	13,9
5 do.				12,3
30 seconds				1,2
4 do.				0,2
Sun's Longitude by the European Tables	11	22	30	55,0

differing from the Supplement of the Ayanansa by 1″.

(*) In the first and second Padah of the Ayanansa, the Sun's Longitude on the 1st Vaisacha, is its Supplement to 12 Signs. In the third and fourth the Ayanansa and Longitude are the same.

SCHOLIUM.

By the Hindu Kalendar, the Sun is sup-
posed to have entered the sign Mesha ♈ on
the 13th March A. D. 0, at 18ʰ 30′ p. m.
at Lanca (1o), and the Sun's Longitude
in the Tropical Ecliptic was 11ˢ 22° 30′
54″ on the 16th of the same month at 20ʰ
29′ 46″ p. m. also at Lanca, by the Eu-
ropean Tables (2o). The difference in
time is therefore 3ᵈ 2ʰ 0′ 14″, during which

		G.	V.	P.	
1o	March 14	1	15	0	from ☉ rising
	—	15	0	0	
	13	46	15	0	p. m.
	13	18	30	0	
2o	March 16	15	35	34	p. m
	+	4	54	12	
	16	20	29	46	Lanca.
	13	18	30	0	
Error in time =	3	2	0	14	

the Sun would move through 3° 2′ 21″ (Table LII, part 2), and as the Hindu Kalendar
supposed the Sun to have 12ˢ Longitude, *three* days, &c. *before* he was actually thus much
advanced in the Ecliptic, it follows that the error of the Hindu Tables is *subtractive* of the
Longitude and consequently *additive* to the *Ayanansa*, as well as to the time registered in
the Kalendar.

EXAMPLE IV.

The same for the commencement of the 5102ⁿ year of the Cali yug, answering to A. D. 2000, a
Bissextile year.

The formula is $T = \beta + 1^{day} - (SnC + B) - dx$. (Prop. III.)

OPERATION.

2000	nC = 2	B = 7ˢ 20° 4′
1800		

(2)00

Ayanansa.

Table XXXV, 22° 30′ 54″
do. XXXVI, 22 31 25,2

Difference 31,2
The time due to which is 12′ 15″ = dx.

S = 7ˢ 20° 4′
× 2

14 40 8
+ B . 7 12 52

SnC + B = 21 53 0

			G.	V.	P.	
β =		March 31	22	55	0	
+ 1 day		+	1			
		April	1	22	55	0
— SnC + B		—	21	53	0	
Hindu time, April			1	1	2	0
European time			1	0	24	48
— H . .			—	6		
— L . .		March 31	18	24	48	p. m.
		—	4	54	12	
		31	13	30	36	
— dx . .			—	12	15	

Equated time at Paris, T = March 31 13 18 21 p. m.

and whether we resolve the Sun's mean Longitude by Delalande's Tables, or by Table LII,
we shall find it to be 22° 30′ 54″,8, differing from the Ayanansa (which is also the Longitude of
the 1st point in Mesha) by 0″,8.

The error of the Kalendar may be deduced in the same manner as before.

SECTION II.

Examples for Hindu Solar years, corresponding to European Julian years which are Bissextile without being Secular.

EXAMPLE V.

Let it be proposed to equate the commencement of the 4782[1] year of the Cali yug, answering to A. D. 1680.

The formula in this case is $T = \beta + 1^d + (SnC + A + ma) - dx$.   (Prop. II.)

OPERATION.

```
1700
1680        nC = (0)    m = 20   ma = 20 × 4s 24v,04 = 1s 28v 0p
─────
(0)20       A = 7' 12"
```

		G.	V.	P.
	Ayananssa.	β March 28	36	15	0

```
                A = 7  12       Tab. XXXV, 17° 42' 54"  0"  + 1 day    +  1
        +     ma = 1  28  0     do. XXXVI, 17 43 18 35 + SnC + A + ma + 1 35 12
     ───────────────────                  ──────────
     SnC + A + ma  1 35 12                 — 24 35   Hindu time 29 37 50 12
                                Answering to 9' 57" = dx.
                                                      Eur. time  29 15  8  5  from ☉ rising
                                                      — H        —  6
                                                      ──────────────
                                                      29  9  8  5 p. m.
                                                      — L           4 54 12
                                                      ──────────────
                                                      29  4 13 53
                                                      — dx          9 57
```

Time equated, Meridian of Paris, T = March   29   4   3 56 p. m.

		S.	°	'	"
☉'s Longitude 1st January 1600, Table LII, part 1, div. 2,		9	20	11	56
	div. 3, 80 years,			36	44,53
Part 2, for 88 days, 4h 3' 56" (d. 1, 2, 3 and 4),		2	26	54	14,2
☉'s mean Longitude, differing only from the Ayananssa by 0",73,		0	17	42	51,73

EXAMPLE VI.

The same for the commencement of the 4918th year of the Cali yug, answering to A. D. 1816, a Bissextile.

Formula $T' = \beta + 1 \ 1^d - (SnC + B + mb) - dx$.

OPERATION.

```
1816
1800       nC = 0.   m = 16.   mb = 16 × 4s 24v,04 = 1s 10v 24p
─────
(0)16
```

	G.	V.	P.
B =	7	12	52
mb =	1	10	24
SnC + B + mb	8	23	16

```
                                              β =         March 29 47  5  0
     Ayananssa.    °    '    "    "           + 1 day      -    -       1
     Table XXXV, 19  45  18   0                                 ──────────────
     do.  XXXVI, 19  45  45  26                                 30 47  5  0
                 ────────────                 — SnC + B + mb    —  8 23 16
                 — 27 26                       Equated Hindu time 30 38 41 44
which answers to 11' 8" of time = dx.                            ──────────────
                                              do. European time 30 15 28 41 from ☉ rising.
                                              — H    .    — 6
                                                           ──────────────
                                                           30  9 28 41 p. m.
                                              — L    .     — 4 54 12
                                                           ──────────────
                                                           30  4 34 29
                                              — dx   .     — 11  8
```

Equated time, Meridian of Paris, T = March   30   4 23 21 p. m.

<div align="right">

	s.	°	'	"
⊙'s mean Longitude 1st January 1800, Table LII,	9	21	43	47
Part 1st, do. for 16 years		7	20,9
Part 2d, for 29 days, 4 hours, 23 minutes, 21 seconds	2	27	51	10,2
⊙'s mean Longitude at equated time	0	19	45	18,1

</div>

differing only 0",1 from the Ayanansa.

The foregoing six Examples provide for every case of Hindu Solar Sydereal years correspond-ing to Christian years which are either Secular or Bissextiles. As for the common years the rule is the same, observing that in *ascending* years from A. D. 1700, the term m a of the first formula, applies to the number of years counted from the end of the century giving the years which are wanting to complete it; and m b of the second, to the number of years counted from the begin-ning of A. D. 1800 to the proposed one. I shall give a few Examples of the case of Hindu Solar corresponding to common European years, for the purpose of shewing how the Sun's mean Longitude according to European Astronomy, is to be computed by means of Table LII. (*)

SECTION III.

Examples for Hindu Solar years which correspond with common Christian years before and after Christ.

EXAMPLE VII.

Let it be proposed to equate the commencement of the 3102d year of the Cali yug, answering to A. A. C. 1 current, a common year.

It will be found by Table VIII (page 10 of the Tables), that the Initial Root for that year is Friday, at $45^s 43' 45''$ after Sun rise; and by Table V, part 3d, that this Friday falls on the 11th March, which gives the value of β in the formula $T = β + 1 + (SnC + A + ma) + dx$ (Prop. II).

Ayanansa.

	°	'	"
	7	20	0
12s	0	0	0
Long.	11	22	30	0

OPERATION.

```
    1700
  +    1      nC = 17.    m = 1.    ma = 4ˢ 24",04.
  (17)01
         G.  V.  P.
  S   7  20   4
       ×  17
  ───────────
  SnC 2ˢ 4 41  8
  + A      7 12
  ma       4 24
  ───────────
      2  4 52 44
  SnC + A + ma
```

Longitude deduced from Ayanansa.

	s.	°	'	"
Table XXXV,	11	22	30	0	0
do. XXXVI,	11	22	29	40	35
Difference			+ 10	25

Answering to 4' 12" in time = dx.

	G.	V.	P.
β March	14	43	45	45
+ 1 day	+	1
+ SnC + A + ma	2	4	52	44
Hindu time	17	50	36	29
European time	17	20	14	36	from ⊙ rising
— H	—	6
	17	14	14	36	p. m.
— L	—	4	51	12
	17	9	23	24
+ dx		4	12
Equated time, Meridian of Paris, T = March	17	9	21	36	p. m.

(*) The author begs here to remind the reader, that he is not writing for the purpose of instructing Astronomers, but merely to give to those who are not, the means of using his Tables and Formulae,

which rule differs in no respect from the preceding; but in order to find the Sun's mean Longitude by means of Table LII, which is the same as that deduced from the Ayanansa, we are to proceed as follows:

	s.	°	′	″
Part 1, ☉'s mean Longitude 1st January, div. 1,	9	7	57	5
☉'s motion for one year ascending, div. 4,	—		44	48.8
☉'s mean Longitude 31st December A. D. 0,	9	7	12	16,2

And there being from that date to March 17th, 76 days, we have by part 2

	s.	°	′	″
(out of the respective divisions) for 76ᵈ 9ʰ 24′ 36″	2	15	17	44.8
☉'s mean Longitude sought,	11	22	30	0,5

which differs only from that deduced from the Ayanansa by 0″,5.

EXAMPLE VIII.

The same for the commencement of the 4743d year of the Cali yug, corresponding to A. D. 1641, a common year.

Formula T = β +1+ (SnC+A+ma) — dx (Prop. II.)

OPERATION.

Ayanansa and Longitude.

	°	′	″	″
Table XXXV,	17	7	48	0
do. XXXVI,	17	8	11	46
difference	—		23	46

answering to 9′ 34″ of time.

As this case offers nothing new, I shall be contented with stating that nC = 0; m = 59; ma = 4ˢ 19′ 33ᵖ; SnC+A+ ma = 4ˢ 26′ 50ᵖ; dx — 9′ 34″; and β, by the usual process, being found to answer to March 28th, 30′ 55′ 15″, the time after noon equated to the Meridian of Paris is March 29th, 3ʰ 5′ 28″, at which time the Sun's true Longitude by Delalande's Tables, or Table LII, will be found as follows:

	s.	°	′	″
Table LII, part 1st, div. 1, ☉'s mean Longitude 1st January 1600	9	20	11	56
Do. do. div. 3, for 40 years			18	22,26
Do. do. div. 4, for *descending* years, one year	11	29	45	49,5
☉'s mean Longitude 31st December 1640	9	20	15	53,76
Part 2, (by the respective divisions) for 88ᵈ 3ʰ 5′ 28″	2	26	51	49,96
☉'s Longitude, differing 0″,7 from the Ayanansa,	0	17	7	48,72

SECTION IV.

On the manner of equating the beginning of Hindu Solar years concurring with those of the XVIIIth Christian century.

We have already observed (page 253) that the term A of the first formula (7′ 12ᵖ) applies to Solar years concurring with all Christian years ascending from A. D. 1700; and that B, of the second formula (7ˢ 12′ 52ᵖ) to those corresponding to all Christian years descending from A. D. 1800. We are now to consider the resolution of that part of the problem, which equates the commencement of Sydereal years from the 4802ᵈ to the 4902ᵈ of the Cali yug, corresponding with

those of the European XVIIIth century; the mode of doing which differs only in appearance from the rest, for every thing still depends on the Secular Equation S = 7ᶜ 20ʳ 4ᵖ and its fractions. The formula however, changes, as we have seen at page 254, and this is to be ascribed to the Signs passing from + to — during that interval, although if we were to begin from that Epoch where S, A, and B = 0, such a change would not occur, as shall be seen hereafter.

N. B.—It is to be remembered, that A is only equal to 7ʳ 12ᵖ; and B to 7ᶜ 12ʳ 52ᵖ at the end of the 4801st and 4901st of the Cali yug. The passage from A to B will be explained in what follows:

		r.	p.
If from A, due to A. C. 4801 complete		+ 7	12
We subtract a		— 4	21,04
We have the Equation for 4802 complete		+ 2	47.96
The difference of which to a		4	24,04
Will be		— 1	36,08

which is the Equation for 4803 *complete*, answering to A. D. 1702; from which year the Equation becomes negative. I shall therefore call the year 4804 *current* of the Cali yug, answering to A. D. 1702, the Epoch of the years concurring with those of the XVIIIth century, and its Equation E = — 1ᵛ 36ᵖ.08; that for the beginning of A. Cal. 4803 (1701) remaining peculiar to itself, viz. + 2ʳ 47ᵖ,96 = Y. (Proposition IV).

The above considerations will lead us to determine the value of B for the Solar year concurring with A. D. 1800; for let us find the Equation for the commencement of the 4901st year of the Cali yug, answering to A. D. 1799.

From the proposed year		1799	
Subtract Epoch		1702	
Interval		97 years = m.	
Now multiply a (4ʳ 21ᵖ,04)			4 21,04
		by m =	× 97
		7ᶜ	6 51.88
Add E (above found)		+	1 36,08
Equation for 1799		7	8 27,96
To which add again a for *one* year		+	4 21.04
Equation B, for 1800		7	12 52,0

This being understood, so will the formula

T' = β + 1 — (E + ma) — dx. (Proposition V), for all the years of the Hindu account which concur with those of the XVIIIth century, except the 4803d of the Cali yug (1701), which retains its own Equation + 2ʳ 47ᵖ,96 = Y.

SECTION V.

EXAMPLE IX.

We shall first resolve the case of the beginning of the 4803d year of the Cali yug, answering to A. D. 1701, which, as already stated, is unique of its kind, the Equation being

T''' = β + 1 + Y — dx. (Proposition IV.)

Ayanansa and Longitude.

	.	′	″
Table XXXV,	18	1	48
do. XXXVI,	18	2	13,9

Difference 25,9
Answering to 10′ 31″ = dx.

				G.	V.	P.
$\beta =$	.		March 29	2	11	15
+ 1	.	.	+	1		
+ x	.		+	0	0	2 47,96

30	2	14	2,96
30	0	53	37,2	from ⊙ rising.

— H   .   .   — 6

29	18	53	37,2	p. m.
	4	54	12

— L   .   .

29	13	59	25,2
—		10	31

— dx   .   .

Time P. M. equated to Meridian of Paris, T″   .   29 13 49 51,2 p. m.

And for the ⊙'s Longitude due to that instant according to the European Tables, we have

		S.	°	′	″
Table LII, part 1, ⊙'s mean Longitude 1st January 1700	.	9	20	57	51
For one year, division 4,	- . .	+ 11	29	45	40,5
⊙'s mean Longitude 31st December 1699	.	9	20	43	31,5
Same Table, part 2, for 88ᵈ 13ʰ 49′ 54″	. .	2	27	18	18,1
⊙'s mean Longitude sought	.	0	18	1	49,6

differing from the Ayanansa on the beginning of A. Cm. 4803, by 1″,6, which is the maximum of deviation which has occurred in the course of this research, even for the remotest times, between the results of the formulæ, and those of the European Solar Tables.

Example X.

The same for the commencement of the 4804th year of the Cali yug, concurring with A. D. 1702.

Formula T = β + 1 — (E + ma) — dx (Prop. V.)

Here, as the proposed year is that of the Epoch (page 262) m and ma = 0, and E + ma = 1′ 36″,08.

Ayanansa and Longitude.

	°	′	″
Table XXXV,	18	2	42	0
do. XXXVI,	18	3	7	3

— 25 3
Answering to 10′ 10″ of time = dx.

			G.	V.	P.
$\beta =$	March 29	17	42	30
+ 1 day .	+	1		

30	17	42	30

— E + ma .   — 1 36,08

Hindu time, March 30 17 40 53.9

European time 30   7ʰ 4′ 26″

— H .   — 6

30	1	4	20	p. m.
—	4	54	12

— L .

29	20	10	10
—		10	10

— dx .

Equated time, Meridian of Paris, T . 29 20 0 0 p. m.

And for the European Tropical mean Longitude.

	s.	°	′	″
By Table LII, ☉'s mean Longitude 1st January 1700,	9	20	57	51
For 2 years, do. div. 4,	11	29	31	21
☉'s mean Longitude 31st December 1699	9	20	29	12
And by part 2, for 88 days, 20 hours,	2	27	33	29,9
☉'s mean Longitude sought	0	18	2	41,9

differing only 0″,1 from the Ayanansa.

EXAMPLE XI.

A. C. 4850, A. D. 1743.

Ayanansa and Longitude 18° 44′ 6″ a Bissextile year.

The same for the 4850th year of the Cali yug (A. D. 1743).

The formula being the same in all such cases, we have m = 46; ma = 46×45 24ᵛ,04 = 3s 22ᵛ 25p,8; and E+ma = — 3s 24ᵛ 1p,83. Hence

1743	Ayanansa and Longitude.			G.	V.	P.
1702	Table XXXV, 18° 44′ 6″					
——	do. XXXVI, 18 44 32		ƒ = March 29	11	40	0
46 = m.			+ 1 . + 1			
	—— 26			30	11	40	0

and the time answering to 26′ is 10′ 35″ = dx.

		G.	V.	P.
— E + ma .		30	11 40 0	
		—	3 34	2
Equated Hindu time		30	8 15	58
do. European time		30	3ʰ 13′	23″
— H .		— 6		
— L .		29	21 18 23	p. m.
		—	4 54 12	
— dx .		29	16 24 11	p. m.
		—	10 35	
Equated time, Meridian of Paris, T = March 29		16	13 36	

and the ☉'s mean Longitude for that time by Table LII, will be found 18° 44′ 6″,8.

The eleven preceding Examples provide for every possible case that can be proposed for any time past or to come; but there remains to shew the derivation of the various formulæ hitherto used, from the general one given at page 250, and this will be done by means of three Propositions, which are only introduced here for the sake of demonstration, their object being to trace the time when the terms S and a of the formulæ become equal to zero.

SECTION VI.

PROPOSITION A.

The Equation for the beginning of A. C. 5602 is 1g 26ᵛ 40p = Δ.
A. D. 2500 the Epoch referred to.

" If to the time of the beginning of the 5602d year of the Cali yug, answering to A. D. 2500, " you add 1ˢ 26′ 40″ (34′ 40″ European time) = Δ, and reduce the same to noon under the " Meridian of Paris, the Sun's Longitude due to that instant, as given by the European Tables,

" will be equal to the Ayanansa for that year as computed by the Hindu rule." (Proposition I.)

Proof.

The beginning of A. C. 5602 as elicited by the rule given at page 8 of this collection, falls on Wednesday at 43s 20ᵛ 0ᵖ after Sun rise at Lanca, and for the monthly date of the initial feria, we have by Tables V and VI, parts 1, Wednesday, 4th April, Julian style, therefore

Formula $T = \beta + SnC + \triangle + ma - dx$, where $SnC = 0$; $ma = 0$.

<div style="text-align:right">A. C. 5602, A. D. 2500.</div>

Ayanansa and Longitude.

	s.	°	′	″
Table XXXV,	1	0	0 54	0
do. XXXVI,	1	0	1 35	41

Difference — 41 41   41′,6
Answering to 16′ 52″ in time = dx.

		G.	v.	P.
$\beta =$	April	4	43 20	0
$\triangle =$		+ 1	26	40
Hindu time		4	44 46	40

	H.	′	″
	4	17 54	40 from ☉ rising.
— H .	— 6		
	4	11 54	40 p. m.
— L .	— 4	54	12
	4	7 0	28
	— 16	53	

Time equated to Meridian of Paris, T = April 4 6 43 35 p. m.

For the Sun's mean Longitude according to the European Tables, we have (the year being a leap one),

<div style="text-align:right">Longitude and Aya-nansa 1s. 0° 0′ 54″</div>

	s.	°	′	″
Table LII, ☉'s mean Longitude 1st January 2000 -	9	23	15	38
do. for 500 years - - -		3	49	38,3
☉'s mean Longitude 1st January A. D. 2500 - -	9	27	5	16,3
By the same Table, part 2, for 94ᵈ 6ʰ 43′ 35″ - -		3	2 55	37,5
☉'s mean Longitude equal to Ayanansa -	1	0	0	53,8

differing only by 0″,2 from that produced by the Hindu rule.

Proposition B.

" If to the foregoing constant Equation 1s 26ᵛ 40ᵖ = $\triangle$, you add the value of S (7s 20ᵛ 4ᵖ)
" for each century ascending from A. C. 5602, and to the sum you add the time of commence-
" ment of the current Tamul year, the Sun's Longitude due to the time so equated will be equal
" to the Ayanansa." (Proposition I).

Proof.

Let the commencement of the 5102ᵈ year of the Cali yug, answering to the Julian Secular year 2000, be proposed. Then by the present Proposition,

SnC + △ = E.

from	5602
subtract	5102
remains	(5)00

where nC according to former notation = 5, and S =

nC

	s.	v.	p.
	7	20	4
	×		5
	36	40	20

To which add proposed Equation △ $+$ 1 26 40

Equation due to A. Cm. 5102 = E 38 7 0

A. C. 5102, A. D. 2000.

The beginning of the 5102d year of the Cali yug, as we have seen at page 253, Example IV, is

		G.	V.	P.
March	31	22	55	0
Add Equation above found E =		$+$ 33	7	0
Hindu time, April	1	1	2	0

	H.	'	"	
European time	1	0	21	48 from ⊙ rising.
— H	—	6		
March 31	18	21	48	p. m.
— L	4	51	12	
31	13	30	36	
— dx	—	12	15	
T' = March 31	13	18	21	p. m

For the term dx, see Example IV, where it is equal to — 31″,6, answering to 12′ 15′ of time.

Ayanansa and Longitude 22° 30′ 54″.

and this result being precisely the same as that found at Example IV, needs no further verification.

	G.	V.	P.
It will readily be perceived that the Equation E	38	7	0
Is the complement of SnC+B	21	53	0
To a complete day 1ᵈ	0	0	0

E always referrible to +SnC+A or —SnC+B of the former formulæ.

So that when in Example IV we added 1 day and subtracted 21ˢ 53″, we did precisely the same thing as in the present operation, when we added at once the said difference.

And in the same manner, if the 3102ᵈ year of the Cali yug were proposed, 5602

nC would be equal to (25)00

	s.	v.	p.
and SnC – S	7	20	4
nC	×		25
SnC = 3ᵈ	3	21	40
To which add △ =	1	26	40
Equation E	3	4	48	20

General for all years ascending from A. C. 5602, A. D. 2500.

which is precisely the same as was found at Example III, page 257, = 1ᵈ+SnC+A, and therefore requires no further illustration.

Thus it was that we found the formula

$$T = \beta + SnC + \triangle + ma \pm dx$$

given at page 250, of the expounding of which I shall give another Example.

which feria being expounded by means of the Dominical Letter E, Julian style, (Tables V and VI) will be found to fall on the 15th December A. D. 2519.

Here it is to be observed that we have added to the commencement of the Hindu Solar years, the two following fractions of roots, viz.

		s.	v.	p.
	(*)	18	37	10
	(†)	18	17	17
Sum, Hindu time		36	54	27
do. European time		14ᵛ 45 47″(‡)		

during which time the Sun's mean motion amounts to 36' 21″,7, (‡) which are to be taken into the account when we compute the Sun's place by means of the Ayanansa; which by

	s.	°	'	″
Table XXXV =	1	0	18	0
XXXVI =	1	0	18	42

Difference 42 answering to 7′ 4″ of time = dx.

As for $\frac{a D}{365}$ we have 365ᵈ : 4ᵛ 24p,01 :: 253ᵈ (by Prop.) : 3ᵛ 3p.

OPERATION.

		c.	v.	p.
β = December 15		15	8	12
$\frac{a \times D \ (253d)}{365}$		+	3	3
Equated Hindu time		15	15	11	5
do. European time	15	6ʰ	4'	30″ ⊙ rising.
— H	—	6		
		15	0	4	30	p. m.
— L		—	4	54	12
		14	19	10	18
— dx		—	17	4
Equated time, Meridian of Paris, T =		11	18	53	14	p. m.

For the Sun's mean Tropical Longitude.

By the European and Hindu Solar Tables.

Ayanansa.

	s.	°	'	″
1st Vaisacha A. C. 5621,	1	0	18	0
200 days, Table LII, -	6	17	7	46
50 do. -	1	19	16	56,5
3 do. -		2	57	25,0
do. for 14ʰ 45' 47″ (‡) -			36	21,7
Sun's mean place	9	10	16	29,2

Table LII.

	s.	°	'	″
Sun's mean Longitude 31st Dec. 2519,	9	26	29	33.7
do. 348ᵈ or 14th December 2519 -	11	13	0	18.0
18 hours - - -			44	21,2
53 minutes - - -			2	10,6
14 seconds - - -				6
	9	10	16	29,1

The difference of which results is insensible.

There remains now only to shew, that S and a will change Signs from the 14th December 2519 Julian style, which will be proved by the following results.

Let the beginning of the 5522d year of the Cali yug (A. D. 2520 a *Bissextile*) be equated.

The formula will be $T = \beta - \frac{a \times D}{365} - dx$, where D represents the number of days that remained from the 14th December 2519 to the end of the Hindu Solar year 5621; for which observing that this expression in the last Example was

$$\frac{a \times D \ (253d)}{365} \quad \begin{array}{cc} \text{v.} & \text{p.} \\ = 3 & 3 \end{array}$$

If you subtract the same from a $= 4 \ 24,04$

You have $\frac{a \times D \ (118d)}{365}$ its value for the present case $= 1 \ 21,04$

Ayanansa, 1st Vaisácha, Cali yug
5622.

	s.	°	′	″
Table XXXV,	1	0	18	54
do. XXXVI,	1	0	19	36

Difference 42,   dx therefore remains as before $= 17' \ 4''$.

OPERATION.

Initial root, preceding Example.

	D.	G.	V.	P.
1st Vaisácha, A. C. 5621	(6)	38	13	45
Add for one year, Table I,	(1)	15	31	15
Initial root, 1st Vaisácha, A. C. 5622	(0)	53	45	0

Sunday.

which expounded in the usual manner with the Dominical Letters DC, shews that the initial feria *Sunday*, falls on the 4th of April 2520 Julian style. Therefore

		G.	V.	P.
$\beta = $ April	4	53	45	0
$- \frac{a \times D}{365} = $			— 1	21
Hindu time	4	53	43	39
European time	4	21	29	27,6 ☉ rising.
— H		6		
	4	15	29	27,6 p. m.
— L		4	54	12
	4	10	35	15,6
— dx		17	4	
Equated time, Meridian of Paris, T = April	4	10	18	11,6 p. m.

And for the Sun's mean Longitude at the equated time by the European Tables.

	s.	°	′	″
☉'s mean Longitude 1st January A. D. 2520	9	27	14	27,4
☉'s motion for 94 days (on account of Bissextile) or 4th April by Delalande's Tables,	3	2	39	3
10 hours			24	38,5
18 minutes				44,4
11 seconds				4
Sun's mean Longitude on the beginning of A. C. 5622 =	1	0	18	53,7

which differs only by 0″,3 from the Ayanansa due to that instant.

Thus we have proved by the result of many operations, the correctness of the formula $T = \rho \pm (\text{S} \circ \text{C} + m\text{ } a) \pm dx$, given at page 250. An analytical demonstration of the same would no doubt have been more scientific; but it was observed by a learned Gentleman, to whose judgment this paper was submitted, that as the *Kala Sankalita* was principally intended for the instruction and use of persons little versed in the higher branches of the Mathematics, Examples were the best mode of demonstration; and to his opinion we have submitted our own. There remains now to shew the application of our formulæ to the resolution of questions, which depend on the Sun's position in the Hindu Sydereal Ecliptic, at a given instant of time, which to resolve by other means would involve the computer into long and delicate calculations.

First Case. (*)

<div style="margin-left:marginnote">Vestiges of the date of an old Inscription expounded.</div>

On an old Inscription much defaced by time, there remains no other vestiges of the date of the event which it was designed to commemorate, but that of the current year 3644 of the Cali yug, with the name of the year of Jupiter's cycle corresponding thereto, viz. *Calayucta* (the 52d),

<div style="margin-left:marginnote">A. C. 3644 under the government of N. Sun's apparent Sydereal Longitude ♏ 1° 29' 17".</div>

both answering to the 465th year Saca, or from the birth of Salivahana, and the name of the Prince N, who reigned at that time; and lastly, the Sun's apparent Longitude in the Hindu Sydereal Ecliptic on the day of the event, which is stated to have then been in 4' 29' 47" of the Solar Sign Vrischica ♏.—Q. What was the Hindu Solar Sydereal date answering to that position of the Sun, and also the concurrent European date?

As the Sun's Longitude recorded on all public monuments is generally his apparent one, the first operation consists in deducing the *mean* from the apparent Sydereal Longitude proposed, being that to which the formulæ answer; and this is to be effected by means of several of the Tables contained in this collection, and by the following process.

The Christian year is expounded in the usual manner, 3644 — 3102 = 542 Julian Kalendar, and as the Sign Vrischica ♏ is the 8th of the Solar Sydereal Ecliptic, our Longitude is to be expressed 7' 4° 29' 47".

<div style="margin-left:marginnote">To deduce the Sun's mean from his apparent Longitude.</div>

In order to deduce approximatively the Sun's mean from his apparent Longitude, we shall first use the latter as if it were his mean place for finding the corresponding Anomalistic Equation, which will be done by means of Tables XXII or XXIV, and XXVII, part 2d.

As the latter Table supposes the Sun's Apogee in 2' 17° 17' 20", which will be its place at the end of the 4910th year of the Cali yug, and as we want it for the 3643d, we are to correct the Apogee for 1297 years, for which (its motion being 1' in 517 years), say 517' : 60° :: 1297' : 2' 30" the Equation sought : which being additive in the 1st and 3d Quadrants, and subtractive in the 2d and 4th Quadrants of Anomaly (agreeably to the construction of Table XXVII), is in the present case to be subtracted.

(*) The date of the Inscription is assumed.

Now the Sign Vrischica ♏ answers to the Solar month Margasiras (Tamul Cartiga), on the first day of which the Sun's distance from his Perigee is (Table XXVII, part 2)   -   -   -   -

	s.	°	′	″
is (Table XXVII, part 2)	1	17	17	20
Subtract correction - - - -			— 2	30
Distance from do. 1st Margasiras - -	1	17	14	50

But as by the Inscription the Sun was advanced 4° 29′ 47″ in the Sign Vrischica ♏, and because *The Argument of the Sun's Anomaly.*

he is advancing towards his Perigee, that Arc is to be subtracted from

the above   -   -   -   -   -   -

	s.	°	′	″
	1	17	14	50
	—	4	29	47
Sun's distance from Perigee, called *Manda Kendra* -	1	12	45	3

which is the Argument of his Equation; therefore, with 1° 12° 45′ 3″ referring to either Tables XXII or XXIV, we find the same to be 1° 29′ 20″; and because in Table XXVII, the negative Sign (—) is affixed to the month *Margasiras* when the apparent Longitude is sought, it is to be added in the contrary case. Hence

Sun's mean Sydereal Longitude 7s. 5° 59′ 8″.

	s.	°	′	″
Proposed apparent Longitude - -	7	4	29	47
Ravi Phala - -	+ 1		29	20
☉'s approximate mean place -	7	5	59	8

With which in such matters, one might very well be contented: but if more accuracy were required, as this mean Longitude would give an apparent one 2′ 34″ too great; on a second trial, which need not be exhibited, the exact mean Longitude sought would be found to be 7° 5° 56′ 37″.

In order to simplify what remains to be shewn in this Example, I shall suppose that the mean Longitude deduced from the apparent one was in round numbers 7° 6°, which is of no conse- quence, since the difference in the Sun's motion falls considerably below an entire day.

Sun's mean Sydereal Longitude assumed 7s. 6°.

If we compute the Ayanansa due to the commencement of the 3644th year of the Cali yug, either by the rule exhibited at page 84, or by Table XXXV, it will be found   =   38′ 42″

Ayanansa + 38′ 42″

Sun's Hindu mean Tropical Longitude 7s. 6° 38′ 42″.

	s.	°	′	″
☉'s *Madhyama Graha*, as above . -	7	6	0	0
Madhyama Ravi Sayana -	7	6	38	42

or mean Hindu Tropical Longitude, deduced from Proposition, the error of which we are to calculate before we can determine the European date of the recorded event.

For the time of commencement of the 3644th year of the Cali yug.

The beginning of the Hindu Solar year expounded into its corresponding Euro- pean date.

	D.	G.	V.	P.
By Table VII, Epoch A. D. 500 - -	(0)	57	11	15
Table I, for 40 years - - -	(1)	20	50	0
Do. 2 do. - - -	(1)	15	31	15
Initial root sought -	(3)	13	32	30

Soota dina *Wednesday.*

For expounding this feria, if we proceed as indicated at page 23 and the following, and by help of Tables V and VI, we shall find that the Dominical Letter for A. D. 542 is E, and by the limits given in Table V, part 1st, that the Wednesday under consideration falls on the 19th March: with this we have the necessary data for correcting the Sun's Hindu Longitude.

Expounding the time of beginning of the year for finding the error of the Hindu Longitude.

OPERATION.

$$\begin{array}{r} 1700 \\ 542 \\ \hline (11)58 \end{array}$$

$nC = 11.$ $m = 58.$ $SnC = 1d \ 20g \ 40v \ 41p.$ $ma = 4g \ 15v \ 14p.$

$A = 7v \ 12p,$ and $SnC + A + ma = 1d \ 23g \ 3v \ 10p.$

Formula $T = \beta + 1^a + (SnC + A + ma) - dx$ (Prop. II.)

Ayanansa and Longitude.

Table XXXV, 38 42′
do. XXXVI, 38 42,8″
Difference — 0,8
answering to 20″ of time = dx.

	G.	V.	P.
$\beta =$ March 19	13	32	30
1 day + SnC + A + ma =	2	25	3	10
in Hindu time	21	38	35	40
in European time	21	15	26	16	from ☉ rising
— H .	—	6
	21	9	26	16	p. m.
— L .	—	4	51	12
	21	4	32	4
— dx .	—	20

Equated time, Meridian of Paris, T = March 21 4 31 44 p. m.

When the Sun's mean Longitude by the European Tables will be found as follows :

	s.	°	′	″
☉'s mean Longitude 31st December 541	9	11	36	26,2
☉'s motion for 80 days, by Table LII, or Delalande's, 21st March	2	18	51	6,4
do. 4 hours			9	51,4
do. 31 minutes			1	16,4
do. 44 seconds				1,8
☉'s mean Longitude sought	0	0	38	42,2

differing only from the Ayanansa above found by 0″,2.

Now by the Hindu Kalendar, the Sun is supposed to have entered ♈ on the 18th March A. D. 542, at 23ʰ 25′ p. m. (1°); but according to the European Tables, that Longitude was only due on the 21st of the same month at 9ʰ 25′ 56″ p. m. also at Lanca (2°), the error of the Hindu Tables is therefore 2ᵈ 10ʰ 0′ 56″ ; during which time the Sun would move through 2° 22′ 57″,5 of his Orbit, by which Arc

Error of the Hindu Longitude in time 2d 10ʰ 0 56″, in degrees 2° 22 57″,5.

1°		G.	V.	P.
	March	19	13	32	30 from ☉ rising
	—	15
Hindu time .		18	58	32	30
		13ʰ 23ʰ 25′ 0″ p. m.

2°		H.	′	″
	March	21	4	31	44 p. m.
	+	4	51	12
		21	9	25	56 p. m.
		18	23	25	0
Error in time .		2	10	0	56
do. in degrees .		2°	22′	57′,5

the Hindu Tables make his Tropical Longitude too great, as well as the Ayanansa, at the begin-
ning of the year.

		s.	°	′	″	
From this it results that if from the Hindu Tropical Longitude found at page 271		7	6	38	42,0	*Corrected Tropical Longitude 7s. 4° 15′ 44″,5.*
We subtract the error		2	22	57,5		
We have the corrected Longitude		7	4	15	44,5	

		s.	°	′	″	
Expound by the Tables the time due thereto, viz. 31st December 511		9	11	36	26,2	
		9	21	45	5,7	October 23d.
			54	12,6		22 hours.
		7	4	15	44,5	

we have for the true date the 23d October 22ʰ 0′ 0″.

N. B.—We would have obtained the same result if after having expounded the Hindu Tropical Longitude by the Tables, which would have given October 26 8ʰ 0′ 56′   *True European date Meridian of Paris October 23d, 22h.*

We had subtracted therefrom the error in time   2 10 0 56

For there remains the same time as before found, October 23 22 0 0   *True time.*

Now this time referred to the Meridian of Lanca, and to that of Sun rising, expressed in Hindu guddias, &c. is   October 23 22ʰ 0′ 0″ p. m. Paris.

       H   6

       L   4 54 12

   European time   24 8 54 12 from ☉ rising.

True date expressed in Indian guddias, &c. October 24 22 15 30 at Lanca.

For the Hindu Solar monthly date.

Lastly, as the 1st Vaisácha A. C.li. 3644, fell on the 19th March 542 (page 272) we have from that date to the 24th October   219 days.   *For the Hindu Solar monthly date.*

But by the subsidiary Table LII, part 2, from the 1st Vaisácha to the last day in Cartica there are   216

There remains in the following month   3   *4th Margasiras current.*

which are the number of days expired in *Márgasiras.* The current Hindu Solar date is therefore Márgasiras 4th, at 22′ 15 30′ after Sunrise at Lanca. (*)

(*) Although I have endeavoured to render this Example as clear as possible, yet as from the novelty of the
process, a proof may be required that the result is exact, I shall expound by the usual formula the date now

Note.

If it so happens that the numeral of the year of the Cali yug 3041, be also obliterated, so that there only remains the name of Jupiter's year, *Calayucta* the 52d of the Cycle of 60 years, we are to enquire how the Epoch may be restored, and for this we are to attend to the following considerations.

The first point to be ascertained is in what part of India the inscription was found; for if in Bengal, the Chacra year will have been computed by the rule of the Surriah Siddhanta, modified by the Tika; and if in the Peninsula, by that of the Tellingas. In the present case we shall suppose that the inscription was found in Bengal.

We are now to observe that as there is a year of the same name in every Cycle of 60 years, the problem cannot be resolved unless some new data be furnished; but we may find a sufficient one in the name of the Prince or ruler who governed at the time of the recorded event, which is always inserted in the inscription, grant, perwana, &c. that is to be expounded; provided such a Prince or chief be known to Indian history. The time of his birth, of his ascending the throne, and of his death, or the end of his reign, are the limits to be most depended upon. In default of these, the Epoch of some memorable event which may have occurred during his reign, or that of any of his known cotemporaries, or even the time about which he flourished, may be considered as data, more or less to be depended upon, according to their degree of precision.

For although it be not impossible that the same individual should have possessed authority during sixty years of his life (in which case the question would be subject to two answers), yet as the contrary case is the most probable, there can be, in most cases, no very great fear of error when supposing any common reign to have lasted less than that number of years.

---

obtained; which if it be correct should give the Hindu Tropical mean Longitude deduced from the apparent one found on the Inscription, viz. 7s. 6° 38′ 42″, (page 271).

Formula $T = \beta + 1 + SnC + A + ma - dx.$ (Prop. II.)

N. B.—As the value of the terms has been computed at page 251, the same quantities are to be used.

For Sun's Longitude.

	s.	°	′	″
31st December 541	9	11	36	26,2
October 26th	9	24	42	30,7
8h.			19	42,8
0′ 56″				2,3
Longitude sought	7	6	38	42,0

	G.	V.	P.
$\beta = $ 1 day $+ SnC + A + ma = $ October 24	22	15	30
	2	25	3	10
	26	47	18	40
	26	18	55	28
$- H$	—	6	
	26	12	55	28
$- L$	—	4	54	12
	26	8	1	16
$- dx$	—	20	
$T =$	26	8	0	56

which is the same as above.

EXAMPLE I.

Let it be supposed that N, the Prince whose name appears on the face of the inscription, is known in history; and that he reigned in Bengal between the years of the Cali yug 3601 and 3651: the first step to be taken is, to expound the year of the Chacra which corresponds to the first of these two Epochs; and this will be effected by means of the rule given in the Postscript to the third Memoir, and Table XVIII.

By the said Table it appears, that the last expunged year of the Chacra before the year 3601 of the Cali yug, fell in the 3581st year of the same; answering to A. D. 480

but 3601 current, or 3600 complete, answers to A. D. 499

difference 19

therefore we shall have 23 to add at the end of the rule. (*)   To proceed,

$$
\begin{array}{ll}
1^{o} & 2^{o} \\
86)3600(41 & 3600 \\
160 & + 41 \\
86 & 60)3641(60 \\
\overline{\quad} & 41 \\
74 & + 23 \\
& \overline{\quad} \\
& 9 \text{ Yuva,}
\end{array}
$$

therefore Yuva, the 9th of the Chacra, answers to the 3601st year of the Cali yug current; but from Yuva 9th to Calayucta the 52d, there are 43 years; hence 3601 + 43 = 3644, the same year as that originally found on the inscription.

EXAMPLE II.

Let us suppose that a *perwana* was granted by Sevajee, the chief and founder of the Marrahta power, which was dated, among other designations no longer legible, *Vicari*, the 33d year of the Chacra.

As Sevajee reigned in the Peninsula of India, the proposed Chacra year was no doubt computed according to the Tellinga account; and to expound it we are to refer to the appropriate rule, disclosed in the third Memoir, and adverted to at page 148 of this work; the process of which is still more simple than the former.

Now as we know that *Sevajee* died in the 4782d year of the Cali yug (4781 complete), answering to A. D. 1680, find the Chacra year corresponding thereto.

$$
\begin{array}{l}
60)4781(79 \\
581 \\
41 \\
+ 13 \\
\overline{\quad} \\
54 \text{ } Raudra, \text{ the current year by the Tellinga} \\
\text{account.}
\end{array}
$$

(*) Vide Postscript to the 3d Memoir, page 213.

But *Vicari* is the 33d of the Chacra, and as the Epoch which we have expounded is that of Sevajee's *death*, it is manifest that the year sought is that which preceded *Raudra*, the 54th; hence 54 — 33 = 21 years to be subtracted from 4782 : we have therefore A. Cal. 4761, answering to A. D. 1659, for the Epoch which corresponds to the proposed *Vicari*, and which needs no further demonstration.

The Epoch being thus recovered, the Ayanansa may be computed, and the process for expounding any particular date of the same, (as shewn in the first part of this article) will apply.

Lastly, it sometimes happens (though not in inscriptions, perwanas, nor grants; but in Astronomical documents) that the Ayanansa remains among the Elements which have been preserved, although the numeral of the year has been lost. This case admits of a ready and unerring solution, by means of Table XXXV, which in all cases will restore the Epoch, as must be well known to the reader.

Second Case.

The most ancient Eclipse which has been transmitted to us by the Babylonians, occurred on the 19th March A. A Christum 720 ; at 6h 45′ p. m. Meridian of Paris. — Wanted the concurring Hindu Epoch of the same Eclipse under the Meridian of Lanca ; together with the error of the Hindu Solar Tables at that time.

Caution.

1º The year 720 before Christ is a Bissextile one ; therefore for finding its Dominical Letters, we are to use the first part of Table VI.

2º And because the proposed year ascends before the birth of Christ, for finding the commencement of the corresponding Solar Sydereal year, we are to use the third part of Table V.

3º The notation of the year of the Cali yug will be 3102 — 720 = 2382 ; and as it preceded the institution of the æras Vicramaditya, and Salivahana, it cannot be expressed in the same.

4º By Table V, part 3, as the 2302d and 2402d years of the Cali yug began on the 7th March, there can be no doubt but that the proposed year commenced very near to the same date in its own month of March.

Operation.

For the commencement of the 2382d year of the Cali yug, answering to A. A. C. 720.

	D.	C.	V.	P.
By Table VIII, part 24, Initial Root, A. 700 B. C.	(0)	56	40	0
For 20 years, by Table I, subtract	(4)	10	25	0
Initial Root of A. Cali yug 2382	(3)	46	15	0

Soota dina, Wednesday.

To expound this feria into its European date, we find by Table V, part 3, that the Secular Christian year before Christ 700, began on a *Thursday* ; and by Table VI, part 1st (the year being

ı Bissextile one) that 4 days are to be *subtracted* from the said Thursday in order to obtain the feria on which that year began, which falls therefore on a *Sunday* : hence the Dominical Letters sought are AG.

Now, as the date falls in March, with G as the Dominical Letter, refer to the Kalendar about the 7th of that month, and you will find that Wednesday (the Soota dina) falls on the 7th of March.

But the proposed date is the 19th, therefore adding 12 days to the 1st Vaisácha, we have the 13th of that month current (the 12th complete) for the date of the Eclipse, and to have its precise time at *Lanca* according to Hindu reckoning, say,

	H.	'	''	
Time from noon at Paris	6	48	0	p. m.
To count the time from Sun rising, add	6			
And to refer to the Meridian of Lanca	4	54	12	
Time of Eclipse counted from Sun rise, European hours, &c.	17	42	12	
The same converted into Hindu guddias, viguddias, &c.	41ˢ	15ˢ	12ᵖ	after ⊙ rising.

ANSWER.—The Hindu Solar date of the Eclipse which occurred on Monday the 19th March A. A. C. 720, at 6ʰ 48′ p. m. at Paris, would have been expected at Lanca on Monday the 13th Vaisácha of the 2332d year of the Cali yug, at 41ᵍ 15′ 30ᵖ after Sun rise.

———

Let us now consider what would be the error in the Sun's mean Longitude at that time, according to the Hindu Tables.

I. We have seen that the month Vaisácha and year 2382 of the Cali yug began on Wednesday, at 46ᵍ 15′ 0′, after Sun rise at Lanca, when the Sun's Sydereal Longitude was supposed to be = 0.

Now if we compute the Ayanansa for the beginning of the said year, it will be found = — 18° 17′ 6′.

	s.	°	'	''
The Sun's Tropical Longitude therefore was	12	0	0	0
	—	18	17	6
⊙'s mean Tropical Longitude, 1st Vaisácha 2382	11	11	42	54

which day as we have seen, fell on the 7th March A. C. 720.

II. The Hindu Solar date of the Eclipse being the 13th Vaisácha (12th complete), the Sun's mean motion must be added to the above Longitude for that number of days.

	G.	V.	P.	
But the Sydereal month began at	46	15	0	} after ⊙ rise.
And the time of Eclipse was	44	15	20	
Difference	1	59	30	

which were wanting of the 12th Sydereal day *complete*, when the Eclipse was to occur; and during that time the Sun's mean motion was 1′ 57″,8 which quantity is therefore to be subtracted. Hence,

		s.	°	′	″
☉'s mean Longitude, 1st Vaisácha	- -	11	11	42	54
His motion for 12 days	- - -		11	49	40
		11	23	32	34
Deduct the same for the incomplete day	-		—	1	57
Ravi Sayana, or Sun's Tropical Longitude	- -	11	23	30	37

according to the Kalendar, but which is inconsistent with the existence of the Eclipse.

III.   In order to find the error of the Hindu Tables, let the time for which it was predicted according to the Solar Kalendar, be equated by means of the formula given at page 253, Proposition II.

$$T = \beta + 1 + SnC + A + ma + dx.$$

OPERATION.

A. A. C.   720   nC = 24.   m 20.   SnC = $2^s\ 56^\circ\ 1'\ 36''$.   ma = $1^s\ 23^\circ\ 1''$.
Epoch   1700   A = $7^v\ 12''$.

(24, 20

Ayanansa.
Table XXXV, 18° 17′ 4″
do. XXXVI, 18 17 30

	D.	C.	V.	P.
SnC =	2	56	1	36
+ A =			7	12
+ ma =			1	23	1
SnC + A + ma =	2	57	36	49

Difference   26 answering to 10′ 39″ of time = dx.

S =		7^s	20^v	4^p
nC =			×	24
SnC =	2^d	56	1	36
a =			4	24,04
m =			×	20
ma =		1	28	1

Hence

		g.	v.	p.
β =	March 19	44	15	20
1 day + SnC + A + ma - -		3	57	36	49
Equated Hindu time - -		23	41	52	19
do. European time - -		23 16^{h} 41′ 56″ *from ☉ rising*		
— H - -		—	6	
		23	10	44	56	p. m.
— L - -		—	4	54	12
		23	5	50	44
+ dx - -		+	10	39

Equated time, Meridian of Paris, T = March 23 6 1 23 p. m.

When the Sun's mean Longitude by Delalande's Tables, or Table LII, will be found to be as follows:

	s.	°	′	″
☉'s mean Longitude, 1st January A. A. C. 720	9	2	26	25,0
☉'s mean motion for 82 days, Table LII; or 23d March	2	20	49	23,1
Do. for 6 hours, 1′ 2,″ do. part 2,			14	50,5
☉'s mean Longitude sought	11	23	30	38,6

which differs only from that found by means of the Ayanansa, Article II, by 1″,6.

IV. Now since the Hindu Kalendar supposed that the Sun's Tropical Longitude on Monday, March the 19th, at 11ʰ 42′ 12″ p. m. at Lanca (1º), was 11ˢ 23° 30′ 38″, whereas it only reached that position on the 23d of the same month at 10ʰ 55′ 35″ (2º), it follows that the Kalendar was 3ᵈ 23ʰ 13′ 23″ slow, (3ᵈ 58ˢ 3ᵛ 27ᵖ Hindu time), during

(1º)

	G.	V.	P.	
Lanca, March 19	44	15	30	from ☉ rising.
	— 15			
Hindu time 19	29	15	30	p. m.

(2º)

Paris, March 23	6	1	33	p. m.
Difference of Longitude	4	4	54	12
Lanca 23	10	55	35	
19	11	42	12	
Error in time 3ᵈ	23ʰ	13′	23″	
in degrees 3°	54′	38″,4		

which time the Sun would move through 3° 54′ 38″,4, which shews the quantity by which the Hindu Tropical Longitude of the Sun (or the Supplement of the Arc of Ayanansa to 12ˢ at the beginning of the year) was *too great;* and consequently the Ayanansa too little.

	s.	°	′	″
Hence from the Longitude found at Article II, page 278	11	23	30	38
Subtract error of Hindu Tables		— 3	54	38,4
☉'s correct mean Tropical Longitude	11	19	35	59,6
	6			
At the time of Eclipse	5	19	35	59,6

To verify which

Compute the Sun's apparent Longitude answering to that above found.

	s.	°	′	″
☉'s mean Longitude	5	19	35	59,6
Equation of the center		1	42	57,6
Nutation — 2′,9				
♃'s Equation, 1st part				3,7
Do. do. 2d part — 2,1				
— 5,0				
♀'s Equation				1,2
☽'s do.				2,4
Subtract Nutation and 2d part	5	21	19	4,5
♃'s Equation			—	5,0
☉'s apparent Longitude at time of Eclipse	5	21	18	59,5
The same computed by Dominique Cassini	5	21	27	0,0
Difference			8	0,5

No apology I conceive, need be offered for this difference of 8' in the Sun's apparent Longitudes at the time of the Eclipse, considering that of the processes through which they have been respectively elicited, and the remoteness of the Epoch.

———

To find the Sun's position in the Hindu Sydereal Ecliptic, and his distance from the Equinoctial point at the time of the Eclipse consistently with the Hindu Solar Tables.

VI. Since according to the Indian computation by means of the Ayanansa, the Sun's mean Longitude on the 13th Vaisácha, at 11^h $42'$ $12''$ p. m. (Art. IV), was supposed to be

	s.	°	'	''
(Art. II)	11	23	30	37
	12			

His distance to the Vernal Equinox was   6 29 23

And as the Ayanansa for the beginning of that year was (Art. II)   18 17 4

His supposed place in the Sydereal Ecliptic should have been $=$ 11 47 41

which will be better understood by referring to the Type.

Υ Equinox. $\otimes$

11° 47' 41"
Madhyama Graha.

6° 29' 23"
Ravi Sayana.

18° 17' 4"
Ayanansa.

CONCLUSION.

VII. It follows from this research, that if the Sun's mean Longitude had been rightly expressed in the Hindu Tables (even if no other cause had interfered, such as that of the time occurring during the night) the Eclipse could not have occurred at the predicted time; because that one should have been possible on the 13th of Vaisácha, the Sun's Longitude should have been 11' 19° 36' on that day at 44ᶜ 15ᵛ 30ᵖ after Sun rise at Lanca, as we have seen at Article V. But the feria or weekly day on which the European Catalogue states the Eclipse to have occurred, cannot be changed in consequence of any hypothesis in the error of the Hindu Kalendar, and since Monday the 19th March, is that indicated by the former, Monday the 13th Vaisácha (Tamul

Chaitram) has been well expounded; from which it follows, that the error lies in the Hindu Solar Tables, and not in the Kalendar.

If therefore the Sun's Sydereal Longitude be proposed, and the Hindu Solar time be known, and if the Christian corresponding Epoch is to be deduced therefrom (which can only be done by referring the Sun's place in the Sydereal to the European Tropical Ecliptic) the proposed Sydereal Longitude must first be corrected.

Case where the Sun's apparent Longitude is found recorded on an Inscription.

For instance, let it be supposed that the Sun's apparent Longitude in the Sydereal Ecliptic 13° 30′ 41″ was found recorded on an inscription, with the year 2382 of the Cali yug, which reduced to his mean place would be 11° 47′ 41″ (Article VI), if we compute the Ayanansa for the beginning of the said year, it will be — 13° 17′ 4″ (Article III), and if we equate the time of beginning of that year, we shall find the error of the Hindu Tables to be 3° 54′ 33″,4 (Article IV), therefore

						°	′	″
From the Sun's mean Longitude	-		-		-	11	47	41
Subtract error	-	-	-	-	-	3	54	33
Corrected Madhyama Graha	-		-		-	7	53	3
Which subtract from Ayanansa		-		-	-	13	17	4
Ravi Sayana or distance to Equinox		-		-	-	10	24	1
					12°	0	0	0
Sun's Tropical mean Longitude corrected		-			11	19	35	59

And if we convert the same into time by reversing the process for using the Tables, it will be

				s.	°	′	″
Sun's mean Longitude 1st January A. A. C. 720		-		9	2	26	25
70 days	-		-	2	8	59	43,1
3 do.	-		-		7	53	6,6
6 hours	-		-			14	47,1
40 minutes	-		-			1	38,6
8 do.		-					19,4
Time expounded 19th March at 6ʰ 48′ p. m.				11	19	36	0,1

which is the same as was originally proposed, within a trifling fraction of time, the latter Longitude being 1″ greater.

POSTSCRIPT.

I intended to have confined this paper to the preceding pages: but having communicated to a learned friend the following computations of the error of the Hindu Solar Tables, as derived from the Solar Kalendar at the end of each Quadrant of the Ayanansa, when taken in its fictitious form (such as it now obtains among Native Astronomers), he was of opinion that these should not be withheld, because if any modern *Jyautish Sastra* should ever be qualified to read this work, he would find therein a clear proof of the absurdity of the system to which they are all so generally attached. (*)

I shall therefore give the calculations of the place of the first point in the Hindu Sydereal Ecliptic, in the Tropical one at the end of each Padah of the Ayanansa, using the formulæ, an account of which was given in the body of this Appendix; and deduce the error of the place assigned to the Sun when in the said points by the Hindu Solar Sydereal Kalendar, in the manner that was adopted in the preceding Examples.

(*) See the Diagram at the top of page 247.

CASE 1.

To find the Tropical Longitude of the first point in the Hindu Sydereal Ecliptic at the end of the first Padah of the Ayanansa, which falls at the expiration of the 1800th year of the Cali yug, answering to A. A. C. 1301.

The formula for this case will be

$$T = \beta + 1 \overset{\text{day}}{+} (SnC + A + m\,a) + dx \quad \text{(Prop. II.)}$$

1301
1700
───
(30)01

where nC = 30.   S = 7ˢ 20ʳ 4ᵖ.   A = 7ʳ 12ᵖ.   m = 1.

ma = 4ʳ 24ᵖ,04.

SnC + A + ma = 3ᵈ 40ˢ 13ʳ 36ᵖ.

Ayanansa.	°	′	″		Tropical Longitude of ♈.
					s. °
Table XXXV,	27	0	0		12 0
do. XXXVI,	27	0	37,5		27
			37,5		11 3

answering to 15′ 12″ of time = dx.

And if we expound the time of commencement of the 1801st year of the Cali yug by the rules which were given in the Key to the Madhyama Saura mana, it will be found to fall on March the 3d, at 28ˢ 38ʳ 45ᵖ after Sun rise, under the Meridian of Lanca = β.

OPERATION.

			c.	v.	p.	
β = March	3	28	38	45		from ☉ rise.
1ᵈ + SnC + A + ma =	-	4	40	13	36	
Sum in Hindu guddias, &c.	8	8	52	21		
do. in European hours, &c.	8	3	32	56,4		
— H		—	6			
	7	21	32	56,4		p. m.
— L	—	4	54	12		
	7	16	38	44,4		
+ dx	+	15	12			
Time equated, Meridian of Paris, T = March	7	16	53	56,4		p. m.

For the Sun's mean Longitude by the European Tables, at the equated instant of time.

		s.	°	′	″
By Table LII. ☉'s mean Longitude 31st December A. A. C. 1302 -		8	27	15	12.2
☉'s mean motion for 66 days, or March 7th	-	2	5	3	9,3
do. for 16 hours	-			39	25,5
50 minutes	-			2	3,2
3 do.	-				7,4
50 seconds	-				2,1
6 do.	-				2
☉'s mean Longitude at Equated time	-	11	2	59	59,9
		12			
European Ayanansa		0	27	0	0,1

differing only 0″,1 from the Hindu Ayanansa.

For the error of the Hindu Solar Tables.

By the Hindu Kalendar the Sun is supposed to have entered the Sign γ on the 3d March A. A. C. 1301, at 5ʰ 27' 30" p. m. (1º), at Lanca; and the Sun's Longitude on the 7th of the same month was 11ˢ 2º 59' 59",9 at 21ʰ 48' 8" p. m. also at Lanca. The error of the Hindu Tables was therefore 4º 36' 49",6 in *plus*, which is to be subtracted from the Sun's mean Hindu Longitude in order to have the true one at the time referred to.

1º

	G.	V.	P.	
March 3	28	38	45	from ☉ rising
	—	15		
Remainder in Hindu guddias, &c.	3	13	38	45 p. m.
do. in European hours	3	5ʰ 27' 30"		

2º

	H.	'	"	
Paris, March 7	16	53	56	p. m.
+	4	54	12	
Lanca,	7 21	48	8	p. m.
	3	5	27	30
Error in time	4	16	20	38
do. in degrees	4º	36'	49",6	

CASE 2.

The same for the commencement of the 3601st year of the Cali yug, answering to A. D. 499, when the Ayanansa completed its second Padah. The formula being the same as in the preceding case.

End of the second Quadrant.

1700
499
———
(12)01

nC = 12. ma = 4ˢ 24",04. SnC+A+ma = 1ᵈ 23ˢ 12ᵛ 24ᵖ.

Ayanansa and Longitude by both Tables = 0; therefore dx = 0.

And expounding the time of commencement of the Hindu Solar year as usual, we have

		G.	V.	P.
ρ = March	19	6	8	45
1 day+SnC+A+ma =		2	28	12 24
Sum, Hindu time		21	34	21 2
		21	13	44 27,6
— H		—	6	
		21	7	44 28
— L		—	4	54 12
Equated time at Paris, T = March	21	2	50 15

For the Sun's mean Longitude by the European Tables.

	S.	°	'	"
Table LII, ☉'s mean Longitude 31st December A. D. 498	9	11	1	54,9
☉'s motion for 80 days or 21st March	2	18	51	6,4
do. for 2 hours			4	55,7
50 minutes			2	3,2
10 seconds				4
5 do.				2
☉'s mean Longitude at Equated time =	0	0	0	0,8

differing only 0",8 from the Hindu Ayanansa,

For the error of the Hindu Solar Tables.

By the Hindu Kalendar the Sun is supposed to have entered the Sign ♈ on the 13th March A. D. 499, at 20ᵛ 27′ 30″ p. m. at Lanca (1ᵒ), and the Sun's Tropical Longitude was 0ˢ 0° 0′ 0″ on the 21st March at 7ᵃ 44′ 27″ p. m. also at Lanca, by the European Tables. The error of the Hindu Tables was therefore 2° 26′ 4″,8 in *plus*, as in the foregoing case, and is therefore subtractive of his Hindu Longitude at the time referred to.

1ᵒ

	G.	V.	P.	
March 19	6	8	45	from ⊙ rising.
	— 15			
18	51	8	45	
March 18	20ᵘ 27′ 30″ p. m.			

2ᵒ

	H.	′	″	
March 21	2	50	15	
+	4	54	12	
21	7	44	27	p. m.
18	20	27	30	
Error in Hindu time	2′	11ᵘ 16′ 57″		
do. in degrees .	2° 26′ 4″,8			

CASE 3.

End of the third Quadrant.

The same for the commencement of the Hindu Solar year 5401 of the Cali yug, answering to A. D. 2299, when the Ayanansa will complete its third Quadrant.

In this case the formula becomes

$$T = \beta + 1 - (SnC + B + ma) - dx.$$

2299	nC = 4.	m = 99.	ma = 99 × 4ᵛ 24ᵖ,04 = 7ˢ 15ᵛ 40ᵖ.
1800			
(4)99	SnC + B + ma = 43ˢ 43ᵛ 48ᵖ.		B = 7ˢ 12ᵛ 52ᵖ.

Ayanansa and Longitude.

	°	′	″
Table XXXV,	27	0	0
do. XXXVI,	27	0	37,5
Difference			37,5

answering to 15′ 15″ = dx.

And expounding the commencement of the Solar year as usual, we shall find

		G.	V.	P.
β = April	3	43	38	45
+ 1 day - -	1			
	4	43	33	45
—SnC + B + ma = -	— 43	43	43	
Remainder, Hindu Time -	3	59	49	57
do. in European hours -	3	23	55	55,6
— H	—	6		
	3	17	55	59
— L	— 4	54	12	
	3	13	1	47
— dx	— 15	15		
Equated time at Paris, T = April	3	12	46	32

For the Sun's Longitude in the Tropical Ecliptic by the European Tables.

	s.	°	′	″
By Table LII, ☉'s mean Longitude 31st December A. D. 2293 -	9	24	43	36,2
☉'s mean motion for 93 days, or 3d April - -	2	31	39	54,7
do. for 12 hours - - -			29	34,2
46 minutes - - -			1	53,4
32 seconds - - -				1,3
☉'s mean Longitude at Equated time -	0	26	59	59,8

differing only 0″,2 from the Hindu Ayanansa.

For the error of the Hindu Tables.

By the Hindu Kalendar the Sun, it is supposed will enter Mesha ♈ on the 3d April, A. D. 2299, at 11ʰ 27′ 30″ p. m. at Lanca ; and the Sun's Longitude on the same day at 17ˢ 40′ 44″ p. m. was 26° 59′ 59″,8 also at Lanca. The error of the Hindu Tables will therefore be 15′ 19″,7 in *plus*, and as in the preceding case, is to be subtracted from the Sun's mean Hindu Longitude at the time referred to.

1º

	G.	V.	P.
April 3	13	33	45 from ☉ rise.
— 15			
3	28	38	45
3	11ʰ 27′ 30″ p. m.		

2º

		H.	′	″
Paris, April	3	12	46	32
+			4	51 12
Lanca, -	3	17	40	44
	3	11	27	30
Error in time	0	6	13	14
do. in degrees		15′	19″,7	

CASE 4.

The same for the commencement of the year 1 of the Cali yug, answering to A. A. C 3101, and for that of A. Cal. 7201, answering to A. D. 4099, at both of which Epochs the Ayanansa is supposed by the Hindu Astronomers, to be in the beginning of its first Quadrant.

[margin: Beginning of the 1st and end of the 4th Quadrant.]

These two cases are to be resolved by means of the formula exhibited at Propositions II and III respectively (page 253), the first being applicable to all years ascending from A. A. C. 1301 in the first Quadrant, and the second to those descending from A. D. 2299 to 4099 in the fourth Quadrant of the Ayanansa. (*) As both these Epochs are very remote, the reader may not be displeased to find here a last Example of the manner of expounding the beginnings of A. Cal. 1 and 7201.

FIRST EPOCH.

I.

For the value of β in A. C. 1.

[margin: 1st Epoch, A Cal.1 A. A. C. 3101.]

	D.	G.	V.	P.
By Table VIII, A. A. C. 3000 - - -	(3)	58	45	0
Table 1, for 100 years, subtract - - —	(6)	52	5	0
	(4)	6	40	0
Do. for 1 year, subtract - - -	(1)	15	31	15
Initial Root, A. C. 1, sought - - -	(2)	51	8	45

Soota dina, Tuesday :

(*) Vide Diagram.

to expound which into its European date, we find by the Supplement to Table V, that the Dominical Letter for A. A. C. 3100, is AG, therefore that for 3101 is B; and by the Table itself, that the 102d year of the Cali yug, answering to 3000 years, begins on the 16th February.—But the commencement of the Hindu Solar years anticipate only 9 days in 1000 *ascending* years (vide Tables), therefore referring to any perpetual Kalendar with the Dominical Letter B, about the 16th of February, we find *Tuesday* the *Soota dina*, to fall on the 15th February. Hence the value of β in the formula is, February 15th, $51^s 8^v 45^p$. (*)

II.

Expounding now the formula $T = \beta + 1^{day} + (SnC + A + m a) + dx$, as usual, we have

3101
nC = 48. m = 1. m a = 4' 21",01. SnC + A + ma = 5' 52' 11" 48".
1700
———
(45) 01   A = 7' 12'.

Avanansa.

Table XXXV, 1' 24' 0' 0"
do. XXXVI, 1 24 1 14
————————
Difference   1 14

answering to 30' 20" of time = dx.
12
1 24 0
————

Longitude 10 6

	G.	V.	P.	
β = February	15	51	8 45	from ☉ rise.
$+1^{day} + SnC + A + ma =$	6	52	14	48
Hindu time	22	43	23	33
European time	22	17ʰ 21'	25",2	
— H	—	6		
	22	11 21	25,2	p. m.
— L	—	4 54	12	
	22	6 27	13	
+ dx	+	30 20		

Equated time, Meridian of Paris, T = February 22 6 57 33

For the Sun's mean Longitude according to the European Tables.

	s.	°	'	"
Table LII, ☉'s mean Longitude 31st December A. A. C. 3102	8	13	28	30,6
☉'s mean motion for 53 days, or 22d February	1	22	14	21,5
Do. 6 hours			14	47,1
57 minutes			2	20,4
33 seconds				1,3
☉'s mean Longitude at Equated time	10	6	0	0,9
	12			
European Ayanansa	1	23	59	59,1

differing only from the Hindu Ayanansa by 0",9.

III.

Now this Supplement of the Sun's Longitude amounting to 1' 23° 59' 59",1, or say 1' 24', one

---

half of which is 27°, shews that whereas the Tabular Ayanansa goes on increasing (and its Supplement decreasing) from A. A. C. 1301 to 3101, the Epicircular one has a contrary progress; so that whatever view ancient Astronomers may have taken of that Element at the time referred to, it is certain that their modern successors would equate it into + 27°—27° == 0.

In order to deduce the error in the Sun's mean position which would result from such a theory, we are not therefore to confine ourselves to a comparison of " what the Sun's Longitude is sup- " posed to be and really is at the given instant at Lanca," as we have done hitherto ; but we are also to account for 54° of Ayanansa, rejected by the absurd system of Libration, which answer to 54ᵈ 18ʰ 52′ 22″ of time.

IV.

For the error of the Tables.

Now by the preceding operation it appears that by the Hindu Kalendar, the Sun entered Mesha ♈ on the 15th February at 14ʰ 27′ 30″ p. m. at Lanca (1°), in A. A. C. 3101 ; and that the Sun's Tropical Longitude according to the European Tables was 10° 6° on the 22d February at 11ʰ 51′ 45″ p. m. also at Lanca (2°), the first part of the error of the Hindu Tables is therefore 6° 47′ 34″,6, and the second 1° 24°, amounting in all to 2° 0° 47′ 34″,6 in *plus*, as before,

(1°)

	H.	′	″
February 15	51	8	45 from ☉ rise.
—	15		
Hindu time	15 36	8	45
February 15	14	27	30 p. m.

(2°)

	H.	′	″
February 22	6	57	33 p. m.
+	4	54	12
February 22	11	51	45
	15	14	27 30
Error in time	6	21	24 15 p. m.
do. in degrees	6°	47′	34″,6
+	1°	24	0 0
Total error == 2	0	47	34,6

by which the Hindu Astronomers of ancient times, (or rather some more recent speculator deceived at the time of observation by the effects of the Solar Equation and the nutation of the Earth's Axis, which he could not otherwise explain) would have mistaken the Sun's position relatively to the Equinoxes, at the commencement of the Cali yug ; a supposition wholly untenable.

SECOND EPOCH.

I.

The same resolution for the beginning of the 7201st year of the Cali yug, answering to A. D. 4099.

The formula in this case is T = β+1 — (SnC+B+ma) — dx.

Proceeding as usual for the value of β by means of Tables I and VII, we shall find the initial root for A. C. 7201, answering to A. D. 4099, to be

D. G. V. P.
(0) 21 8 45

and the Soota dina - - *Sunday. ;*

to expound which the Dominical Letter may be found as follows :

II.

The series in Table V, part 1, extends only to A. D. 2000; but that which we want, as it refers to the Julian Kalendar, may easily be deduced from that Table, by extending it to the given year; a process which hardly requires two minutes of time. In this manner the Dominical Letters for A. D. 4100 will be found to be CB, and that for the preceding year, now wanted, D.

For expounding the Soota dina, *Sunday*, into its European date, we find (arguing as we did in the preceding article) that in 2000 years descending, the beginning of the Hindu Solar year retards 17 days in the European corresponding Julian year. But in A. D. 2000 it begun on the 31st March; adding therefore 17 days thereto for the year concurring with A. D. 4000, and then adding again a day (nearly) for each century, we are sure to find the beginning of the 7201st of the Cali yug (A. D. 4099) about the 18th April.

Referring therefore to the Kalendar with the Dominical Letter D, we find that *Sunday*, the Soota dina, will fall on the 19th April A. D. 4099.

The value of β will accordingly be, April 19th, 21ˢ 8' 45".

III.

To expound the formulæ we have, therefore,

4099
1300
————
(22)99

nC = 22.   m = 99.   m a = 99 × 1ᵛ 21ᵖ,04 = 7ᵍ 15ᵛ 40ᵖ.

SnC + B + m a = 2d 55ᵍ 50ᵛ 0ᵖ.   B = 7ᵍ 12ᵛ 52ᵖ.

Ayanansa and Longitude.

	s.	°	'	"
Table XXXV,	1	24	0	0
do. XXXVI,	1	24	1	14
Difference			1	14

answering as before to 30' 20" of time = dx.

		G.	V.	P.
β = April		19	21	8	45
+ 1 day	+	1		
		20	21	8	45
— SnC + B + ma	—		2	55	50	0
Remainder, Hindu time		17	25	18	15
Do. European time		17	10	7	30
— H	—		6		
		17	4	7	30
— L	—		4	54	12
		16	23	13	18
— dx	—			30	20
Equated time, Meridian of Paris, T = April		16	22	42	58

For the Sun's mean Longitude by the European Tables at the Equated time.

IV.

	s.	°	'	"
By Table LII, Sun's mean Longitude 31st December 4098, -	10	8	35	17,9
Sun's mean motion for 106 days, or 16th April -	3	14	23	48,0
22 hours - -			54	12,6
42 minutes - -			1	43,5
58 seconds - -				2,4
Sun's mean Longitude at Equated time	1	23	59	59,4

differing only by 0",6 from the Hindu Ayanansa.

For the error of the Hindu Tables.

By the Hindu Kalendar the Sun is supposed to enter Mesha ♈ on the 19th April at 2ʰ 27′ 30″ p. m. A. D. 4099, at Lanca, and the Sun's Tropical Longitude was found 1ˢ 24° according to the European Tables on the 17th April at 3ʰ 37′ 10″ p. m. also at Lanca.

		G.	V.	P.	
1º	April	19 21	8	45	from ☉ rising
		— 15			
		19 6	8	45	
	April	19 2	27	30″	p. m.

		H.	′	″	
2º	April	16 22	42	58	p. m.
		+ 4	54	12	
	April	17 3	37	10	
		19 2	27	30	
Error in time	–	1 22	50	20	
in degrees		1° 55′	24″,9		
Error of Ayanansa		1ˢ 24	0	0	
Total error	–	1 25	55	24,9	

Now as the Ayanansa goes on increasing in the Tables with a contrary Sign from that which it had at the preceding Epoch, whereas according to the Libratory doctrine it decreases from A. D. 2299 *descending* until in A. D. 4099, when it becomes equal to zero, making the Ayanansa 54° equal to + 27° — 27° = 0, it follows that the error of the Tables deduced from this operation amounts to 1° 55′ 24″,9 in its first part in *minus*, and consequently is to be added to the mean Hindu Longitude; and in the second to 1ˢ 24° also in *minus*, therefore the whole error is 1ˢ 25° 55′ 24″,9, which was to be determined.

END OF APPENDIX II.

APPENDIX III.

TRACT on CHRONOLOGY,

With directions for referring dates recorded in any of the three principal HINDU STYLES, to corresponding ones of any æras registered in the annexed CHRONOLOGICAL TABLE: with an account of the ancient and modern Jewish years.

APPENDIX III.

A Sketch of some of the principal Æras and Periods of ancient times, referred to in. Chronology ; with directions for finding the corresponding years in each of them, to. any year proposed according to the Hindu styles of the Cali yug, Vicramaditya, *and* Salivahana.

In publishing this short tract, which merely consists of extracts from books on Chronology, I am far from imagining that I present any thing new to the attention of the learned reader : but the experience of thirty years in India has taught me, that let works on such topics be ever so common in Europe, they are seldom, and in many cases, no where to be found when wanted in this part of the world.

If any thing could excuse an Indian author for having failed in point of accurate reference, or presented under the garb of novelty, a piece of information which may perhaps be found in every library in England, it would certainly be the penury of books on the sciences here complained of. Indeed it has come to my personal knowledge in another path of research (independently of the origin of the third Memoir of this collection), that the greatest Geometer that came to India since the days of Mr. Robins, (*) was frequently reduced, in order not to interrupt a work which will transmit his name to posterity, to analyze Problems, and construct Tables, which had been resolved and constructed more than a century before his time.

To return to our subject, I thought that my task would remain incomplete if, after having explored the principal Hindu doctrines which relate to time, I were not to furnish some means for referring them to accounts probably equally ancient, and certainly much better known to the generality of readers. I trust, therefore, that the present endeavour to collect in a small compass a few of the leading features of ancient Chronology, will not be deemed (at least by my Indian readers) a useless increase of this volume.

EXTRACTS, &c.

The words Æra and Epoch generally mean the same thing in Chronology. Sometimes however, *Epoch* is specially used to designate the particular time of an event, without reference to any Æra : we find it also employed in the sense of the beginning of an Æra.

(*) The late Lieut. Colonel William Lambton, Superintendent of the Grand Trigonometrical Survey of India, to whom the author was, during several years, an assistant. It is also related of the late Mr. Andrew Scott, that whilst in the Northern Circars, and wanting a Table of Logarithms, he found no shorter way to procure one, than to construct it himself.

In order to reduce the various accounts of time which have been used by mankind to a common scale, a period of years was invented which, commencing before all known Epochs, involves them all. Such is the *Julian* period, invented by Joseph Julius Scaliger about the middle of the XVIth century.

The Julian period.

Of the Julian period.—This period is a series of 7980 years, arising from the multiplication of the Cycles of the Sun, Moon and Indiction ; or of the numbers 28, 19, 15 ; its Epoch commencing on the 1st day of January of the 706th year before the Creation. The Julian period therefore, is not yet completed.

As every year of that period has its particular Solar, Lunar, and Indiction Cycles ; and as no two years in it can have all these three Cycles the same, any year that can be proposed is accurately distinguished from all the rest.

We shall postpone the application of this and following observations to our purposes, until after an account of the most useful Æras has been laid before the reader.

Solar Cycle.

2. The *Solar* Cycle.—A period of 28 years, beginning with 1 and ending with 28.

Metonic or Lunar Cycle.

3. The *Metonic* or Lunar Cycle.—A period of 19 years. It only holds true for $310\frac{7}{10}$ years, because on every 19th year the Moon returns near an hour and a half sooner, which error in $310\frac{7}{10}$ years, amounts to an entire day.

Indiction.

4. Cycle of *Indiction.*—A period of 15 years revolving like others, and commencing (by anticipation) 3 years before A. D. 0 complete ; or 1 current of the Dyonisian account : So that if 3 be added to any proposed year of Christ, and the sum be divided by 15, the remainder (neglecting the quotient) marks the year of Indiction. The first Indiction was settled and agreed upon in A. D. 313.

Mundane Æra.

5. The *Mundane* Æra, or Epoch of the Creation of the World.—The best authors of Port Royal, in whose number was the celebrated Pascal, and Le Maitre de Saci, place that event 4004 years before the vulgar or Dyonisian Æra. The Jews however, made it 243 years later, or A. A. C. 3761, which is still the Epoch of their Mundane Æra. (*)

Cali yug.

6. The *Cali yug* of the Indians.—A period of 432000 years, of which 3101 had expired on the 14th March A. D. 1 current. It is taken to have begun on Friday, the 18th February.

Æra of Nabonassaar.

7. Æra of *Nabonassaar*, first King of the Chaldeans or Babylonians.—Its Epoch is taken to fall on Wednesday, 26th February A. A. C. 747. Its year was of 365 days, without any intercalation on the 4th.

Olympiads.

8. *Olympiads.*—A period of 4 years, the first of which began (it is supposed) with the nearest New Moon to the Summer Solstice A. A. C. 776, being the 3938th year of the Julian period, and 24 years before the foundation of Rome. The best Chronologists have computed that, the 1st year of the 195th Olympiad coincided with the 1st year of Incarnation, consequently

---

(*) Vide Note at the end of this Appendix.

the 5th year of Christ answers to the 1st of the 196th Olympiad. The Olympiadic years began with the Summer Solstice, or rather on the 1st July, so that the six first months of any year of Incarnation answer to one year of the Olympiad, and the six last to another.—The last of these periods was the 404th; and corresponded to A. D. 440.

9. Indian *Vicramaditya.*—An Indian Prince who is supposed to have ascended the throne 57 years before Christ. In the northern parts of India, instead of numbering their Luni-solar years from the beginning of the Cali yug, the Natives count them from the accession of Vicra_maditya. This denomination however, makes no difference in the construction of the Luni-solar year. *(margin: Indian Æra of Vi-cramaditya.)*

10. *Cezarian* of *Antioch.*—An Epoch established by the inhabitants of that town, in commemoration of Cezar's victory at Pharsalia, A. A. C. 47. The Syrians made it begin in the month of August, or on the 9th Sextilis of that year (as it was then called), in which the Greeks differed : the latter fixing it on their month *Gorpiæus* of the preceding year 705 of Rome, or A. A. C. 48, being the Epoch most generally used. *(margin: Cezarian of Antioch.)*

11. *Iberian* or *Spanish.*—This Æra, which is grounded on the Julian Kalendar, owes its rise to the conquest of Spain, which was achieved by Augustus in the year 715 of Rome, but its fictitious Epoch dates from the 39th year before Christ, beginning with the 1st January of the ensuing year. This Æra was long used in Spain, Africa, and the Southern Provinces of France, and was finally abolished in A. D. 1415. *(margin: Iberian or Spanish.)*

12. Indian period *Grahaparivrithi,* of 90 Solar years, used in the Southern Provinces of the Peninsula of India.—It is stated to be constructed of the sum of the products in days of 15 revolutions of Mars, 22 of Mercury, 11 of Jupiter, 5 of Venus, 29 of Saturn, and 1 of the Sun. Its Epoch is A. A. C. 24. Its years vary by a few hours. *(margin: Indian Grahaparivrithi.)*

13. Of *Constantinople.*—In that period the first year of Incarnation falls in 5509, and answers to the last year of the 195th Olympiad.—This account subsisted as long as the Greek Empire, and the Russians preserved it until the reign of Peter the great. The years of this Æra are either Civil or Ecclesiastical, the first begins with the 1st September ; the second sometimes on the 21st March, and at others on the first April. *(margin: Æra of Constantinople.)*

14. Of *Alexandria.*—The first year of the Incarnation answers to the 5503d of that period. It was followed by several of the General Councils, and used in some of the most ancient computations. Like the preceding account, it is supposed to refer to the Creation of the World, but assigning a different Epoch to that event from other accounts. *(margin: Of Alexandria.)*

The *Mundane* Æra, called that of the Greeks, is the same as that of Alexandria.

15. *Ecclesiastical* of *Antioch.*—The 1st year of the Incarnation was taken to correspond to the 5493d of that period; retarding the Epoch of the Creation by 10 years more than the Alexandrian account. *(margin: Ecclesiastical of Antioch.)*

16. The Indian *Vrihaspati Chacra*, or Cycle of 60 of Jupiter's years.—This Cycle is constructed on the hypothesis that a revolution of the Planet Jupiter, is equal to 12 of its own years, and consequently 5 revolutions to 60 *Vrihaspati* years.—These kind of years (if they ever were) are no longer used as an immediate measure of time; but as each of these bears a specific name, they serve for giving a particular designation to every Solar and Luni-solar year during its scope of 60 years, after which the series begins anew in the same order. In the Northern Provinces of India, when Astronomers compute the succession of these years, they refer still to the revolutions of the Planet; in consequence of which, one year is expunged every 86th Solar year.—But the Tellinga Astronomers make no difference between the *Vrihaspati*, and Solar years, and consequently expunge nothing; so that their years correspond to a different point of the Cycle, or Chacra, and bear a different name.

The year *current* of the Chacra on the first year of the Christian Æra, was *Sadharana*, the 44th of the 53d Cycle (vide Postscript to the third Memoir.)

17. Of the *Seleucidæ*, of which there are two.—These periods are also called of the *Syro-Macedonians*, because they originated with the successors of Alexander the great.

The first Æra of the Seleucidæ takes its rise from the death of Alexander, i. e. A. A. C. 323. It was little used.

The second has its Epoch 12 years later, and therefore dates 311 before Christ. It answers to the year of Rome 442, and its years are *Julian*. This Æra has been much in use among the nations of the Levant, and is still followed by the Catholics of Syria. The Jews, after their subjection to the Kings of Syria, adopted it, giving it the name of *Tarik-Dilcarnaim* (the Æra of Bargains), because they used it in their commercial transactions.

The Æra of the Seleucidæ, is still in use among the Arabs. *Alfragan* made its year begin on the 1st September, but *Albategni* on the 1st October.

18. Indian Æra of *Salivahana*.—The name of a Prince supposed to be born 78 years after Christ, and a descendant of Vicramaditya, of which some account is given at article 9.—This Æra serves to number the Solar years by a shorter account than from the Cali yug; in the same manner as the Æra Vicramaditya is used for the Luni-solar years. The Solar years expressed

from the birth of *Salivahana* are called *Saca*.

19. Of Dioclesian or the Martyrs.—This Æra owes its rise to the elevation of that Emperor to the throne. It is called of the Martyrs, on account of his persecution of the Christians. Its Epoch is A. D. 284, and its year begins on the 29th of August. The Æra of Dioclesian is still used by the Copths and Ethiopians.

20. Of the Hejira.—An Æra followed by the Mahommedans all over the world: its years are Lunar, and of 354 and 355 days, as they are common or intercalaries. It has a Cycle of 30 years,

are
eleven of which ᴀ always of 355 days. Its Epoch is the 16th July 622, but according to most Arabian Astronomers the 15th of the same month.

21. The two Persian Æras.—1º That of *Yezdegird* III, King of Persia. 2º That of *Maleck* *The two Persian.* *Shaw Dgelal-ul-deen*, Sultaun of *Korassaan*.

The *Yezdegirdic.*—The Epoch of this Æra refers to the accession of that Prince, which *The Yezdegirdic.* took place on the 16th June A. D. 632; ten years after that of the Hejira. The years of this Æra were vague and of 365 days, and the months of 30; but at the end of the month *Aben* it was customary to add 5 days; which intercalations the Astronomers only introduced at the end of the year. This style was followed in Persia until it was reformed, and superseded by,

The *Dgelalean.*—*Maleck Shaw Dgelal-ul-deen* reformed the *Yezdegirdic* Kalendar in the year *The Dgelalean.* of Christ 1079. Having assembled a council of eight Astronomers for that purpose, they determined that the Vernal Equinox should be fixed on the 14th of March. They maintained the 5 intercalary days or *Epagomenes* which the *Yezdegirdic* had borrowed from the Egyptian year, but during 6 or 7 periods of four years (*) they found it necessary to introduce a sixth *Epagomen*, as an incidental Equation, after which periods the intercalation of the 5th day would only take place every five years.

The Persian Tropical year consists of $365^1 4^h 49' 15^s 0''' 48''''$, which period brings back the Equinoxes and the Solstices on the same days of the year, better than the Gregorian revolutions.

The *Dgelalean*, or *Mulalean* style (as it is sometimes called) is still in use in Persia. Although it be not noticed in the Table of Epochs inserted in this article, it may be useful to find here the names of the Persian months and days.

The Months.

1	Asrudin, or Aphrudin-meh,	5	Merded, or Mordad-meh,	9	Adar-meh,
2	Ardihasht, or Ardisasht-meh,	6	Shirbirrir-meh,	10	Di-meh,
3	Cardi-meh,	7	Mehar-meh,	11	Behen-meh,
4	Thir-meh,	8	Aben-meh,	12	Afirer, or Assirer-meh.

The 5 Epagomenes in the common, and the 6, in the redundant years, are called *Musteraca.*

The Persians do not divide the month into weeks, like other nations, but they give to each day a specific name.

Names of the days.

1	Hormozd,	13	Tir,	25	Erd,
2	Behman,	14	Dzhioush,	26	Ashtad,
3	Ardabshesht,	15	Dibameher,	27	Osman,
4	Sharivar,	16	Meher,	28	Ramiad,
5	Esphendarmod,	17	Souroush,	29	Marasfend,
6	Khordad,	18	Resh, or Roush,	30	Aniran.
7	Mordad,	19	Fevardin,		*Musteraca*, or *Epagomenes.*
8	Dibadur,	20	Beheram,	1	Ahnoud,
9	Azur,	21	Ram,	2	Ashnoud,
10	Aben,	22	Bod,	3	Esphendarmer,
11	Khour,	23	Dibadin,	4	Vahest,
12	Mah,	24	Din,	5	Heshounesh.

(*) I can find in no book which of the two numbers was used.

22. *Æra of Parasurama.*—An account of time used in that part of the Peninsula of India called *Malayala* by the natives ; extending from Mangalore, through the Provinces of Malabar, Cotiote, and Travancore, to Cape Comorin. It derives its name from a Prince who is supposed to have lived in the year 1176 before Christ, and who was a great encoura ger of Astronomy.

Dr. Buchanan states that the inhabitants of Malayala reckon time in Cycles of 1000 years from that Epoch ; and that their year begins when the Sun enters the Sign Canya ♍ (Virgo) : answering to the Hindu Solar month Aswina (Tamul Paratasi) ; and furthermore, that in September A. D. 1800 there were two Cycles and 976 years expired of that Æra, the year commencing, being the 977th of the 3d Cycle.

As the Christian year 1800 answers to the 4902d of the Cali yug, and 1722 from the birth of Salivahana current ; and as by these accounts, which represent the same year, the new year began on Thursday the 10th of April (see General Table I), it follows that the Sun will have entered Canya ♍ on Sunday the 14th of September ensuing. (Page 14, and Table III).

The concurrence is therefore as follows :

The commencement of the 977th year of the 3d Cycle of Parasurama, answers to the 1st Aswina (Tamul Paratasi) of the 4902d year of the Cali yug or 1723 Saca ; and to the 14th September A. D. 1800.

From what has been stated it also results, that the number of years of the *Æra of Parasu- rama* expired on the birth of Christ, are 1176, and that the 1177th began on the 1st of Aswina A. Cm. 3102, answering to the 17th of August A. D. 1, Julian style. (Tables V, 2d part, and VII).

And lastly, that the Epoch fell on the 7th August of the year 3537 of the Julian period, answering to the 1926th of the Cali yug.

23. *The ancient Jewish Æra.*—Although the two Æras of the Jews, and the Luni-solar year of the Ancients (as given by *Montucla* in his History of the Mathematics, without men- tioning the name of the nation which used it) are not included in the Table here annexed, yet as there are many Jewish tribes under the Bombay Presidency, who may be supposed to reckon time according to either, and as both are very little known to Europeans in this part of India, I conceive that some mention of these styles is not foreign to the object of this paper.

Of the ancient Æra I have not been able to collect any very distinct account ; I understand that it is never referred to by Chronologists, but for times before Christ ; what follows will therefore be sufficient for the present purpose.

That Æra was composed of Lunar years, reckoned from the Creation, which the ancient, as well as modern, Jews place 3761 years before the birth of Christ. The year was of 12

Lunar months, but originally fitted to the Solar one, by adding 11 and sometimes 12 days at the end of the year; but when it assumed a more regular shape, it became embolismic, and subject to a 13th Lunar month. The series of these intercalations, however, I find expressed no where; but is probably the same as that of the modern Jews. In intercalary years, the month *Adar* was repeated, being of 29 days in common, called defective; and of 30 in embolismic, called redundant.

Again in the defective, *Cisleu* was only of 29 days, and in the redundant *Marshervam*, was of 30.

The names of the ancient months were the same as the modern ones, the only difference being that the old Jewish style begins the year with *Nisan*, and ends it with *Adar;* whereas the modern begins it with *Thisri*, and ends it with *Elul*. The ancient Jews made much use of the Æra of Nabonassaar, of which some account has been already given ; and their Luni-solar year is still the Ecclesiastical one in present times; at least as far as regards the season when it begins and ends.

A distinction to be made between the Indian, and Jewish years of both styles is, that the embolismic months of the former may fall on any of the five long Solar months of the year, whereas those of the latter invariably fall on the month of *Adar.*

21. *Of the Mundane Æra of the Jews, also called the modern.*—This Æra is likewise com- posed of Lunar years of 12 and 13 months, the intercalations falling on the 3d, 6th, 8th, 11th, 14th, 17th and 19th of the Metonian Cycle. The modern Jews pretend that its institution dates from high antiquity, but most Chronologists affirm that it was unknown before the XIVth century, although some say that it is to be traced up to the XIth. In this account of time, the whole expired duration of the Æra is divided into Cycles of 19 years, and of these 198 had elapsed on the birth of Christ; the last of which ended in the autumn of the first Christian year.

The Lunar months of the Mundane Æra, which bear the same names as those of the ancient one, are alternately of 30 and 29 days: they are reckoned like those of the Hejira, to begin on the first appearance of the Moon after the conjunction.

We have already observed that the modern year begins with the month *Thisri*, instead of that of *Nisan*, i. e. 6 months later. In embolismic years the month *Adar* is likewise repeated, but the name of the second Adar is changed into that of *Ve Adar*, and in the order of the Kalendar, is the 7th of the year ; so that *Nisan* becomes the 8th, Jiar, or Islar, the 9th, and so forth to *Elul*, which (in the supposed case) is the 13th.

The *Civil* year of the Jews begins with the new Moon of September, and the *Ecclesiastical* with that of March; the former following the new, the latter the old Kalendar.

Independently of the modern year being distinguished between common and embolismic, each of these distinctions is also subdivided into three sorts, viz. the deficient, the mean, and the redundant, or superabundant.

In order to understand how the Jews determine practically these different species of years, it

is necessary to know that they have certain *discarded* days, on which it is not permitted to celebrate the great festivals of the year, such as *Easter-day*, the *Tabernacles*, and *Pentecost*, or *Whit-sunday*; for when these happen to fall in the common course of time, on any of the unlawful days, they are respectively transferred to the next lawful one. These contingencies are ruled by the following two precepts, expressed in a few Latin words.

1º Nunquam *Nisan* in Badu.

2º Nunquam *Thisri* in Adu.

Badu expressing the numbers, 2, 4 and 6, and *Adu* 1, 4 and 6, the prohibited feriæ or weekly days.

Should therefore the new Moon of *Nisan* fall on the 2d, 4th or 6th feria, its observance is forbidden on those days, lest Easter-day, which is always kept on the 15th of that Moon, should fall on an unlawful day; those on which the Ecclesiastical year is permitted to begin, being called *Kebies*.

From the same conception of unlawful days, the rule directs that there should be no observance of the new Moon of *Thisri*, which marks the beginning of the *Civil* year (called *Rosh Ashana*) when it falls on the 1st, 4th or 6th feria of the week; for in such a case the festival of the *Tabernacles* cannot be celebrated as usual, and as Whit-sunday, or *Pentecost*, is the 50th day after Easter, and must consequently fall on the feria next to that of Easter, the holy day alluded to is not to be kept on either the 3d, 5th or 7th day of the week.

When the lawful day or *Kebie* on which the year is to begin, has been determined, the Jews find whether it be a common, or an intercalary year, and at the same time (whichever of these it may prove) whether it be a deficient, mean, or redundant one, of its sort, in the following manner.

PRECEPT 1.

" Subtract the Kebie of the proposed year from that of the following one, and if the latter be " less than, or equal to the former, add 7 days thereto: and if the remainder be 3, 4 or 5, the " current year is a common one. Furthermore, it is deficient, mean, or redundant, as these " numbers are increasing from 3 to 5.

PRECEPT 2.

" But if the remainder be 5, 6 or 7, then the proposed year is embolismic. Moreover, it is " deficient, mean, or superabundant, as these numbers are increasing from 5 to 7."

N. B.—The three sorts of years of each kind, consist of the following number of days.

Of the common,—the deficient is 353ᵈ; the mean 354ᵈ; the redundant 355 days.

Of the embolismic,—the deficient is 383ᵈ; the mean 384ᵈ; the redundant 385 days.

EXAMPLE 1.

Let the *Kebie* of any proposed year be 3, and that of the following one 7; if we subtract the

former from the latter, the remainder will be 4 : which, according to the preceding rule, shews that the given year is a *common* one; and of *that sort*, a *mean year*.

EXAMPLE 2.

But if the Kebie of the proposed year be 5, and that of the ensuing one also 5 ; then $5+7=12$; and $12 - 5 = 7$, which shews that the current year is *embolismic*, and also a *redundant* year.

Q. E. I.

Table exhibiting the names of the Jewish months, and the duration of each sort of years and months, whether deficient, mean, or redundant.

Common Jewish years.					Embolismic years.			
	Years.					Years.		
Names of Jewish months.	Deficient.	Mean.	Redundant.	Corresponding Julian months.	Names of Jewish months.	Deficient.	Mean.	Redundant.
	Days.	Days.	Days.			Days.	Days.	Days.
1 Nisan, or Abib	30	30	30	March April	1 Nisan	30	30	30
2 Jiar, Islar, or Zius	29	29	29	April May	2 Jiar	29	29	29
3 Sieban, or Sievan	30	30	30	May June	3 Sieban	30	30	30
4 Thamuz	29	29	29	June July	4 Thamuz	29	29	29
5 Ab	30	30	30	July August	5 Ab	30	30	30
6 Elul	29	29	29	August Septem.	6 Elul	29	29	29
7 Thisri, or Ehanim	30	30	30	September October	7 Thisri	30	30	30
8 Marshesvam, or Bul	29	29	30	October Novem.	8 Marshesvam	29	29	30
9 Cisleu, or Casleu	29	30	30	November Decem.	9 Cisleu	29	30	30
10 Thebeth	29	29	29	December January	10 Thebeth	29	29	29
11 Shebeth, or Saabath	30	30	30	January February	11 Saabath	30	30	30
12 Adar	29	29	29	February March	12 Adar	30	30	30
				March	13 Ve Adar (inter.)	29	29	29
Sums of days	353	354	355		Sums of days	383	384	385

25. *Luni-solar year of the Ancients.—Montucla*, from whose History of the Mathematics the present article was extracted, has omitted to state in what country, and what people made use of this year, which he calls merely " *Of the Ancients*". His account of it is as follows :

That year is grounded on a Cycle of 19 years, like that of *Meton*. Its mean duration is 354^d $8^h 43' 38'' 11''',938$, &c. The Cycle was divided into 12 complete, and 7 incomplete years, which last they intercalated, so that their embolismic months fell on the 3d, 6th, 8th, 11th, 14th, 17th, and 19th of the Cycle, being the same in order as that of the Jews, and invariably followed through the ensuing Cycles, both differing from the method of the Indians, according to which the Epochs of intercalations are variable.

Again, as the Ancients found that 99 Lunar months (of $29^d 12^h 43' 38'' 10''',99$, &c.) contained 2923 days and 12 hours, which in 60 years gave an excess over the Sun's mean motion of 3 days; and 30 in 160 years, they omitted at the end of that period, *one* of the intercalary months. The Luni-solar year of the Indians has in appearance a similar omission ; but it must not be supposed to have the least analogy with the expunged month of the Ancients, 1º Because the *Cihaya* of the

Indians is not confined to 160 years, but may recur after 141 and 19 years; 2º Because, whereas the Ancients *really* retrenched one month, the Indians omitted *nothing ;* the supposed Equation bearing entirely on the artificial duration of the year, the names and succession of their months.

The Chaldean Saros or Sossos.

26. The Chaldean Saros, or Sossos.—Of this Æra I shall only observe that although some Gentlemen have fancied that it might have some affinity with the Cycle of Jupiter of 60 years, yet we hardly know more of it than its name. Halley considered it to be the period of 223 Lunar months, used at the time of, and even before Hypparchus, for computing the return of Solar Eclipses. But Delalande affirms, that it was a mistake which originated with *Suidas*, and is now entirely abandoned.

CHRONOLOGICAL TABLE.

Concurrence of Chronological Epochs at the birth of Christ, and Epochs of subsequent events referred to	After Christ.	Reform of the Kalendar in England 29th March 1752.	1752
		Gregorian reformation of the Kalendar 4th October 1582.	1582
		Æra of Dioclesian or of the Martyrs, year begins 29th August.	286
		Indian Æra of Salivahana, begins with the Hindu Solar year.	78
		Indiction.	3
		Epoch of the Indian Cycle of 90 years or Grahaparivrithi, begins with the Hindu Solar year.	24
		Iberian or Spanish, its year begins with the Julian year.	38
		Cæzarian of Antioch, year begins in August.	48
		Indian Æra of Vicramaditya, begins with the Hindu Luni-solar year.	57
		2d of the Seleucidæ, year begins 1st September, but according to the Arabs 1st October.	312
		Æra of Nabonassar, began 26th Feb.	746
		Building of Rome, or Roman Æra.	752
		Olympiads, year begins 1st July.	776
		Indian Æra of Parasurama, begins 7th August 3537 of the Julian period.	1176
		Indian Æra of the Cali yug, begins Friday 18th February 1612, Julian period.	1301
	Referred to supposed Epoch of Creation.	Epoch of Creation according to Port Royal writers.	4004
		Epoch of Creation according to Hutton.	4007
		Julian period.	4713
		Ecclesiastical of Antioch.	5492
		Æra of Alexandria.	5502
		Æra of Constantinople, begins *Civil* 1st September, *Ecclesiastical* 21st March.	5508
		Year of Christ complete, according to Dyonisius Exiguus.	0

For Epochs before Christ.

For Epochs after Christ.

Application of the Chronological Table.

By means of this Table any year proposed according to either of the Indian accounts, may be referred to the corresponding one of any other Æra therein registered.

For let the proposed year be expressed according to the style of the Æras *Cali yug, Vicramaditya,* or *Salivahana ;* the same may be reduced to Christian account by adding 3101 to the first, 57 to the second, and by subtracting 78 from the third.

Having thus found the Christian year answering to that proposed in any of the three principal Indian accounts, if you want the concurring one of any other Æra, the Epoch of which ascends to any period before Christ, you have the following Precept.

PRECEPT 1.

" To the year of Christ, found as above " directed, *add* that given in the Table for " the Æra referred to, and the sum will " give the year sought."

For Epochs which fall after Christ.

PRECEPT 2.

1º If the Æra in which the year is sought begins *before* Christ.

" To the proposed Indian year, *add* its proper Epoch, the sum gives the Christian year ; and " to the latter *add* the Epoch of the Æra sought, the sum gives the corresponding year (in that " Æra) to the proposed Indian year."

2o If the Æra, the year of which is sought, as well as the proposed one, begins *after* Christ.

" To the proposed Indian year, *add* its proper Epoch, and from the sum, *subtract* that of the " Æra sought, the remainder gives the year in the same, which answers to the proposed one."

EXAMPLE I.

Let the year 4923 of the Cali yug complete, be proposed.—Wanted the year of the Julian period corresponding thereto ?

$$
\begin{array}{rl}
\text{By Precept we have} & 4923 \\
& -\ 3101 \\
\hline
& 1822 \\
& +\ 4713 \\
\hline
\text{Year of the Julian period sought} & 6535 \\
\end{array}
$$

EXAMPLE II.

Let the year Vicramaditya 1879 be proposed : then $1879 - 57 + 4713 = 6535$, the same as in the first Example ; whence we conclude that the year of the Julian period 6535 answers to the end of the 4923d year of the Cali yug, and the 1879th of Vicramaditya.

EXAMPLE III.

Let the same be proposed for the year 1744 from the birth of Salivahana. Then by Precept, $1744 + 78 + 4713 = 6535$ of the Julian period.

But if instead of the corresponding year of the Julian period, we required that of the Æra of the Martyrs, the Epoch of which is 286 years *after* the year of Incarnation 0; we shall have by Precept $1744 + 78 - 286 = 1536$, the corresponding year of the Æra sought.

The converse of these rules is so evident, that it requires no Examples ; all that need be added is, that on the above principles, the years of the Cali yug 4923, of Vicramaditya 1879, and Saca 1744, will be found to answer to years of different Æras, as follows :

To that of Constantinople	7330
of Alexandria	7324
Ecclesiastical of Antioch	7314
of the Julian period	6535
of the World	5926
of Nabonassar	2568
of the Iberian	1860
of the Martyrs	1536
&c.	

There remains to consider the Indian Æras which are subject to Cycles, such as the *Grahaparivrithi* of 90 years, and *Vrihaspati* of 60 years.

As the former are merely Solar years, as well as the latter, when computed according to the Tellinga account, the process for finding the mere abstract concurring years is the same as that above explained. But if we consider these when expressed by a specific name, or by cycles and years, the case no longer applies. Thus if we want merely the year of the Grahaparivrithi which

<div style="margin-left:0">

The Grahaparivritli, or Cycle of 90 years.

expired in A. D. 1822, we need only add 24 thereto, and it will be 1846, so that referring to Examples I and II, the year of the Julian period corresponding thereto will be 6535, as before.

But if the number of cycles and years expired be given, which would be found by $\frac{1822+24}{90}$ $= 20$ cycles, 46 years complete, or $21° 47'$ current, that expression must be decomposed before referring it to any year of another Æra.

The Vrihaspati or Cycle of 60 years.

According to the Tellingus.

In the same manner the years of the Vrihaspati Chacra, by the *Tellinga* account, are always presented either by names or numerals; and the Chacra year corresponding to A. D. 1822, would be elicited by 60)4923(82° 3' expired; and the remaining three years counted from *Pramathi*, (the 13th of the Chacra) as zero, would give *Chitrabhanu* the 16th of the Cycle, for the name of the current year; so that by a circuitous road, that of the Cali yug to which it corresponds might be discovered, and the rest would follow.

According to the Siddhantas.

The same thing may also be said of the year of the Chacra, when referred to the mean heliocentric motion of Jupiter, which seems still more irreducible, than the Tellinga, when proposed only by its name, and number of cycles expired.

The year of Jupiter which answers to any year of the Cali yug, according to the account of the Surriah Siddhanta, may always be found, by a very simple process, the particulars of which were given in a Postscript to the third Memoir of this collection, and which for the same year 4923, will elicit *Vijaya* the 27th of the cycle.

When the Epoch is known within 60 years, and the specific name of the current Vrihaspati year is given, then the concurring year of the Cali yug may be discovered by means that were indicated in the second Appendix.

</div>

NOTE.

I have not been able to discover upon what authority Dr. Hutton places the Epoch of the Creation of the world in A. A. C. 4007, as he does in the Chronological Table which he has published in his Mathematical Dictionary, vol. I, page 434. For independently of the *Port Royal* writers, who have fixed it in A. A. C. 4004, I find the following passage in Voiron's continuation of Bailly's Astronomy.

" La Place determine deux Epoques Astronomiques tres remarquables; la premiere par la
" coincidence du grand Axe de l'orbe terrestre avec la ligne des Equinoxes; la seconde par sa
" position perpendiculaire sur cette ligne—il fait remouter la premiere a l'an 4004 avant Jesus
" Christ, *tems ou la pluspart des Chronologistes placent la Creation du monde* ; la seconde a l'an
" 1250 de l'Ere Chretienne." Page 197.

Notwithstanding these testimonies, Dr. Hutton's authority is too respectable to be laid aside, without knowing upon what ground he has decided the question; and on that account I have preserved his Epoch in the Table inserted at page 302.

END OF APPENDIX III.

APPENDIX IV.

ON THE

HINDU EPHEMERIDES.

APPENDIX IV.

—

Giving some account of the Hindu Ephemerides and of the subsidiary articles of the Kalendars.

The Solar and Luni-solar Kalendars contain each the same articles, but differently arranged ; and as the former is computed by the Solar, or *Vakiam,* process ; whereas the latter follows the Sydereal rules of the Surriah Siddhanta, there is a difference in the results which may sometimes amount to six hours of time. As for the rest, the explanation of the contents of one, is perfectly sufficient for understanding those of the other.

Of the Ravi *Panchangum.*

The Solar Kalendar, independently of the months and civil days, which (like all others) it registers, gives also the time when the most remarkable phœnomena occur. | The Solar Kalendar.

The word Panchangum implies five articles, which are permanently inserted in its margin ; but besides these, there are several others, which, not being *Ephemeral,* appear of course only when occasion requires it.

The margin of the Solar Kalendar always opens with an accessary article, independent of its year, but intimately connected with the moral habits and superstitions of the Hindus. It registers the name of, and the time when, the Tidhi which is coupled with any Solar day in the year, terminates : It also notices in what Pacsha (the demi-lunar corresponding month) the time is running : and lastly, when a Tidhi is repeated, or expunged out of the Chandra Panchangum. | Its contents.

The permanent articles, as we have stated in article 2 of the Key to the Siddhanta Chandra mana (page 73), are | Five permanent articles.

1º The name of the Nacshatra in which the Moon happens to be on any particular day ; with the time of her passing to the next. | The Nacshatra in which the Moon happens to be.

2º The Yogù (an Astrological Element) or the space of time during which the *sum* of the Sun and Moon's motion, amounts to one Nacshatra, or $13°\ 20'$, with the time when that Arc is completed. | The Yogu.

3º The Curna (another Astrological Element) or space of time during which the Moon's motion from the Sun amounts to 6°, there being two Curnas in a Tidhi, and the Kalendar registering the time of its ending. | The Curna;

4º The Thyajum or Thyagum of the Wurjum (another Astrological Element), being the unlucky | The Thyajum of the Wurjum.

period of the day, the mean duration of which is about 4 guddias (1ʰ 36′ European time), pending which all voluntary business of importance ought to be suspended ; marking the time of its *beginning.*

When the Wurjum occurs at day time, it is called *Devi,* and when at night *Ratree.* .

The Isharum or Tcharum.

5º The Isharum or Tcharum ; being an account of the position of the Planets, (including Rahu ☊ and Ketu ☋) on any day in the year ; and the time when either of them enters any of the four quarters, or Padahs, of a Nacshatra ; marking thus the time of their position at every 3° 20′ of the Lunar Zodiac.

Rahu ☋ and Ketu ☋ considered as Planets.

N. B.—Whenever the Planets are mentioned in the following statement, it is always to be understood that the Moon's ascending and descending Nodes are considered to be of the number, according to the Hindu notions, which account for the Eclipses, in a physical sense, by supposing these to be obscure Planets.

Accidental articles.

The accidental articles are partly Astronomical, and partly Astrological, like the permanent ones ; and are as follows :

Solar and Lunar Eclipses ; the Sun in the Equinoxes or Solstices, and entering a new Sign.

1º The Solar and Lunar Eclipses : the time when the Sun is in the Equinoxes or the Solstices (*Mesha Ayana, Tula Ayana,* meaning the Equinoxes ; *Vutra Ayana, Detchana Ajana,* the Solstices) ; and also the time of his entering a new Sign.

The *Crantum.*

2º The *Crantum* (an Astrological Element). I have been at some pains to understand distinctly the nature of this article, as well as that of the *Vethei,* which is connected with, and follows it ; and I am not without some doubts whether after all, I have construed either accurately. What follows is therefore, the best that I could make out of the account given to me of both by my instructor.

The literal meaning of *Crantum,* is *overpowered ;* and *that* of any Planet, is when it is in conjunction with, or is overpowered by, the Moon ; which consequently implies, that the time of new Moon is the Sun's Crantum.

Mars, Saturn, Rahu ☊ and Ketu ☋, have a bad influence in Crantum, and mark unlucky days. The other Planets have also their Crantums, but being innoxious, they are not noticed in the Panchangum.

The *Vethei.*

3º The *Vethei* (also an Astrological Element). The literal meaning of this word is to *break,* to *cleave,* or to *corrupt.* The *Vethei* is determined by the Planet to which it refers, being in opposition to the Moon in a particular arrangement of the Lunar Zodiac ; which certainly does not imply in all cases a real opposition in the Heavens ; it is supposed to be the

The construction of the Crantum and Vethei explained.

converse of the *Crantum,* and to partake of its good and bad influences and qualities.

The Native Astrologers use a Diagram to explain these phœnomena, of which here follows a representation.

A 1 2 3 4 5 6 7 B

```
        A 1 2 3 4 5 6 7 B
         —·—·—·—·—·—·—
    27 |                   |  8
    26 |                   |  9
♂' ‥ ☽ 25 | ‥ ‥ ‥ ♄ ‥ ‥ |  10 ‥ ‥ ♂"
Crantum 24 |              |  11 Vethei.
    23 |                   |  12
    22 |                   |  13
 (*) A |__·_·__·_·__·_·_|  14
        21 20 19 18 17 16 15
```

Let the 27 regular Nacshatras, together with the Abhijit (*) or extraordinary one, be disposed in a square, each side of which contains seven Nacshatras. Let the Earth stand somewhere in the interior of this square, and conceive the Planets to revolve around it, the Moon being the nearest to the Earth. The *magical* square so constructed, is called *Servatoo Bhadra Chacra.*

Now the day on which the Sun or Planet is in a *Nacshatra* with the Moon on a line with ☽, ♄, is the *Crantum* of the Sun or Planet referred to.

But, (every thing besides remaining as before) if the same Planet, instead of being in ♂', happens to be in ♂" in a Nacshatra as far distant from B, as ☽ is of A, then it is in *Vethei.*

Thus if A represents the Nacshatra *Aswini* (the 1st), and the Moon be in the third before A, i. e. in *Purva Bhadrapada* (the 25th), and if the Planet *Mars* appears from the Earth in the latter Nacshatra on the same day, then it is overpowered, or in *Crantum.*

But if at the time that the *Moon* is in three Nacshatras *behind* A, *Mars* is in three Nacshatras *before* B, or which is the same thing in ten before A, (which in the present supposition will be *Magha*), then ♂" is in *Vethei*, or corrupted.

It needs no great reflection to perceive that such a scheme belongs neither to regular Astronomy, nor Astrology; but savours more of the art of *magic* than any thing else: for even Astrology, where it is connected with Astronomy, is symmetrical; and uses regular constructions, even though its ultimate object be fantastical.

Here on the contrary, we see the extraordinary Nacshatra *Abhijit*, which contains only an Arc of 5° (3° 20′ of which it borrows from *Uttara A'shad'ha* the 21st, and 1° 40′ from *Srávana* the 22d, so as to leave the Lunar Zodiac to consist, as before of 360°) reckoned in the magical square as an *entire* and additional one of 13° 20′. And again, if the Moon happens to be at the top or bottom of the square, and a Planet be in *Vethei*, so far from the line which passes through the Moon, the Earth and the Planet, dividing the Heavens into two equal parts, (as an opposition implies) it cleaves it in two segments of 21 and 7 Nacshatras each.

In either cases of the *Crantum* or *Vethei*, Mars, Saturn, Rahu ☊ and Ketu ☋, have an evil influence: and therefore, no marriage ceremony, nor any other of rejoicings ought to be performed. But the *Srardum*, or ceremonies for deceased ancestors, or relatives, may go on as usual.

4. The *Latta* (also an Astrological Element). This word literally means *struck, kicked,* and like the former, has its application to the concerns of mankind.

The *Latta.*

There are two sorts of *Lattas*, viz. the Eastern and the Western ; those of the Sun, Mars and Saturn, being accounted East, and of Rahu ☊ and Ketu ☋ West.

The conception of this fanciful Element is as follows :

Whenever the Sun is in 12 Nacshatras (the other Planets have a different scale) counted East-ward from that in which the Moon happens to be, then it is *Latta* or struck. Mars, and Saturn's *Lattas* are also *East*, but they are struck, the former in the 9th, the latter in the 3d Nacshatra from that of which the Moon is in possession. On the contrary, Rahu ☊ and Ketu ☋ (because I suppose their motion is retrograde) are kicked in the 8th and 9th Nacshatra from the Moon, on the *West*. The other Planets not mentioned in the above list, have also their turn of chastisement, but as they bear it patiently, and do not repeat it on mankind, no notice is taken of it in the Panchangum.

When the Latta is accounted East, the Nacshatras are to be counted from the Moon, according to their order in the Lunar Zodiac ; and when West, contrary to it. Thus, for example, if we suppose the Moon in the Nacshatra *Swâti* (the 15th) and if the Sun be in *Uttara Bhadrapada* (the 26th among the regulars, but the 27th on account of the *Abhijit*), then it is Latta. But if Rahu ☊ be at the same time in Pushia (the 7th in the Zodiac, and as the Moon is supposed to be in the 15th, the 8th from the Moon), then it is also *Latta.*

This critical circumstance, which can only occur once in a month for each of the above mentioned Planets, imposes the same restrictions as the *Crantum* and *Vethei.*

Such are the principal Astronomical and Astrological articles of the Indian Ephemerides ; which I have endeavoured to understand, and explain, in order to shew the cause of those pretences of religious and moral inhibitions, under the screen of which the Natives of all classes postpone business, or neglect their duties, often to the great inconveniency of the public service, but more particularly of that of private individuals. (*)

Besides the articles above particularized, the Panchangum exhibits a variety of notices which refer principally to religious observances. Such are the birth days, accessions, and anniversaries of memorable events and feats of certain gods, goddesses, spirits, patriarchs and other worthies ; including the anniversaries of the beginning of the Calpa, Manwantaras, Mahayugs, and of the four lesser Yugs of the Manwantara in which we live.

The anniversaries which are more particularly specified, are those of the ten incarnations of Vishnu ; those of the *Gowries* (certain female spirits or genii on which the *Vritham* or solemn fast is to be kept) and the accession of the patriarchs, fourteen in number ; which are supposed

(*) There is an opinion among a certain set of Brahmins, that in those Luni-solar years where two months are repeated, and one is expunged, no religious ceremony ought to be performed during the first intercalated Lunar month of the said year. This proposition having been argued in the year 1823 (which presented a case in point) in a full Sanhedrim of Brahmins and Pundits at Madras, was condemned as *heretical* ; and the Brahmin who supported it was excommunicated.

to preside successively over the fourteen Manwantaras (308448000') which, with the *Sandhya* or twilight (17280000') constitute the Calpa (4320000000').

It is the opinion of some divines, that the Calpa formerly consisted only of nine Manwantaras, each of which contained, as at present, 71 Mahayugs: but as it does not enter into the plan of this article to enter into the Cosmogony or Theology of the Hindus, I only mention it with a view to a few remarks on the names of the fourteen patriarchs or *Manus*, whose anniversaries are now kept, and whose names I shall give, because they are little known ; stating at the same time, the Lunar months, Pacshas, and Tidhis on which they are respectively observed.

Names and number of Manus.		Tidhis on which observed.		Lunar months.	Pacshas.
		Numeral.	Names.		
1	Swáyambhuva - -	12	Duadesi	Cartiga	Sucha.
2	Swáróchisha - -	9	Navami	Aswina	Do.
3	Uttama - - -	3	Tritia	Chaitra	Do.
4	Támasa - - -	3	Tritia	Bhádrapada	Do.
5	Rayvata - - -	11	Yeckadesi	Paushia	Do.
6	Ieshwácu - - -	10	Desami	A'shád'ha	Do.
7	Vayvaswata - -	17	Septami	Magha	Do.
8	Brahma Sávarni - -	15	Pavurnami	Phalguna	Do.
9	Rudra Sávarni - -	8	Astami	A'shád'ha	Christna.
10	Dacsha Sávarni - -	8	Astami	Cartiga	Do.
11	Agni Sávarni - -	30	Amavasya Th.	Sravana	Do.
12	Súrya Sávarni - -	8	Astami	Bhádrapada	Do.
13	Rouchya - - -	15	Pournami	Chaitra	Sucha.
14	Bhouchya - -	15	Pavurnami	Jyaishtá	Do.

Among the names of the patriarchs, it is remarkable that five bear the additional one of *Sávarni* ; that the name of the 8th is *Brahma*, the 9th *Rudra* (the same as Siva), and that the 12th bears the name of the Sun. Whether *Dacsha* the 10th refers to *Vishnu*, and *Agni* the 11th to the Moon, I do not pretend to know ; but this seems possible, from the quality, and arrangement of the five which bear the cognomen of *Sávarni*. If so, it would be a strong indication that (since three bear evidently no patriarchal names) the whole have been interpolated.

The remaining anniversaries, as has already been stated, are those of the ten incarnations of Vishnu (*) and of the Gowries, on which the *Vritham* is kept ; but I am not sufficiently versed in Hindu Mythology, nor have I space enough at command, to give a specific account of their nature, names, and dates of observance.

(*) There are ten names under which Vishnu appears in the Kalendar, viz. 1, Matsyadeva. 2, Coorma. 3, Varaha. 4, Narasimha. 5, Vamana. 6, Parasurama. 7, Sri-rama. 8, Bala-rama. 9, Sri-krishna. 10, Cali or Calki, according as he assumed the aspect of a Fish, a Tortoise, a Wild Hog,   Lion and Man, a Dwarf, a Brahmin, a Cshetria, a Shepherd, and a Horse with a human face. Of the *Gowries*, I am told the number is considerable.

Local holy days. Feasts of the principal pagodas in the neighbourhood.

The Panchangum also notices the local holy days, and the feasts of the most considerable pagodas, situated about 100 miles around the place for which the Kalendar is computed ; besides other items of a religious, or superstitious nature (for even an idolatrous religion may know these distinctions), which will be easily understood when met with in the Kalendar, and therefore need not be enumerated.

Civil articles.

Duration of the artificial days and nights.

Prediction of abundance and scarcity.

Rural occupations.

Lastly : There will be found in the margin of the Panchangum certain articles of a civil description, such as the length of the artificial solar days, and nights, indicated at least once in the course of the month ; the Sun's entrance into the different Signs of the *Tropical Zodiac,* and those predictions, of abundance *(Vridhiarga),* middle state of prosperity *(Samarga),* and of scarcity *(Sooniarga),* intended to point out the proper seasons for rural occupations ; just in the same manner as these contingencies were formerly announced in a *far famed* Almanac, published at Liege, under the fictitious name of *Mathieu Landsberg,* which sold for six pence throughout the Continent of Europe, and might have vied with, and perhaps excelled, the Indian Patras, in the absurdity of its articles.

N O T E.

All the articles of the Hindu Ephemerides inserted in the Patras, are given in an abridged form ; and are so contracted, that what fills five pages in the translation, is contained in one of the original. In the Peninsula, the *Ravi Panchangum,* is generally published in the *Tamul* idiom ; and the Chandra Panchangum, in the Teloogoo : on which account they are known by the name of the *Tamul,* and *Teloogoo Kalendars.*

A translation of the first page of the Tamul Solar Kalendar (Ravi Panchangum) for the year of the Caliyug 4926 current, answering to A. D. 1824, computed in Solar time and with the Elements given in the Aria Siddhanta for the Latitude and Meridian of Fort St. George.

Years of the Caliyug elapsed 4925. From the birth of Salivahana 1746. Of the Æra Vicramaditya 1881. Of the Vrihaspati Chacra, Tellinga account, Tarana (the 18th). Do. Benares account, Manmat'ha (the 29th). Of the Grahaparivrithi or Cycle of 90 years, the 48th.

KALENDAR.

European date, April.	Theidi or Tamul date.	Feriæ.
11	1	Sunday.
12	2	Monday.
13	3	Tuesday.

MONTH CHAITRAM (Bengal Vaisácha).

Ephemerides.

Triodesi (the name of the concurrent Lunar Tidhi) it's end 47ʒ 29ᵛ (after apparent time of Sun rising)— ☽ in Nacshatra Purva Phalguni, passes to the next at 3ʒ 33ᵛ— Yogù Vriddhi (the 11th) ends at 2ʒ 50ᵛ—Do. Dhruva (12th) ends 53ʒ 5ᵛ—Curna Coulava (the 3d) ends 19ʒ 50ᵛ—Thyagum of Wurjum, Devi (day time) begins at 20ʒ 41ᵛ—Mesha Vishuvat (indicating that certain religious ceremonies which depend on the recurrence of the Vernal Equinox are to be performed.—Samarga (mean state of agricultural prosperity—time proper for sowing the fields)—Ahus (or Dinarda duration of the artificial day) 30ʒ 40ᵛ—Mercury enters the second Padah (quarter) of Nacshatra Aswini at 54ʒ—Jupiter enters the third Padah of Nacshatra A'rdrá 16ʒ—Mars' Crantum in Nacshatra Purva Phalguni (no marriage ceremonies on account of the Crantum)—The Sun and Rahu (☽'s ☊` are Latta— Soonia (state of unfavourable prospects) no Srardum (ceremonies for deceased ances- tors)—Madana Triodesi (the last day of a festival begun before).

Chaturdasi, ends at 42ʒ 53ᵛ— ☽ in Nacshatra Uttara Phalguni, ends at Cʒ 23ᵛ— passes on the same Tidhi into Nacshatra Hasta, ends 57ʒ 33ᵛ—Yogù Vyagatha (13th) ends 49ʒ 43ᵛ—Curna Garujah or Yurka (5th) ends 15ʒ 6ᵛ—Thyagum of Wurjum, begins 21ʒ 34ᵛ—Venus enters 1st Padah (quarter) of Nacshatra Uttara Bhadrapada 15ʒ—No ceremonies allowed on this day.

Purnima Tidhi (day of full Moon), ending at time of apparent opposition, which occurs at 39ʒ 16ᵛ— ☽ in Nacshatra Chitra, end 56ʒ 26ᵛ—Yogù Hershana (14th) ends 44ʒ 5ᵛ—Curna Bhadra (7th) ends 11ʒ 5ᵛ—Thyagum of Wurjum, Devi (day time) begins 17ʒ 30ᵛ—Mercury enters 3d Padah of Nacshatra Aswini at 41ʒ—Mars is Latta—Accession of Rouchya Manu (one of the fourteen presiding spirits of the

KALENDAR.			
European date, April.	Theidi or Tamul date.	Feriæ.
14	4	Wednesd.
15	5	Thursday
16	6	Friday.
17	7	Saturday.
18	8	Sunday.
19	9	Monday.
20	10	Tuesday.
21	11	Wednesd.

APRIL.

Vaisácha, or *Chaitram,* continued.   *Ephemerides.*

Calpa divided into 14 Manwantaras)—Chaitra Purnima (day of full Moon in Chaitram) a Tidhi of general observances and ceremonies.

Christna Pacsha (the dark half of the month) Padyami (1st Tidhi of the said Pacsha) ends 36g 41ᵛ—☽ in Nacshatra Swati, ends 55g 50ᵛ—Yogù Vajra (15th) ends 39g 13ᵛ—Curna Bhalava (2d) ends 7g 53ᵛ—Thyagum of Wurjum, Devi (d. t.) begins 10g 18ᵛ—Sun enters 2d Padah of Nacshatra Aswini 16g 21ᵛ—Venus enters 2d Padah of Naoshatra Uttara Bhadrapada, 58g—Saturn enters 3d Padah of Nacshatra Criticà 34g.

Duitia T. ends 35g 0ᵛ—☽ in Nacshatra Visac'ha, ends 56g 24ᵛ—Yogù Siddhi or Asrij (16th) ends 35g 20ᵛ—Curna Dhitala (4th) ends 5g 51ᵛ—Thyagum of Wurjum, Devi (d. t.) begins 9g 58ᵛ—Mercury enters 4th Padah of Aswini 34g.

Tadya T. ends 31g 41ᵛ—☽ in Nacshatra Anurádhà, ends 58g 15ᵛ—Yogù Vyatipáta (17th) ends 32g 24ᵛ—Curna Warnaji (6th) ends 4g 51ᵛ—Thyagum of Wurjum, Devi (d. t.) begins 6g 42ᵛ—Garoolavahana, Triplicane feast.

Chouti T. 35g 42ᵛ—☽ in Nacshatra Jyést'ha, ends 60g—Yogù Variyas (18th) ends 30g 27ᵛ—Curna Bháva (1st) 5g 11ᵛ—Thyagum of Wurjum, Devi (d. t.) begins 12g 56ᵛ—Sun enters 3d Padah of Nacshatra Aswini 39g 52ᵛ—Mercury enters 1st Padah of Bharani 26g—Venus enters 3d Padah of Nacshatra Uttara Bhadra 41g.

Punchami T. ends 37g 50ᵛ—☽ in Nacshatra Jyést'ha ends 1g 17ᵛ—Yogù Parigha (19th) 29g 18ᵛ—Curna Coulava (3d) ends 6g 46ᵛ—Thyagum of Wurjum, Devi (d. t.) begins 22g 43ᵛ—Matsya deva (anniversary of Vishnu's incarnation as a *Fish*).

Shusti T. ends 41g 10ᵛ—☽ in Nacshatra Mula, ends 5g 36ᵛ—Yogù Siva (20th) 29g 35ᵛ—Curna Garujah (5th) ends 9g 30ᵛ—Thyagum of Wurjum, Devi (d. t.) begins 1g 20ᵛ—a 2d Thyagum, Ratri (night time) begins 0g 47ᵛ—Mercury enters 2d Padah of Bharani 19g.

Septami ends 45g 30ᵛ—☽ in Purva A'shád'ha, ends 10g 53ᵛ—Yogú Siddha (21st) ends 30g 22ᵛ—Curna Bhadra (7th) ends 13g 20ᵛ—Thyagum of Wurjum, Ratri (n. t.) begins 1g 55ᵛ—Mercury visible, West 26g—Venus enters 4th Padah of Nacshatra Uttara Bhadrapada 24g—Rahu (☽'s ☊) Crantum in Nacshatra Purva A'shád'ha.—*Rahtot Savam,* feast of the great chariot in Triplicane.

Astami T. ends 50g 16ᵛ—☽ in Nacshatra Uttara A'shád'ha, ends 16g 55ᵛ—Yogù Sadhya (22d) ends 31g 32ᵛ—Curna Bhalava (2d) ends 17g 53ᵛ—Thyagum of Wurjum, Devi (d. t.) begins 27g 58ᵛ—Sun enters 4th Padah of Nacshatra Aswini 6g 10ᵛ—Sun also enters the *Tropical* Zodiacal Sign Vrisha ♉ at 14g 35ᵛ—Mercury enters 3d Padah of Nacshatra Bharani at 12g—Ahus (duration of artificial day) 31g.

KALENDAR.			Vaisácha, or Chaitram, continued. Ephemerides.
European date, April.	Theidi or Tamul date.	Feriæ.	
22	12	Thursday	Navami T. 55ș 17ᵛ—☽ in Nacshatra Srávana 23ș 16ᵛ—Yogù Subha (23d) 33ș 0ᵛ—Curna Dhitala (4th) 22ș 46ᵛ—Thyagum of Wurjum, Ratri (night time) 3ș 20ᵛ—Satrica Vethei (no marriage ceremonies).
23	13	Friday	Desami T. 60ș—☽ in Nacshatra Dhanish'tà 29ș 43ᵛ—Yogù Subra (24th) 34ș 20ᵛ—Curna Warnajee (6th) 27ș 47ᵛ—Thyagum of Wurjum, Ratri (night time) 18ș 27ᵛ—Mercury enters 4th Padah of Nacshatra Bharani 4ș—Venus enters 1st Padah of Revati 7ș—This Tidhi (Desami) is Adigah, being repeated and called Tridina Sprohoo.
24	14	Saturday	Desami T. 0ș 16ᵛ—☽ in Nacshatra Satabhisha 35ș 42ᵛ—Yogù Brahman (25th) 35ș 27ᵛ—Curna Bhuddrava (7th, only one in advance from the last instead of two, on account of the day being repeated) 0ș 16ᵛ—Thyagum of Wurjum, Ratri (night time) 22ș 2ᵛ—Sun enters 1st Padah of Nacshatra Bharani 32ș 42ᵛ—Mercury enters 1st Padah of Nacshatra Critica 57ș.
25	15	Sunday	Yecadesi T. 4ș 35ᵛ—☽ in Nacshatra Parva Bhadrapada 41ș 3ᵛ—Yogù Maha Indra (26th) 36ș—Curna Bhalava (2d) 4ș 35ᵛ—No Thyagum of Wurjum—Venus enters second Padah of Nacshatra Revati 50ș—Ketu (☽'s ☋) is Latta. A general fast, the men's foreheads to be painted according to castes.
26	16	Monday	Duodesi T. 8ș 0ᵛ—☽ in Nacshatra Uttara Bhadrapada 45ș 25ᵛ—Yogù Vaidrithi (27th) 35ș 50ᵛ—Curna Dhitala (4th) 8ș 0ᵛ—Thyagum of Wurjum, Devi (day time) 0ș 48ᵛ—Mars ceases to be retrograde and begins to proceed direct 42ș—Mercury enters 2d Padah of Nacshatra Critica in Vrisha ♉ 56ș—Varaha Jyanti's birth day.
27	17	Tuesday	Triodesi T. 10ș 18ᵛ—☽ in Nacshatra Revati 48ș 36ᵛ—Yogù Vishcambha (1st) 34ș 43ᵛ—Curna Warnajee (6th) 10ș 18ᵛ—Thyagum of Wurjum, Devi (day time) 17ș 1ᵛ—Sun enters 2d Padah of Nacshatra Bharani 59ș 2ᵛ—Mars is Vethei (no marriage ceremonies; the Srardum or observance for the dead as usual).
28	18	Wednesd.	Chaturdasi T. 11ș 20ᵛ—☽ in Nacshatra Aswini 50ș 32ᵛ—Yogù Priti (2d) 32ș 35ᵛ—Curna Soyami or Shakoni (3th) extraordinary 11ș 20ᵛ—Thyagum of Wurjum, Ratri (night time) 9ș 8ᵛ—Venus enters 3d Padah of Nacshatra Revati 33ș.
29	19	Thursday	Amavasaya or conjunction day (being the 30th Tidhi of the Lunar month and the last or 15th of the Christna Pacsha) 11ș 10ᵛ—☽ in Nacshatra Bharani 51ș 18ᵛ Yogù Ayushmat (3d) 29ș 28ᵛ—Curna Nayava (10th extraordinary) 11ș 10ᵛ—Thyagum of Wurjum, Devi (day time) 14ș 50ᵛ—Mercury enters 3d Padah of Nacshatra Critica 3ș—Sun's Crantum in Nacshatra Bharani. On Amavasaya or conjunction, a general observance of principal rites.
30	20	Friday	Padyami or Prathama Tidhi (1st of the Sucha Pacsha or enlightened half of the Lunar month) 9ș 46ᵛ—☽ in Nacshatra Critica 50ș 53ᵛ—Yogù Saubhágya (4th)

APRIL.

	KALENDAR.	
European date, May.	Theidi or Tamul date.	Feriæ.
May 1	21	Saturday
2	22	Sunday
3	23	Monday
4	24	Tuesday
5	25	Wednesd.
6	26	Thursday
7	27	Friday.

MAY. (vertical label)

Vaisácha, or *Chaitram,* continued.   *Ephemerides.*

25ʒ 30ᵛ—Curna Bhava (1st) 9ʒ 46ᵛ—Thyagum of Wurjum, Devi (day time) 21ʒ 8ᵛ—Saturn sets West 37ʒ, his Crantum (no marriage ceremony)—This day is the 1st of the Luni-solar month of the Tekingas.—The Moon's crescent begins to appear this evening at Sun set, and the Mahommedan Civil month Ramzan commences.

Duitya or Vidya 7ʒ 13ᵛ—☽ in Nacshatra Rohini 49ʒ 42ᵛ—Yogù Sóbhana (5th) 20ʒ 32ᵛ—Curna Coulava (3d) 7ʒ 13ᵛ—Thyagum of Wurjum, Devi (day time) 30ʒ 6ᵛ—Sun enters 3d Padah of Nacshatra Bharani 25ʒ 45ᵛ—Mercury enters 4th Padah of Nacshatra Critica 21ʒ—Venus enters 4th Padah of Nacshatra Revati 16ʒ—Trita yuga dina, or anniversary of the day on which the Trita yug began—Birth day of Balaram Deo.—*Acshaya* Tritya (the current Tidhi), a lucky day.

Tritya T. 3ʒ 41ᵛ—The next Lunar Tidhi, called Chouti, is a Cshaya or expunged one (and therefore intervening between Tritya and Punchami) ends at 55ʒ 32ᵛ—☽ in Nacshatra Mrigasiras 47ʒ—Yogù Atiganda (6th) 14ʒ 51ᵛ—Curna Yurka (5th) the same as Garujee 3ʒ 41ᵛ—Second Curna (on account of expunged Tidhi) Vurnaja (6th) 27ʒ 16ᵛ—Thyagum of Wurjum, Devi (day time) 3ʒ 5ᵛ—Ahus (duration of artificial day) 31ʒ 15ᵛ—This is marked Avamaha on account of the expunged Tidhi.

Punchami T. 51ʒ—☽ in Nacshatra A'rdrà 43ʒ 54ᵛ—Yogù Sucarna (7th) 8ʒ 26ᵛ—Curna Bhava (1st) 26ʒ 37ᵛ—Thyagum of Wurjum, Devi (d. t.) 6ʒ 52ᵛ—Mercury enters 1st Padah of Nacshatra Rohini 42ʒ—Jupiter enters 4th Padah of Nacshatra A'rdrà 52ʒ—Venus enters 1st Padah of Aswini in Mesha ♈ 59ʒ—Ketu's (☽'s ☋) Crantum (no marriage ceremonies)—Sun's Vethei—Streepermadore feast—Yembramanu's birth day.

Shasti T. 48ʒ 23ᵛ—☽ in Nacshatra Punarvasu 40ʒ 14ᵛ—Yogù Dhriti (8th) 1ʒ 31ᵛ—the next Yogù Sùla (9th) 52ʒ 42ᵛ—Curna Coulava (3d) 31ʒ 12ᵛ—Thyagum of Wurjum, Devi (day time) 12ʒ 4ᵛ—2d do. Ratri (night time) 27ʒ 38ᵛ—Sun enters 4th Padah of Nacshatra Bharani 52ʒ 14ᵛ.

Septimi T. 42ʒ 32ᵛ—☽ in Nacshatra Pushia 36ʒ 18ᵛ—Yogù Ganda (10th) 45ʒ 38ᵛ—Curna Garujee (5th) 15ʒ 28ᵛ—Shesha (complement of) Thyagum 2ʒ 54ᵛ—favourable day for marrying.

Astami T. 36ʒ 28ᵛ—☽ in Nacshatra Asleshà 32ʒ 16ᵛ—Yogù Vriddhi (11th) 39ʒ 0ᵛ—Curna Bhuddra (7th) 9ʒ 30ᵛ—Thyagum of Wurjum, Devi (day time) 6ʒ 10ᵛ—Mercury enters 2d Padah of Nacshatra Rohini 11ʒ—Venus enters 2d Padah of Nacs. Aswini 42ʒ.

Navami T. 30ʒ 30ᵛ—☽ in Nacshatra Maghà 28ʒ 14ᵛ—Yogù Dhruva (12th) 31ʒ 25ᵛ—Curna Bhalava (2d) 3ʒ 29ᵛ—Thyagum of Wurjum, Devi (day time) 0ʒ 15ᵛ—2d Do. Ratri (night time) 15ʒ 36ᵛ—Saturn's Latta.

KALENDAR.			
European date, May.	Theidi or Tamul date.	Feriæ.
8	28	Saturday.
9	29	Sunday.
10	30	Monday.
11	31	Tuesday.

MAY.

Vaisácha, or Chaitram, continued.　　**Ephemerides.**

Desami T. 24g 46ᵛ— ☽ in Nacshatra Purva Phalguni 24g 25ᵛ—Yogù Vyágháta 24g 7ᵛ—Curna Garujee (5th) 24g 46ᵛ—Thyagum of Wurjum, Ratri (night time) 10g 1ᵛ—Sun enters 1st Padah of Nacshatra Criticà 18g 56ᵛ—Mercury enters 3d Padah of Nacshatra Rohini 45g.—N. B. On Desami Tidhi the Srardum (ceremony for deceased ancestors) to be observed.

Yacadesi T. 19g 34ᵛ— ☽ in Nacshatra Phalguni 21g 8ᵛ—Yogù Hershana (14th) 17g 10ᵛ—Curna Budhrava (7th) 19g 34ᵛ—Thyagum of Wurjum, Ratri (night time) 10g 35ᵛ—Venus enters 3d Padah of Nacshatra Aswini 25g—Saturn enters 4th Padah of Nacshatra Criticà 59g—Mercury's Crantum—Rahu's (☽'s ☊) Latta.

Duadesi T. 15g 6ᵛ— ☽ in Nacshatra Hasta 18g 34ᵛ—Yogù Vajra (15th) 10g 45ᵛ—Curna Bhalava (2d) 15g 6ᵛ—Thyagum of Wurjum, Ratri (night time) 6g 30ᵛ—N. B. The ceremonies suspended on Tryadesi, the 1st day of this Solar month, (Mesha masa or month of Aries) to be performed on this day.

Tryadesi T. 11g 20ᵛ— ☽ in Nacshatra Chitra 16g 46ᵛ—Yogù Asrij or Siddhi (16th) 5g 0ᵛ—next Yogù Vyatipáta (17th) 54g 55ᵛ—Curna Dhitala (4th) 11g 20ᵛ—Thyagum of Wurjum, Devi (day time) 30g 34ᵛ—Sun enters 2d Padah of Nacshatra Criticà, in the Solar Sign Vrisha ♉ 46g 47ᵛ—Mercury enters 4th Padah of Nacshatra Rohini 27g—Sun and Mars' Latta.——N. B. The ceremonies suspended on Chaturdesi to be performed on this day.

End of the Solar month Chaitram, or Vaisácha.

A translation of the first page of the Tellinga Kalendar (Siddhanta Chandra mana) for the Luni-solar year 4926 commencing, answering to the 1747th of the Æra of Salivahana; the expired years of the former being the 4925th, and of the latter the 1746th; and of the Æra Vicramaditya the 1881st, all corresponding to the year of Christ 1824. The name of the current year of the Cycle of 60 (Vrihaspati) being Tarana, according to Tellinga account; and Manmat'ha, Benares reckoning. Computed with the Elements of the Surriah Siddhanta for the Meridian and Latitude of Fort St. George.

KALENDAR.

European date, March.	Solar date. Tamul Poongoni or Chaitram.	Chaitra, Luni-solar date.	Feriæ.
31	20 Tropical Zodiacal Sign Mesha ♈	1	Wednes.
April 1	21	2	Thursday
2	22	3	Friday
3	23	4	Saturday
4	24	5	Sunday

Lunar Month *Chaitra*, the first of the Luni-solar year.   *Ephemerides.*

Sucha Pacsha, or enlightened half of the month.

End of Tidhi 36g 3ᵛ—Moon in Nacshatra *Revati*, passes to the next at 27g 31ᵛ—Yogù *Maha Indra* (26th) ends 14g 18ᵛ—Curna *Khimostogana* (11th) ends at 5g 43ᵛ—No Thyajum of Wurjum—Sun enters 2d Padah (quarter) of Nacshatra Revati, at 46g 34ᵛ—Sun's *Crantum*—Mars' *Vethei* —Annual fast of Samvatsara Gowry *Vritham* (bathing and other rites).

End of Tidhi 36g 18ᵛ—Moon in Nacshatra Aswini, passes to the next at 29g 30ᵛ—Yogù *Vaidhriti* (27th) ends 12g 13ᵛ—Curna Bhalava (2d) ends 6g 11ᵛ—Thyajum of Wurjum, 1. Devi (day time) begins 19g 11ᵛ. 2. Ratri (night time) 23g 2ᵛ—*Mercury* enters 4th Padah of Nacshatra *Uttara Bhadrapada*, at 15g—*Venus* enters 1st Padah of Nacshatra *Purva Bhadrapada* at 22g—Duration of the artificial day, (*Din Arda*, Sungscrete; *Ahus*, Tellinga) 30g 20ᵛ.

End of Tidhi 35g 17ᵛ—☽ in Nacshatra Bharani, passes to the next at 30g 15ᵛ—Yogù *Vishcambha* (1st) ends at 9g 7ᵛ—Curna *Dhitala* (4th) ends 5g 48ᵛ—Thyajum of Wurjum, none—Accession of *Uttama Manu* (Patriarch)—Vritham or fast of Gowri *Sow baghia.*

End of T. 33g 6ᵛ—☽ in Nacshatra *Critica* 29g 50ᵛ.—1. Yogù *Priti* (2d) 48g 52ᵛ. 2. Yogù *Ayushmat* (3d) 55g 7ᵛ—Curna Warnajee (6th) 4g 11ᵛ —Thyajum of Wurjum, *Devi* begins 0g 3ᵛ—Mercury enters 1st Padah of Nacshatra *Revati* 2g—Saturn's *Crantum.*

End of T. 29g 50ᵛ—☽ in Nacs. *Rohini*, passes 28g 25ᵛ—Yogù *Saubhágya* (4th) ends 54g 10ᵛ—Curna *Bhava* (1st) ends 1g 27ᵛ—Thyajum of Wurjum, *Devi* begins 8g 54ᵛ—Do. *Ratri* 18g 25ᵛ—Sun enters 3d Padah of Nacshatra Revati 9g 57ᵛ—Mercury enters 2d Padah of Revati 0g 0ᵛ—

KALENDAR.			
April.	Poongoni or Chaitram.	Chaitra.	Feriæ.
5	25	6	Monday
6	26	7	Tuesday
7	27	8	Wednesd
8	28	9	Thursday
9	29	10	Friday
		Cshaya.	
10	30	12	Saturday

Chaitra, continued.　　　*Ephemerides.*

Sucha Pacsha.

Venus enters 2d Padah of Purva Bhadra 5g—*Calpa dia,* anniversary of the beginning of *Calpa.*

End of T. 25g 46v—☽ in Nacshatra Mrigasiras (5th) issues at 26g 7v—Yogù Sóbhana (5th) ends 47g 42v—Curna *Dhitala* (4th) ends 25g 46v—Thyajum of Wurjum, *Ratri* begins 15g 32v—Tidhi Shusti, on which there is *Srardum,* or ceremonies for the dead.

End of Tidhi 20g 51v—☽ in Nacshatra A'rdrà (6th) issues 23g 1v—Yogù Atiganda (6th) ends 40g 43v—Curna Warnajee (6th) ends 20g 51v—Thyajum of Wurjum, *Ratri* begins 20g 43v—Mercury enters 3d Padah of Nacshatra Revati 3 1g—Venus enters 3d Padah of Nacs. Purva Bhadrapada at 38g—Ketu's (☽'s ☌) *Crantum*—Sun's *Vethei*—Tidhi *Duitia*—Santara Septami; ceremonies for the dead, (meaning that the ceremonies which ought to have been performed on the 2d Tidhi are postponed until this day.)

End of Tidhi 15g 27v—☽ in Nacshatra Punarvasu (7th) issues 19g 25v—Yogù *Sucarman* (7th) ends 32g 21v—Curna *Bhava* (1st) ends 15g 27v—Thyajum of Wurjum, Ratri begins 7g 35v—Sun enters 4th Padah of Nacshatra Revati at 33g 38v—Navami Tidhi—*Srardum* ceremonies for the dead—Sri Ram's birth day.

End of Tidhi 9g 33v—☽ in Nacshatra Pushia 15g 27v—Yogù Dhriti (8th) 25g 40v—Curna Coulava (3d) 9g 33v—Thyajum of Wurjum, Ratri (night time) begins 14g 42v—Mercury enters 4th Padah of Nacshatra Revati 2Cg.

End of Tidhi 3g 29v—Oppadi (expunged) Tidhi, ends 54g 0v, its name Yacadesi—☽ in Nacshatra Asleshà 11g 18v—Yogù Sùla (9th) 18g 1v—Curna Garujah (5th) 3g 29v—2d Curna (of the expunged day) Warnajee (6th) 27g 0v—Thyajum of Wurjum, Ratri (night time) 8g 31v—Mars *retrograde,* enters 2d Padah of Nacshatra Phalguni 8g—Venus enters 4th Padah of Nacs. Purva Bhadrapada in the Solar Sign Min ♓ 31g—On account of the Oppadi, or Avamaha Tidhi Yacadesi, the distinguishing marks of castes to be generally painted on the forehead.

End of Tidhi 51g 50v—☽ in Nacshatra Maghà 7g 10v—Yogù Ganda (10th) 10g 25v—Curna Bhava (1st) 24g 40v—Thyajum of Wurjum, Devi (day time) 25g 24v—Sun enters 1st Padah of Nacshatra Aswini and the Sign of the fixed Zodiac Mesha at 57g 43v—Mercury enters 1st Padah of Nacshatra Aswini in the Sign Mesha at 6g—Saturn's Latta—This Tidhi Yacadesi, a fast for the followers of Vishnu.

KALENDAR.			
April.	Chaitram or Vaisácha.	Chaitra.	Feriæ.
11	1	13	Sunday
12	2	11	Monday
13	3	15	Tuesday
Christna Pacsha.			
14	4	1	Wednesd.
15	5	2	Thursday
16	6	3	Friday
17	7	4	Saturday

Chaitra, continued.   *Ephemerides.*

Sucha Pacsha ends. Christna Pacsha (or dark half of the month) begins.

End of Tidhi 46g 24ᵛ—☽ in Nacshatra Purva Phalguni ends 3g 18ᵛ —Do. in Uttara Phalguni ends 56g 41ᵛ—Yogù Vriddhi (11th) ends 2g 57ᵛ —Do. Dhruva (12th) ends 53g 0ᵛ—Curna Coulava (3d) ends 19g 5ᵛ— Thyajum of Wurjum, Devi (day time) begins 20g 19ᵛ—Mercury enters 2d Pada of Nacshatra Aswini 54g—Jupiter enters 3d Padah of Nacs. A'rdrà 16g—Mars' Crantum—Sun and Rahu's (☽'s ☊) Crantum (no marriage ceremony)—Vishuvat Paniacala (certain ceremonies recurring about the Equinoxes to be performed)—Samarga (middle state of agricultural prosperity) time for sowing the fields.

End of Tidhi 41g 43ᵛ —☽ in Nacshatra Hasta ends 57g 22ᵛ—Yogù Vyágháta (13th) 49g 25ᵛ—Curna Garujee (5th) ends 14g 5ᵛ—Thyajum of Wurjum, Devi (day time) begins 21g 2ᵛ—Venus enters 1st Padah of Nacshatra Uttara Bhadrapada 15g.

End of Tidhi 37g 32ᵛ—☽ in Nacshatra Chitra ends 55g 16ᵛ—Yogù Hershana (14th) ends 43g 27ᵛ—Curna Bhadra (7th) ends 9g 30ᵛ—Thyajum of Wurjum, Devi (day time) begins 16g 31ᵛ—Mercury enters 3d Padah of Nacs. Aswini 44g—Mars' Latta—Accession of Rouchya Manu (the 13th of the 14 Rulers of the Calpa) —Chitra Purnima Tidhi, (the Lunar day of opposition or full Moon) general observances.

End of Tidhi 34g 23ᵛ— ☽ in Nacshatra Swáti, ends 54g 19ᵛ—Yogù Vajra (15th) ends 38g 21ᵛ—Curna Bhalava (2d) ends 5g 55ᵛ—Thyajum of Wurjum, Devi (day time) begins 8g 58ᵛ—Sun enters 2d Padah of Nacshatra Aswini 21g 51ᵛ—Venus enters 2d Padah of Uttara Bhadrapada 58g—Saturn enters 3d Padah of Nacshatra Critica 34g—Beginning of the Triplicane feast. The Christna Pacsha (obscure half of the month) begins.

End of Tidhi 32g 25ᵛ— ☽ in Nacshatra Visac'ha, ends 54g 34ᵛ—Yogù Siddhi (16th) ends 31g 10ᵛ—Curna Dhitala (4th) ends 3g 24ᵛ—Thyajum of Wurjum, Devi (day time) begins 8g 23ᵛ—Mercury enters 4th Padah of Nacshatra Aswini 34g.

End of Tidhi 31g 44ᵛ— ☽ in Nacshatra Anurádhà, ends 56g 0ᵛ—Yogù Vyatipáta (17th) ends 30g 56ᵛ—Curna Warnajce (6th) ends 2g 5ᵛ— Thyajum of Wurjum, Devi (day time) begins 4g 48ᵛ—Triplicane feast continues—Procession of Gurulatsavam.

End of Tidhi 32g 15ᵛ— ☽ in Nacshatra Jyést'ha ends 58g 42ᵛ—Yogù Vari'yas (18th) ends 28g 39ᵛ—Curna Bhava (1st) ends 2g 0ᵛ—Thyajum

KALENDAR.				Chaitra, continued. Ephemerides.
April.	Chaitra m or Vaisácha.	Chaitra.	Feriæ.	

Chaitra, continued.   Ephemerides.

Christna Pacsha.

of Wurjum, Devi (day time) 10g 38ᵛ—Sun enters 3d Padah of Nacshatra Aswini 46g 22ᵛ—Mercury enters 1st Padah of Nacshatra Bharani 26g—Venus enters 3d Padah of Nacshatra Uttara Bhadrapada 41g.

April.	Chaitram or Vaisácha.	Chaitra.	Feriæ.	
18	8	5	Sunday	End of Tidhi 34g 10ᵛ—☾ in Nacshatra Mula ends 60g—Yogù Parigha (19th) ends 27g 30ᵛ—Curna Coulava (3d) 3g 12ᵛ—Thyajum of Wurjum, Devi (day time) begins 20g 0ᵛ—2d Thyajum, Ratri (night time) begins 27g 30ᵛ—Matsya deva's day, (anniversary of Vishnu's incarnation as a *Fish*).
19	9	6	Monday	End of Tidhi 37g 9ᵛ—☾ in Nacshatra Mula ends 2g 36ᵛ—Yogù Siva (20th) ends 27g 11ᵛ—Curna Garujee (5th) 5g 10ᵛ—Complement of Thyajum (the Moon having left the Nacshatra Mula on the preceding day at 60 guddias complete) called Shesha, Devi (day time) 2g 21ᵛ—2d Thyajum, Devi (day time) begins at 28g 35ᵛ—Mercury enters 2d Padah of Nacshatra Bharani 19g.
20	10	7	Tuesday.	End of Tidhi 41g 5ᵛ—☾ in Purva A'shád'hà, issues at 7g 33ᵛ—Yogù *Siddha* (21st) ends 27g 42ᵛ—Curna Bhudra (7th) begins 9g 7ᵛ—Thyajum of Wurjum, *Devi* 29g 28ᵛ—Mercury visible in the West at 26g—Venus enters 4th Padah of Uttara Bhadrapada at 21g—Rahu's (☾'s ☊) *Crantum* in Purva A'shád'hà—Ketu's *Vethei*—Rahtot Savam (feast of the great chariot) in Triplicane.
21	11	8	Wednesd.	End of Tidhi 15g 16ᵛ—☾ in Nacshatra Uttara A'shád'hà, issues 13g 21ᵛ—Yogù *Sádhya* (22d) ends at 28g 47ᵛ—Curna Bhalava (2d) ends 13g 26ᵛ—Thyajum of Wurjum, *Devi* begins 24g 25ᵛ—Sun enters 4th Padah of Nacshatra Aswini at 12g 40ᵛ—Sun enters the *Tropical Zodiacal Sign Vrisha* ♉ at 21g 25ᵛ—Mercury enters 3d Padah of Nacshatra Bharani at 12g—*Ahus* (Dinarda, or duration of artificial day) 31g 0ᵛ.
	Tropical Zodiacal Sign Vrisha ♉			
22	12	9	Thursday	Tidhi ends at 50g 55ᵛ—☾ in Nacshatra Sravana, issues 19g 44ᵛ—Yogù *Subha* (23d) ends 30g 12ᵛ—Curna Dhitala (4th) 18g 20ᵛ—Thyajum of Wurjum, Ratri begins 30g 50ᵛ—Saturn's Vethei.
23	13	10	Friday.	Tidhi ends 55g 57ᵛ—☾ in Nacshatra Dhanish'tà, issues 26g 18ᵛ—Yogù *Subra* (24th) ends 31g 43ᵛ—Curna Warnajee (6th) ends at 23g 26ᵛ—Thyajum of Wurjum, begins 15g 40ᵛ—Mercury enters 4th Padah of Nacshatra Bharani at 4g—Venus enters 1st Padah of Nacshatra Revati at 7g.
24	14	11	Saturday.	Tidhi ends at 60g—☾ in Nacshatra Satabhisha issues 32g 33ᵛ—Yogù

KALENDAR.				Chaitra, continued. Ephemerides.
April.	Chaitram or Vaisácha.	Chaitra	Feriæ.	

Christna Pacsha.

Brahman (25th) ends at 33g 7ᵛ—Curna Bhava (1st) ends 28g 15ᵛ—Thyajum of Wurjum, Ratri begins at 18g 57ᵛ—Sun enters 1st Padah of Nacshatra Bharani, at 39g 22ᵛ—Mercury enters 1st Padah of Nacshatra Critica at 57g—*Tridina Sproohoo* (the meaning of which is that the Lunar Tidhi Chaturdasi is repeated.)

		Adigah Tidhi.		
25	15	11	Sunday.	

Tidhi ends at 0g 34ᵛ—☽ in Nacshatra Purva Bhadrapada, issues at 38g 3ᵛ—Yogù Maha Indra, ends at 33g 48ᵛ—Curna Bhalava (2d) ends 0g 34ᵛ—Thyajum of Wurjum, *none*—Venus enters 2d Padah of Nacs. Revati at 50g—Ketu's (☽'s ☋) *Latta*—a general fast—the men's foreheads to be painted according to their castes.

26	16	12	Monday.	

Tidhi ends at 4g 16ᵛ—☽ in Nacshatra Uttara Bhadrapada, issues at 42g 43ᵛ—Yogù Vaidhriti (27th) ends at 33g 51ᵛ—Curna Dhitala (4th) ends at 4g 16ᵛ—Thyajum of Wurjum, Devi begins at 3g 55ᵛ—Mars commences to be retrograde at 42g—Mercury enters 2d Padah of Nacshatra Critica (in the Solar Sign Vrisha ♉) at 56g—Varaha Jyanti's birth day, (a celebrated Astronomer).

27	17	13	Tuesday.	

End of Tidhi 7g 5ᵛ—☽ in Nacshatra Revati issues 46g 14ᵛ—Yogù Vishcambha (1st) ends 32g 56ᵛ—Curna Warnajee (6th) ends 7g 5ᵛ—Thyajum of Wurjum, Devi begins 14g 29ᵛ—Mars' Vethei.

28	18	14	Wednesd.	

End of Tidhi 8g 32ᵛ—☽ in Nacshatra Aswini, issues at 48g 36ᵛ—Yogù Prìti (2d) ends at 31g 12ᵛ—Curna Soyami, or Shakoni (8th extraordinary) ends at 8g 32ᵛ—Thyajum of Wurjum, Ratri begins at 7g 4ᵛ—Sun enters 2d Padah of Nacshatra Bharani at 6g 0ᵛ—Venus enters 3d Padah of Nacshatra Revati at 33g.

29	19	Amavasya 30	Thursday	

Amavasya, or conjunction, occurs at 8g 47ᵛ—☽ in Nacshatra Bharani issues at 49g 41ᵛ—Yogù Ayushmat (3d) ends at 28g 27ᵛ—Curna Nagava (10th extraordinary) ends at 8g 47ᵛ—Thyajum of Wurjum, Devi begins at 13g 2ᵛ—Mercury enters 3d Padah of Nacshatra Critica at 3g—Sun's *Crantum.*

End of the Lunar month Chaitra.

END OF APPENDIX IV.

FRAGMENTS.

FRAGMENT I.

*On the Formulæ of the Hindus for calculating the Eclipses, the Tables of Sines and divers other Astronomical Problems. Extracted from the French Ephemerides (Connoissance des Tems) for the year 1808, and ascribed to M*r* Delambre.* (Page 447.)

THESE Formulæ will be found in the second volume of the Asiatic Researches. Altho' they may have been long since known in Europe, nevertheless as the original Memoirs first printed in Calcutta, and subsequently reprinted in London, are rather scarce, we deem it expedient to announce them to our readers, who, for the most part have never heard of their existence.

Ducham, Bailly, and Le Gentil, have published that the Indians have, for calculating the Eclipses, certain methods which they follow without understanding them.

The author of the Memoir referred to, Mr. Davis, combats victoriously that assertion, by giving in the minutest details, the computation of the Lunar Eclipse of the month of November 1789, which he worked by the Indian Formulæ; his demonstrations and illustrations being grounded on the precepts of the Surriah Siddhanta.

The space which I have at command is too confined to enter into particulars; I shall therefore only state, that I have revised all these calculations with attention, and with the exception of a few points of the Indian doctrines, and of certain suppositions, the proofs of which are not very evident, one may aver that all the rest possesses all the perspicuity which the subject matter requires.

I cannot however, abstain from offering a few words on the Indian Table of Sines, and on the two methods according to which these are calculated; for since the publication of the Memoirs, I have noticed in a note inserted at the foot of the Table, that I had not sufficiently appreciated the merits of the Indian method, because I have been led into a mistake by a constant number which seems to me not to have been exhibited in the Memoir with sufficient clearness.

In the Table under consideration the Sines are expressed in minutes; it proceeds 3°¼ to 3°¾ degrees, supposing the Radius to contain 3133'; or rather 3437',75.—On the same line with the Right Sines, the Table gives the Versed Sines.

If the process prescribed by the Indian author be examined carefully, one perceives easily that his method consists merely in calculating in the first instance a first difference which at the same time is the first Sine of the Table. After which, in order to obtain the second Sine, he calculates the second difference, which he subtracts from the first difference. This process gives the first difference between the first and second Sine; and consequently *the second Sine*; after which he

calculates another second difference to deduce therefrom a new first difference and a new Sine, and so forth to the end of the Table.

That process is precisely that which I indicated in the preface to the Decimal Tables of Borda, without knowing that this method, which seemed unknown even to the moderns, had been so long practised in India.

My Formulæ is $\triangle$ (2) Sin A = — 4 Sin $\frac{2\frac{1}{2}}{2}$ $\triangle$ A Sin A = — Chord 2 $\triangle$ A Sin A. See Decimal Table, page 48.

$\triangle$ being the difference, A the Arc.

$\triangle$ A, being a constant quantity in the Table of Sines, it follows that in order to have the second difference of any Sine whatever, that Sine must be multiplied by a constant number. Now $\triangle$ A in the Indian Table is 3° 45′, therefore 4 Sin $2\frac{1}{2}$ $\triangle$ A = 4 Sin 2. 1° 52′ 30″ = 0,0042321 = $\frac{1}{233,53}$, from which it results that the constant factor for finding the second difference is $\frac{1}{233,53}$, that is to say, that the last Sine found must be divided by $\frac{1}{233,53}$. But according to the Memoir under consideration, that constant divisor, is $\frac{1}{225}$, which leads me to suspect that some typographical error has occurred, the more so that the numbers of the Indian author do not agree well with that divisor of 225, whereas with mine $\frac{1}{233,53}$, and following besides literally the precept, I find (with the exception of a few fractions) the same quantities; as may be seen in the following Table.

•	′	Indian Sines.	Sines by the French Divisor.	1st Differences.	2d Differences.
0	0	000	000,00		
3	45	225	224,85	224,85	
7	30	449	418,75	223,89	0,96
11	15	671	670,71	221,97	1,92
15	0	890	889,81	219,10	2,87
13	45	1105	1105,10	215,29	3,81
22	30	1315*	1315,56	210,56	4,73
26	15	1520*	1520,59	204,93	5,63
30	0	1719	1719,01	198,42	6,51
					7,36
33	45	1910	1910,07	191,06	8,13
37	30	2093	2092,95	182.88	8,96
41	15	2267	2266,85	173,92	9,71
45	0	2431	2431,08	164,21	10,41
48	45	2585	2584,88	153,80	11,07
52	30	2723	2727,61	142,73	11,68
56	15	2859	2858,66	131,05	12,24
60	0	2978*	2977,47	118,81	12,75
					13,20
63	45	3084	3083,55	106,06	13,61
67	30	3177*	3176,30	92,86	14,94
71	15	3256	3255,54	79,25	14,22
75	0	3321	3320,95	65,31	14,41
78	45	3372	3372,04	51,09	11,60
82	30	3409	3408,59	36,65	14,69
86	15	3431	3430,74	22,05	14,72
90	0	3438	3438,10	7,36	
				7,36	
93	45		3430,74		

This Table supposes a Radius greater than 3437,7, and less than 3438,4; according to Archimedes, the Radius would be between 3436,3, and 3438,5; mean 3437,1.

One may perceive that with the exception of some Sines, on which we only differ by a few tenths of a minute, the concordance is perfect in all the Table, whereas with the divisor 225, one would only obtain with approximate exactness the three first Sines, after which the error would increase with rapidity. I suspect that this erroneous divisor, is only a repetition of the divisor 225, which serves for finding the first of the first differences.

The Indian author does not state how he has found his divisor, therefore it can only be verified by the fact. Now the fact demonstrates that he has employed a divisor very little different from mine.

That process is extremely curious : one finds nothing like it in the Trigonometry of Ptolemy, and in order to find some vestige of it, one must, after having vainly poured over all the authors on Trigonometry, come to Briggs, who knew that divisor, which he seems to have found out by the fact, in comparing the second differences obtained by other means ; for Briggs himself was not aware that it was the Square of the Chord of the differential Arc $\triangle$ A.

But one may ask, why the Indians took $\triangle$ A $= 3° \ 45'$, instead of $1°$. Here I believe follows the answer : it appears to me to have a considerable degree of probability.

There can be no doubt but that the Indians knew the following theorems, $\overline{\text{Sin 2 A} + \text{Cos. 2 A}} = \text{Radius 2}$; Versed Sine A $=$ Rad. $-$ Cos. A $=$ 2 Sin $2\frac{1}{2}$ A : whence Sin $\frac{1}{2}$ A $=$ ($\frac{1}{2}$ Rad. $- \frac{1}{2}$ Cos. A) $\frac{1}{2}$. Now these three theorems are sufficient for finding all the Sines of their Table, and can give none else—they have therefore achieved all that they could, and their Table shews the limits of their science. Indeed one sees at page 290, that they have really employed these three Formulæ for calculating that Table, and that they knew besides that the Sine of 30° is equal to half the Radius, which seems to leave no doubt on what I have said. Their Table thus constructed, they will have examined the first and second differences ; and will have remarked that the first went on decreasing, but they will not have seen at first according to what law ? The second differences on the contrary, went on increasing, and it was no difficult matter to discover that they were proportional to the Sines, for the second difference opposite to 30° is 7,36, and that opposite to 90° is 14,72, the double of the preceding one : and to find the ratio of the second difference to the Sine, they will have divided the Radius 3437,75 by 14,72, and found the quotient to be 233,53. Dividing thus every Sine by its second difference, they will constantly have found the same quotient, whence they will have concluded that in order to have the second difference, it suffices to divide the Sine by 233,53.

The Rule for the first differences is not so obvious, for the difference of Sin A $=$ 2 Sin$\frac{1}{2}$A, Cos. (A $+ \frac{1}{2} \triangle$ A), and the Sines (A $+ \frac{1}{2} \triangle$ A) are not in the Table.

But the first of the first differences, is at the same time the first Sine in the Table ; from which

they have concluded that with the first Sine, the first of the *first* and *second* differences, one had all that was necessary for calculating all the rest. But in truth the Table was already calculated when the Hindu computers gave their differential method, and the proof is, that to make their Table be such as they have given it, they had need to make the first Sine 224,85 and not 225, which would have given the first differences a little too great, and the Sines too small.

It is true that the Surriah Siddhanta directs to divide by 8 the number of minutes which is contained in one Sign, in order to have the first Sine, which comes to the same thing as taking the Sine to be equal to the Arc. Thus $\frac{30°}{8} = \frac{360°}{96} = \frac{21600''}{96} = 225' = 3° 45'$, whereas the true value found by the three theorems, is only 224',85. Observe that there is nothing conjectural in all this *but the reasoning*, which I suppose to be that of the Indian computer, for the Hindus had really all the knowledge which I ascribe to them. I do not pretend either that they used decimal fractions ; it is with a view to shorten process that I employed these in reconstructing their Table of Sines, for it is well known that all their calculations are sexagesimal.

They might in taking proportional parts (the use of which was well known to them) extend their Tables to every degree of the circumference, but these interpolated degrees would have had Sines much less accurate, and they have preferred giving those which resulted immediately from their formulæ, and to preserve in all its purity the Table which was to serve for the computation of all the others ; but they have given from degree to degree their Tables of Equation of the Center.

Their theory for calculating these Tables of Equations was incomplete and inexact ; although they used Epicycles as well as the Greeks for computing the inequalities of the Planets, that Calculus was with them less exact than that of Ptolemy : they had introduced an empyrical Equation ill contrived enough, and they supposed that from 90° to 180° the same Equations returned in an inverse order. In that respect the Greeks were more advanced than the Hindus ; their Trigonometry was more perfect, altho' that of the Hindus resembles ours most, and that the Hindus seem to have had some theorems unknown to the Greeks. These Tables of Equations, however defective, present nevertheless a curious consideration ; which is, that in the explanation given of them by the Hindus, the differences of the Equations are proportional to the Sine of the Anomaly ; or (what comes to the same nearly) that the variation of the Sine is proportional to the Cosine.

It will be found also in that Memoir, that the Hindus found the Latitude of a place by calculating the length of the Shadow of the Gnomon, particularly when the Sun was in the Equator : they might find it also by means, of the Solsticial Shadows on employing the greatest declination, which according to them was 24°.

For determining the Longitudes they observed the Eclipses and compared them to the computations made on the Lunar Tables constructed for their first Meridian.

At page 315 one sees how, by means of their Sines, and without knowing the Tangents, they

computed the Sun's Right Ascension. Also how they computed the Ascensional differences and the point of the Equator which rose with each Sign of the Ecliptic. Their Table for the same was published by Le Gentil, who acknowledges not to understand upon what principles it is constructed; that principle is disclosed in the Memoir and I have commented upon it at full length in a Note.

We shall enter into no discussion on the antiquity of the Surriah Siddhanta (*). If we were only to consider the form of their Tables, their ideas on the precession of the Equinoxes, their Obliquity of the Ecliptic of 24°, and the theory of the Eclipses, we might suppose the Hindu Astronomical books to be more ancient than those of the Alexandrian Astronomers. On the other hand, finding that they possessed knowledge which is not to be found among the Greeks, one would be tempted to suppose them more modern. All that is common between them is the system of Epicycles for the Planets, but less perfect than that of the Greeks, from which circum-stance one might conjecture that the doctrine of the Indians has passed into Greece, where it was extended and improved. It would be less natural to suppose that the Hindus have received from the Greeks, through the channel of the Arabs, theories which are to be found in their hands but in a crude and incomplete state. All that we can affirm is, that the Memoir under consideration without teaching us any thing that might advance our real knowledge, or serve to the progress of Astronomy, is nevertheless singularly curious for all Astronomers. What renders the reading of it somewhat difficult, is the great number of Hindu technical words preserved in the translation. One might have given a second version where an European idiom alone would have been employed, and I had some thoughts of undertaking it, but to do this with success I had need of some further notions, and researches for which I had no sufficient time.

[*Connoissance des Tems, Annee* 1808, *page* 447.

(*) A learned Englishman formerly assigned 3840 years of antiquity to that book from the Epoch when he wrote. Since that time (in A. D. 1799) he has reduced that number of years to 731, i. e. to the year 1368 of our Æra.

FRAGMENT II.

On certain infinite Series collected in different parts of India, by various Gentlemen, from Native Astronomers.—Communicated by George Hyne, Esq. of the H. C.'s Medical Service.

I have stated in a Note at the foot of page 93 of the Key to the Siddhanta Chandra Mana, (article Hindu Gnomonics) that in Mr. Hyne's opinion the Hindus never invented the Series referring to the Quadrature of the Circle which were found in their possession in various parts of India; and that Mr. Whish, from whom he had obtained some of those which were communicated to the Madras Literary Society, after having first expressed a belief that they were indigenous, had subsequently reasons for thinking them entirely modern, and derived from the Europeans; observing that not one of the *Jyautish Sastras* who used these Rules, were capable of demonstrating them.

Since the time that I wrote the Note referred to, Mr. Hyne has done me the favour to communicate to me an account of the Series which had come to his knowledge; and I now lay the same before the reader in that Gentleman's own language, being well persuaded that it cannot fail to interest much all the votaries of science.

" My Dear Sir,

I have much pleasure in communicating the Series, to which I alluded in a former note to you, regarding the quadrature of the circle; and which some have supposed to have been invented by the Hindoos.

Let d be the diameter of a circle, and c its circumference : then the value of c may be obtained by any of the following formulæ.

(1) $c = 4d - \dfrac{4d}{3} + \dfrac{4d}{5} - \dfrac{4d}{7} \cdots = 4d\left(1 - \tfrac{1}{3} + \tfrac{1}{5} - \tfrac{1}{7} \cdots \pm \dfrac{1}{2n-1}\right).$

(2) $c = 12\tfrac{1}{2}d\left(1 - \dfrac{1}{3.3} + \dfrac{1}{5.3^2} - \dfrac{1}{7.3^3} \cdots \pm \dfrac{1}{(2n-1).3^{n-1}}\right).$

(3) $c = 2d + \dfrac{4d}{2^2-1} - \dfrac{4d}{4^2-1} + \dfrac{4d}{6^2-1} \cdots \quad 4d\left(\tfrac{1}{2} + \dfrac{1}{1.3} - \dfrac{1}{3.5} + \cdots \dfrac{1}{\overline{2n-3}.\overline{2n-1}}\right).$

(4) $c = \dfrac{6d}{2^2-1} + \dfrac{8d}{6^2-1} + \dfrac{8d}{10^2-1} \cdots = 4d\left(\dfrac{2}{1.3} + \dfrac{2}{5.7} + \dfrac{2}{9.11} + \cdots \dfrac{2}{\overline{4n-3}\,\overline{4n-1}}\right).$

(5) $c = 4d - \dfrac{8d}{4^2-1} - \dfrac{8d}{8^2-1} - \dfrac{8d}{12^2-1} \cdots = 4d\left(1 - \dfrac{2}{3.5} - \dfrac{2}{7.9} - \cdots \dfrac{2}{\overline{4n-5}\cdot\overline{4n-3}}\right).$

(6) $c = 3d + \dfrac{4d}{3^3-3} - \dfrac{4d}{5^3-5} + \cdots = 4d\left(\tfrac{3}{4} + \dfrac{1}{2.3.4} - \dfrac{1}{4.5.6} + \cdots \dfrac{1}{\overline{2n-3}.\overline{2n-1}.2n}\right).$

(7) $c = \dfrac{16d}{1^5+4.1} - \dfrac{16d}{3^5+4.3} + \dfrac{16d}{5^5+4.5} \cdots = 4d\left(\dfrac{4}{5.1} - \dfrac{4}{5.1+10.5^2} + \dfrac{4}{5.1+10.5^2+10.1^7} \cdots\right)$

$= \dfrac{16d}{5}\left(\tfrac{1}{2} - \dfrac{1}{\tfrac{1}{2}+\overline{2^2+1}|^2} + \cdots \dfrac{1}{\tfrac{1}{2}+\overline{2^2+1}|^2 + \overline{4^2+1}|^2 \cdots + \overline{\overline{4n-1}^2+1}|^2}\right).$

All these series, are very easily derived from that, which expresses the arc of a circle in terms of the radius and the tangent.

Let z be an arc of a circle, of which t is the tangent; r being radius. Then, by the theory of functions, or, by the differential calculus, $z = r (t - \frac{t^3}{3} + \frac{t^5}{5} - \frac{t^7}{7} + \frac{t}{9} \cdots)$. If $r = 1$ and $z = 45°$, then $t = 1$; and $c = 8 z = 4d (1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \frac{1}{9} \cdots)$, which is the first series. If $z = 30°$, then $t = \frac{1}{3^{\frac{1}{2}}}$, and $c = 12z = 6d (\frac{1}{3^{\frac{1}{2}}} - \frac{1}{3 \cdot 3^{\frac{1}{2}}} + \frac{1}{5 \cdot 3^{\frac{5}{2}}} \cdots) = 12\frac{1}{2}d (1 - \frac{1}{3.3} + \frac{1}{5.3^2} - \frac{1}{7.3^3} \cdots)$, which is the second series. If the difference of each pair of terms of the first series be taken successively, then $c = 4d (\overline{1 - \frac{1}{3}} + \overline{\frac{1}{5} - \frac{1}{7}} + \overline{\frac{1}{9} - \frac{1}{11}} \cdots) = 4d \times (\frac{2}{1.3} + \frac{2}{5.7} + \frac{2}{9.11} \cdots)$, which is the fourth series: and, if we begin after the first term, then $c = 4d (1 - \overline{\frac{1}{3} - \frac{1}{5}} - \overline{\frac{1}{7} - \frac{1}{9}} \cdots) = 4d (1 - \frac{2}{3.5} - \frac{2}{7.9} - \frac{2}{11.13} \cdots)$, which is the fifth series. If the two last series, which are equal to each other, be added together, and each term of the sum be divided by two, then $c = \frac{4d}{2} (1 + \frac{2}{1.3} - \frac{2}{3.5} + \frac{2}{5.7} - \frac{2}{7.9} + \cdots) = 4d \times (\frac{1}{2} + \frac{1}{1.3} - \frac{1}{3.5} + \frac{1}{5.7} \cdots)$, which is the third series. If the terms of the following series $\frac{1}{4} \quad \frac{1}{2.4} \quad \frac{2}{4.6} \quad \frac{3}{6.8} \quad \frac{4}{8 \cdot 10} \cdots$ be added and subtracted to and from those of the first, thus:

$$
\begin{array}{l}
1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \frac{1}{9} \cdots \\
\qquad - \frac{1}{4} + \frac{1}{2.4} - \frac{2}{4.6} + \frac{3}{6.8} - \frac{4}{8.10} \cdots \\
\qquad\quad + \frac{1}{4} - \frac{1}{2.4} + \frac{2}{4.6} - \frac{3}{6.8} \cdots \\
\hline
\frac{3}{4} + \frac{1}{2 \cdot 3.4} - \frac{1}{4.5.6} + \frac{1}{6.7.8} - \frac{1}{8.9.10} \cdots ; \text{ then}
\end{array}
$$

$$(6)\ c = 4d (\tfrac{3}{4} + \frac{1}{2 \cdot 3.4} - \frac{1}{4.5.6} + \frac{1}{6.7.8} - \cdots).$$

(7) If the terms of the series $\frac{1}{5}, \frac{2}{17}, \frac{3}{37}, \frac{4}{65}, \frac{5}{101} \cdots \frac{n}{4n^2 + 1}$ be added and subtracted to and from different terms of the series $1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} -$ thus:

$$
\begin{array}{l}
1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \frac{1}{9} \cdots \mp \frac{1}{2n-1} \\
\quad - \frac{1}{5} + \frac{2}{17} - \frac{3}{37} + \frac{4}{65} - \frac{5}{101} \cdots \pm \frac{n}{4n^2+1} \\
\quad\quad + \frac{1}{5} - \frac{2}{17} + \frac{3}{37} - \frac{4}{65} \cdots \pm \frac{n-1}{4 \overline{n-1}|^2 + 1} \\
\hline
\frac{4}{5} - \frac{4}{255} + \frac{4}{3145} - \frac{4}{16835} + \frac{4}{9^5 + 4.9} \cdots \mp \frac{4}{\overline{2n-1}|^5 + 4 \overline{2n-1}}
\end{array}
$$

then $c = 4d \frac{4}{(1^5 + 4.1} - \frac{4}{3^5 + 4.3} + \frac{4}{5^5 + 4.5} - \frac{4}{7^5 + 4.7} + \frac{4}{9^5 + 4.9} \cdots$

$\mp \frac{4}{\overline{2n-1}|^5 + 4.\overline{2n-1}|})$, which is the seventh formulæ.

I am, my dear Sir, most sincerely, your's,

Madras, 17th August 1825.

G. HYNE."

FRAGMENT III.

On the Tamul Divisor of 576 years.—Text, page 8.

INDEPENDENTLY of what has been said in the Text and Commentary of the Divisor **576**, I shall remark one of its peculiarities which has hitherto escaped attention.

It is sometimes convenient in the course of investigation, and particularly in cases where the juxta position of Epochs is required, to set off on one side from a Root free from fractions. Now the period of 576 years enables us to resolve the Problem with great ease, provided an Epoch whose Root is an integer, be given.

For if out of Table I, we take the *abstract* Root for 576 years (*) we will find it to be (4ˢ) 0ᵉ 0ᵛ 0ᵖ, and as there are seven days in the week, on each of which the *Saura Mana* may begin, if we multiply 576 by 7, we have 4032 years for product, whose *abstract* Root by Table I is (0ˢ) 0ᵉ 0ᵛ 0ᵖ. (†)

EXAMPLE.

Let the initial Root of **A. C. 3330** *current*, or 3329 *complete*, be resolved, it will be,

3329—3102=A. D. 227.

		D.	G.	V.	P.
Epoch A. D. 200, Table IX,	200	(1)	0	56	15
	20	(4)	10	25	0
	7	(1)	48	38	45
Initial Root A. C. 3330 complete	227	(0)	0	0	0
Hence if to the Epoch A. C. 3329		(0)	0	0	0
We add (or subtract) abstract Root for 576 years	±	(4)	0	0	0
We have	Sum	(4)	0	0	0
	Difference	(3)	0	0	0

But if instead of the abstract Root for 576 years we use that of its multiple 4032 years, viz. (0ᵈ) 0ᵉ 0ᵛ 0ᵖ; it is manifest that the Epoch will remain as it was, relatively to the initial feria.

		D.	G.	V.	P.
(*) For the abstract Root for 576 years, Table I	500	(6)	20	25	0
	70	(4)	6	27	30
	6	(0)	33	7	30
Abstract Root	576	(4)	0	0	0
(†) For the abstract Root of the period of 4032 years we have, Table I,	1000	(5)	40	50	0
				×	4
	4000	(1)	43	20	0
	30	(2)	45	37	30
	2	(2)	31	2	30
Abstract Root	4032	(0)	0	0	0

In the same manner, if there be any fraction in the proposed initial Root, or Epoch, the fraction in *both* *cases* will remain unaltered.

On this principle I have calculated the initial Roots of the following years, which exhibit every possible change which may occur where the generating Root or Epoch consists of integers only.

Generally, in the period of 4032 years the series of initial integer Roots in ascending progress will be 0, 3, 6, 2, 5, 1, 4, 0, &c. and in descending years 0, 4, 1, 5, 2, 6, 3, 0, &c.

This, however, is not to be mistaken for a Solar Cycle, excepting as far as the feriæ which begin the Solar years are concerned.

Years Saca complete	Years Caliyugam complete	Years Ante Christum.	Roots of Initial Feriæ.
		3804	0
		3228	4
	449	2652⊙	1
	1025	2076	5
	1603	1500	2
	2177	924	6
	2753	348	3
		Anno Domini.	
150	3329	228	0
726	3905	840	4
1302	4481	1380	1
1878	5057	1956	5
2154	5633	2532	2
3030	6209	3108	6
3606	6785	3684	3
4182	7361	4260	0
4758	7937	4836	4
5334	8513	5412	1
5910	9089	5988	5

FRAGMENT IV.

Computation of an Eclipse of the Moon by means of certain memorial and artificial words, and of shells in lieu of figures; the formulæ for which refer to the four Vakiam Tables (the XXVIth, XXVIIth, XXVIIIth and XLVIIth) published in this collection.—By Sami Naden Sashia, *a Kalendar maker residing in Pondicherry.*

I had often read and heard of the singular process by means of which the common Indian Almanac makers computed Eclipses; scoring their quantities with shells, instead of writing them in figures; and dispensing with the use of Tables, by means of certain artificial words, and syllables; which recalled the required numbers and Equations to their recollection, and was long desirous to obtain a positive proof of the truth of that report, which I always suspected to be much exaggerated. After a long search for one of these mechanical computers, a person was introduced to me by my venerable friend Abbe Mottet (one of the Missionaries of the Institution *de Propaganda Fide* in this part of India), and I found the *Sashia* thus introduced to me, competent to my object, for (as I wished) he did not understand a word of the theories of Hindu Astronomy, but was endowed with a retentive memory, which enabled him to arrange very distinctly his operations in his mind, and on the ground.

This person, whose name was *Sami Naden Sashia,* computed before me the Lunar Eclipse which forms the subject of the present Fragment; and after a due examination of his process, I concluded (as indeed I had expected) that the artificial words which were supposed to elicit results, were only designed as vehicles for finding the arguments of the four Vakiam Tables published in this collection, and of some others not included therein, without which it would have been impossible for him to perform his task.

With regard to his calculating with shells and counters, (the latter representing zeros) it amounts to nothing more than scoring any number of points when playing at cards with similar articles, but on a larger scale. The multiplication and division of numbers, these computers abridge by means of particular Tables, generally constructed by themselves, which contain the number of multiples of the Elements which are likely to be wanted in the operation; so that in the first case, they find the product at once; and in the second, by help of the nearest quantity to the dividends they find the quotients in the adjoining columns, the operations being thus reduced to addition and subtraction.

The foregoing explanation may I believe, dispense me from representing all the figures resulting from the various dispositions of the shells in the different branches of the Problem, and admit of

my using figures in the more complicated part of this computation ; this being necessary to avoid confusion in explaining the process; for there is no cancelling on paper, a rule which they cause to vanish by mixing the shells the instant that its results have been obtained ; preserving only the latter for future application in a distant part of the ground on which they operate.

Numerical account of the Sounds.

1   Ka ; Tha ; Pah ; Ya or Yum ; Kiah ; wia ; Staha ; nuium.

2   Kha ; Thaha ; Paha ; Rra ; Kra ; Ra ; Ri.

3   Gheu ; Dheu ; Bheu ; la ; Kla.

4   Gaha ; Dhaha ; Baha ; Va ; Ve ; Kooa.

5   Ghank ; Nanh ; Ma or Mun ; Na ; Sa.

6   Tsha ; Ta ; Tou ; Shah ; Utsha ; Cshe ; Recshe.

7   Tshaha ; Taha ; Saha ; Za.

8   Dja ; Deheu ; ha ; hi ; Dheua ; Do.

9   Djiha ; Dhaha ; Lhah ; Dha.

O   Gnia. Na. Ni. Rno. a. (the last, or *zero*, being always expressed with a counter.)

A near approximation to all these sounds is considered as included in the list, and therefore renders their articulation very numerous.

This variety of sounds for the same number was invented for the purpose of avoiding cacophony, when using them to express large quantities, wherein the same figure may be repeated several times ; and also to give to the collected syllables the resemblance of a rational word.

When a regular *technical* term is too short to be split into as many syllables as the quantity which it expresses contains of digits, then they lengthen it at pleasure and construct by that means, a *memorial* word which answers their purposes. This will be exemplified in the following exposition of the Elements of the Vakiam process.

         The Vedam,   Ve—do—da—Gnia—na—tou—Staha.

         The Raza Gherica, Ra—za—Gheu—ri—ca.

         The Kalanilam,   Ka—la—ni—la.

         The Devaram,   Dheu—va—ra.

These syllables they expound by inverting their arrangement, beginning with the last, and ending with the first ; and scoring from the right, thus :

Staha • —tou ⦂⦂ — Na O — Gnia O — Dha ⦂⦂⦂• — Do ⦂⦂⦂ — Ve ⦂⦂   a Vedam, or 1000984 days.

   Ka • —Ri •• — Gheu ••• — Za •⦂•⦂ — Ra ••   a Raza Gherica or 12379 days.

 • La ••• — Ni O — la ••• — Ka •   a Kalanila or 3031 days.

   Rra •• — Va ⦂⦂ — Deheu ⦂⦂⦂   a Devaram or 248 days.

As for the *Chandra Vakiam Dhurmavana*, because it varies on each day of a Devaram, the computer retains that Element *numerically* in his mind ; and the three digits which it contains (and can never exceed) recal to his recollection one of the 248 artificial words, which he learnt by heart ; the sounds of each of which indicates the Moon's Equation due to the *Druva* of the day computed for. Thus, as will appear presently, the *Chandra Vakiam* on the 20th Vyassei (Bengal Jyaishtá) being 129, the computer says unto himself, Di—wia—va—Ra—Dja, which inverting he finds in his memory,

Dja ⦂⦂⦂ — Ra •• — Va ⦂⦂ — wia • — Di ⦂⦂⦂ which indicates 8' 24' 18'.

If it had been for a Vakiam of 101, it would be, Dja—no—ma—nnium—hi •, and by inversion hi ⦂⦂⦂ — nnium • — ma •⸽• — no O.— Dja ⦂⦂⦂ which gives 8' 15° 8', vide Table XXVI.

For the Ahargana *and* Soota dina.

We need not repeat here what was so fully explained in the body of this work on the subject of these Elements. As the Almanac makers make their computations periodically, the *Ahargana* of the preceding year, furnishes them the means of finding that of the Sun for the beginning of the succeeding one, which is done by adding 365^d 15^s 31' 15^p thereto. And the absolute duration of each Solar month, such as given in Table III of this collection, (which they all know by heart) enables them to find that for any particular day in the year, without any formal computation.

As for the recurrence of the new Moons, most of them use a Cycle of 19 years, like that of Meton ; and with regard to the Eclipses (both Solar and Lunar) I believe many of them have learnt from the Europeans the use of the Chaldaic period of 223 Lunar months, or 18 years and 10 days ; and that they venture to compute on a probability that they will hit on the proper day. I suppose that their knowledge of that period is of foreign origin ; for I see it mentioned no where in their Astronomy. Certain it is however, that the common *Tamul* Kalendar makers, do not trouble themselves about the Luni-solar *Ahargana*, and that in their computations of Eclipses, every thing rests on the Solar one. (*)

ARTICLE 1.

The computer having established that a Lunar Eclipse is likely to occur on the 20th day of the Solar month Vyassei (Bengal Jyaishtá) of the Chacra year *Parthiva*, being the 4926th of the Cali yug, and the 1747th since the birth of Salivahana, calculates his *Ahargana* as above described,

Vide Table III of this collection.

and finds it to be 1799313' 2^s 18' 15^p, which he expresses thus, with his shells.

(*) Sami Naden acknowledged to me, that he had learnt how to determine when an Eclipse was possible, from Christian Missionaries : but that there was nothing about it in his books.

and dividing the sum of days by 7, he finds that the last expired day fell on *Tuesday*, and the current one on *Wednesday*; because altho' they count the remainder after division from Friday as *zero*, for the *beginning* of the years and months, they reckon *Friday* as 1, for the intermediate days of the month.

If we want to find the European date of these, *Tuesday* and *Wednesday*, we may have recourse to the methods which were disclosed in the first part of the Key to the *Madhyama Saura mana*: and *Tuesday* will be found to fall on the 31st of May (20th), and *Wednesday* on the 1st of June 1825, (21st Vyassei).

ARTICLE 2.

For the Sun's apparent place.

The next step to be taken is, to compute the Sun's apparent place at his rising on *the Svota dina*, which was explained at full length at page 124 and following, (Key to the Siddhanta Chandra mana, Part II), and therefore need not be repeated here. I shall only give the abstract of the Rule, as follows:

1º The *Ahargana* for the 20th Vyassei, (besides the sum of days) gave a fraction of

$$
\begin{array}{ccc}
 & 2^s \quad 18' \quad 15^p & \\
\text{which retrench from} & 60 & \\
\hline
\text{remainder} & 57 \quad 41 \quad 45 &
\end{array}
$$

which *guddias*, *viguddias*, &c. are to be added as *calas*, *vicalas*, &c. to the Sun's Saura degrees. (*).

To proceed.

For the Sun's Saura place.

	s.	°	'	"	"
2º On the 20th Vyassei the Sun had moved through one complete Sign (that of Mesha)	1	0	0	0	0
Take for 19 complete days	19	0	0	0	
,, 57 guddias		57	0	0	
,, 41 viguddias			41	0	
,, 45 palas				45	
Sun's *Saura* place at Sun-rise	1	19	57	41	45

3º To equate which, we have by the *Yoghiadi* Table (XXVII) for the first 8 days in Vyassei — 19 calas
Do. 2' or 13 days — 21
And for 4 days that remain (½ of 22) — 11
Sum 51

(*) Vide Note at the foot of Table XXVII, part I. But then here we are to take 19°, and not 20°, for the 20th of Vyasse; otherwise we would have to subtract 2' 13".

But we want for 2^s 13' 15° less (page 337); therefore as we have 22^c for 8 days, it is $\frac{22}{8} = 2^s$ 45' for 1 day, and $60^s : 2^s$ 45' :: 2^s 13' 15 : 6' 20°, which retrenching from 51' give the Equation sought 50' 53' 40' *subtractive*.

⊙'s Saura place	-	1˙	19°	57'	41″ 45″
Equation	- -	—	50	53	40
⊙'s *Sputa Graha* sought		1	19	6	48 5

For the Moon's apparent place.

1º We are first to compute the Moon's *Druva ;* which is performed as indicated at page 132 and 133 of the second Memoir; it being remembered that the common Kalendar makers perform their divisions and multiplications, by the help of Tables of multiples as stated at page 334 of this article; and the result in the present instance is 1 vedam ; 16 *raza ghericas ;* 0 *calanilam*, and 1 *devaram*, with a remainder of 129, being the *Chandra Vakiam Dhurmavanham*.—The four Elements they multiply into the respective Longitudes, as shewn at page 133, the products being as follows :

1 vedam	-	-	-	7˙	2'	0'	7″
16 raza ghericas		-	-	2	24	50	40
No calanilam		-	-	0	0	0	0
1 devaram		-	-	0	27	44	6
Chandra Druva		-		10	24	34	53

which is to be equated by means of that operation which they call *Phala Trium Desentara*, (vide page 134, and Table XLVII.)

2º It will have been found that after having divided the *Ahargana* by the four Elements, there was a remainder of 129 days, which is the Argument of Table XXVI. Now these figures recal to the memory of the computer, the following artificial syllables.

Di—wia—va—ra—dja,—which being reversed and expounded

$$\begin{array}{ccc} & \text{Dja} \\ \text{Ra} & \text{Va} \\ \text{Wia} & \text{Di} \end{array}$$

produce 8^s 21' 18', which is the first part of the Equation required.

3º For the Equation of the *Desentara calus*, we are to refer to Table XLVII, and find that those due to the preceding month, *Chaitram* (Bengal *Vaisacha*) are 15', always additive. And for the *Andra vicalus*, the same Table gives us for *Vyassei*, *itself* — 10″.

Now the odd degrees, minutes and seconds of the Sun's apparent place, being 19° 6' 48″ (present page) multiply the same by   × — 10

you have   — 3^c 11v 8

which, (as was explained at page 134), are to be subtracted from the *Desentara calus*, being the second Equation sought:

4º Lastly, for the *Madhya Gati vicalas*, we are to resort to the *Chandra Vakiam*, 'or Argument of Table XXVI) 129. Referring to the said Table we find the Moon's *Sputa Gati*, or true motion, for that number of days   •   •   •   826 calas

But the Sun's mean motion is   •   •   •   <u>791</u>

Difference 35

and as for each *devaram* (248 days) elicited by the division of the *Ahargana* by the four Elements, there is an Equation of 32 tarparies or thirds, and as in the present case there was only one *devaram* in the results (page 337), we have $35 \times 32'' = 1120$ tarparies $= 18^v 40^t$; and on account of 40^t say 19 vicalas, which is the third Equation required.

5º With these results we come to the following conclusion.

Moon's Druva	• • • •		10ˢ 21° 34′ 53″
Chandra Phala	• • • •		<u>8 21 18 0</u>
	Moon's approximate Longitude •		7 13 52 53
Desentara calas (page 338) • 15′ 0″			
Andra vicalas (page 338) • — 3 11			
Equation • <u>11 49</u> •		•	+ 11 49
Madhya Gati vicalas • • •		•	<u>+ 19</u>
Chandra Sputa Graha, 20th Vyassei •			7 19 5 1

It is always to be understood that all these additions and subtractions are performed by the play of shells, which is very expeditious, but would have become tiresome if represented every time on paper.

ARTICLE 4.

For the Argument of the Purnima *Tidhi.*

This article is for finding the instant of opposition, which is always the end of the 15th Tidhi in the Lunar month. The operation consists in taking the difference of the Sun and Moon's Longitude, and then by the method indicated at page 137, to find the instant when it occurs *after that* of *true Sun rising*, on the particular day referred to, for which last article see also page 106.

These respective Elements the mechanical computer disposes, with his shells, in the following order.

Distance.	☽'s Longitude.	☉'s Longitude.
5s. 29° 53′ 13″	7 19 5 1	1s. 19° 6′ 48″

and proceeding as above stated, he finds that the instant of opposition occurred on the 21st Vyassel, at 0ʳ 30ʳ 0ᵖ after true Sun rising at the place computed for.

It is not however, to be believed that the common Almanac makers calculate the true duration of the artificial day and night in the manner that was explained in the second section of the 8th article of the Key to the Siddhanta Chandra mana, the problems of which are far beyond their comprehension. They have a Table where the time of the Sun rising and setting for every day in the year, is ready computed; which serves them for a great number of years, and to which they refer the end of each Tidhi. When unable to construct it themselves, they procure one from their more learned colleagues.

ARTICLE 5.

For the apparent place of the Moon's Node, called Rahu.

Of the theory of this part of the Problem I could not obtain even the most general account; and circumstances of a painful nature, have prevented me from investigating it as I intended to have done. I give therefore the computation as I received it, with a belief however, that with the assistance of the data contained in this work, there will be no difficulty to demonstrate its several propositions.

1º The Tamul Almanac makers use a constant number, recalled to their memory by the sounds Cshe—thi—na—Gnia—Rno—Reeshe—yam, which inverted as usual gives

Yam—Reeshe—Rno—Gnia—na—tha—Cshe

| 1 | 6 | 0 | 0 | 0 | 6 | 6 |

this number they subtract from the Ahargana (page 336)   1799313
(*) 1600066

Remainder 199247

2º They next put down this remainder in two places,

1º	2º
199247	Multiply the 2d by ⅓ of the Periodical 199247
(vide infra) ・・ ＊ 10 33 36 50	revolution of the Moon, or ・・ × 9
199186 26 23 10	1793223

3º This product is to be divided by another constant number recalled by,

Dhu—na—Dja—Dhu—tou—pum

which gives Pum—tou—Dhu—Dja—na—Dhu
            1   6   9   8   0   9

(*) The daily motion of the Moon's Node being 3′ 10″ 45‴ 6⁗ 59‴″ or 3′ 10″ 45‴,1446 &c. if we suppose it to be in any part of the Ecliptic at the beginning of a period of 1600066 days, it will be precisely 6 Signs behind it, at the end of the same.

4º Proceeding to the said division, we have

$$169809) 1793223 (10 \text{ days}$$
$$ 169309$$
$$ \overline{95133}$$
$$ \times 60$$
$$) 5707980 (33 \text{ guddias}$$
$$509127$$
$$\overline{613710}$$
$$509127$$
$$\overline{104283}$$
$$\times 60$$
$$) 6256980 (36 \text{ viguddias}$$
$$509427$$
$$\overline{1162710}$$
$$1018854$$
$$\overline{143356}$$
$$\times 60$$
$$) 8631360 (50 \text{ paras}$$
$$8490450$$
$$\overline{140810}$$
$$\&c.$$

The quotient 10^d 33^s 36^v 50^p they put down under the shells which marked the first time 199247 * (page 340), and subtracting it from the same, they find a remainder of 199236^d 26^s 23' 10^p (vide supra).

and this remainder they again divide by a number, recalled by the sounds, Cshe—tha—mum; which answers to

$$\begin{array}{ccc} \text{Mum—tha—Cshe} \\ 5 \quad\; 6 \quad\;\; 6 \end{array}$$

In order not to confuse his shells, the computer performs that division in two or three steps, so as to bring out round numbers, as much as he can; thus

$$566) 199236 (250 \text{ signs}$$
$$ 1693$$
$$ \overline{2943}$$
$$ 2830$$

Stop here — $\overline{1136}$

Then arrange the shells thus

Multiply by 30

$$\begin{array}{l} 1136^s\; 26°\; 23'\; 10^p \\ \times\; 30 \\ \hline 34093\quad 11\quad 35\quad\; 0 \end{array}$$

Divide again the degrees by 566) 34093 (60 = 2 signs, which add to 250 above found.

$$ 3396$$
Stop here — $ 133$
$$ \times 60$$
$$ \overline{7980}$$
Add the minutes of the dividend — 11
$$566) 7991 (14'$$
$$ 566$$
$$ \overline{2331}$$
$$ 2264$$
$$ \overline{67}$$
$$ \times 60$$
$$ \overline{4020}$$
Add the seconds of the dividend — 35
$$566) 4055 (7''$$
$$ 3962$$
$$ \overline{93} \text{ which neglect.}$$

Hence we have a quotient of 352' 0° 14' 7" of which retrenching the complete revolutions,

we have		4s	0° 14' 7"	
From 12 signs		12		
Supplement		7	29 45 53	
And add a Bijah of (*)			40 0	
Soota Rahu, or true place of ☊,	8	0 25 53	

ARTICLE 6.

For the Patum Chandra Puram, or Argument of the Moon's Latitude.

1º Retrench Rahu's place from the Moon's, increased by 12 signs.

Moon's Sputa Graha, (page 339)		7ˢ	19° 5' 1"	
		12		
		19	19 5 1	
Soota Rahu ☊ =		8	0 25 53	
		11	18 39 8	
Take the Bhujah (page 86)		12		
Argument of Vicshipa calas, or minutes of Latitude	0	11 20 52	

Table of Vicshipa
Pataca cala.

°	'	"
1	4	43
2	9	26
3	14	8
4	18	51
5	23	32
6	28	14
7	32	55
8	37	40
9	42	19
10	46	53
11	51	32
12	56	8
13	60	43
14	65	19
15	69	54

2º With 11° refer to the Vicshipa Pataca cala Table here annexed, you find

	°	'	"
For 11		51	32
Proportional parts for 20' 52"		1	37
Nija Vicshipa calas		53	9

which keep in reserve.

ARTICLE 7.

For the Chandra Mandala Libitangula.

The Chandra Vakiam Dhurmavanham, which was found to be 129 days (page 338), when referred to Table XXVI, shewed that the Moon's true motion on the said devaram day was 826'.

1º Divide the same by
25)826'(33' 2"
75
—
76
75
—
1
60
—
25)60(2
50
—
10 which neglect.

The quotient 33' 2" is called Chandra Mandala Libita.

(*) The addition of these 40 calas in all computations of the place of the Moon's Node, by the Kalendar makers, appears to me manifestly empyrical.

Put down this quotient in two places,

	1º					2º	
	33'	2"				33'	2"
Multiply the 1st by	×	5		* Add		82	35
Halve it - ½ -	165	10		Halve it - - ½ -		115	37
Carry it over - -	82	35 *		*Mana Yogarda Libita*		57	48½

Subtract *Nija Vicshipa calas* (vide supra)   53   9

Grahana Libita, (Difference) which lay by   -   4   39½

(N. B.—Here we have two sides of a right angled triangle, viz. the *Mana Yogarda*

Libita,   -   -   -   -   57'   48½"   or say 49"
And the *Nija Vicshipa Cala*   -   -   53   9
which keep in reserve.)

ARTICLE 8.

For the Csh'shna, *or quantity of the Disk eclipsed.*

Having found the difference of the above two Elements to be 4' 39½"; or say 4' 40", we are to divide the same by the *Chandra Mandala Libita*, 33' 2" (1982") found at page 342, for which purpose we are to raise that quantity by repeated multiplications into 60, until the latter may divide the former.

$$4' \times 60 + 40'' = 280'' \text{ and } 280'' \times 60 = 16800''$$

1982) 16800" (8,47 &c.
    15856
     9440 which neglect
     7928 &c.

and the quotient is the *Csh'shna*, shewing that 8-60ths of the Moon's Disk will be eclipsed.

ARTICLE 9.

For the middle, beginning and end of the Eclipse.

1º Square the *Mana Yogarda Libita*, 57' 49" *(Tamul* process).

1º	2º	3º	4º
57	49	57	49
57	57	49	49
399	343	513	441
285	245	228	196
3249	2793	2793	2401

Divide the 4th product by 60) 2401 (40
                               1

Add the quotient to the 3d   -   2793
                                       40

                                       2833
Add the 3d   -   -   -   -   2793

Divide by   -   -   60) 5626 (93.46
                                      226
                                      46

Add the quotient to the 1st   =   3249
                                     93   46

Mana Yogarda Vurga   =   3342   46

    the square of 57' 49".

2. Square the *Nija Vicshipa Cala* 53′ 9″.

1º	2º	3º	4º
53	9	53	9
53	53	9	9
159	477	477	81
265			
2809			

Divide the 4th by 60) 81 (1

21 which neglect

Add the quotient to the 2d.

477
1

478

Add the second   -   477

60) 955 (15′ 55″
355
55

Add the quotient to the 1st - 2809°

15   55

Vicshipa Cala Vurga (*)   -   2821   55

3. For the *Moola Vurga*, or square of the third side of the triangle.

From the *Mana Yogarda Vurga*   -   3342°   46′
Subtract *Vicshipa Cala Vurga* - - 2324   55

Moola Vurga - 517   51

4. Find the square root of the *Moola Vurga*, (*Tamul* process.)

		(*) 4	(†) 4	
		(‡) 4	(*) 6	
Dispose the figures with	Single.	Double.	Single.	Of 117 that remain
shells thus - - -	5	1	7	divide 100 by 40 (because
Say 2×2=4	— 4			4 * is placed in the column
Place the product under	—	—	—	of tenths).
5, and over 1 (*) subtract	1	1	7	40)100(2×40=80
the latter.				20
(x) Place the quotient 80				Add 17
after division of 100 under		— 8	0	
117, and subtract		—	—	Sum 37 (x)
		3	7	Say again 2×2= (†) 4
	Subtract		— 4	which place at top in the
		—	—	column above 7, and under
		3	3	7 below, from which sub-
				tract.

Multiply the remainder 33 by 60; and add to the product the 51 odd vicalas, i. e. $33 \times 60 + 51 = 2031''$, which divide by 44 expressed at the top of the Rule (* and †).

44)2031(40
1760
Stop here - 271

(*) The 1st square by the European rule is 3342° 46′ 1″, the 2d 2824° 55′ 21″, and the square root of the 3d is 22′ 44″ 11″, the difference proceeding from the Hindu rule neglecting the last fractions.

For the quotient 40 place 4 (‡) in the column at top between (*) 4 and 1.—Square the last quotient 40×40=1600, which divide by 60)1600(26' 40", and because the fraction 40 exceeds
40

22 (the half of the divisor 44) take 27.

$$
\begin{array}{lr}
\text{From the preceding remainder} & 271 \\
\text{Subtract these 27} & 27 \\
\hline
\text{Sum} & 244
\end{array}
$$

Which divide again by   44) 244 (5 24
220
———
24

and because the remainder exceeds 22, take 6 (✳), which quotient place at top in the column between (†) 4 and 7.

Lastly, take the half of 44 (* and †) which amounts to 22, then the *Moola Vurga Meta*, or the square root of the curtate distance, or *Mana Yogarda Libita* (page 343) is 22 calas, 46 vicalas, which lay by (vide note page 344.)

ARTICLE 10.

For the Grahana Tincoria Padhi, *or half the duration of the Eclipse.*

We have already seen (page 342) that the Moon's true motion for 129 days

of a *devaram* was   826 calas.
And the Sun's true motion on the 20th Vyassei by Tamul account (*) is ‑ 57 15
The relative motion is therefore   763 45
                                         or in vicalas   46125"

Now as we are to divide the *Moola Vurga Meta* 22' 46", by the Sun and Moon's relative motion, raise it by repeated multiplication into 60, so that it may be divided by the latter, that is 22 × 60 + 46 × 60 = 81960.

Then   46125) 81960 (1 guddia
                    46125
                    ———
                    35835
                       60
) 2150100 (46 viguddias
              184500
              ———
              305100
              276750
              ———
              28350
                 60
) 17010000 (36 paras
              138375
              ———
              317250
              276750
              ———
              40500 which neglect,

and the quotient is the half duration of the Eclipse, viz. 1ˢ 46ᵛ 36ᵖ.

———————————————

(*) The Sun's true motion on the 20th Vyassei, by Table XXVIII, is 57' 11".

ARTICLE 11.

For assigning the time of middle, beginning and end of the Eclipse.

It was stated at page 340, that the Purnima Tidhi ended on the 21st of Vyassei at 0ᵍ 30ᵛ after true time of Sun rising. Now by the Tables which give the duration of the artificial days and nights for every day in the year, it appears that the duration of the day is   -   31ᵍ 35ᵛ 20th to 21st Vyassei.   Of the night - 23   25

28ᵍ 25ᵛ mark therefore the true instant after Sun setting when he rises again. But the Purnima Tidhi ended (the instant of opposition, page 340) at   -   0ᵍ 30ᵛ after ☉ rise.
Let it therefore be added to   -   -   -   -   28   25

End of Tidhi from preceding *Sun set*   -   28   55 after ☉ set.

End of Tidhi   -   -   -   -   -   -   28ᵍ 55ᵛ 0ᵖ
From which retrench *Grahana Tinooria Padhi* (page 345)   -   1   46   36
                27   8   24

Beginning of Eclipse on the 20th Vyassei after Sun set 27ᵍ 8ᵛ 24ᵖ after Sun set the preceding evening.

	ɢ.	ᵛ.	ᴘ.
To the time of beginning	27	8	24
Add 2 × 1ᵍ 46ᵛ 36ᵖ	3	33	12
	30	41	36
But the Sun rose on the 21st at	28	25	0
	2	16	36

therefore the time of end of Eclipse on the 21st after Sun rise is, 2ᵍ 16ᵛ 36ᵖ.

CONCLUSION.

Hence the Phases, or *Calas*, of the Eclipse under consideration, are as follows:

Beginning 20th Vyassei   -   27ᵍ 8ᵛ 24ᵖ after Sun set.
Middle   21st do.   -   0 30 0 after Sun rise.
End   do. do.   -   2 16 36 after do.
Digits eclipsed 8-60ths of the Moon's Disk.

ARTICLE 12.

The Phases of the Eclipse as computed by the Tamul Formulæ, compared to the same calculated for the Meridian at Madras according to the European method.

We have seen (present page) that the duration of the night from the 20th to the 21st Vyassei, answering to that of the 31st May and 1st June 1825,

	Indian time.		European time.	
was	28ᵍ	25ᵛ	11ʰ	22'
The half of which is	14	12½	5	41

which indicates that according to the Hindu account, the Sun rises on the 21st Vyassei at 5ᵏ 41′ A. M. (*)

	c.	v.	p.	H.	′	″	‴
To the time of Sun rising	14	12	30	5	41		
Add that wanting from the end of Purnima Tidhi (page 340)		30	0		12		
Middle of Eclipse	14	42	30	5	53	0	0
Add and sub. ½ duration (page 346) ∓	1	46	36		42	38	24
Beginning of do.	12	55	54	5	10	21	36
End of do.	16	29	6	6	35	33	24

which furnishes the following comparison.

	European.		Tamul.		Difference.
	H.	′	H.	′	
Beginning	5	15	5	10,35	4′,25
Middle	5	30	5	53,00	23,00
End	5	44	6	35,63	51,63
Digits	12′	30″	8′	28″	4′ 2″

OBSERVATION.

When it is considered how very coarse and undefined as to the place for which the Eclipse is computed, the process used by the Tamul mechanical computers undoubtedly is, it is really surprising that these results should come no wider from the truth. It is not however, to be believed that they are always equally successful in their predictions, and that the people who are bound to religious observances when these phœnomena recur, are never disappointed in their expectations. I recollect a circumstance which occurred not many years ago, when an Eclipse of the Moon had been announced for a certain evening in the Madras Panchangum ; in consequence of which crowds of people had resorted to the Beach for performing their ablutions ; but no Eclipse appeared ; a circumstance which in China might have endangered the mistaken Astronomer's life, but with the gentle Indian, only occasioned a good deal of noise ; and with a few, some merriment on his ill proficiency. The case I refer to may have proceeded from the ignorance of the *Sastra ;* but it is certain (and will be readily believed) that even where the most skilful Astronomer is employed, no reliance can be placed on those raw predictions which are never certain within several hours of the time when an Eclipse is to occur.

It was originally my intention to have added an example of a Solar Eclipse to the foregoing one ; but family afflictions, and want of health, have prevented me from further gratifying the reader's curiosity with disclosures of Indian mysteries.

(*) The Sun rises at Madras on the 1st June at 5h. 39′, the difference of the two accounts is therefore 2′.

I shall therefore, take a final leave of the *Kala Sankalita*, and trust it to it's fate with all it's imperfections ; taking this last opportunity for expressing my gratitude to the Supreme Government of India, to those of Madras, Bombay, and Prince of Wales' Island, for having, whilst the edition of this work was in progress, manifested by public acts, their approbation of the author's *intentions*, and perseverance, in a pursuit in which he only engaged from a sincere and unaffected desire of paying a tribute of respect, (which he thought might prove acceptable) to a Government in whose service he has spent the most active part of his life.

THE END.

A

GLOSSARY AND INDEX

OF THE TERMS

OF

HINDU ASTRONOMY

USED IN THE

KALA SANKALITA.

Written in the year 1825.

‛ ₊* *When looking in the Glossary for the explanation of a term used in the Text, or in any other book of Hindu Astronomy, it may so happen that the orthography has been altered in such a manner in the former that it is not to be found exactly where it otherwise should be. In such a case the reader will remember that according to Sir William Jones' system, the letter C is generally sounded hard: but should this consideration prove insufficient, he must then look for a word, the sound of which comes nearest to that of the term which he is seeking.*

A GLOSSARY and INDEX

Of the terms of Hindu Astronomy used in the Kala Sankalita, *and in some other books treating of Hindu Astronomy.*

The accompanying Glossary is the indirect, though necessary result of the investigation which constitutes the subject of this work. As it was not compiled by design, and as the terms which appear in its columns were gathered from various books, consulted only with reference to the task which the Author had undertaken, this Appendix can boast of no real importance *as a Collection.* But if it be considered as a Key to the Text, and as an exposition of the variations in its orthography which were occasioned by the introduction of Sir William Jones' system (now generally followed in Madras), it may prove of great assistance to the reader, not only for perusing these Memoirs, but any other book of Hindu Astronomy.

If it be considered that six and thirty years have hardly elapsed since we possessed any sound knowledge of the principles of that science;—that during the said space of time, it was only cultivated by five or six Gentlemen, most of whom were ignorant of the *Sanscrit* language, and who were widely dispersed over the immense territory subject to the British power in India, in every part of which a variety of idioms are spoken, no one will wonder to find so much dissimilarity in the manner of spelling terms which apply to none of the civil concerns of life, and several of which, many of the Natives of India never heard pronounced in the course of their lives. Nor can it be a matter of surprise if in many instances there remains still doubts in the minds of the learned of all countries, on the legitimate signification of certain technical terms, expounded by us, in this distant part of the world, when they see in Bengal the learned Colonel Dow write *Obatar Bah* (the name of the fourth Véda) what the Pundits of Madras spell *Athara véda.* (*)

The Author has incautiously ventured to affirm in a note introduced at the foot of page 70 of the Text, that he has followed the orthography of Sir William Jones, Mr. Davis, and Mr. Scott; but he was not then sufficiently aware that these Gentlemen are far from having followed the same system; nay, that each of them did not in all cases write the same word alike. There is certainly a very sensible difference between the sounds elicited by the orthography of the term of *Arca Baghabala* and *Arcabahu phala;* and yet both bear the same signification according to the above authorities.

As for those terms which the Author learnt immediately from his native instructors, and which form a considerable part of this collection, he feels bound to declare that he is totally ignorant of the Sanscrit language, and that those technical words which he was the first to expound, were

---

(*) Vide Dow's Hindustan, vol. I, dissertation page xxix.

conveyed to his ear, by interpreters either *Telugu* or *Tamil*, whose pronunciation of foreign idioms is known to be very defective. The exact meaning of a word so presented to him, he could not expound according to the common process of *etymology ;* he could therefore only discover it, either from the nature of the operation in the course of which it was employed, or by its affinity to other words in some of the living oriental languages : but it was not until the whole of this work was actually printed, that he succeeded in procuring competent judges, and obtained adequate means for correcting his orthography. He trusts therefore, that the frequent variations, and seeming inconsistencies which will be noticed in the Text and Glossary, will not be ascribed to neglect.

With respect to the principal article, namely, the signification of the terms, the Author declares that he has not introduced a single exposition which did not come right home to his comprehension, either as to sense or application ; and that he has borrowed none but from authentic and approved authorities.

In some few cases the Author and the *Pundits* whom he consulted, could not come to an understanding either as to the existence, or signification of a particular term; generally he relinquished the dubious expression when it was of little importance : but when he had cause to be satisfied that his sense of it was well established, he thought it his duty to persist, and insert it in his catalogue ; but then the contested term is indicated by an asterisk.

In the arrangement of the articles it was found sometimes indispensable to follow the *objectionable* orthography in the leading column, because a different course would have perplexed too much the references ; particularly in the use of the letter C, which (according to the system of Sir William Jones) supersedes in all cases the, sometimes, more appropriate K. For who would look for an explanation of the term *Kendra* in the right column, if (notwithstanding all warnings) it were announced to the eye by the word *Cendra ?*—But the true spelling has always been observed in the Gloss, although it be not at all unlikely that the *wrong* orthography, more readily than the *right* one, would recal the term under consideration, to the recollection of a *Telugu*, or *Tamil Sastri.*

A GLOSSARY AND INDEX, &c.

(N. B.—The Arabic figures refer to the pages of the Text, and the Roman to those of the Preface and Chrono-logical Tables, being distinguished by Pr. and Chr. Table prefixed to each.—The Letter C is to be pro-nounced hard in all cases.)

A

ABHIJIT, (అభిజిత్)—The extraordinary *Nacshatra*, or Lunar mansion. When Astronomers, or Astrologers, have occasion for this, they insert it between the 21st and 22d Nacshatras, in which case they take 3° 20' from *Uttara A'shad'ha*, and 1° 40' from *S'ravan'a;* thus making it consist of 5°. It is chiefly used for Astrological purposes. Vide p. 309.—*Abhijit*, as a *Yoga* (or leading Star of a Lunar mansion) is the same as α *Lyræ*. Vide p. 73, 74.

A'CAS'A, (ఆకాశ)—A name for the Sky, or Firmament.

ACSHA, (అక్ష)—Terrestrial Latitude.—*Acsha-ansa*, and *Acsha Bhagas*. Degrees of.—*Acsha Carna;* Hypo-thenuse; but in its Astronomical sense, means what Europeans call the *Argument of the Lati-tude*, as well as *Patana Céndra*. Vide from p. 94 to 96, and Tab. XXXIII, p. 44 of the Tables.

ADIGAH, (అధిక)—(so wrongly spelt in the Text, but properly) *Athi*, or *Athica*.—When this word is pre-fixed to the name or numeral of a Luni-solar year, it implies that it is *embolismic*, or of 13 Lunar months. Thus *Athica Samvatsara* means an intercalated year. Vide p. 71.—When to the name of a month, it indicates an intercalary one. Hence *Athica masa* means an intercalated month. Vide p. 71, 72.—And lastly, to the name of a Lunar day or *Tithi*, that it is repeated on two consecutive days in the Kalendar. Vide p. 72; also p. 65, 67, 68, 142, and Table XXIX.

A'DITYA, (ఆదిత్య)—An epithet given to the Sun; meaning the *Attractor*.—Such a designation given by the Indians to that great luminary, may give rise to conjectures and speculations in the mind of the natural Philosopher.

AGASTYA, (అగస్త్య)—The Star *Canopus*.

AGNI SAVARNI, (అగ్నిసావర్ణి)—One of the 14 Patriarchs who preside successively over the 14 *Man-wantaras* of the *Calpa*. Vide p. 311.

AGRA, (అగ్ర)—Amplitude. *Agra Bhagas;* degrees of. Vide p. 91, 101.—*Agrajya*, sine of the Amplitude. Vide p. 102.

AGRAHA'YANI, (అగ్రహాయణి)—(written *Agrahayan* in the Text)—A new name given to the Solar month *Margás'iras*, when the latter was made to commence the year.—This event is supposed by some

to have occurred 698 years before Christ; when, according to the same authorities, the *Ayanansa* was accounted to be 6° 40'. Vide p. 5, 215, and article *Ayanansa*.

AHA'RGANA, (అహర్గణ)—The number of days from a given Epoch, to the time for which a computation is made. Vide Pr. p. vii; Text, 8, 9, 53, 171, 239, 241, 336, and Table XLI.—N. B. The term *Ahárgana*, is not used to express the number of days expired since the epoch of the creation. (See Strostidi Digona).

AHAS, (అహస్)—The length of the artificial day. Vide p. 313, 318.

ALIPALA, (అలిపల)—The 1.60th part of a *Casta'calá*. Vide p. 6.

AMA'VA'SYA, (అమావాస్య)—The conjunction of the Sun and Moon, also called *Arcéndu-Sangama* (written in the Text *Arca-Indu*)—*Ama*, and *Darsa* Tithi, are other names given to the Lunar day, on which the conjunction occurs; which is the Kalendar is always reckoned the 30th of the Lunar month. Vide p. 68, 70, 137.—*Amávásya Tithi*, the lunar day of the Moon's change. Vide p. 78, 108.

AMRITA, (అమృత)—The water of immortality, obtained by the churning of the ocean, and the occasion of the war between the *S'uras*, and *As'urás*, in which the gods took a part. This indicates the occurrence of the first Solar Eclipse on Indian record. Modern European commentators conjecture that it fell on the 25th October in the year 945 before Christ.

ANALA, (అనల)—The name of the 50th year of *Jupiter's* cycle of 60 years Vide I Chr. Table.

A'NANDA, (అనంద)—The name of the 48th year of the same cycle. Vide do.

ANANTA, (అనంత)—*Infinity; Eternity; Time;*—also, the King of the Serpents.

ANANTA S'AYANA, (అనంతశయన)—Travancore. Vide Table XXXIII, p. 41 of the Tables.

ANGA'RACA, (అంగారక)—One of the names of the Planet *Mars*.

A'NGIRA, (అంగిర)—The 6th year of the cycle of 60 years. Vide I Chr. Table.

ANGULA', (అంగుళ)—A digit, or 1-12th part of any dimension; subdivided into 60 *vyangulas*. Vide p. 92, 94.—*Libit angula*, digits obscured in an Eclipse. Vide p. 312.

AN'SA, (అంశ)—Degrees (Vide *Bhaga*). Also the numerator of a fraction.

ANURA'DHA, (అనూరాధ)—The 17th Lunar mansion. Vide p. 71.

ANTARA, (అంతర)—(written *Andra* in the Text)—An intermediate space, a difference in computations.—*Antara vicalas*, surplus seconds. Vide p. 131 and Table XLVII, p. 63 of the Tables.

ANTERA, (అంతర)—Last.—*Prathama, Madhya*, ANTERA. *First, mean*, LAST. Vide p. 103 referring to the *Chara cumda*.

A'RAMBHA, (ఆరంభ)—Beginning.

ARCA, (అర్క)—One of the names of the Sun.

ARCABA'HU PHALA-SANSCARA, (అర్కబాహుఫలసంస్కార)—In some Mss. *Arcabhagabala* (and

written in the Text, *Arca bahoota* and *Arcabaghabala*)—The arc which a Planet describes during that part of the equation of time, which arises from the inequality of the Sun's motion in his orbit: being an equation to which all the Planets are subject, but the motion of which it differently affects. Vide p. 87, 88, 184, 185, 190, and Table XXVII, part 2, p. 35 of the Tables.

ARC'ENDU SANGAMA, అర్క్–ందుసంగమ)—The instant of true conjunction of the Sun and Moon. Vide p. 70.

AR'DHA, (అర్ధ)—The half.—*Dina ardha*; half the day: *Ratri arda*; half the night. Vide p. 106.

AR'DRA, (ఆర్ద్ర)—The 6th Lunar mansion. Vide p. 74.

ARPESI, (అర్పిస‑ి)—The 7th month of the Solar year, Tamil denomination, answering to the Hindu month *Cartiga* during which the Sun is in the Sign *Tula* ♎. Vide p. 5, and Table III, p. 3 of the Tables.

A'RYA BHATTA, (ఆర్యభట్ట)—A celebrated Hindu Astronomer who flourished in the 4423d year of the *Cali yug*, answering to A. D. 1322. He left several Mathematical tracts, some particularly relating to the properties of the Circle.

ARYA-SIDDHANTA, (ఆర్య సిద్ధాంత)—A treatise of Astronomy, composed by *A'rya bhatta*, of which there is a spurious one. There is some variation in the copies of this work preserved in Bengal and in the Carnatic, the former making the Solar year 365ᵖ 15ᵈ 31ᵖ 17ᶜ 6ˣ, the latter 365ᵈ 15ᵍ 31ᵛ 15ᵖ; and the Lunar Synodical month, the former 29ᵈ 31ᵍ 50ᵛ 6ᵖ 7ˢ,84, &c. and the latter 29ᵈ 31ᵍ 50ᵛ 5ᵖ 40ˢ,21, &c.—N. B. The copy used in this work is that of the Carnatic. Vide p. 7, 66, 118, 199, 203, 239, and Tables XLVIII and XLIX, p. 63 and 64 of the Tables.

ARUNA, (అరుణ)—The dawn, or *Aurora*, mythologically the *Charioteer* of the Sun.

A'SHA'D'HA, (అషాఢ)—*Purva* the 20th, and *Uttara* the 21st Lunar mansions. Vide p. 74.—The 4th Lunar month. Vide p. 69.

A'SHA'D'HA, (ఆషాఢ)—The 3d Solar month, Hindu denomination, when the Sun is in the Sign *Mid'huna* Ⅱ, answering to the Tamil month *Audi*. Vide p. 5, and Table III, p. 3 of the Tables.

AS'LE'SHA, (ఆశ్లేష)—The 9th Lunar mansion. Vide p. 74.

ASTA, or ASHTA, (అష్ట)—Eight.—*Asta' dic.* The 8 points of the compass, including the cardinal ones.— N. B. This word is wrongly interpreted at page 92, where the *Asta Dikas* are stated to be the 4 intermediate divisions of the compass.

ASTAMI, or ASHTAMI, (అష్టమి)—The 8th Lunar day of the *Paesha* or demi-lunar month. Vide p. 70.

AS'URA' DHRUVA, (అసురధ్రువ)—The South Pole.

ASURAS, అసుర)—Its inhabitants, opposed to the Súras, those of the North Pole.

A'S'WINA, (ఆశ్విన)—The 6th Solar Hindu month, when the Sun is in the Sign *Canya* ♍, answering to the Tamil month *Paratasi*. Vide p. 5, and Table III, p. 3 of the Tables.

AS'WINI, (అశ్వి ని) —The first Lunar mansion. Vide p. 74.

ATHARAVANA' or ATHARA VEDA, (అథర్వ ద)—The fourth of the inspired *Vedas*. This book com-prehends the whole science of Theology, Metaphysics and Philosophy.

ATCHU, (అచ్చు)—A term used by Father Beschi after the Southern Astronomers, to signify an Epoch.

ATIGAND'A, (అఇగండ)—The *Yoga* Star of the 6th Lunar mansion, perhaps the 133d of *Taurus*, but very uncertain. Vide p. 74.

AVANTI, (అవంఇ)—Supposed to be the ancient name of *Ujani* or Oogein. Vide p. 9.

AVATA'RA, (అవతార)—Descents of the Deity in various shapes, and under various names, of which *Rama*, and *Crishna* are the most remarkable. Vide p. 311.

AUDI, (అఇ)—The 4th Solar month, Tamil denomination, answering to the Hindu *Srávaná*, when the Sun is in the Sign *Carcáta* ♋. Vide p. 5, and Table III, p. 3 of the Tables.

A'UNI, (అఇ)—The 3d Solar month, Tamil denomination, answering to the Hindu *A'shar*, when the Sun is in the Sign *Mid'huna* ♊. Vide p. 5, and Table III.

AVA'MA'HA, (అవ మూ హ)—A term used in the Kalendar for expressing an expunged *Tithi*, or Lunar day. Vide p. 72, 319.

AVANI, (అవఇ)—The 5th Solar month, Tamil denomination, answering to the Hindu *Bhádra*, when the Sun is in the Sign *Sinha* ♌. Vide p. 5, and Table III.

AYANA', (అయన)—A name applied to the Equinoctial, and Solstitial points.—*Mésha Ayaná ; Tula Ayaná ;* the Vernal and Autumnal Equinoxes.—*Uttara*, and *Dacshin'a Ayaná ;* the Northern and Southern Solstices.—*Ayaná Bhagas*, (vide Ayanáns'a)—*Ayaná Cála ;* the time from an Equinox to the ensuing one. Vide p. 4, 76, 77, 308.

AYANA'NS'A, (అయనాంశ)—The arc between the Vernal Equinoctial point, and the beginning of the Solar Sydereal (or fixed) Zodiac (or the first point in the Solar Sign *Mésha* ♈), being one of the most important elements of Hindu Astronomy, as it refers the Sydereal, to the Tropical Zodiac. (Vide *Cránti-Puta-Gati-Rishis*). Vide also Pr. p. x, Text p. 19, 76, 84, 183, 246, 247, and Tables XXXV and XXXVI, p. 46 and 47 of the Tables.

A'YUSHMAT, (అయుష్మత్)—The *Yoga* Star of the 3d Lunar mansion, *Alcyone*. Vide p. 74.

B

BAD'ABA'NALA, (బడబానల)—A name sometimes applied to the South Pole.

BAHUDANYA, (బహుధాన్య)—The 12th year of Jupiter's cycle. Vide Chr. Table I.

BA'LADITYACALU, (బాలాదిత్యకలు)—(spelt in the Text Bulla dutty callu)—A Telugu Astronomer who wrote in the 4558th year of the Cali yug. Vide p. 9.

BALARAMA, (బలరామ)—The 8th Incarnation of *Vishnu* as a *Cshetriya*, the anniversary of which is noticed in the Kalendar. Vide p. 311.

BALAVA, (బాలవ)—The second *Carana*. Vide p. 75.

BAVA, (బవ)—The first *Carana*. Vide p. 75.—Also the name of the 8th year of the cycle of Jupiter. Vide I Chr. Table.

BHAGAH, (భాగ)—An arc equal to the 1-360th part of the circumference of a Circle ; or one degree. Vide p. 77.—*Bhaga-Anubanda*, or *Aparácha ;* an infinite series. Vide p. 93.

BHAGAN'A, (భగణ)—The circumference of a Circle.—Independently of Astronomical purposes, the Indians frequently divide the circumference of the Circle into 12 *Ras'is* or Signs, subdivided sexagesimally into *Bhagas, Calás, Vicalás,* &c. i. e. degrees, minutes, seconds, &c.; vide p. 85.—*Bhagan'a* means also a revolution.

BHA DRAPADA, (భాద్రపద)—*Purva* the 25th, and *Uttara* the 26th Lunar mansions ; vide page 74.—The same word, or merely *Bhádra*, is the name of the 5th Solar Hindu month, answering to the Tamil *Awcani*, when the Sun is in the Sign *Sinha* ♌. Vide p. 5 and Table III, also p. 232.

BHAGAVATA, (భాగవత)—An historical book, reckoned authentic.

BHANU, (భాను)—A name or epithet of the *Sun.*—*Bhanu Husputtia Chandra manu,* or properly *Barhuspatya mana.* Vide *Mana,* also p. 148.

BHARAN'I, (భరణి)—The second Lunar mansion. Vide p. 74.

BHA'SCARA, A'CHA'RYA. (భాస్కర — ఆచార్య) An Indian Astronomer who wrote a commentary on the Arya Siddhanta. He is stated in Hindu books, to have flourished in the 4252d year of the *Cali yug* (A. D. 1150); but it is known that he was posterior to *A'rya bhattá* who wrote his treatise in A. D. 1322.

BHAUCHYA, (భౌచ్య)—One of the 14 Patriarchs who are supposed to preside successively over the 14 *Manwantaras* of the *Calpa.* Vide p. 311.

BHAUMA, (భౌమ)—One of the names of the Planet *Mars.*

BHRIGU, (భృగు)—A name of the Planet *Venus.*

BHU', (భూ)—Seems to imply the middle place.—*Bhú chacra,* when applied to the Celestial Sphere, means the Equinoctial line.—*Bhú carná,* the Radius of the Equator.—*Bhú paridhi,* the same as *Bhú chacra.*

BHUDRA, or VISTI, (భద్ర)—The 7th ordinary *Carana.* Vide p. 75.

BHUJA, (భుజ)—Is an astronomical argument, peculiar to Hindu astronomy; it is to be considered as follows: 1º If the arc exceeds 3 Signs—subtract from 6 Signs. 2º If it exceeds 6 Signs—subtract 6 Signs therefrom. 3º If it exceeds 9 Signs—subtract from 12 Signs ; vide p. 85, 86, 114.—*Bhujajya:* the sine of the *Bhuja.*

BHUMI, (భూమి)—The Terrestrial Globe, supposed to be in the center of the universe.—*Bhumi súvana ;*

proper, natural to the Earth.—*Bhumi sávana dina;* a natural day. Vide p. 5, 78, 79, 101, 106, 239.

BI'JA, (ﬁ‍బ)—(sometimes written *Beejah* in the Text).—An equation or correction. Vide p. 38, 84, 199.

BORNA COTI, (బర్నా—కోౖ‍ౖ‍)—The third imaginary city, supposed to lie under the Equator at 90° from *Lanca.* Vide p. 9.

BRAHMA, (బ్రహ్మ)—The first person of the Hindu triad, and the Creator of the world: no direct worship is addressed to *Brahma*; and no temples are dedicated to him.

BRAHMA A'CHA'RYA BRAHMA GUPTA, (బ్రహ్మాచార్య‍బర్)—Supposed by some to be one and the same Astronomer, and the inventor of the system disclosed in the *Súrya Siddhánta*—by others to be two distinct commentators of that *Sastra.*

BRAHMA SA'VARNI, (బ్రహ్మసావర్ణి‍—)—One of the 14 Patriarchs who are supposed to preside succes‍sively over the 14 *Manwantaras* of the *Calpa.* Vide p. 311.

BRAHMA SIDDHA'NTA, (బ్రహ్మసిద్ధాంత)—The second of the authentic *Sastras.*

BRAHMA'NDA', (బ్రహ్మాండ)—The mundane egg, created by *Brahma*—also the visible sky, which is supposed to be the shell of this egg.

BRA'HMYA, (బ్రాహ్మ‍)—(written *Brahman* in the Text)—The *Yoga* Star of the 25th Lunar mansion, *α Pegasi.* Vide p. 74.

BRISYA, (బ్రిజయ, విషు)—called *Vishu* in the Carnatic—The 15th year of the cycle of Jupiter. Vide I Chr. Table.

BRITASTA'N, (బ్రితస్తాన్)—Mentioned in the *Brahmánd'a Purana,* as the place of religious duty, is supposed by some, to be the Island of Great Britain. It is also called *Swíta dwip,* or the White Island— *Suvarná dwip,* or the Golden Island, is conjectured to be Ireland. The British Islands are (it is pretended) sometimes called *Chandra dwip;* and likewise *Tricalas'a,* or the Island with three Peaks, viz. *Rajátacútá, Ayacúta',* and *Suvarná cúta'.*

BUDHA, (బుధ)—One of the names of Mercury—also a godhead, the founder of a religious sect, which is followed in different parts of India, and in all China. The epoch of the institution of *Budha's* religion is referred to the year 540 before Christ. According to Hindu Mythologers, he was the son of *Sóma* (the Moon) and the head of a dynasty, called on that account, *the Lunar line of Princes.* He flourished in the beginning of the *Treta yug.* Modern commentators place his birth in the year 1424 before Christ.—*Budha-vara;* Wednesday. Vide p. 6.

C

CACSHA, (కక్ష)—The orbit of a Planet, or the circle which ancient Astronomers called the *Deferent;* for the *Cacsha* carries Epicycles, (*Paridhis*) like the Deferent. This term is alluded to at p. 84 and 85 of the Text, and 247, IId Appendix.

CAL'A', (కళ) —An arc of one minute of a degree : also the Phases of the Moon, of which the Hindus count 16.—Mahá Calá ; the conjunction or opposition of the Sun and Moon ; vide p. 77.—Lagna Calá. Vide p. 102.

CA'LA'NILAM, (కాలనిలం)—One of the elements of the Vácyam (spelt Vakiam in the Text) process ; and containing 3031 days.

CA'LAYUCTI, (కాళయుక్తి)—The 52d year of the cycle of Jupiter. See I Chr. Table.

CALI, or CALCI, (కళి, కల్కి)—The 10th Incarnation of Vishnu in the shape of a Horse with a human head ; vide p. 311.—Its anniversary noticed in the Kalendar.

CALI-YUG, (కలియుగX)—The fourth of the periods contained in a Maháyug. The iron age—consisting of 432000 Solar Sydereal years. Its epoch, i. e. that of its beginning, ascends to 3102 years before the Christian Æra. Vide Crita yug, also p. 7, 8, 77, 222, 228, 293, 302, Table LI, p. 68, and I and II Chr. Tables.

CALPA, (కల్ప)—literally Form.—The grand period of general conjunction. It consists of 4320000000 Solar Sydereal years ; being the sum of 14 Manwantaras, with a Sandhi, or twilight of 1728000 Solar years ; vide Manwantara ; also p. 77.—Calpa dina, the day on which the Calpa began, or its anniversary, which is noticed in the Kalendar. Vide p. 319.

CANYA, (కన్య)—The Hindu Solar Sign Virgo ♍. Vide p. 5, and Table III.

CARCA'TACA', (కర్కాటక)—(spelt in the Text Curcata)—The Solar Sign Cancer ♋. Vide same pages as above.

CARANA, (కరణ)—(spelt in the Text Curna)—An astrological element importing the time during which the Moon's motion from the Sun amounts to 6° : there being 2 Caranas in one Tithi.—The Moon's synodical revolution is divided into 11 Caranas, 7 of which are ordinary and moveable, called Chara ; and 4 extraordinary and fixed, called Sthirra—the time when the successive Caranas end, is inserted in the Ephemerides. Vide p. 73, 75, 79, 307.

CARNA, (కర్ణ)—The hypothenuse of a right angled Triangle—Chala carna (spelt Chila carna in the Text) the true distance of a Planet from the Earth, in contradistinction of its mean distance, represented by the Radius of the Deferent. When this term is so understood, the Sudh'a coti, and Bhujajya, form the other two sides of a right angled Triangle ; vide Bhú carna, also p. 96, 98.—Carna márgâm ; a straight, or perpendicular line : also a ray of the Sun.

CA'RTICAY, or CARTIGA, (కార్తిక)—The 7th Hindu Solar month, when the Sun is in the Sign Tula ♎, answering to the Tamil Arpesi.—In the Southern parts of the Peninsula the Tamil month which is called Cartiga, is the 8th of the Solar year : care must therefore be taken not to confound these two Cárticays. In the Text the Southern name is invariably given to the 8th Tamil Solar month.—Lastly, Cárticay is also the 8th Lunar month of the Luni-solar year. Vide p. 5, 69, and Table III.

CA'SI, (ぴ)—Benares, a city which according to Hindu Geography lies in 27° 25' of Latitude N. and 4° 37' E. of Lanca. Vide Table XXXII.

CASTA'CALA', (ぴ)—A division of time equal to the 1-3000th part of a *Vicala*. Vide p. 5, 77.

CAULAVA, (ぴ)—The 3d ordinary *Carana*. Vide p. 75.

CHACRA, (ぴ)—A Wheel; a Circle; a Cycle of years; a weapon of a circular form often placed in the hands of the gods.—*Rási chacra*, the Zodiac.—*Varahaspati chacra*, the cycle of 60 years.—*Nacshatra chacra*, the sphere of the fixed Stars.—*Prac chacra*, an epicycle on which the degrees of precessional variation are counted. Vide p. 5, 84, 85, 147, 200, 275.

CHADAM, (ぴ)—An element of Spherical Trigonometry used for finding the Sun's altitude at a given instant. Vide p. 99.

CHATUSHPA'DA, or CHADESPADA, (ぴ)—The 9th *Carana*, being the 2d extraordinary. Vide p. 75.

CHANDRA, (ぴ)—The most common name of the Moon.—☽'s *Madhyama Graha*, vide p. 83; Do. *Sphuta* Do. 88; ☽'s *Madhyama Gati*, 89, 131; Do. *Sphuta* Do. 89; for ☽'s *P'hala*, 123, and Tab. XXIII, XXV, XXVI; ☽'s *Mana*, vide p. 5, 57, 244, and II Chr. Table.—*Chandra panchanga*, the Luni-solar Kalendar. Vide p. 307, 318 to 322.

CHARA CANDA, or CUMDA, (ぴ or ぴ)—(the first C to be pronounced as in *charity*)—Ascensional difference.—N. B. When the words *Prathama*, *Madhya*, and *Antera* are prefixed to this term, it means the ascensional difference for I, II or III Signs of the Tropical Ecliptic; vide p. 103.—*Charadala*; an element required for computing the two *Vishuvas*, and the *Pushti*; vide p. 84.—*Charajya*, the Sine of the ascensional difference; vide p. 99.—*C'hara*, the 25th year of *Jupiter's* cycle. Vide I Chr. Table.

CHARA, (ぴ)—The 7th and ordinary *Caranas* when named collectively, (spelt *Charra* in the Text). Vide p. 75.

CHA'RUM, (ぴ)—Vide *Pádachárum*.

CHALA CARNA, (ぴ)—(Written *China carna* in the Text)—Vide *Carna*.—This term means the true distance of a Planet from the Earth, in contradistinction to its mean distance, or the Radius of the *Cacsha*, or Deferent. Vide p. 186, 189, and the Tables from XLI to XLV.

CHATURDASI, (ぴ)—The 14th day of the Lunar Pacsha. Vide p. 70.

CHATURTHA P'HALA, (ぴ)—The second inequality or equation of a Planet, answering to the annual Parallax of a superior Planet and the elongation of an inferior one.

CH'HA'YA', (ぴ)—(written *Chya* in the Text, and spelt in a variety of ways in European books which treat of Hindu astronomy; sometimes *Cháya*)—Shadow.—Under this term we have a variety of elements which are multiplied by mistake in consequence of Europeans varying their manner of writing oriental words.—*Vishuva ch'ha'ya'*, the Shadow of a Gnomon, when the Sun is in the Equinoctial points.—*Madhyama ch'ha'ya'*, the midday Shadow of the same at any other time of the year.—*Sama mandala ch'ha'ya'*, the midday Shadow of the same when the Sun is East or West

of the Gnomon ; vide p. 84, 91, 94, 186, 189.—*Ch'haya suta* ; one of the names of Saturn, meaning *Born from Darkness.*

CHITRA, CHAITRA, and CHAITRAM, (చిత్ర , చై్త్ర)—The 1st month of the Tamil Solar year, (always spelt *Chaitram* by F. Beschi, and in the Text) answering to the Hindu *Vaisac'ha*, when the Sun is in the Sign Mesha ♈.—But this name is that of the *last* month of the Hindu Solar year used every where (excepting in the land of Tamil,) when the Sun is in the Sign Min ♓, answering to the Tamil Pungoni : a circumstance which must be carefully attended to ; vide p. 5, and Table III.—Lastly, *Chaitra* is the name of the 1st month of the *Luni-solar year* which begins on the new Moon preceding the Sun's entrance in the Sign Mesha ♈ ; vide p. 69.—N. B. This variety of significations of the same term or rather of terms so nearly resembling each other, requires the greatest attention, when adverting to dates, and reading books written in different countries.

CHITRAB'HANU, (చిత్ర భాను)—The 16th year of the cycle of *Jupiter.* Vide I Chr. Table.

CHOUTI, (చౌతి)—The 4th day of the Lunar *Pacsha* or demi-lunar month. Vide p. 70.

CI'LACA, (కిలక)—(the C to be pronounced hard)—The 42d year of the cycle of *Jupiter.* Vide I Chr. Table.

CIMASTUGHNA, or RHIMUSTOGUNA, (కిమస్తుఘ్న o)—(the C to be pronounced hard)—The 11th and extraordinary *Carana.* Vide p. 75, 318.

COT'I, (కోటి)—The complement of an arc to 90° : also one of the sides of a right angled triangle.—*Sudda coti ;* the sine.—*Cotijya,* the cosine of an angle in such a triangle.

CRADI or CRODHI, (క్రోధి)—The 38th year of *Jupiter's* cycle. Vide Chr. Table I.

CRAMAJYA, (క్రమజ్య)—The sine of a Planet's declination.—*Paramapama-cramajya,* the sine of its greatest declination, (written *Paramapa* in the Text). Vide p. 92.

CRA'NTAM, (క్రాంతం)—(in the Text *Crantum*).—An astrological element, explained at p. 308. Vide also p. 76 and Kalendar.

CRA'NTI, (క్రాంతి)—literally, *Ascending, surmounting ;*—astronomically, *declination* ; vide p. 5, 84.— *Crânti bhagas,* the declination of a point of the Ecliptic ; vide p. 91, 97.—*Crânti cacsha,* or *mandala,* the Ecliptic ; vide p. 91.—*Crânti jya,* the sine of the declination ; vide p. 105.— *Crânti puta,* literally the Nodes of the Ecliptic, or the Equinoctial points.—*Crânti Puta-Gati,* literally the motion of the Nodes of the Ecliptic, but more precisely what Europeans call precessional variation. Vide p. 86, 247, and refers to the whole of Appendix II.

CRISHNA, (కృష్ణ)—One of the *Avatáras,* or descents of *Vishnu* ; supposed to have lived at the time when *Yudhisht'hira* flourished, but whose epoch, according to Mr. Bentley, descends to A. D. 600. As *Vishnu* is a personification of time, so is his identical incarnate being.—As a hero, *Crishna's* feats are recorded in the *Máhábhárata,* a celebrated poem describing a fictitious war—The anniversary of this incarnation is noticed in the Kalendar. Vide p. 311.

CRISHNA PACSHA, (కృష్ణపక్ష)—The latter, or dark half of the Lunar month ; also called *Bahula pacsha.* Vide p. 68, 314, 320.

CRITA YUG, (కృతయుగ) Vide *Satya yug*.

CRITICA, (కృ త్తిక)—The 3d Lunar mansion. Vide p. 74.

CRO'DHANA, (క్రోధన)—The 59th year of *Jupiter's cycle*. Vide Chr. Table I.

CSHAIA, (క్షయ)—To *wane*, to *waste*, to *decline*.

CSHAYA, (క్షయ)—Derived from *Cshai*.—*Cshaya tithi*, an expunged Lunar day.—*Cshaya masa*. Do. Lunar month.—*Cshaya samvatsara*, a Luni-solar year with two intercalary and one expunged months.—*Cshaya Varahaspati mana*, a year expunged out of *Jupiter's* cycle of 60 years. Vide p. 64, 68, 71, 72, 78, 79, 137, 142, 206, 209, 301, and IId Chr. Table.

CSHE'PA, (క్షేప)—A constant number to be added in certain computations to fit a particular epoch ; in contradistinction of *Sôdhya* which is to be subtracted. Vide Pr. p. xi, Text p. 51, 203, 239.

CSHE'SHNA, (క్షేషణ)—The part of the Moon's disc obscured in an Eclipse. Vide p. 343.

CSHE'TRA GANITA,(క్షేత్రగణిత)—Geometry.—*Cshetra Dersa*. A treatise of.

CSHITI'JA, (CACSHA),—(క్షితిజ, కక్ష)—The horizon.—*Cshitijya*, the sine of an arc referred to the horizon, used for finding the ascensional difference. Vide p. 91, 98, 105.

CSHYA, (క్షయ)—The 60th year of *Jupiter's* cycle. Vide Chr. Table I.

CUJA, (కుజ)—One of the names of the Planet *Mars*.

CUMB'HA, (కుంభ)—The Hindu Solar Sign *Aquarius* ♒. Vide p. 5 and Table III.

CUME'RU, (కుమేరు)—The Southern hemisphere, or Pole—a fabulous region where *Yama* presides over the *A'surás* and *Daityas*. (Vide *Sumeru*).

CU'RMA, (కూర్మ)—The 2d Incarnation of *Vishnú* in the shape of a *Tortoise*. Vide p. 311.

D

DACSHA SAVARNI, (దక్షసావర్ణి)—One of the 14 Patriarchs who preside successively over the 14 *Manwantaras* of the *Calpa*. Vide p. 311.

DACSHINA, (దక్షిణ)—The South point of the compass.

DAITYAS, (దైత్య)—Vide *Asurás*.

DANDA, (GHATICA),—(దండ)—The 1.60th part of a day, so called in the mode of dividing time called *Murta*. Vide p. 5, 77.

DARSA'NA, (దర్శన)—Intuition.—*Ananta darsana*, infinite knowledge.

DE'S'A, (దేశ)—A country or region.—*Niracsha dés'a*, the Equatorial parts of the Earth.

DESAMI, (దశమి)—The 10th Lunar day of the *Pacsha*. Vide p. 70.

DESANTARA, (దేశాంతర)—The distance of any two meridians or the surface of the Earth ; or what Europeans call *Longitude*.—Also the difference of Longitude, or allowance made for a Planet's proper motion, between the time of its being upon the first meridian, and its coming to that of a given place. But this is not to be understood in the same sense as what Europeans call the Longitude

of a Planet. Vide *Sayana*, also p. 95, 107, 109, 130, 131, 134, 135, 338, and Tables XXXIII, XXXIV and XLVII.

DE'VARAM, (దేవరం)—An element of the *Vacyam* process containing 248 natural days. Vide p. 121, 132, 133, 335, and Table XXVI.

DE'VATA'S, (దేవతాక)—Benign spirits governed by *Indra*, properly the inhabitants of the North Pole; for the *Dévatás* are said to have day, when the *Daityás* have the night, and vice versa. Vide *Surás.*

DE'VI, (దేవి)—A term used in the Kalendar to signify *day time*. Thus *Tyájyá* Devi (wrongly spelt *Thyajum* in the Text) means that the Tyájyá occurred at day time. Vide p. 75, and Appendix IV.

DHANA, (ధన)—The sign of affirmation, or addition, of the same import with + or plus.

DHANISH'TA, (ధనిష్ట)—The 23d Lunar mansion. Vide p. 74.

DHANUH, DHANUS, or CHA'PA'M, (ధనుః, ధనుస్)—An arc of a circle.

DHANUR MARGAM, (ధనుర్మార్గం)—A curve line.

DHANUS, (ధనుస్)—The Solar Sign *Sagittarius* ♐. Vide p. 5, and Table III.

DHA'TA, (ధాతు)—(Vide *Ghati'ca-dandas*, and p. 5.)—Dháta, the 10th year of the cycle of Jupiter. Vide Chr. Table I.

DHANWANTARI, (ధన్వంతరి)—The celestial Physician, who was produced by the churning of the ocean.— Time.

DHRITI, (ధృతి)—The *Yoga* Star of the 8th Lunar mansion, δ *Cancri.* Vide p. 74.

DHRUVA, (ధృవ)—Generally the Pole of a great circle of the Sphere—Particularly the Celestial Poles.—*Uttara Dhruva*, the North Pole; also the *Polar Star.*—*Dacshin'a Dhruva*, the South Pole.—This term is also used to signify a constant arc, referring to the distance of a Planet from the beginning of the Sydereal Zodiac.—*Dhruva* means more commonly an epoch to which a computation is referred. Lastly, it is the name of the *Yoga* Star of the 12th *Nacshatra*, supposed to be the same as β *Leonis.* Vide p. 74, 85, 123, 133, 144, 152, 182, 230.

DIC, (దిక్)—(wrongly spelt in the Text *Dikas*)—The four cardinal points of the compass.—*Astá dic ;* the 8 principal points including the cardinal ones ; and wrongly stated in the Text at p. 92, to mean only the 4 intermediate points.—The *Astá dic* are called the eight corners of the world, over each of which a divinity is supposed to preside. Vide p. 92.

DINA, (దిన)—A day, considered in a great variety of ways and durations, of which the following are the principal. : 1° A *Sávana*, or *Bhúmi sávana* dina. A natural day, being the time between two Sun risings. 2° A *Saura dina ;* of these there are two kinds; and the similarity of the name tends to confuse much the beginners in the study of Hindu Astronomy. First; the absolute sense of *Saura*, being *Sydereal*, the *Saura dina* is the time between the same point of the Ecliptic rising twice ; or, more precisely, the time between the Equinoctial points rising twice. Second, the other *Saura dina*, is the time which the Sun takes to describe one degree of the

Ecliptic. It follows therefore, that strictly speaking, neither of these kind of days are equal throughout the year; yet the former, (which is also called *Nácshatra dina*) are supposed to be so in the first steps of several operations. Such is also the case with the latter, but this only happens when calculating the mean elements of the Planets by the *Vacyam* process. 3º *Diva dina*, is equal to a Sydereal revolution of the Sun. 4º *Pitrya dina*, to a Synodical revolution of the Moon. 5º *Brahma dina*, is equal to a Calpa, or 432000000 years, his nights being equal to his day.—*Yuga dina*, is another word for *Ahargana*, meaning the number of days expired from the commencement of a *Yug*.—Lastly, *Yuga dina* means the anniversary day of that on which a *Yug* began, which is always noticed in the Kalendar.—N. B. This term is to be found in every part of the work, and therefore needs not be particularly referred to. Vide, however, p. 5 and 77.

DIN-A′RDHA, (ది నా ర్ధ)—Half the time of the Sun being above the horizon. Vide p. 92, 106, 318.

DUADESI, or DWADESI, (ద్వా ద ఈ)—The 12th day of the *Pacsha*, or demi-lunar month. Vide p. 70.

DUNDUBHI, (దుందుభి)—The 56th year of Jupiter's cycle. Vide Chr. Table I.

DURGA, (దుర్గ)—A personification of the Solar year.

DWA′PARAYUG, (ద్వా పర యుగ)—(wrongly spelt in the Text *Devapar yug*).—The third of the periods contained in a *Mahá yug*. Its duration is of 864000 Saura years. The *brasen age* of the Hindus. Vide p. 7, 77.

DWIJYA′, (ద్వి జ్య)—The Sine; but more properly the Chord of an Arc; vide *Jiva*.—Also the Sine of the Sun's declination when his Longitude is II Signs. Vide p. 101.

DWIJYA′ MA′RGAM, (ద్వి జ్య మార్గం)—An horizontal line.

DWIJYA′ PINDA′, (ద్వి జ్య పిండ)—The Sine of 3° 45′; vide *Pinda*, also the whole of Article 8 of Part I of the Key to the *Siddhanta Chandra mana;* and Table XXX, p. 39 of the Tables.

DWI′PA, (ద్వీ ప)—An extensive region or continent.

G

GANDA', (గండ)—The *Yoga* Star of the 10th Lunar mansion, *Regulus*. Vide p. 74.

GA'NE′SA', (గ ణే శ)—One of the names of the god of wisdom.

GANITA S'A′STRA, (గణిత శా స్ప్ర)—Astronomy. A treatise of.

GARGA, (గర్గ)—An ancient Astronomer; the Guru, or instructor of *Yudhisht'hira*, one of the Princes of the Lunar line.—That *Garga* was cotemporary with *Yudhisht'hira* is contested by some modern commentators, who assign the year 548 before Christ for the time when he flourished.

* GARUD′A, (గరుడ)—The Bird of Vishnù. An epithet of the Sun : but not admitted by the Madras Pundits.

GATI, (గతి)—Generally, motion.—Specially, the diurnal motion of a Planet in its orbit; vide p. 88, 89, 107, also Tables XX, XXI for the Sun and Moon, and the first part of Tables XLI, XLII, XLIII,

XLIV, XLV for the daily motion of *Mars, Mercury, Jupiter, Venus,* and *Saturn.—Madhya Gati;* mean motion.—*Sphuta Gati;* true or apparent motion.

GAUN'A CHANDRA MA'SA, (న్ రావ్ంర క్రవూస)—The Lunar month when it begins at the full Moon, called secondary.

GHATI'CA, (ఘటిక)—An Indian hour, 24 minutes European time, (vide Danda).

GRAHA, (ఖ, గ్రహ)—The Planets.—A moveable point in the heavens. The Planets have each a great number of names, or epithets; many of which are to this day unknown to Europeans. The following, however, are known to every Indian, because they serve to give a name to the seven days of the week : 1º *Ravi,* or *Surya;* the Sun. 2º *Chándra,* or *Soma;* the Moon. 3º *Mangala,* or *Cuja;* Mars. 4º *Budha;* Mercury. 5º *Guru,* or *Vrĭhaspati;* Jupiter. 6º *Sucra,* or *Bhrĭgu;* Venus. 7º *Sáni,* Saturn. Vide p. 6.—Besides these, the Hindu Astronomers consider *Ráhu,* the Moon's ascending, and *Cétu* her descending Nodes, as obscure Planets, which occasion the Eclipses of the Sun and Moon. Vide p. 308.—The Tables from XLI to XLV give the mean motion, Anomalistic equation and Annual equation of the five Planets known to the Hindus.—*Graha,* when the terms *Madhya* and *Sphuta* are prefixed to it, signifies the mean, and apparent place of the Planet in the Hindu Sydereal, or fixed Zodiac. Vide p. 83, 87, 280.—*Graha lághava;* a treatise on Astronomy, written about the 4657th year of the Cali yug (A. D. 1555.)

GRAHANA'; (ఖ గ్రహణ)—General term for an Eclipse; vide p. 343.—(*Grahana tinooria padhi,* a term used by common Kalendar makers for half the duration of an Eclipse, but the word *Tinooria* is not recognized by the regular Sastries). Vide p. 345.

GRAHA PARIVRITHI, (ఖ గ్రాపరివృ త్తి)—An account of time used by the inhabitants of the Southern Provinces of the Peninsula of India. It consists of a cycle of 90 Solar Sydereal years of 365ᵈ 15ᵍ 31ᵛ 30ᵖ Indian, or 365ᵈ 6ʰ 12′ 36″ European time. Vide p. 51, 295, 302, 303, and Table II, p. 2 of the Tables.

GRI'SHMA, (గ్రీష్మ)—The 2d Season of the year, comprehending the months *Jyest'ha,* and *A'shád'ha,* when the Sun is in the Signs Vrisha ♉, and Midhuna ♊; answering to the Tamil months Viassei and Auni. (*)

GUDIYA, GHATI'CA, (సుడియ, ఘ టికా)—(spelt in all this work *Guddia*)—*Ghatica,* the Sanscrit, and *Gudiya,* the Telugu, names of a space of time equal to 1-60th part of the natural day, or 24 minutes of European time : the same as a *danda.* It is divided sexagesimally into *vigudiyas, paras, curas,* &c. The *Gudiya* referring to time, must be distinguished from an arc of the same name, which divides a Lunar mansion, or *Nacshatra,* (13° 20′) into 60 parts, subdivided likewise sexagesimally as the measure of time into *vigudiya,* &c. Vide p. 6, 77.

(*) It has been observed at page 4 in the note (†) that the Tamils reckon their Seasons to begin one month later than the rest of the Hindus; so that in the present case the Tamil Season of Grishma would comprehend the months of *Auni* and *Audi.* In order not to perplex the reader's attention by multiplied explanations, the present observation will not be repeated in the other articles which refer to the Seasons.

GURU, (కురు)—One of the names of Jupiter; also a spiritual guide, preceptor, teacher, &c.—*Guru vara,* Thursday. Vide p. 6, and Table XLIII.

H.

HA'RAM, (హారం)—The denominator of a fraction.

HARSHANA, (హర్షణ)—The *Yoga* Star of the 14th Lunar mansion, *Spica Virginis.* Vide p. 19, 74.

HASTA, (హస్త)—The 13th Lunar mansion. Vide p. 74.

HEMALAMVA, or HE'VILAMBI, (హేవిళంబి)—The 31st year of the cycle of *Jupiter.* Vide Chr. Table I.

HE'MANTA, (హేమంత)—The 5th Season of the year, comprehending the months of Margasiras and Paushya, when the Sun is in the Signs Vrischica ♏ and Dhanus ♐, answering to the Tamil months Cartiga and Margali.

HO'RA, (హోరు)—The 1-24th part of the natural day, answering to an European hour. A measure of time probably introduced in India by the Europeans.

I

ICSHWA'CU, (ఇక్ష్వాకు)—The first king in the *Solar* line, who reigned at the commencement of the *Treta yug.* He was the son of the 7th *Menu,* or Patriarch, the offspring of the *Sun.* His posterity was called in consequence, the dynasty of the *Solar Princes,* in the same manner as *Budha* was reputed the head of the *Lunar* line. Modern commentators bring the time of his accession down to the year 1320 before Christ. Vide p. 311.

INDRA (MAHA'), (ఇంద్ర)—The god of thunder; a personification of the sky—The chief of the *Dévatas,* or *Súras* (vide *Dévatas*);—also, the *Yoga* Star of the 26th *Nacshatra,* γ *Pegasi.* Vide p. 74.

INDU, (ఇందు)—A name of the Moon. That name is commonly given to her when that of *Arca* is applied to the Sun; or in a compound form. (Vide *Arc'endu Sangama*).

IS'WARA, (ఈశ్వర)—The 11th year of the cycle of *Jupiter.* Vide Chr. Table I.—Also, an epithet of *Siva.* (Vide *Siva*).

ITIEK, (ఇటేక)—Two syllables added by certain Southern Astronomers, to the name of a Lunar month when it is an intercalary one. Thus *Phalguna-Itick* indicates that the said Lunar month is to be repeated. This term is a compound of *Iti,* this is; *ek,* one; signifying that the month so named is that which is *truly intercalated,* the month Phalguna which precedes it, being the *Nija* or proper one. In the Carnatic, however, the same month would be called *Athica Chitra,* and the following *Nijah Chitra,* the first being that which is intercalated; so that according to either denomination the intercalated month is the same.

JAISH'THA, (జేష్ఠ)—The second month of the Hindu Solar year, when the Sun is in the Sign *Vrisha* ♉, answering to the Tamil month *Viassei.* Vide p. 5, and Table III.

JAMBU DWI'PA, (జంబు ద్వీప)—One of the seven grand divisions of the Earth, including Asia ; so named from the tree called *Jambú* abounding in it.—Modern commentators, however, pretend that it refers only to certain parts of the interior of Asia.—The *Eden* of the Hindus.

JAMNA PATRICA', (జన్మపత్రికా)—What Astrologers call the *Nativity*.—The aspect of the Planets in the heavens, at any proposed instant of time.

* JANU, (జాను)—Literally means the Knee. It is therefore difficult to understand why in some places it is used as an epithet of the Sun.

* JANU SEPTAMI, (జానుసప్తమి)—In some books is a term used to indicate the beginning of the year ; but it is unknown as such to the Pundits of the Carnatic.

' JARA'SAND'HA, (జరాసంధ)—The name of a celebrated king who reigned in *Maghadu*, the head of a dynasty which followed that of the Solar and Lunar lines.

JI'VA, (జీవ)—(sometimes written *Jya* or *Jaya* in European books on Hindu Astronomy.)—The Chord of an Arc ; but frequently written for *Ardha-jya*, " half the String of the Bow", which comes to the same as our definition of " half the Chord of double the Arc." Vide p. 92, and Table XXX, . with demonstrations from p. 39 to 42 of the Tables.

JYA' PINDA'S, (జ్యాపిండ)—The Sines of the 24 *Pindas* (3° 45' each) into which the Quadrant is divided. Vide as above.

JYA'TACA, (జాతక)—Astrology.—A Horoscope.—*Jyátaca Sástra.* A treatise on.

JYEST'HA, (జ్యేష్ఠ)—The 18th Lunar mansion. Vide p. 74.

JYOTISH SA'STRA, (జ్యోతిశ్శాస్త్ర)—Any treatise on Astronomy.—*Jyótish Sastri*, a title assumed by the Indian Astronomers, (always wrongly spelt in the Text *Jyautish* Sastras). Vide Pr. p. iii, and Text p. 281.

JYOTISHTAVA, (జ్యోతిష్టవ)—A treatise on Astrology. Vide p. 197, 202, and Tables XIV and XIX.

K

KA'LA, or CA'LA, (కాల)—(always written *Kala* in the Text).—Time in its natural acceptation. This term, as it sounds to the ear, is applied to a great variety of mathematical and astronomical subjects, several of which may be collected out of the expositions contained in this Glossary.

KATAPAYA'DI, (కటపయాది)—Special Arithmetic ; of the same import as Algebra.

* KAUSTUBHA, (కౌస్తుభ)—An epithet of *Vishnú.* A sparkling gem, worn by that deity ; elicited by the churning of the ocean : it is in some places taken as an emblem of the Sun ; but the Pundits of the Carnatic do not admit of that allegory.

KENDRA, (కేంద్ర)—and (according to Sir Wm. Jones' orthography) *Céndra.*—Answers to what Europeans call the argument of an equation.—*Patana céndra*, the argument of the latitude.—*Dwitiya céndra*, the supplement to a whole circle of what Europeans call mean anomaly ; being the distance of the higher Apsis, from a Planet in any point of its orbit.—*Sighra céndra*, the commutation ;

being the distance of the Sun from a superior Planet; or the distance of an inferior Planet from the Sun.—*Manda céndra*, the argument of anomaly. Vide p. 87, 88 and other places.

KETU, or CE'TU, (కేతు)—The Moon's descending Node. Vide *Grahu*, also p. 77, 308, 310.

KRITA, or CRITA YUG, (కృత యుగ)—The same as *Satya yug*; the golden age of the Hindus; which consists of 1728000 Solar Sydereal years; being the first of the four periods contained in a *Maha yug*. Vide p. 7, 77.—N. B. Some Astronomers and Commentators, reverse the numerical order of these *yugs*, and would therefore call this the fourth.

L

* LACSHMI', (లక్ష్మి)—The name of the goddess of wealth.—This word applies to a multitude of objects; too numerous to be repeated. In some parts of Northern India *Lacshmi* is a personification of the Luni-solar year; in the same manner as *Durga* is that of the Solar one: but this allegory is rejected by the Pundits of the Carnatic, who likewise deny what some pretend, that she lends occasionally her name to the Moon, and even to Jupiter.

LAGNA, (లగ్న)—The Arc of the Equator which passes the Meridian in the same time with each Sign of the Ecliptic; and as *Lanca* is supposed to lie under the Equator, its *Lagna*, is called *Madhya lagna*.—*Lagna bhuja*, means the Ascensional difference. Vide p. 92, 101, 102, 104, and Table XXXII.

LAMBA, (లంబ)—The Co-latitude, or the Arc between the Pole and Zenith of a given place.—*Lambajya*; its Sine, or the Cosine of the Latitude. Vide p. 94.

LANCA' (లంకా)—One of the four imaginary cities which are supposed to lie under the Equator at 90° distance from each other; viz. 1º *Yavacót'i;* 2º *Lanca;* 3º *Romaca;* and 4º *Siddhapuri.* At page 9 of the Text, *Bornacoti* was stated to be the 3d; but the Pundits have rejected that spelling. — *Lanca* is considered by all manner of Indian Astronomers, to lie under the first Meridian: to which all computations should be referred; though several (and particularly the *Telugus)* refer to that of *Raméswara.* Towards the North, and under the same Meridian as *Lanca,* the Sastra states that there are two other cities and a great mountain, viz. *Avanti* (supposed to be the same as *Ujani,* or *Oogein),* Rohitaca, the mountain, and *Sannihita sarah,* which in former, or rather fabulous times, were the seats of Colleges and Observatories. The Meridian of *Lanca* lies in 75' 53' 15" (5h 3' 33") East of Greenwich; and 73° 33' (4h 54' 12") East of Paris. Vide p. 9. N. B. all the operations contained in this work which always refer to that Meridian.

LATTA, (లత)—An element of astrology. Vide p. 76, 309, and Appendix IV.

* LIBITA, (లిబిత)—(Mandala Yogarda),—The side of a Spherical Triangle, with the argument of the Latitude of a Planet, and its Latitude for the other two.—N. B. The Tamil Astronomers resolve this Triangle as one of plane Trigonometry, and use it for finding the *Csh'slna,* or quantity of the digits obscured in an Eclipse.—*Libitangula;* digits referred to the same. Vide p. 312, 313.

LI LA'VATI' GAN'ITA, (ಲೀಲಾವತೀಗಣಿತ)—A general term for the science of the mathematics, of which it is said that the best known treatises are those of *A'rya bhatta*, and *Bháscara*; which may be correct for this part of India, where few original books on the sciences are to be found.

LIPTA and VILIPTA, (లిప్త, విలిప్త)—Measure of time (vide *Vicala*) equal to one minute and one second.

LO'CAS, (లోకస)—Fourteen Spheres, imagined to be allotted for the residence of different species of animated beings. The seven superior Lócas are, 1º The *Bhu-lóca*, or surface of the Earth. 2º *Bhuva*. 3º *Sivarga*. 4º *Maha*. 5º *Jana*. 6º *Tapa*; and 7º *Satya lócas*.—The inferior Lócas are, 1º *Atala*. 2º *Vitala*. 3º *Sutala*. 4º *Talútala*. 5º *Mahatala*. 6º *Rasatala*; and 7º *Patála lócas*.

M

MACARA, (మకర)—The Hindu Solar Sign *Capricornus* ♑. Vide p. 5, and Table III.

MADHYA, or MADHYAMA, (మధ్య, మధ్యమ)—Signifies mean, in contradistinction to *Sphuta*, for true or apparent.—*Madhyama graha*, or *gati*, mean place or motion of a Planet; vide p. 1, 83, 86.—*Madhya ch'háyá*, the midday shadow of the Gnomon on any day of the year, excepting those of the Equinoxes. Vide p. 97.

MA'GH, or MA'GHA', (మాఘ)—*Magh*, the 10th Hindu Solar month, when the Sun is in the Sign *Macara* ♑, answering to the Tamil month *Tye*; vide p. 5 and Table III.—*Maghá*, the 10th Lunar mansion. Vide p. 74.

MAHA', or MAHE', (మహా)—Great.—*Maha yug*, a great period of conjunction or opposition.—*Mahé Indra*; the great *Indra*, &c.

MAHA'BHA'RATA, (మహాభారత)—An historical poem of great celebrity; in the first book of which is given an account of the war between the *S'uras*, and *As'uras*, in which the gods intervened. This poem is interesting to Astronomy, because it records the first Eclipse of the Sun mentioned in any of the *Sastras*. Modern European commentators suppose that it was written in the year 786 of the Christian Æra, and that the date of the Eclipse which it records is the 25th October in the year 945 before Christ, and therefore anterior to that transmitted to us from the *Chaldeans*, which was observed on the 19th March A. A. Christum 720.

MAHA YUG, (మహాయుగ)—A grand period of general conjunction, containing 4320000 Solar Sydereal years, and comprehending the four lesser *yugs*. Vide *Cali, Dwapara, Treta* and *Satya yugs*; also p. 7, 77.

MALAYALA, (మలమాళ)—The name given to the lands which extend from *Mangalore* to Cape *Comorin*, following the Coast of *Malabar*. Vide p. 130, 298; of Chr. Tables, p. vi and Table I.

MALLI CA'RJANADU, (మల్లికార్జునాడు)—(wrongly spelt in the Text *Mulla Carjanadu*)—A Telugu

Astronomer, who is supposed to have flourished in the 4279th year of the Cali yug (1100 Saca) who like *Bálá dityaca* referred his computations to the Meridian of *Ramiswara.* Vide p. 9.

MA'NA, (ಮಾನ)—Generally a *Measure.*—In Astronomy a mode of reckoning the duration of the year, whether as *Saura, Chandra, Savana, Nácshatra. Varahasputiya, Brahmya, Dayoya, Pitriya,* or *Prájaputiya.*—The principal mode of reckoning the year as now practised by the Hindus is, either Solar, or Luni-solar.—The Solar is the time which the Sun takes to perform a complete revolution round the heavens, beginning from a Star and returning to the same. The Solar Hindu year is therefore Sydereal; but it is taken to be of various durations, according to the systems and authorities which are followed.—The Luni-solar year in most general use, or the common *Chandra mana,* consists of 12 or 13 Lunar months. It commences with the *new* Moon at, or next before the time when the Sun enters the first Sign of the Solar Sydereal Ecliptic. Its months are called *Muc'hya* or primary.—The *Burhusputya* (wrongly spelt in the Text *Banu Husputtiah*) *Chándra mana,* is another sort of Luni-solar year, which begins at the wane of, or the full Moon next preceding the Sun's entrance into the Sydereal Ecliptic. Its months are called *Gauna,* or secondary; vide p. 1, 57, 63, 77, and of Chr. Tables p. ix and Tables I and II.—The *Vrihaspati mana,* or Jupiter's year, is properly the time during which the Planet describes one Sign of its orbit. However, in the Peninsula of India, it is taken to be equal to the Solar year, and in present times serves only to give a specific name in a cycle of 60 years, to each Solar and Luni-solar year. Vide Third Memoir, p. 197, and Chr. Table I ; also Samvatsara.

MANDA, (ಮಂದ)—What Europeans call Anomaly.—*Manda p'hala,* the Anomalistic equation of any Planet.—A name of *Saturn;* vide p. 87, 89, for the Sun and Moon, Tables XXII, XXIV, and XXIII, XXV; for the Planets, IId part of Tables from XLI to XLV.

MAND'ALA, (ಮಂಡಲ)—A Circumference, a great Circle.—*Nádi mand'ala* (spelt Nari in the Text)—The Equator.—*Cránti mand'ala,* the Ecliptic. Vide p. 5, 91, 342.

MANDOCHA, (ಮಂದೋಚ್ಚ)(—The Apses of a Planet's orbit.—*Tunga mandocha,* the higher Apsis. Vide p. 11, 76, 83, 84, 154.

MANGAL'A, (ಮಂಗಳ)—A name of the Planet *Mars.*—*Mangal'a vara;* Tuesday. Vide p. 6, and of the Tables the XLIst.

MANMAT'HA, (ಮನ್ಮಥ)—The 29th year of the cycle of Jupiter. Vide Chr. Table I.

MANUS, or MENU, (ಮನು)—Fourteen Patriarchs who are supposed to preside successively over the same number of *Manwantaras* of which the *Calpa* is composed, and whose anniversaries are noticed in the Kalendar. Vide p. 311.

MANWANTARA, (ಮನ್ವಂತರ)—A period of 308448000 Solar Sydereal years; of which there are *14* in a Calpa, with a *Sandhya,* or twilight, equal to the *Satya yug.* Vide p. 77.

MA'RCANDA', (ಮಾರ್ಕಂಡ)—An Astronomer who has left several useful Tables, of a modern date. Vide Pr. p. ix, Text p. 87, Tables XXIV & XXV.

MARGALI, (కృౖ×ౢ₋ీ)—The 9th *Tamil* Solar month, answering to the Hindu *Paushya*, when the Sun is in the Sign *Dhanus* ♐. Vide p. 5, and Table III.

MARGASIRAS, (కృౖ×ౢ₋ీ కృ₋౦)—The 8th Hindu Solar month, answering to the Tamil *Cartiga*; when the Sun is in the Sign *Vrischica* ♏.—This month is also sometimes called *Agrahayan*, a name which was given to it when it was made to begin the Solar year. Vide p. 5, 215, and Table III.

MA'SA, (కృౖ₋౫)—(wrongly spelt Masha in the Text)—A month, whether Solar or Lunar, and consequently of various durations.—The first month of the Solar year is called in the *Suryah Siddhanta*, *Mésha músa*, because the Sun is then in the Sign *Mésha* ♈, answering to the Hindu month *Vaisácha*, and Tamil *Chitra* (always spelt *Chaitram* in the Text).—It is also the first month of the common Luni-solar year, called *Chaitra* (whether it opens with the new or full Moon), and therefore, refers to two sorts of Luni-solar years.—The *Nacshatra Chandra masa* is the time which the Moon takes to move through a *Sydereal* revolution.—The common Lunar Kalendar month, Do. through a *Synodical* revolution.—*Deva masa*, 30 Sydereal years.—*Brahma masa*, 30 of his days. Vide *Mána*; also p. 5, 11, 53, 69, 77, and Table III.

MATSYA DE VA, (కృౖ౞౭ీ౫)—One of the incarnations of *Vishnù* as a *Fish*. Vide p. 311.

MASI, (కృౖ₋౫)—The 11th Tamil Solar month; answering to the Hindu *Phalguna*, when the Sun is in the Sign *Cumbh a* ♒. Vide p. 5, and Table III.

ME'RU, (ౙ౫ిౝ)—Seems to mean strictly the Terrestrial Orb; or yolk of the mundane egg.

ME'SHA, (ౙ౫ిౝ)—The first Sign of the Solar Sydereal Zodiac, the Hindu *Aries*; vide p. 5, & Table III.—*Mésha Ayaná*; the Vernal Equinoctial point (vide *Ayaná*).

MID'HUNA, (ౘ౫౫౞)—The 3d Sign of the Hindu Ecliptic ♊, the Hindu *Gemini*. Vide p. 5, and Table III.

MIHIRA, (ౘ౫౫ీ)—An epithet of the Sun.

MI'NA, (ౘ౫౫౞)—The 12th Sign of the Ecliptic ♓, the Hindu *Pisces*. Vide p. 5, & Table III.

MRIGASI'RAS, or MRIGASI'RSHA, (కృ౫×౮౫)—The 5th Lunar mansion. Vide p. 74.

MUC'HYA, (కృ౞౫౫)—A name given to the Lunar months of the *common Chándra mana*; meaning *primary*. Vide p. 148.

MU'LA, (కృౖ₋ల)—The 19th Lunar mansion. Vide p. 71.

MUNI, (కృౖౝ)—Supernatural Beings to whom Suryah (the Sun) revealed the science of Astronomy.

MU'RTA, (కృౖ₋ీౝ౫)—literally, the twinkling of an eye,—figuratively, a mode of reckoning small portions of time.—The *Nacshatra* days (all of which are supposed to be equal throughout the year) contains 60 *dandas* ÷ 60 *vicálás* ÷ 6 *pránácálás* ÷ 10 *castácálás*, or respirations. The latter answering, therefore, to a second of Hindu time ÷ 60 *alipalas* ÷ 3600 *nimeshas*, &c.— N. B. The sexagesimal order is interrupted after the *vicálás*, which are only subdivided into 6 *pránácálás* for the purpose of procuring a numerical division of time equal to the number of minutes of a degree contained in the circumference of a Circle, being 21600. Vide p. 6, 92, 104.

N.

NACSHATRA, (నక్షత్ర)—Properly a Star: Hence the Sydereal year, month, or day, are called *Nacshatra samvatsara, masc,* or *dina.*—But that term means also a Constellation, and still more particularly, any one of the 27 mansions of the Moon; we shall especially consider the latter at article *Ricsha.* A Lunar mansion contains an arc of 13° 20′ of the circumference of the Zodiac (27×13° 20′=360), therefore a Solar Sign contains 2¼ Nacshatras ($\frac{360}{27×13}=2\frac{1}{4}$ Nacs.)—There are a *fixed* and a *moveable* Lunar, as well as Solar Zodiacs: therefore there are also *fixed* and *moveable* Signs, and *Nacshatras*, the motion of the latter being equal to the progress of the *Ayanansa* (54″ per annum, *Suryah Siddhanta*). This distinction occasions, the same ambiguity, when Indian authors speak of these Signs and *Nacshatras*, as there is with us when we say that " *Aries* has got into *Taurus*". But they present this juxta position of the fixed and moveable Signs, in a manner quite different from ours. They would say that the advance of the Stars from West to East, being owing to the *Cranti-Pata-Gati* (the Hindu precessional variation), it is the moveable Sign *Aries* which has receded from the Constellation, or fixed Sign of the same name, with which it formerly coincided; and consequently, that the Zodiacal Sign *Aries* has fallen back into the fixed Sign *Pisces*, which comes precisely to the same thing. But more scientifically, they would say that the *Rishis* have got into some point of the moveable *Aries*; (vide *Rishis, Ayanansa, Cranti-Pata-Gati.*)—It needs hardly be added, that what is said here of the Solar Signs applies equally to the *Nacshatras.*—For the extraordinary *Nacshatra,* see *Abhijit*; vide p. 6, 73, 74, 176, 181, and Table XXXVIII.—*Nacshatra Chacra;* the Sphere of the fixed Stars.

NA'D'IMAND'ALA, (నాడిమండల)—(written in the Text *Narimandala*)—The Celestial Equator. Vide p. 5, 91.

NA'GAVA, (నాగవ)—The 10th and extraordinary *Carana.* Vide p. 75.

NANDANA, (నందన)—The 26th year of *Jupiter's* cycle. Vide Chr. Table I.

NARA', (నర)—The eternal omnipotent Being.

NARA'DIYA, (నారదీయ)—The name of an Astronomical work composed by *Narade.*

NARA'SIMHA, (నరసింహ)—The 4th incarnation of *Vishnù* as a Lion. Vide p. 311.

NA'RA'YAN'A, (నారాయణ)—A name or incarnation of *Vishnù.*

NA'TA' (నత)—The arc of distance of any Planet from the Zenith.—*Natáns'a* or *Nata bhaga*, Zenith distance. Vide p. 91, 96.

NAVAMI, (నవమి)—The 9th Lunar day of the *Pacsha.* Vide p. 70.

NAZHI, or NA'SHICAY, (நாழி, நாழிகை)—A *Tamil* term meaning an Indian hour of time. Vide p. 71.

NELA, (నెల)—In *Telugu,* a month.

NERMADA, or NARMADA, (నర్మదా)—A great River called in our Maps the *Nerbudda,* which from time immemorial has marked the boundary between Hindustan and the Deckan. It takes its source

near the Vindha mountain in the Province of Malwa and flows into the Sea near Surat. This river is the same as that which Ptolemy calls *Namadus*. The Indian name is a compound San-scrit word, which signifies the river of delight ; from *Nerma*, pleasure, and *Da*, she who bestows. Independently of the use made of this river in Geography, it serves also to separate two sects of Astronomers, who divide time on different principles. Thus whereas the *Vrĭhaspati* or Jupiter's year of the cycle of sixty, is reckoned at *Oogein* and *Benares*, and down to the Nerbudda, to be equal to the time during which that Planet describes one Sign of its orbit, in all the Deckan, down to Cape Comorin, it is taken to be equal to a Solar year. And whilst all the Northern Astronomers reckon the latter to be of 365^d 6^h 12′ 34″, agreeably to the doctrines of the Suryah Siddhanta, those who reside South of the Nerbudda make it only 365^d 6^h 12′ 30″ : from this class, however, we must except that subdivision called the *Sittandij*, or inhabitants of the Southernmost part of the Peninsula, whose year differs only one second of time in *minus*, from that of the Northern Astronomers. Vide Pr. p. ix ; Text, p. 7 ; the IIId Memoir from p. 199 to 216, and Chr. Table I.

NIJA, (నిజ)—Proper, self.—*Nija Aswina*, the proper month of *Aswina*, in contradistinction of *Athica Aswina*, the intercalated Lunar month. Vide p. 69, 72, 146, 342.

NIMESHA, (నిమేషు)—The 1-3600th of an *Alipala* (vide *Alipala*), or the time for the twinkling of an eye. Vide p. 6.

NIRACSHA, (నిరక్ష)—The Terrestrial Equator.—*Niracsha désa*, the Equatorial parts of the Earth.—*Nirac-sha-pura*, the four fabulous cities supposed to lie under the Equator, of which *Lanca* is one. (Vide *Lanca*).

O

For *Opady*, thus wrongly written in the Text, see *Uphádi*.

P

PACSHA, (పక్ష)—Half the Lunar month.—*Sucla* or *Sudha pacsha*, the time from the new to the full Moon.—*Crishna* or *Bahula pacsha*, that from the full to the new Moon.—Each *Pacsha*, whatever be the real duration of the Lunar month, contains 15 *Tithis*, or Lunar days, each being called numeri-cally, so that there are two *Tithis* of the same name in the Lunar month. Vide p. 68, 69, 314, 318.

PA′DA′, (పాద)—The fourth part.—The Quadrant of a Circle.—The *Pádás* of the *Ayanáns'a*; the four Quadrants of the Epicycle, or parts of the Arc described by the 1st point of the Tropical Zodiac in consequence of the precessional variation. Vide p. 84, 247, 248, 308, 313, and Tables XXXV and XXXVI, p. 46 and 47 of the Tables.

PA′DACHA′RUM, or CHA′RUM, (పాదచారం)—(sometimes wrongly spelt in the Text *Isharum*)—A term

used in the Kalendar and Ephemerides for signifying the position of the Planets on a particular day ; being one of the five articles of the *Panchanga*. Vide p. 73, 75, 308.

PAD'YAMI, (పాడ్యమి)—The 1st day of the Lunar pacsha, or demi-month. Vide p. 70.

PALA, (పల)—A minute of time, Hindu account.

PALABHA, (పలభ)—The midday Shadow of a Gnomon, when the Sun is in the Equinoctial points. Vide p. 9, 94, and Table XXXIV, p. 45 of the Tables.

PANCHA BHUTA, (పంచభూత)—The five elements of Nature, including *Ether*.

PANCHA'NGA, (పంచాంగ)—A Kalendar so called from the five principal articles contained in the Epheme-rides.

PARA, (పర)—A second of time, Hindu account, or 24″ European time.

PARA'BHAVA, పరాభవ)—The 40th year of the cycle of Jupiter. Vide Chr. Table I.

PARA BRAHMA, (పర బ్రహ్మ)—A name, or epithet of the Supreme Being.

PARAMA'PAMA, పరమాపమ)—The inclination of a Planet's orbit to the Ecliptic.—*Paramápama cramujya*, the Sign of its greatest Declination.—N. B. When this term is applied to the Sun, because according to Hindu theories the obliquity of the Ecliptic is always 24°, it means the Sine of the Sun's greatest declination.

PARA'S'ARA, (పరాశర)—An Astronomer who wrote when the Equinoctial points were in 23° 20′ of the Sign *Mesha*.—Modern commentators pretend that the *Parása'ra Siddhánta* is a spurious treatise, written by *Arya bhatta*, so late as the beginning of the XIVth century ; and consequently cannot have been written by *Parás'ara*, who flourished about the year 575 before Christ.

PARAS'URA'MA, (పరశురామ)—One of the Avataras or incarnations of *Vishnù*, in the form of a Brahmin.—Modern commentators fix his epoch in the year 1176 before Christ. He is said to have been a great encourager of Astronomy.—Also an Æra which is still followed in *Malayálá* (that part of the Coast of Malabar which extends from Mangalore to Cape Comorin).—This Æra is reckoned in cycles of 1000 years; each of which begins on the Sun's entrance in the Sign *Canya* ♍ (Indian Virgo).—There were, therefore, on the 14th September 1800, two cycles, and 976 years of that Æra expired. Vide p. 298, 302, and of Chr. Tables p. vi, vii, & Table I.

PARATASI, OR PURATASI, (புரட்டாசி)—The 6th Solar month, Tamil denomination, answering to the Hindu *Aswina*, when the Sun is in the Sign *Canya* ♍. Vide p. 5, and Table III.

PARIDHAVI, OR PARIDHA'PI, (పరిధావి)—The 46th year of the cycle of Jupiter. Vide Chr. Table I.

PARIDHI, (పరిధి)—Properly means the circumference of a Circle ; but it is more generally used in the sense of an Epicycle. Thus *Paridhi an'sás*, or *bhagas*, mean degrees counted on an Epicycle, always in a given ratio, to those of the Deferent.—The *Manda paridhi*, is used for computing the first inequality or Anomalistic equation of a Planet. It is variable, ·being called *Yugma*

paridhi in the Apsides, and *Voja paridhi* at 90° therefrom.—The degrees of these divers dimensions of the Epicycle vary therefore relatively to those of the Deferent, as the Planet's Anomaly is between the points above mentioned, decreasing inversely as the Sines of the mean Anomaly. At the distance of 3 Signs from either the *Apogee* or *Perigee*, the radius of the Epicycle becomes equal either to the *eccentricity*; or to the Sine of the *elongation*, if it refers to an inferior Planet.—This assumed difference in the magnitude of the Epicycle, (and consequently of its degrees relatively to those of the Deferent) is what the Hindus call *Paridhi an'sá*, between *Vishama*, and *Sama* (odd or even); for a right application of which we are to remember that from the 1st to the 3d Sign of Anomaly, a Planet is in *Vishama*; from the 3d to the 6th, it is in *Sama*; from the 6th to the 9th, it is again in *Vishama*; and lastly, from the 9th to the 12th, it is in *Sama*.—The *Sighra paridhi* is used for computing the second inequality, answering to the annual *Parallax* of the superior Planets, and *elongation* of the inferior ones. This Epicycle is also variable, being called *Yugmantara paridhi* in the Sizigies, and *Vojantara paridhi* at 90° therefrom.—*Swa, Seva*, or *Siva-desa-paridhi*, a Circle of Longitude in any given Latitude. Vide p. 91, 95, and Table XXXIV.

PARIGHA, (పరిఘ)—The *Yoga* Star of the 19th Lunar mansion. Uncertain; but supposed to be 34 or 35 *Scorpii*. Vide p. 74.

* PA'RIJA'TA', (పారిజాత)—The Tree of Plenty.—In some parts it is taken to be an emblem of the year; but this is unknown to the Pundits of the Carnatic.

PA'RTHIVA, (పార్థివ)—The 19th year of *Jupiter's* cycle. Vide Chr. Table I.

PASCHA, or PASCHAMA, (పశ్చమ)—The West point of the compass.

PA'TA, (పాత)—The Node of a Planet's orbit. Vide *Ayanansa* and *Dhruva*, also p. 86.

PATACA, (పతక)—An Astronomical Table.

PATANA, (పతన)—Latitude, when referred to the Planets.

PATRA, (పత్ర)—Literally, a *Leaf*; but used in several parts of India for *Panchanga*, a Kalendar; because these are usually published on *Palmyra* leaves. Vide Pr. p. vii, xii, and Text p. 312.

PAU'LASTYA SIDDHA'NTA—(పౌలస్త్యసిద్ధాంత)—The third of the four authentic *Sústras*, which treat of Astronomy.

PAUSHYA, (పౌష్య)—The 9th Solar Hindu month, when the Sun is in the Sign *Dhanus* ♐, answering to the Tamil *Margali*; vide p. 5 and Table III.—*Paushya* is also the 10th month of the Luni-solar year, so advanced by one in the order, on account of *Chaitra*, beginning that sort of year. Vide p. 69.

PAVARNAMI, or PURNIMA, (పౌర్ణమి)—The 15th Lunar day of the *Pacsha*. Vide p. 70.

P'HALA, (ఫల)—An Equation.—When applied specially to the Sun or Planets, it means their Anomalistic equation.—*P'hala try desentara*, is a compound equation used by the Tamil Kalendar makers for

computing, by means of certain Tables, and a short operation, the *Arcá bahuphula*, and the effects of difference of Longitude in Solar and Lunar computations. Vide p. 38, 230, 338, and Tables XXII to XXVI for the Sun and Moon, and from XLI to XLV, part 2, for the Planets.

PHALGUNA, AND PHALGUNI, (ఫాల్గుణి)—*Phalguna* the 11th Hindu Solar month, when the Sun is in the Sign *Cumbh'a* ♒; answering to the Tamil *Maussi*; vide p. 5, and Table III.—According to the Luni-solar Kalendar *Phalguna* is the 12th month of the year, because it begins with *Chaitra*; vide p. 69.—*Purva* Phalguni the 11th, and *Uttara* Phalguni the 12th Lunar mansions. Vide p. 74.

PINDA' (పిండ)—The 1-24th part of the Quadrant of a Circle; equal to 3° 45', the constant ratio of the Hindu Trigonometrical Tables. Vide p. 87 and Table XXX.

PINGALA, (పింగళ)—The 51st year of the cycle of *Jupiter*. Vide Chr. Table I.

PITRI, (పితృ)—Certain Genii or Spirits, supposed to reside in a sphere or region, some say above the Moon; others residing in it. The *Pitris* are also taken to be the spirits of deceased ancestors.—*Pitrya dina*; a day of the *Pitris* equal to a lunation.

PLAVA, (ప్లవ)—The 35th year of the cycle of *Jupiter*. Vide Chr. Table I.

PLAVANGA, (ప్లవంగ)—The 41st of the same.

PUNGONI, (పంగుని)—The 12th Tamil Solar month, answering to the Hindu *Chitra*, when the Sun is in the Sign *Mina* ♓. Vide p. 5, and Table III.

PRABHAVA, (ప్రభవ)—The 1st year of the cycle of *Jupiter*. Vide Chr. Table I.

PRAC CHACRA (ప్రాక్ చక్ర)—The Epicycle on which ancient Astronomers corrected the precessional variation. Vide *Cranti-Pata-Gati*, and p. 84 of the Text.

PRA'JA'PATI, (ప్రజాపతి)—A name of *Brahma*.—An epithet common to 10 divine personages who were first created by *Brahma*.—*Pra'ja'pati*; the 5th year of the cycle of Jupiter; vide Chr. Table I.—*Prája'patya ma'na*, a certain mode of reckoning the year; also, a *Manwantara*.

PRAL'AYA, OR JALA-PRALAYA, (ప్రళయమ)—A name for the universal deluge.

PRAMADI OR PRAMADICHA, (ప్రమాదీచ)—The 47th year of the cycle of *Jupiter*. Vide Chr. Table I.

PRAMAN'A', (ప్రమాణ)—Refers to diurnal revolutions.—*Aha pramán'a*; the Sun's revolutions from the horizon to the same again.—*Dina prama'n'a*, the time of any Planet from rising to setting.—*Ratri prama'na'*, the same from setting to rising.

PRAMODA, (ప్రమోద)—The 4th year of the cycle of *Jupiter*. Vide Chr. Table I.

PRAMAT'HI, (ప్రమాది)—The 13th of the same.

PRA'NA'CA'LA, (ప్రాణకాల)—The 1-6th part of a *vicala*. See *Múrta*, and p. 5, 77, 104.

PRATHAMA, (ప్రథమ)—The first.—*Prathama tithi*, the first Tithi or Lunar day in the month; that which always follows the day of last conjunction; vide p. 70, 79, 103, 112, 137, 172, 229.—*Prathama chara*, Ascensional difference of the 1st Sign of the Hindu Tropical Zodiac; vide p. 103.—The same for the Sun's declination and Amplitude; vide p. 102, 103.—*Prathama jiva*, the Sine of the first *Pinda*. Vide p. 39 of the Tables.

PRI'TI, (ప్రీతి)—The *Yoga* of the 2d Lunar mansion, supposed 35 *Arietis*. Vide p. 74.

PUNARVASU, (పునర్వసు) – The 7th Lunar mansion. Vide p. 74.

PANCHAMI, (పంచమి)—The 5th Lunar day of the month. Vide p. 70.

* PURANA'S, (పురాణ)—Books held in high veneration by the Hindus, treating of Theology, Literature and Astronomy, and other matters, of which there are 18 principal ones : they take these productions, as usual, to be of the highest antiquity ; but modern European commentators have been very active and industrious in their endeavours to bring down the epochs of their respective compositions nearer to our times. Many of the Puranás are now believed to be very recent, and one of them in particular is conjectured not to be above 100 years old.

PU'RNIMA', (పూర్ణిమా)—Opposition (sometimes written *Paurnimá*)—*Púrnima tithi*, the day of opposition or full Moon. Vide p. 67, 70, 313, 320, 339.

PURVA, (పూర్వ)—When referred to one of the Lunar mansions means the FIRST, and in the same manner as *Uttara*, means the SECOND. Vide p. 74.

PURU, (పురు)—The East point of the compass.

PUSHYA, (పుష్య)—The 8th Lunar mansion, vide p. 74, where the word is sometimes wrongly spelt *Pushia*.

R.

RA'C'SHASA, (రాక్షస)—The 49th year of Jupiter's cycle. Vide Chr. Table I.

RACTACSHA, (రక్తాక్షి)—The 58th of the same.

RAGINI'S, (రాగిణి)—Spirits, or demi-goddesses personifying the notes of music.

RA'HU, (రాహు) —The Moon's ascending Node.—In a physical sense the Hindus consider it as one of the obscure Planets, which occasion Eclipses : but according to mythology, *Ra'hu* is the head of a monster, of which *Cétu* (the descending Node, spelt *Ketu* in the Text) is the trunk.—It is supposed by some commentators to be the *Typhœus* of Hesiod. Vide the war of the Súras and Asúras in the Mahábhárata), also p. 77, 308, 310, 310.

RA'MA', (రామ)—The principal of the *Avatáras*, or descents of *Vishnú* ; a great conqueror, and the Prince whose reign forms the most important epoch of Indian history.—Sir William Jones places the subjugation of India by *Ra'ma'* about the year 1810 before Christ. Mr. Bentley, after a much more accurate research, fixes his birth on the 6th April of the year 961 before Christ. In his time and that of his father *Das'aratha*, Astronomy was much cultivated ; and it is supposed (not without much probability) that the first Astronomical Tables for computing the places of the Planets were constructed on the observations made in *Ra'ma'*'s time. There was an Eclipse of the Sun on the 2d of July of the year 940 before Christ, which, according to Mr. Bentley, may be referred to with certainty, as an epoch of *Rámá's* reign.

RA'MA'YANA, (రామాయణ)—(of Válmíci)—An historical poem, being one of the principal ones (viz.

the *Rámáyana*, the *Bhágavata*, and the *Maha'bha'rata*) which have been transmitted to posterity. It gives an account of the epochs of the sway, and dynasties of Princes; of the wars and battles (true or fictitious) which have been fought during their time, and of the heroes who have shed a lustre over their reigns; of the revolutions which the country has undergone; and of the origin and progress of the sciences in the infancy of time.—Modern European commentators fix the epoch in which the *Ra'ma'yana* was written in A. D. 295; professing however, their belief that the events which it records are of much higher antiquity.—In the *Ra'ma'yana*, *Valmíci* is repeatedly mentioned as the name of its author.

RA'MI'SWARA, OR RAMA-ISWARA, (ರಾಮೆಶ್ವರ)—(written in the Text *Ramissuram*, and *Ram-Ishura*)—Is a small island, situated between Ceylon and the Continent of India, at the entrance of Palk's passage in the Streights of Manaar; where there stands a very ancient Pagoda, and formerly an Observatory.—It was found by Colonel Lambton's survey to lie in 79° 22′ 5″ (5ʰ 17′ 28″ 20‴) Longitude of Greenwich; in 77° 1′ 50″ (5ʰ 8′ 7″ 30‴) East of Paris, and consequently in 3° 28′ 50″ (14′ 55″ 20‴) East of *Lanca*: its Latitude being 9° 18′ 7″ N.—Many Telugu, and Tamil Astronomers, as *Bálúdityacalu*, and *Mallicárjanad'u* refer their computations to the Meridian of *Rámiswara*. Vide p. 9, and Tables XXXIII and XXXIV.

RASA GIRICA, (ರಸಗಿರಿಕ)—(written in the Text *Raza Gherica*)—An element of the *Vac'yam* process, containing 12,372 days. Vide p. 122, 132, 132, 235.

RA'S'I, (ರಾಶಿ)—A Sign of the Zodiac, containing 30 degrees.—Modern European commentators state that the Stars were only formed into Constellations during, or at the epoch of the war of the *Sura's* and *Asúras*, which, according to them, refers to the middle of the VIIIth century before Christ.—A *Rás'i* is equal to $2\frac{1}{4}$ *Nacshatras* or Lunar mansions.—The Hindu Signs are called by specific names when reckoned on the *Sydereal* Zodiac; but when counted on the *Tropical*, or moveable Sphere, they are called numerically. The figurative description of the Hindu Signs with the corresponding Lunar mansions, are as follows:

1, Aswiní, Ram ♈; 2, Critica, Bull ♉; 3, Mrigasírsha, Pair ♊; 4, Pushya, Crab ♋; 5, Aslésha, Lion ♌; 6, Uttara Phalguni, Woman ♍; 7, Swati, Balance ♎; 8, Anúrádha, Scorpion ♏; 9, Múla, Bow ♐; 10, Uttara Ashadha, Sea Monster ♑; 11, Dhanishtha, Ewer ♒; 12, Purva Bhadrapada, Fish ♓.—*Ras'i Chacra*, the Zodiac. Vide p. 5.

RA'TRI, (ರಾತ್ರಿ)—The night.—*Ra'tri ardha*; half the artificial night. Vide p. 92, 106.—*Tyajya Ratri*, (vide *Tyajya Devi*).

RAVI, (ರವಿ)—A name of the Sun.—*Ravi vara*, Sunday; vide p. 6, and Tables XX, XXII, XXIV, XXVII, XXVIII and XLVII.—*Ravi mandocha*, Sun's Apogee, p. 83; *Ravi madhya graha*, mean place in the Sydereal Ecliptic, p. 83; *Ravi panchanga*, the Solar Kalendar, p. 63, 307, 313; *Ravi p'hala*, Anomalistic Equation, p. 125; *Sayana*, Longitude, p. 101.

RAUCHYA, (ರೌಚ್ಯ)—One of the 14 Patriarchs who are supposed to preside successively over the 14 *Manwantaras* of the *Calpa*; and whose anniversaries are noticed in the Kalendar. Vide p. 311.

RAUDRA, (ठ॰ ॐ)—The 54th year of the cycle of *Jupiter*. Vide Chr. Table I.

RAYAVATA, (ठॐॐ)—One of the 14 Patriarchs who are supposed to preside over the 14 *Menwantaras* of the *Calpa*, and whose anniversaries are noticed in the Kalendar. Vide p. 311.

REC'HA, (ठॐ)—Meridian.—Used in the same sense as Europeans do when referred to the Longitude. Vide p. 9, and Table XXXIII.

RE'VATI, (ठॐॐ)—The 27th Lunar mansion. Vide p. 19, 71.

RICSHA, (ॐॐ)—Properly a Bear.—In Astronomy the general term for a constellation, (vide Nacshatra).—*Maha-Ricsha* may therefore be understood either as the constellation of the *Bear;* or as the *great constellation.* Whether the former denomination (which is the same as the name given by Europeans to the asterism called the *Great Bear*) be merely accidental; or whether by that term, both Europeans and Hindus, mean the same object, is a question which is not to be resolved in this place. In *Telingana* it is affirmed that it does: in the *Carnatic* it is denied; we have therefore only to observe that as the *Great Bear* is the most prominent constellation of the Northern hemisphere, it may very well (and without any reference to the animal of which it bears the name) be concluded that *Maha Ricsha* means the same object both in European and in Indian Astronomy. Vide p. 85, 215.

RINA, (ॐॐ)—The Indian Sign of negation, or subtraction, which answers to the European — minus.

RISHI (ॐॐ)—An important term in Hindu Astronomy, which, in its scientific sense, means a line, or great circle, passing through the Poles of the Ecliptic, and the beginning of the first Solar Sydereal Sign, and first fixed Lunar mansion, of the respective Zodiacs ; and which said circle is supposed to cut some of the Stars in the Great Bear, which most commentators take to be *Dhube*, or β *Ursæ Majoris*, and ζ *Piscium*, although in reality no such circle could be made to intersect exactly these three points. This line, or circle, being thus invariably fixed, and the four (fixed and moveable) Zodiacs being conceived to coincide at a particular Epoch, the variation of the moveable ones may easily be reckoned by its means, as if it were an index. Thus suppose that the line of the *Rishis* should have intersected the beginning of the fixed Lunar mansion *Magha*, as was supposed to be the case in the 1910th year of the Cali yug (1192 before Christ), and that at the beginning of the said year the line of the *Rishis* was found by observation to intersect the middle of the moveable mansion *Magha*, then it would be said truly that the *Rishis* had got into 6° 40′ ($\frac{13°20}{2}$) of the moveable *Magha*, and these 6° 40′ would mark the absolute precessional variation which had accumulated at that epoch since the time that the fixed and moveable *Maghas* coincided; (vide *Ayana, Ayanansa, Cranti-Pata-Gati*).—The above explanation of the term *Rishi* is clearly justified by all the Hindu treatises of any weight which have hitherto fallen into the hands of Europeans; and here it may not be out of the purpose to observe, that when *Hipparchus* (later than the 135th year before Christ) on comparing his observations of *Spicæ Virginis* (the *Harshana* of the

Indians) with those that *Timocharis* had made at Alexandria about a century before, and perceived by the results, that the Stars appeared to have advanced (though slowly) from West to East, relatively to the Equinoctial points, he was far from imagining that Indian Astronomers (perhaps several centuries before his time, and in all probability by observations of the same Star) had already noticed the same variation, on which in after ages Sir Isaac Newton resolved and established the great problem of the Equinoctial precession.—The celebrated Indian Astro_ nomer *A'rya bhatta*, probably puzzled how to account for the change of the position of the line of the *Rishis* which, he admitted, had intersected the middle of the moveable Lunar mansion *Magha* in the year of the *Cali yug* 1910, and which he pretended to cut (when he wrote) the beginning of *Aswini*, imagined a curious system on the seven Stars of the Great Bear, to which he supposed *a proper* motion to the Eastward, at the rate of 13° 20′ (a Lunar mansion) in 100 years; which amounted to 159999 revolutions in a *Calpa*, and which squared his account. But this absurd doctrine has long since been abandoned by all manner of Indian Astronomers; many of whom, now in existence, have never heard of it.—The term *Rishi* is also applied (in a sense totally different) to the *Van'aprastha* Brahmins, or inhabitants of the desart. Of these the most ancient and celebrated were the seven great *Rishis* or penitents, who had retired in the territory washed by the Indus; and it was to them, it is supposed, that Alexander the great applied for instruction after invading their country. Vide p. 85, 245.

RĬTU, (ಋತು)—A season, of which there are six of two months each in the Solar year, (vide *Vasanta, Grish_ ma, Varsha, Sarada, Hemanta* and *Sisira*.) Vide p. 4.

RO'HINI', (ರೋಹಿಣಿ)—The 4th Lunar mansion. Vide p. 74.

ROHITACA, (ರೋಹಿತಕ)—A mountain or place lying under the Meridian of Lanca.

ROMACA, (ರೋಮಕ)—One of the four imaginary cities lying under the Equator. Vide *Lanca*.

RUDIRO'DGARI, (ರುಧಿರೋದ್ಗಾರಿ)—The 57th year of *Jupiter's* cycle. Vide Chr. Table I.

RUDRA SAVARNI,—(ರುದ್ರ ಸಾವರ್ಣಿ)—(The same explanation as for *Rauchya*). Vide p. 311.

RUG, RUC, or RIG VEDA, (ಋಕ್ , ಋಗ್ವೇದ)—The first of the inspired Vedas. *Rig*, signifying the science of divination, of which it principally treats. It also teaches Astronomy, Astrology, Natural Philosophy, and gives a particular account of the formation of matter, and the creation of the world.

RU'PA, (ರೂಪ)—An entire number.

S

SA'CA, (ಶಕ)—An epithet given to a Prince to whose name posterity refers an Æra. (Vide *Salivahana*).

SA'CHA, (ಸಾಛ)—Department; branch of knowledge.

SADHA'RANA, (ಸಾಧಾರಣ)—The 44th year of *Jupiter's* cycle. Vide Chr. Table I.

SA'DHYA, (ಸಾಧ್ಯ)—The *Yoga* Star of the 22d Lunar mansion, *a Aquilæ*, Vide p. 74.

S'A'LIVA'HANA, (ಶಾಂಶಿವಾಹನ)—The name of a Prince who is said to have reigned in a country called *Magadha.*—He instituted, or was the cause of the institution of an Æra, which bears his name, the beginning of which is referred to the epoch of his birth. This event is supposed to have taken place when 3179 years of the *Cali-yug* had expired, which makes it fall 78 years after the beginning of the Christian Æra.—The *Saca* year is the same as, and begins with, the common Solar year. Vide p. 18, 203, 222, 228, 293, 296, 302, 303, and of Chr. Table p. vi, Table 1.

S'A'LMALA,—(ಶಾಲ್ಮಲ)—An island lying East of *Lanca,* supposed to be *Ceylon.*

SAMA and VISHAMA, (ಸಮ, ವಿಷಮ)—Literally *even* and *odd* (vide *Paridhi,* and *Paridhi ansa*).—*Sama mand'ala ch'háyá,* the Shadow of a Gnomon when the Sun is East or West of it. Vide p. 97.

SAMA'GAMA, (ಸಮಾಗಮ)—The occultation of a Star.

SAMARGA, (ಸಮಾರ್ಘ)—A term used in the Kalendar to denote a middle state of abundance; neither favourable nor unfavourable to the productions of the Earth. Vide p. 312, 313.

SAMVATSARA, (ಸಂವತ್ಸರ)—A year: chiefly applied to the Luni-solar year. Vide *Mana;* also p. 71, 77, 153.

SA'MA VE'DA, (ಸಾಮ ವೇದ)—The 3d of the inspired *Vedas.* This book treats of all religious and moral duties: It also contains many hymns in praise of the Supreme Being, as well as verse in honor of the gods.

SANCRA'NTI, (ಸಂಕ್ರಾಂತಿ)—The day on which the Sun enters a new Sign of the Ecliptic.

SA'NCU, (ಶಂಕು)—A Gnomon for Astronomical purposes. The Pillars which are erected in front of every Pagoda are real Gnomons. Vide p. 91, 92, and Table XXXIV.

SANDHI, or SANDHYA, (ಸಂಧಿ, ಸಂಧ್ಯಾ)—The Twilight or Crepuscule. The Sandhy of Brahma consists of 1728000 Solar Sydereal years; the same duration as the Crita, or Satya-yug, which quantity is used in its double capacity for constructing the *Calpa.*—*Prátas sandhya,* the morning twilight.—*Sáyam sandhya,* the evening do.—N. B. The twilight of each *yug* is equal to 1-6th part of the same. Vide p. 78.

SANCHYA' GAN'ITA, (ಸಂಖ್ಯಾಗಣಿತ)—Algebra (vide *Katapayadi*).

SANGAMA, (ಸಂಗಮ)—Conjunction. (Vide *Arcéndu sangama.*)

SANHITA, (ಸಂಹಿತಾ)—A treatise on any branch of knowledge.

SANI, (ಶನಿ)—A name of *Saturn:* the most common of all; vide p. 6, 189.—*Sani-vara,* Saturday.

SANIHITA SARAH, (ಸಂಹಿತಾ ಸಾರ)—One of the ancient cities which are stated in books on Hindu astronomy, to lie under the same meridian with *Lanca* and *Ujani.* Vide p. 9.

S'ARADA, (ಶರದ)—The 4th season, comprehending the months of *Aswina* and *Carticay,* when the Sun is in the Signs *Canya* ♍ and *Tula* ♎ ; answering to the Tamil months *Paratasi* and *Arpesi.* Vide p. 4.

SARVADHA'RI, (ಸರ್ವಧಾರಿ)—The 22d year of Jupiter's cycle. Vide Chr. Table I.

SARVAJIT, (సర్వజిత్)—The 21st year of Jupiter's cycle.—Vide Chr. Table I.

SARVARI, (శార్వరి)—The 34th of the same.

SA'STRA, (శాస్త్ర)—An inspired, or revealed book : this term is also applied to works of literature and science in general. Those which treat particularly of astronomy, are distinguished by the additional name of *Jyótish*.

S'A'STRI, (శాస్త్రి)—A *Pundit*, one skilled in the *Sastras*.—N. B. This word is always wrongly written *Sastras* in the Text.

S'ATABHISHA, (శతభిష)—The 24th Lunar mansion. Vide p. 74.

SATYA YUG, (సత్యయుగ)—The same as the *Critu yug*. The golden age of the Hindus ; the first period of the four contained in a *Maha yug*. Its duration is of 1728000 Solar Sydereal years. Vide p. 7, 77, 78.

SA'VANA (BHU'MI), (సావన)—Natural—which refers to the Earth (written *Sávan* in the Text). Vide p. 79, 80, 81, and article *Sávana dina*.

SA'VARNI, (సావర్ణి)—An epithet, or cognomen, annexed to the names of five of the Patriarchs who preside over the 14 *Manwantaras* of the *Calpa*. Vide p. 311.

SAUBHA'GYA, (సౌభాగ్య)—The *Yoga* Star of the 4th Lunar mansion. Uncertain ; but may be 87 *Tauri*. Vide p. 74.

SAUMYA, (సౌమ్య)—The 4th year of *Jupiter's* cycle. Vide Chr. Table I.

SAURA, (సౌర)—Sydereal. Vide p. 1, 5, 77, 202, and article *Mana*.

SA'YANA, (సాయన)—The Longitude of a Planet reckoned from the Vernal Equinoctial point, as is the practice of European Astronomers. This element depends on the *Cranti-Pata-Gati*, and is calculated by means of the *Ayanansa*, which latter element being added to the Planet's *Sphuta graha* (its apparent place in the Hindu Sydereal Zodiac) gives its *Sayana*, or apparent Longitude. For a fuller explanation of this term see the two articles above referred to, and p. 74, 91, 104, 150.

* SEPTAMI, (సప్తమి)—This term when affixed to the name of one of the Signs of the Zodiac, indicates the day on which the Sun enters the same. Thus *Macara septami* means the day on which the Sun enters the Sign *Macara* ♑ : it is little known to the Pundits of the Carnatic.

SEVA, OR SIVA-DESA PARIDHI, (సేవ దేశపరిధి)—The circumference of a Circle of Longitude in any point on the Globe of the Earth, removed from the Equator ; or, as Europeans would say, which has Latitude.—The degrees of these small circles of the Sphere are taken by the Hindus to be in the direct ratio of the cosines of the Latitudes ; and resolved into assignable quantities from the dimensions of the Equatorial circle, which they take to contain 5059 *yojanas* ; vide p. 91, 95, Table XXXIV, and article *Yojana.—Seva desa madhya paridhi* ; the circumference of the Terrestrial Equator.—*Seva desa wydia*, a term, (it seems obsolete) for the oblique ascension of a Planet ; (vide *Ullagna*).—N. B. This element is important in the resolution of all *Gnomonic* Problems ; and for fixing the Longitude of places. Vide article S of the Second Memoir, p. 90.

SHUSTI, (ఽ&)—The 6th Lunar day of the *Pacsha*. Vide p. 70.

SIDDHA, (ౙౙ)—The *Yoga* Star of the 21st Lunar mansion. Uncertain; perhaps φ *Sagittarii*. Vide p. 74.

SIDDHI (or ASRIJ) (ౙౙ)—The *Yoga* Star of the 16th Lunar mansion; perhaps 24 *Libræ*. Vide p. 74.

SIDDHANTA', (ౙౢ౦ఠ)—literally signifying *Demonstrated, established truth*; also a *conclusion*. In Astronomy; a treatise on that science. There is a numerous train of treatises of this kind, of which four only are reputed to be of divine origin, viz.: 1º The *Suraya*; 2º The *Brahma*; 3º The *Paulastya*; 4º The *Soma* Siddhantas.—*Parásara*; *Varáha*, and his son; *Bháscara* and others have left *Siddhántas* and *Ticas*, which are now in repute. But doubts have arisen whether the *Parására Siddhanta* which exists, be a legitimate or spurious production. Mr. Bentley decides for the latter and believes it to have been forged by *A'rya bhatta*.

SIDDHAPURY, (ౙౙౙఠ)—One of the imaginary cities which are supposed to lie under the Equator at 90° from each other. (Vide *Lanca*).

SIDHARTI, ౙౢౙ౯—)—The 53d year of *Jupiter's* cycle. Vide Chr. Table I.

SI'GHRA, (ౙౢ)—Answering to what European Astronomers call *Parallax*; (vide *Chaturtha p'hala*, and *Virdhamanda p'hala*).—*Sighra chaturtha*, the same as the last.

SINHA, (ౙ౦ఠ)—The Hindu Solar Sign Leo ♌.

SIS'IRA, (ౙౙౙ)—The 6th season of the year, comprehending the Hindu Solar months *Mágha* and *Phalguna*, when the Sun is in the Signs *Macara* ♑, and *Cumb'ha* ♒, answering to the Tamil months *Tye* and *Maussi*.

SITTANDIJ, (ౙౢ౦ఠ)—A term used by Father Beschi to designate a certain sect of Astronomers who reside in the Southern parts of the Peninsula. It is unknown to the Madras Pundits.

SIVA, (ౙౙ)—The third person of the Hindu triad, and the principal personification of time. The forms and names which this godhead assumes are without end, and therefore shall be passed over.—*Siva* is also the *Yoga* Star of the 20th Lunar mansion and supposed to be the same as δ *Sagittarii*. Vide p. 74.

S'LO'CA, (ౙౙ)—A verse: a memorial couplet: also a technical rule for computing certain astronomical problems, delivered in verse in the *Suryah Siddhanta*.

SO'BHANA, (ౙౙౙ)—The *Yoga* Star of the 5th Lunar mansion. Very uncertain; but may be 113, 116, or 117 *Tauri*; vide p. 74.—*Sóbhana* means also the 37th year of *Jupiter's* cycle. Vide Chr. Table I.

S'ODHYA, (ౙ ౙౢ)—called SOBHACRITU in the Carnatic, (ౙ ౙౙౙ)—(wrongly written *Sodhyum* in the Text)—A constant number to be *subtracted* in certain computations, to fit the rule to a particular epoch, being the negative of *Cshépa*, which see. Vide p. 54, 65, 81, 119, 240.

SOMA, (ౙౙ)—A name of the Moon.—*Soma vara*, Monday. Vide p. 6.

SPHUTA, (ౙౙ)—(wrongly spelt in the Text *Sputa*).—True, or apparent; in contradistinction of *Madhyama*,

or mean.—*Sphuta ravi*, or *Chandra graha*, or *gati*, true or apparent place or motion of the Sun and Moon, in the Sydereal Zodiac. Vide the whole context of the second Memoir.

SPRIC, ʀᴏʀ SPROHU, (సృక్)—(wrongly written in the Text *Sprohu* or *Sprohoo*)—A Lunar intercalary day repeated during two successive Solar days in the Kalendar.

SRAVANA, (శ్రావణ)—The fourth month of the Hindu Solar year, when the Sun is in the Sign *Carcatáca* ♋, answering to the Tamil *Audi*; vide p. 5, and Table III.—Also the 5th month of the Luni-solar year, owing to that sort of year beginning with *Chaitra*; vide p. 69.—*Srávana*, the 22d Lunar mansion. Vide p. 71.

SRI', (శ్రీ)—The *Venus* Aphroditus of the *Indians*, born like the *Grecian* Venus from the Sea. (See *Lacshmi*, and *Crishna*).—*Sri-Crishna* is the 9th, and *Sri-Rama* the 7th incarnations of *Vishnu*, as a *Cshetria*, and a *Dwarf* Brahmin, the anniversaries of which are observed. Vide p. 311.

SRI'MUC'HA, (శ్రీముఖ)—The 7th year of *Jupiter's* cycle. Vide Chr. Table I.

SRISTYADI DIUGONA, (సృష్ట్యాదిద్యుగణ)—(spelt Strostidi Digona in the Text.)—The number of natural days expired from the grand astronomical epoch when the Planetary motions are supposed to have first commenced, to any other epoch for which their places are to be computed. Vide p. 79, 80, 81, 82, 243.

STHITYAR'DHA, (స్థిత్యర్ధ)—The time from the beginning of an Eclipse to its middle.

STHIRA, (స్థిర)—A general term for the 4 extraordinary *Caranas*. Vide *Carana*, and p. 75.

STHU'LA, (స్థూల)—(Vide *Múrta*.)

SU'BHA, (శుభ)—The *Yoga* Star of the 23d Lunar mansion, α *Delphini*. Vide p. 74.

SUBHACRIT, (శుభకృ)—The 36th year of *Jupiter's* cycle. Vide Chr. Table I.

SUBHANU, (శుభాను)—The 17th of the same.

SUCARMA, (శుకర్మ)—The *Yoga* Star of the 7th Lunar mansion, β *Geminorum*. Vide p. 74.

S'UCLA, ᴏʀ SUDHA,(శుక్ల, శుద్ధ)—The 1st or enlightened half of the Lunar month.—The 3d year of *Jupiter's* cycle. Vide Chr. Table I.

SU'C'HI, (శూచి)—The Earth's disc in computing Eclipses.—The fourth term of a proportion, which is to the Moon's equated motion, as the diameter of the Earth, is to her mean motion. This proportion serves in the computation of Lunar Eclipses, to adapt the Earth's shadow, to the Moon's distance and apparent diameter.

S'UCRA, (శు క్ర)—One of the names of the Planet *Venus*.—*S'ucra-vara*, Friday.—*S'ucra* or *Subra*, the Yoga Star of the 24th Lunar mansion, perhaps λ *Aquarii*. Vide p. 74 and Table XLIV.

S'UDDHA COTI', (శుద్ధకోటి)—One of the sides of a right angled Triangle; the second being sometimes called *Bhuja*, and the hypothenuse *Carna*. Vide p. 91, 94.

S'UDDHA DINA, (శుద్ధదిన)—(wrongly spelt *Soota dina* in the Text)—The day on which a particular phœnomenon is to occur. Vide p. 8, 79, 81, 83, 213, 214, and Tables XLVIII and XLIX.

SU'LA, (శూల)—The Yoga Star of the 9th Lunar mansion. Uncertain; perhaps 49 or 50 *Cancri*. Vide p. 74.

SUME'RU, (సుమేరు)—The Northern hemisphere.—A fabulous region over the North Pole, where *Indra* is said to preside over the *Suras* or *Devatas*. (Vide *Cuméru*).

SU'NYA'RGA, (శూన్యార్గ)—A term meaning *scarcity*; or a time unfavourable for agricultural undertakings, which occurrence is, from time to time, predicted in the Kalendar. Vide p. 312.

SUPTAMI, (సప్తమి)—The 7th day of the Lunar *Pacsha*. Vide p. 70.

SURA, (సుర)—A measure of time equal to the 1-60th part of a *para*, which see. Vide also p. 6.

SURABHI, (సురభి)—The mythological *Cow* that grants every boon in allusion to the Spring.

SURA DEVI, (సురదేవి)—The goddess of wine : sometimes used figuratively to signify the year.

SURA'S, (సురాస్)—Benign spirits governed by *Indra*, harbouring about the North Pole, who with the *Asuras* churned the ocean, and extracted the *Amrita* or water of immortality, pending which a furious war broke out among them, in which *Vishnu* took a part, as well as *Surya* and *Chandra*, who were the occasion that *Rahu's* head was severed from its trunk by the irresistible operation of *Vishnu's chacra*; all which allegories figure an Eclipse of the Sun, which occurred near the Moon's ascending Node. (Vide *Devatas* and *Asuras*).

SU'RYA, (సూర్య)—The name most generally given to the Sun (vide *Ravi*).—*Surya savarni*, one of the 14 Patriarchs who preside successively over the 14 *Manwantaras* of the *Calpa*. Vide p. 311.

SU'RYA SIDDHA'NTA, (సూర్యసిద్ధాంత)—The first (though not the oldest) of the authentic and inspired *Sastras*, held in great veneration by all manner of Hindu Astronomers, although they acknowledge that its elements, without the assistance and use of the tikas, or commentaries, no longer furnish means for representing the true positions of the Planets. It is pretended that this book was revealed 1000 years before the beginning of the *Treta yug* (A. 3027101. Ante Christum).—European commentators, however, have all agreed to reduce considerably this enormous antiquity, though they still differ vastly in their opinions touching its true epoch ; some supposing it to have been written 2050 years before Christ (i. e. 98 years after the Flood), others in the 1268th year of the Christian Æra. Mr. Bentley, however, seems to have proved, after a very profound research, that let the antiquity of the *Surya siddhanta* be what it may, it only came into general use in A. D. 538.—Vide the whole of the second Memoir of the *Kala Sankalita*, and particularly p. 7, 17, 63, 69, 90, 199, 200, 239, 246, 325, 329, and Tables XVII, XLVIII and XLIX.

SU'TRA, (సూత్ర)—A rule, a precept, a computation.

SWA'RO'CHISHA, (స్వరోచిష)—One of the 14 *Patriarchs* who preside over the 14 *Manwantaras* of the *Calpa*, noticed in the Kalendar. Vide p. 311.

SWATI, (క-ౖ౯౦'—The 15th Lunar mansion. Vide p. 74.

SWA'YAMBHUVA, (క్ౖ౯ౣ౦ ౖ౦ క)—One of the Patriarchs as stated, article *Swárôchisha*. Vide p. 311.

T

TADYA. (ౖ౦ౣ౧)—The 3d Lunar day of the *Paesha*. Vide p. 70.

TA'MASA, (ఠ°ౣ౥ క)—One of the 14 Patriarchs (vide article *Swárôchisha*).

TAMIL, (ఠౚౖ౯)—The name of a language, and of an extent of country where that idiom is in general use (spelt *Tomul* in the Text), and for which the Solar Kalendar *(Pari Panchanga)* is computed. Several European writers, and particularly Missionaries, speak frequently in their books of the *land of Tamil*, as if it were delineated upon the Map of India, like the territory of a particular state ; but I am perfectly satisfied that none of them entertained any distinct idea of the country they were speaking of. The obscurity into which this designation is involved, has induced me to make some researches of the probable position and extent of the land under consideration ; and what follows is an abstract of my information.(*)—" The *Tamil* land is the same with *Dravira*, " and comprehends all the districts in which that language is spoken, enclosing a portion of the " Eastern parts of the Peninsula."—" When *Dravira* was confined to the *Chola Pandya*, and " *Chera* principalities, its Northern boundary was the *Pal-aur* river. When the Chola Princes " colonized *Tondamandalu*, it was extended Westward to *Tripeti*, in a line with *Pulicat*, at " which some pretend that the land of *Dravira* was met by that of *Tellingana*. Other autho- " rities however, extend it to the North, up to the river *Chrishna* ; and the latter supposition " agrees best with our modern notions of the Geography of the country." But if we attempt to estimate the extent of the land of *Tamil* by that through which the language of that name is spoken, we fall into the region of conjectures, some of which, however, may be grounded on what follows : " The Indian dialects which originated in Sanscrit, are said to be ten ; viz. " 1º The sacred language used by the Priests and *Bhudists* in the Island of Ceylon. 2º The " *Tamulic*, spoken in the Deckan and some parts of the Malabar Coast. 3º The *Malabar*, " extending from Cape *Comari* (Comorin) to Mount *Illi* (Dilly), which separates Malabar from " Canara. 4º The *Canarian*, used in the districts of *Illi* and thence to *Goa*. 5º The *Marattah*, " spoken by the various nations of that republic. 6º The *Telugu*, (Tellinga) used on the " Coast of Orixa, and in Golconda (the Nizam's territory', down to the river *Chrishna*. 7º The " *Bengalese*, spoken in the province of Bengal. 8º The *Hindustanee*, which is principally used " in the upper provinces of the Bengal Presidency, but known throughout India, where it has " become an intermediate means of communication between people speaking different languages. " 9º The *Guzuratic*, introduced into *Guzurat*, *Baroach*, *Surat*, *Tatta*, &c. 10º The *Nepalic*, " of which eight dialects are spoken in *Nepal*."—What is stated in the second article of this enumeration, agrees well enough with the former Geographical description. We may therefore

(*) These particulars were obligingly communicated to me by Dr. Wilson of Calcutta, and Captain D. Montgomerie, Deputy Surveyor General in India.

take the *land of Tamil* (when that term happens to be used in a general way) to mean that extent of country which begins on the Southern banks of the river *Chrishna*, and dividing from thence the Peninsula into two nearly equal parts, descends on the East, down to Cape Comorin.

TAMUS, (తమసు)—The Earth's shadow in an Eclipse.

TA'RANA, (తారణ)—The 18th year of *Jupiter's* cycle. Vide Chr. Table I.

TATPARA, (తత్పర)—(wrongly written *Tarpary* in the Text)—A space of time; the same as *Para*. Vide p. 71, 131, 132, 339.

TAYTALA, (తైతల)—(written *Dhitala* in the Text)—The 4th regular *Carana*. Vide p. 75.

TE'DI, (తేది)—(Telugu and Tamil)—A date, according to Solar account— (wrongly written in the Text *theidi*). Vide p. 73, 77, 164, 313.

TELUGU, (తెలుగు)—(written in the Text *Tellinga*)—The land of *Telingana*, which is now partly subject to the British power, and partly to that of the *Nizam*, is bounded to the North by the river *Goda-very*; to the East, by the Sea; to the South by the river *Chrishna*; and to the West by the river *Manujera*, which runs into the *Godavery* at *Sangum*. The *Telugu* language is prevalent throughout that extent of land; therefore when *Telugu* or *Tellinga* Astronomers are mentioned in the Text, those of the said countries are to be understood; and the same of the *Telugu year* and Kalendar, when so specifically named, although that year be in fact the common *Chandra mana*, which is more or less prevalent in all parts of India. Vide Pr. p. vii, viii; Text p. 61, 164, 204, 304, and article *Tamil*.

TI CA', (టీక)—A commentary.—Most of the *siddhantas* which have been written by modern Hindu authors, such as the *A'rya*, *Parás'ara*, and other treatises known by that designation, as well as the *ticás* of *Bháscara A'chárya*, *Varáha Mihira*, and others, may be considered as commentaries on the four principal *siddhantas*.

TITHI, (తిథి)—(wrongly spelt *Tidhi* in the Text)—The 1-30th part of the time which the Moon takes to move through a Synodical revolution, whatever be its true duration.—It is also considered as the time during which the Moon's motion to or from the Sun amounts to 12°.—A mean *tithi* (of which there are 371 very nearly in the Solar year) is equal to 59g 3v 38p of Hindu time (23ʰ 37′ 27″,2 European time); so that 64 mean *tithis* are very nearly equal to 63 Solar days, and this differ-ence of one day, in the said period of time, is the occasion of the *Cshaya*, or expunged *tithis*, which in the Kalendars are called *Amavaha* or *Sprïc* (wrongly spelt *Sprohoo* in the Text) and which recur once in about 64 days.—When no *tithi* begins or ends in a Solar day, the preceding *tithi* is repeated in the Kalendar, and the same numeral answers to two Solar days: it is then called *Athi* or *Athica*.—When two *tithis* end in the same Solar day, the intermediate *tithi* is expunged and called *Cshaya*.—The 30 *tithis* of the Lunar month are divided in two parts, called *Pacshas*, of 15 tithis each. (See article *Pacsha*).—The first *tithi*, independently of its proper name *Pád'yami*, is also called *Prathama*; and the last (*Puranama*) *Amavásya*, meaning that it

is the tithi on which the conjunction falls.—The 15th tithi (also called *Pavarnami*) is distinguished by the name of *Púrnimá*, meaning that it is the day of opposition. Vide p. 60, 70, 72, 76, 90, 109, 112, 117, 164, 172, 307, and of Chr. Tables p. xvii and Table II.

TITHI TATWA, (ఆ౭ఊ౩ౢ)—A particular Kalendar which marks all the fasts, religious observances, and ceremonies prescribed on certain days of the year.

TRAYO'DAS'I, (౩ౢఴ౾౾౩)—The 13th Lunar day of the *Pacsha*. Vide p. 70.

TRE'TA YUG, (౩ౢౘ౾ఴౚX)—The 3d period of a *Maha yug* used in the construction of the *Calpa;* the Hindu silver age, consisting of 1296000 Solar Sydereal years. Vide p. 7, 77.

TRIDI SPRIC, (ఆ౾ౚౡౢ౩౾)—(wrongly written in the Text *Tridina sprohoo*)—Vide articles *Spr'c* and *Athica.*

TRIJYA, (ఆ౾౾౾)—A term answering to *Radius*, being the Sine of 3 Signs or 90°. Vide p. 101, also *Duajya*, p. 28.

TRIN, or TRAIRA'S'ICA, (౩ౢ ౾౾౩)—A rule of proportion.—The common rule of three; constantly used in the resolution of Problems of Hindu astronomy.—N. B. This rule is to be found in almost every article of the two first Memoirs.

TRICO'NA, (ఆ౾౾౾)—A Triangle.

TRIVALORE, (ఆఴ౾౾ఴ౾ఴ)—A village in the Tanjore province, to which certain Astronomical Tables refer. According to the Hindu Geography, it lies 3° 32′ 58″ E. of Lanca in Longitude, and in 10° 44′ N. Latitude. Vide Tables XXXIII and XXXIV.

TULA, (ఴఴ౾)—The 7th Sign of the Hindu Sydereal Zodiac, *Libra* ♎. Vide p. 5 and Table III.

TUNGA, UCHA, (ఴౚX, ఴ౾)—Superior, higher —*Tunga manda*, or *Munduocha;* the superior Apsis or Aphelion of a Planet. Vide p. 83, 84.

TYA'JYA', (౩౾౾)—(wrongly spelt in the Text *Thyajum* and *Thyagum*)—That portion of a *Nacshatra*, which is deemed unlucky, is called *Varjya*, and the period of its duration is the *Tyájyá.*—It is called *Devi* when it occurs at day time; and *Ravi* when at night. It is therefore an *astrological* element: but is nevertheless registered every day in the Ephemerides; where the instant of its commencement is registered. Its mean duration is about 4 guddias (1h 36′ European time), so that the beginning being known, the end may be supported, with sufficient accuracy for practical purposes, without actual computation. Vide p. 75, 181, 307, also article *Varjya.*

TYE, (౩)—The 10th *Tamil* Solar month, answering to the Hindu *Mághá*, when the Sun is in the Sign *Macara* ♑. Vide p. 5 and Table III.

V

* VACIJ, (౾౾౾)—Spelt in the Text *Vachij*, after Father Beschi's orthography.—This term, like that of *Sittandij*, is unknown to the Madras Pundits, but it is unquestionably used in the provinces of

Madura and Tinnivelly to designate a particular sect of Astronomers who reside in the Northern parts of the land of Tamil; vide p. 7 and Table I.

VAIDHRITI, (వైధృతి)—The *Yoga* Star of the 27th *Nacshatra* or Lunar mansion, ζ *Piscium*; vide p. 19, 74, 215.

VAISA'CHA, (వైశాఖ)—The first month of the Hindu Solar year, when the Sun is in the Sign *Mésha* Υ, answering to the Tamil *Chitram*. Vide p. 5 and Table III.

VAJRA, (వజ్ర)—The *Yoga* Star of the 15th Lunar mansion, *Arcturus*. Vide p. 74.

VAKYAM, (వాక్యం)—(as written in the Text, but according to adopted system *Vacyam*)—The Solar process for all manner of astronomical computations; vide the whole of the second part of the 2d Memoir, from p. 113 to 143.—*Vacyam dharmavana*, an element of this process, being the remainder after division of the *Ahárgana* by a *vedam*, *rasa-gérica*, *cáláníla* and *dévaram*, which remainder, expressing a number of days expired of the current *dévaram*, is the argument for using the first *vaciam* table (the XXVIth of this collection). Vide p. 19, 118, 122, 132, 133, 230, 336, and Tables XXVI, XXVII, XXVIII and XLVII.

VA'MANA', (వామన)—One of the incarnations of *Vishnù* in the form of a *Brahmin Dwarf*; the anniversary of which is noticed in the Kalendar. Vide p. 311.

VANATA'NS'A, (వనతాంశ)—(as spelt in the Text, but according to our orthography *Avanatansa*)—Altitude.—*Avanatansa bhágas*, degrees of altitude of an object above the horizon.

VA'RA, or VA'SARA, (వార, వాసర)—A week of seven natural days, named after the Planets and arranged in the same order as they are in the European week. The name of each day (beginning with Sunday, and adding *vara* to each) are, 1° *Ravi*. 2° *Sóma*. 3° *Mangala*. 4° *Budha*. 5° *Guru*. 6° *Sucra*. 7° *Sáni*.—The tabular notation of the feriæ, or days of the week is, 0 for Sunday, 1 for Monday, and so forth to 6 for Saturday; 7 being accounted zero. Vide p. 6.

VARA'HA, (వరాహ)—One of the incarnations of *Vishnù*, in the form of a *Wild Hog*, the anniversary of which is noticed in the Kalendar; vide p. 311.—An Astronomer, the reputed author of a system of Astronomy referred to in the *Súrya*, *Vasis'tha*, and *Sóma* Siddhantas, and therefore supposed by modern *Sastris* to be anterior to them all. But European commentators entertain a belief that the work which goes by *Varaha's* name in present times, is not the real one; and that the treatise which has reached us, is a fabrication of no older date than the IXth century.—*Varáha Mihira*, another Astronomer, thought by many to have been cotemporary with the Emperor *Acbar*; but whom others are apt to confound with *Varáha Acharya*, and others of the same name.—N. B. The *Telugu* Astronomers pretend that *Varáha Mihira* flourished in the 3600th year of the *Cali yug* (A. D. 499), i. e. at the close of the 2d *Padah* of the *Ayanansa*, when the Sun, Moon, and Equinoctial points (according to the doctrines of the *Súrya Siddhanta*) were in

the first point of the Hindu Sydereal Zodiac ; or, in other words, when the *Rishis* were in the 1st point of the Solar Sign *Mesha* ♈, and in the same of the Lunar mansion *Aswini.*

VARGA, (వర్గ)—See *Varga.*

VARI'YA, (వరీ యా)—The *Yoga* Star of the 18th Lunar mansion, *Antares* ; vide p. 74.

VARJYA, (వర్జ్య)—(wrongly spelt in the Text *Warjum*)—A certain point in each *Nacshatra,* or Lunar mansion, called its *Dhruva,* determines the duration of this astrological element ; and the time which the Moon's disc takes to move across this ill-omened point, is called the *tyajyá ;* the mean duration of which is about 4 ghadyas of time (1h 36′ E. T.) ; but its true duration is greater or less according to the Moon's continuance in the incumbent *Nacshatra,* which depends on her position relatively to her *Apogee,* and determines whether her stay in the mansion be more or less than 60 *ghadyas.*—The *tyájyá* of the *varjya* is always punctually registered in the Ephemerides of the Kalendar, of which it is one of the five permanent articles, by stating the time of its *beginning.* Pending its duration, all voluntary business of importance must remain suspended ; but as the instant of its ending is not announced in the Kalendar, people calculate generally on 4 ghadyas of inaction from the beginning of the *varjya.*

VARSHA, (వర్ష)—The third season of the Hindu Solar year, comprehending the months of *Sravana* and *Bhadrapada,* when the Sun is in the Signs *Carcata* ♋ and *Sinha* ♌, answering to the Tamil months *Audi* and *Auvani* ; vide p. 4.

VASANTA, (వసంత)—The first season of the year, comprehending the Solar months *Chaitra* and *Vaisac'ha,* when the Sun is in the Signs *Mina* ♓ and *Mesha* ♈, answering to the Tamil months *Pungoni* and *Chitram* ; vide p. 4.

VAVILALA CUCHINNA, (వావిలాల, కుచిన్న)—A Telugu Astronomer who is supposed to have flourished in the 4399th year of the *Cali yug.* He has left some tables for computing the position of the Planets, and some tracts on the construction of the Luni-solar Kalendar, of which the Appendix to the second Memoir of this collection is one. These are much esteemed by the Astronomers in *Telingana.* Vavilala's computations refer to the meridian of *Lanca,* and agree better with the doctrines of the *Surya Siddhanta* than those of any of his compatriots ; vide p. 81, 153, 167, the Appendix to the 2d Memoir, and the Tables from XLI to XLV.

VA'YU, (వాయు)—The Atmosphere.

VE'DAM, (వేదం)—An element of the *vacyam,* or Solar process ; containing 1600984 days ; vide part 2, second Memoir, and p. 122, 132, 133, 335.

VE'DAS, (వేద)—The inspired books, four in number, viz. 1º The *Rig ;* 2º The *Sáma ;* 3º The *Yajur ;* 4º The *Atharvana vedas.* (For the particulars of each, see the respective terms).

VE'DHEI, for VETHEI. (వేధ)—An astrological element, an account of which is given at pages 76, 308 and 309 of the Text, and noticed in all the Ephemerides.

VELLI, (వెళ్లి)—The Tamil name of *Venus*.

VI-ARCENDU SANGAMA, (ఆర్కేందుయు)—(wrongly spelt in the Text *Vi-arca-Indu-Sangama*)—Conjunction of the Sun and Moon. Vide p. 70, 89, 90 ; also *Arcéndu Sangama*).

VIASSEI, (వైయ్యాశి)—The 2d Solar Tamil month, answering to the Hindu *Jaisht'a*, when the Sun is in the Sign *Vrisha* ಆ ; vide p. 5 and Table III.

VIBHAVA, (విభవ)—The 2d year of Jupiter's cycle ; vide Chr. Table I.

VICALA, (విక్ళా)—The 1-60th part of a *cálá*. The second of a degree.

VICARI, (వికారి)—The 33d year of the cycle of Jupiter ; vide Chr. Table I.

VICRAMA, (విక్రము)—The 14th year of the same.

VICRAMA'DITYA, (విక్రమాదిత్య)—A Prince who has given his name to an Æra, and who is said to have flourished 135 years before *Sálivahana*. Its epoch falls when 3044 years of the Cali yug had expired. The Æra *Vicramaditya* is little used in the Peninsula of India, although its current year be generally inserted at the head of the Kalendars.—In those provinces where it is current, it serves to number the Luni-solar years, in the same manner as the Æra *Salivahana* in the Carnatic for the Solar ones ; vide p. 18, 293, 295, 302, 303, 313, 318, and of the Chr. Tables p. xii, and Table II.

VICRITA, (విక్రతి)—The 24th year of *Jupiter's* cycle ; vide Chr. Table I.

VI'CSHEPA, (విక్షేప)—Celestial Latitude (vide *Patana*).—*Vicshepa Dhruva*, the greatest inclination of a Planet's orbit ; vide Parama'pama and p. 74, 91, 342.—*Vicshepa pataca cala.* See Table at p. 342.

VIDIYA, or DWITYA, (విదియా, ద్వితీయ)—The second Lunar day of the *Pacsha* ; vide p. 70, 112.

VIGHAD'IYA, (విఘుదియా)—(spelt in the Text *vigaddia*)—The 1-60th part of a *ghadiya ;* an Indian minute, equal to 24 seconds European time.

VIJAYA, or VIJYA, (విజయ)—The 27th year of *Jupiter's* cycle ; vide Chr. Table I.

VILAMVA, or VILEMBI, (విళంబి)—The 32d of the same.

VILIPTA, (విలిప్తా)— See *Vicála* and *Múrta*).

VIMARDHA RDHA, (విమర్ధార్ధ)—The time from the apparent conjunction to the end of an Eclipse. (Vide *Sthityardha*).

VINADICAY, (వినాడిక)—The 1-60th part of a *nashicay* ; vide p. 5, 71.

VIPALA, (విపల)—The same as a *pranaca'la'*, the 1-6th part of a *pala* ; vide p. 5.

VIRDHAMANDA P'HALA, (వృద్ధమంద ఫళ)—The equation of the second inequality in the motion of the inferior Planets. (Vide *Sighra* and *Sighra Chaturtha*).

VIRO'DHACRIT, (విరోధిక్రత్)—The 45th year of *Jupiter's* cycle ; vide Chr. Table I.

VIRO'DHI, (విరోధి)—The 23d of the same ; vide do.

VISA'CHA, (విశాఖ)—The 16th Lunar mansion ; vide p. 71.

VISHAMA, (విషమ)—A Planet is said to be in *vishama* when it is in 90° from the *Apsides*.—The Sun is in

tishama, when he is in the Equinoctial points.—*Vishama ch'héyá*, the Shadow of the Gnomon at midday when the Sun is in the *Equinoxes*, (vide *Palabha*).—*Vishava carna*, the hypothenuse of a right angled triangle formed by the *Sancu* (Gnomon) and the two sides of the Shadow ; vide *Sama* and *Paridhi*, also p. 91, 94.

VISHCAMBHA, (విష్ంభ)—The *Yoga* Star of the 1st Lunar mansion ; supposed to be γ or β *Arietis*; vide p. 74.

VISHU, (విషు)—The Tamil name for the 15th year of *Jupiter's* cycle,—the same as *Srisya*.

VISHNU, (విష్ణు)—The second person of the Hindu triad,—the preserving power, too well known to be further particularized.—*Vishnu* is often taken as a personification of *time*, as well as *Siva* ; vide p. 311. —*Vishnu dhármoottara*, a treatise on astronomy.

VISHUVA, (విషువ)—The Equinoctial points, called also *Ayanas*, *Dhruvas*, and *Cranti-Patas*.—*Vishuva dina*, the day of the Equinoxes.—*Vishuva ch'héyá*, the Shadow of the Gnomon at noon on those days ; vide *Vishama*, and p. 84, 313.

VISHWA'VASU', (విశ్వావసు)—The 39th year of *Jupiter's* cycle ; vide Chr. Table I.

VISTI, (విష్టి)—(spelt *Vueti* in the Text.)—A name for the 7th and ordinary *Carana*, also called *Bhudra ;* vide p. 75.

VRIDDHI, (వృద్ధి)—The *Yoga* Star of the 11th Lunar mansion ; very uncertain ; perhaps 70 or 71 *Leonis :* vide p. 74.

VRIDDHYARGHA,(వృద్ధ్యర్ఘ)—A term used in the Kalendar to signify *Abundance ; Plenty.*—It also means the time favourable for agricultural operations *(astrological) ;* vide p. 312.

VRIHASPATI, or VARAHASPATI, (బృహస్పతి)—One of the most common names of the Planet *Jupiter.* —*Vrihaspati chacra*, the cycle of 60 years which gives a specific name to all the Solar and Luni-solar years.—*Vrihaspati mana*, the year of *Jupiter*, during which he describes one sign of his orbit.—N. B. The *Telugu* Astronomers make no difference between this and the common Solar year : vide p. 70, 147, 195, 212, 296, 303, and the Tables from XI to XIX ; also Chr. Table I.

VRISHA, వృషు)—The Solar Sign *Taurus* ♉ ; vide p. 5 and Table III.

VRISCHICA, (వృశ్చిక)—The Hindu Solar Sign *Scorpio* ♏ ; vide do.

VRITHAM, (వ్రతం)—Fast, or day of fasting ; vide p. 311.

VURGA, (వర్గ)—(so spelt in the Text, but perhaps more correctly *Varga*.)—The square of a number.— *Varga méla* or *mela*, the square root of the same ; vide p. 313.

VYAYA, (వ్యయ)—The 20th year of *Jupiter's* cycle ; vide Chr. Table I.

VYA'GHATA, (వ్యాఘాత)—The *Yoga* Star of the 13th Lunar mansion : uncertain ; perhaps 7 or 8 *Corvi.*

VYANGULA', వ్యంగుళ)—The 1-60th part of an *angula'*, or digit (wrongly spelt in the Text *vincula*)—A measure used in the computation of Eclipses, and *Gnomonic* Problems.

VYA'SAM, VISHCAMBHAM, VISTRITI, (వ్యాసం)—Terms used to express the diameter of a circle,

VYATI'PA'TA, (వ్యతిపాత)—The *Yoga* Star of the 17th Lunar mansion, β *Scorpii*. Vide p. 74.

VYWASWATA, (వైవస్వత)—One of the 14 Patriarchs who preside successively over the 14 *Manwantaras* of the *Calpa*. Vide p. 311.

U

UCHA, (ఉచ్చ)—The Apses of a Planet's orbit. (Vide *Mandócha*.)

UJANI, (ఉజ్జయిని)—(wrongly spelt in the Text *Ujjayini*)—A city under the same meridian as *Lanca*; supposed to lie near the modern town of *Oogein*. Its Longitude from Greenwich, is therefore 75° 35' 16" E. Its Latitude is 23° 11' 30" North. Vide p. 9.

ULLAGNA, (ఉల్లగ్న)—The *Lagna* of a particular place; answering to the oblique ascension of the asters, in any place which has Latitude; vide p. 92, 101, 103, 104, where the *Ullagna* of Madras is given for every Sign of the Zodiac; and Table XLVI, for the Latitude of 16° 15'.

UPHA'DI, (ఉపాధి)—(wrongly spelt in the Text *Opadi*)—A term referring to the Luni-solar Kalendar, and meaning an expunged day. Vide *Tithi*; also p. 72, 311.

UTPA'TA, (ఉత్పాత)—Some natural prodigy or phænomenon.

UTTAMA, (ఉత్తము)—One of the 14 Patriarchs who preside successively over the 14 *Manwantaras* of the *Calpa*. Vide p. 311.

UTTARA, (ఉత్తర)—(wrongly spelt *Vutra* in the Text)—The North point.—When Uttara is prefixed to the name of a *Nacshatra*, it means the second of the same name. (Vide *Purva*.)

UTTARA JYA, (ఉత్తరజ్య)—The versed Sine of an Arc. Vide Table XXX.

W

WARNIJA, (వర్ణిజ)—(spelt in the Text *Warnaji*)—The 6th and ordinary *Carana*. Vide p. 75.

WURJUM, (వర్జ్యం)—See *Varjya*.

WUTRAJYA, (ఉత్తరజ్య)—An element of Hindu Spherical Trigonometry. Vide p. 99, and for the demonstration p. 42 of the Tables.

Y

YAJUR VE'DA, (యజుర్వేద)—The second of the inspired *védas*, which comprehends the whole science of religious rites and ceremonies, such as fasts, festivals, purifications and sacrifices.

YAMA, (యమ)—The godhead who presides over the *Asúras* or *Daityas*. (Vide *Devatas*).

YAVA COTI, (యవకోటి)—One of the four imaginary cities supposed to lie under the Equator at a distance of 90° from each other, *Yava-coti* being West of *Lanca*. Vide p. 9.

YECADASI, (ఏకాదశి)—The 11th Lunar day of the *Pacsha*. Vide p. 70.

YO'JANA, (ఊఽ~ఙౠ)—An Astronomical and Geographical measure, deduced from the ratio of the diameter of the Earth to the circumference of its Equatorial circle. The dimensions of the *yójana*, like those of any other measure, originate in an arbitrary division of extent, for which the Hindus have chosen a finger or *angulá*, as a standard to be found in nature. By that common measure they estimate not only distances, and the dimensions of the Earth, but even the distance of the Planets, their Parallaxes, and (when referred to particular points on the surface of the Earth) the effects of their Longitude and Latitude as to time. The Hindu Mathematicians divide the diameter of the Earth into 1600 parts, whence they have this expression $\sqrt{10 \times \overline{1600}^2} = 5059,6$ yójanas for the value of the Equatorial circle. An angle of one minute of a degree is supposed to be subtended by 15 yójanas, at the mean distance of the Moon; so that dividing the Earth's semi-diameter (800 yójanas) by 15, we have 53' 20" for the Moon's mean *horizontal parallax*. It follows from this result that 53' 20" of the Moon's orbit will measure 15 yójanas, and that her whole orbit (360°) will measure 324000 yójanas. Hence 5059 (the circumference of a great circle of the Terrestrial Globe in yójanas) is to 800 yójanas (its semi-diameter), as 324000 (the circumference of the Moon's orbit in *yójanas*) is to 51235 yójanas her mean distance from the Earth: from which it follows that this distance (according to the estimates of Hindu Astronomers) is about 64 semi-diameters of the Earth.—As the Moon is supposed to complete 57753336000 Sydereal revolutions in a *Calpa*, this number drawn into 324000, gives 18712080864000000 *yójanas* for her absolute motion during that time.—It is a principle in Hindu Astronomy " That the *absolute motion* of each *Planet* in a day, or any other " given time, is equal to the *absolute motion* of the *Moon* in the same time."—Hence if the absolute motion of the Moon during a *Calpa*, be divided by the number of mean revolutions completed by any Planet, during that period, it will give the *Cacsha*, or circumference of the Planet's orbit in *yójanas*.—To convert degrees of Latitude and Longitude into *yójanas*, they use the following proportion : " As 360°; to the proposed number of degrees; so 5059 *yójanas* (the " circumference of the Equatorial circle), to the number of yójanas sought."—The Hindus subdivide the *yójana* into a great number of parts, in the following manner : The *yójana* ÷ 4 *crosas* ÷ 1000 *dhanush*, or *dandas* ÷ 4 *restas*, or *cubits* ÷ 2 *vitistis*, or *spans* ÷ 2 *padas*, or *foot* breadths ÷ 6 *angulas*, or *finger* breadths ÷ 4 *yaras*.—Some make the *crosa* = 2000 *dandas*, or half a *yójana*, which agrees better with that in which the distances are usually computed. Vide Art. 8, Sect. I of the 1st Part of the 2d Memoir, p. 92, and the 2d Fragment, p. 330.

YECJYA, (ౖఽ ఐౖ౼౧)—(Vide *Duajya, Trijya*).

YO'GA, (ఊఽౠ౼X)—The leading or principal Star of a Lunar mansion, the position of which is given in the Hindu Astronomical Tables.—On these we shall only observe that in taking the Latitude and Longitude of Stars, as laid down in these catalogues, the former is to be considered as an arc of

the meridian which intersects the *Star* and the *Ecliptic*; and the latter as the portion of the *Ecliptic* which is intersected by the same meridian, and the Equinoctial *Colure*. There are 28 *Yoga* Stars (including *Abhijit*) in the Lunar Zodiac: but with the exception of 16 or 17 of these (on the identity of which there can be little doubt), it is very uncertain to which of the Stars in the European catalogues, the remainder corresponds.—*Harshana* (which no doubt is the same as our *Spica Virginis*) seems to be the *Yoga* which drew most the attention of the ancient Hindu Astronomers; probably on account of its convenient magnitude, and declination; which at the beginning of the IXth century was 9° 38′ 13″ S.—To this Star they referred the beginning of the 7th month of their Solar Sydereal year, from which they concluded its beginning; and there is every reason to suppose that it was on the result of observations of *Harshana* that they established their *Cranti-Pata-Gati*, or precessional variation; a surmise which, if correct, offers a singular concurrence of circumstances, for it was by observations of the same Star that *Hipparchus* first discovered (in the IId century before Christ) the motion of the fixed Stars from West to East; vide p. 19, art. 9.—*Yogu*, a term so pronounced by the Telugu Astronomers, and thus written in the Text, but *Yoga* as spelt by the Carnatic *Sastris*, is an astrological element, containing the same number of accidents as there are *Yogas* in the 27 regular mansions of the Lunar Zodiac; bearing the same names, and arranged in the same order; but having *no sort of Astronomical reference* to them.— A *Yogu* is the time during which the sum of the motions of the Sun and Moon, amounts to one *Nacshatra*, or 13° 20′. Its mean duration is 59g 29v 21p,75 Indian time (23h 47′ 41″ 24‴ European time); 17 of which are nearly equal to 16 days; which occasions an equation somewhat similar to that of the *Cshaya tithi* (which see). Vide p. 7, 19, 71, 77.

YOGHADI PATACA, (ⵥ ⵥⵥ)—The second Table of the *Yacya* process (the XXVIIth of this collection), giving the equation of the Sun's motion, considered at the rate of 1 degree for a day, to his true motion for every 8th day in the year. Vide p. 124 and following.

YUDHISHT'HIRA, (ⵥⵥⵥ)—A Prince of great celebrity in Hindu history, who according to Indian authors, reigned about the beginning of the *Cali yug*; some, however, fix the epoch of his reign 653 years later, or in the year 2448 before Christ. He is said to have been cotemporary with the Astronomers *Parására*, and *Garga*.

YUG, or YUGA, (ⵥⵥⵥ)—Signifies properly the conjunction, and sometimes the opposition of the Planets. It is, however, more generally used for signifying a long period of years, at the expiration of which certain phœnomena, or circumstances, recur.—The principal *Yugs* made use of in present times in Astronomical computations, have been mentioned and explained under the respective heads of *Maha yug*, *Satya*, *Treta*, *Dwapara*, and *Cali yugs*, and need not be repeated in this article.—It is, we believe, generally admitted that ancient Astronomers invented their *Yugs* with reference to some of *Jupiter* and the *Sun's* conjunctions, in the beginning of the Zodiac; and

that more recent ones, (with a view to lengthen their periods), have referred them to those of *Saturn* and the *Sun.*—But modern European commentators have made such prodigious alterations in the epochs and durations of these *Yugs*, without changing their names, that we shall not attempt to follow them in a Glossary, which was only intended for facilitating the reading of the present work, and the study of modern Hindu Astronomy, with reference to that system of Chronology, which was followed in India since *at least, thirteen* centuries, an estimate which is by no means overrated, even if we adopt the opinions most unfavourable to the antiquity of the *Surya Siddhanta*; vide p. 7, 77.—*Yuga dina* (sometimes written *yugadia*) means the anniversary of the day on which the current *Maha yug*, and any one of the four lesser *Yugs* began; which anniversary is always noticed in the Kalendar.—*Telugu* Astronomers use sometimes the term *Yugadia*, for *Ahargana.* Vide p. 240, and Chr. Table II.

YURKA, or GURUJAH, (ಯುಕ಼, ಗುರು)—The 5th and ordinary *Carana.* Vide p. 75.

YUVA`, (ಯುವ)—The 9th year of *Jupiter's* cycle. Vide Chr. Table I.

END OF THE GLOSSARY.

INDEX.

Of Arabic, Persian, Hebraic, and Hindustanee words, and terms, used in the Kala Sankalita.—N. B. *The orthography is that of the French Chronologers of the last century.*

The languages are distinguished by A *for Arabic,* P *for Persian,* H *for Hebraic, and* Ind. *for Hindustanee.*

On the Hindu Holy days and Festivals.

I SHALL offer but a few words on this subject, which has long since been laid before the public by Sir William Jones in his translation of *Raghunandana's* tract, containing an account of the rites and ceremonies observed generally by the Hindus during the course of the Luni-solar year. (*) My sole motive for enumerating these epochs anew, was to comply with the wishes. of several Pundits with whom I had intercourse during the present research, and who conceived. that my account of their various Kalendars would be incomplete if the present article were omitted.

I have compared the present list with that given in the *Tithi Tatwa ;* and with the only exception that the latter is much fuller, and consequently more satisfactory than the present one, I have found no material difference between them. The variations which occur are to be ascribed to local customs and circumstances ; and therefore the present catalogue must be especially referred to the inhabitants of the Carnatic, although the same observances may be kept in other parts of India.

Of the fixed and moveable feasts.

These words are to be understood in their literal sense when referred to the respective Kalendars on which the festivals depend ; but not so when these are compared, or referred to the European Kalendar.

Thus for instance the festival of Sriráma-navamí, always falls on the ninth Tithi of the first Pacsha, of the Lunar month Chaitra, and therefore, in as much as the *Chandra Panchangum* is considered, it is a *fixed* holy day. But it is clear that it must occur sooner or later every year, when referred to the *Ravi Panchangum*, according as the beginning of the *Lunar* falls nearer or farther from that of the *Solar* year.

The Hindus of the Carnatic observe 37 principal feasts during the course of the Luni-solar year ; 32 of which are fixed, and 5 are moveable, in the sense above explained.

Besides these, there are five holy days governed by the Solar Kalendar : four of which are determined by the Epochs when the Sun is in the *Equinoctial* and *Solstitial* points of the *Sydereal* Ecliptic. The fifth is only one of recreation. The natives of these Provinces observe, therefore, forty-two holy days in all.

Of the holy days which are governed by the Luni-solar Kalendar.

1. *Yúgadi Pundaga.*—The 1st Tithi (Lunar day) of the *Chandra Sumvatsara*, called *Siddhanta Chandra mana* in the Carnatic, and reckoned in Bengal according to the style of Vicramaditya.

2. *Sriráma-navamí.*—The 9th Tithi of the 1st Pacsha of the Lunar month Chaitra ; which is the anniversary of the incarnation of Vishnù in the shape of a Rajah, or Prince of the cast of *Cshetria.*—A day of prayer and recreation, though some devout Brahmins keep fast.

(*) Vide Asiatic Researches, vol. III, p. 257.

3. *Madana-trayódasí.*—A festival in honor of *Cáma déva* the god of love. This is observed on the 13th Tithi of the 1st Pascha of the Lunar month *Chaitra*; but principally in the Northern Provinces.

4. *Chittera Pavurnami.*—The 15th Tithi or day of full Moon in Chaitra, on which day *Chittera Gupta* (the recording spirit of Yama's chancery) is commemorated.

5. *Balarama Jayenti; Acsháyá Tritiya.*—The 3d Tithi of the month Vaisác ha, 1st Pacsha.— N. B. When certain days of the Moon fall on certain days of the week, they are called *Acsháyás,* or *imperishable.* The present festival is subject to this contingency; but it is not considered so in the Carnatic.—This Tithi is the anniversary of the beginning of the *Tretá yug;* and a day of recreation.

6. *Nrisinha,* or *Narasinma Jayenti.*—The 14th Tithi of the 1st Pacsha of the Lunar month Vaisá cha; being the anniversary of Vishnù's incarnation as half a lion, and half a man.

7. *Vyasa Pavurnami* or *Dánamú vasyacam.*—The 15th Tithi or full Moon of the Lunar month *A'shád'ha,* kept in commemoration of *Vyasa* (one of the *Avataras*). He was one of the most celebrated Penitents, and the reputed author of the 18 principal, and 18 inferior *Puranas,* and also of all the *Mantras* or forms of prayer, in existence.

8. *Garuda Punchami;* or *Nága punchami.*—The 5th Tithi of the Lunar month *Srávana,* on which day the serpent of *Vishnù* is worshipped.

9. *Vara Lacshmi Vrittum.*—(Moveable). This holy day is always kept on the Friday which precedes the *full Moon* of the Lunar month *Sravana,* reserved for Lacshmi's worship.

10. *Rugoopah Curmum.*—(Moveable); to be observed on the day when the Moon is in the Nacshatra *Sravana.* The Brahmins begin to read the Rig veda on this day.

11. *Ejurupa Curmum.*—The 15th Tithi, or day of full Moon of the Lunar month *Sravana.* On this day most of the Brahmins renew their sacrificial chord; and begin to read the Ijur veda.

12. *Crishna Jaumáshtami.*—The 8th Tithi of the 2d Pacsha of the Lunar month *Sravana.* The anniversary day of *Vishnù's* incarnation into the person of Sri-Crishna.

13. *Somapa Curmum.*—The 3d Tithi of the 1st Pacsha of the Lunar month *Bhadrapada;* on which the Brahmins who follow the doctrines of the *Cáma veda* renew their sacrificial chord; and begin to read that *veda.* (*)

14. *Vinayaka,* or *Ganésa Chaturt'hi;* also *Heritálicá.*—The 4th Tithi of the 1st Pacsha of the month *Bhadrapada.* An inauspicious day; because *Crishna* was falsely accused in his childhood to have stolen a gold gem from *Praséna* on that day.

15. *Rishi punchami.*—The 5th Tithi of the same month and Pacsha, on which the memory of the seven principal *Rishis* or penitents is commemorated.

16. *Ananta Chatardasi.*—The 14th Tithi of the same month and Pacsha; sacred to Vishnù, under the epithet of *infinite.*

17. *Maha lacyaramba,* or *Aparupacsha,* and *Bráhma sávitrí.*—The 1st Tithi of the 2d Pacsha

---

(*) The Atharva veda, is either supposed to be lost, or to be concealed as a bad book; and therefore never read (at least avowedly) by the Brahmins.

of the Lunar month *Bhádra*, on which the Hindus begin to worship the *Pitris*, or spirits of deceased ancestors.

18. *Madhya Astami.*—The 8th Tithi of the same Pacsha and month ; a day on which it is meritorious to observe the *Srardum*, which when done, produces the same effect as if that ceremony had been performed during every other day of the Pacsha.

19. *Cali-yugadi.*—The 13th Tithi of the same month and Pacsha ; being the anniversary of the beginning of the *Cali yug*.

20. *Navarátricam*, or *Aswina Sudham.*—The 1st Tithi of the month *Aswina*, consecrated to the worship of the goddess *Durgá*. On this day the *Dussera* feast is celebrated. It is one of the most important and splendid of the year.

21. *Saraswati Puja rumbha.*—(Moveable) ; to be observed on the day when the Moon is in the Naeshatra *Mula* in the 1st Pacsha of the month *Aswina*. On this day all Hindus begin to collect their books, and the instruments of their trade and profession, for the purpose of future adoration.

22. *Saraswati Puja*, or *Mahánavami.*—The 9th Tithi of the 1st Pacsha of *Aswina* ; a day of devotion ; bathing and reading certain *Mantras*.

23. *Vijyá Desami.*—The 10th Tithi of the same Pacsha and month ; on this day are worshipped all the books, arms, and instruments of trade which were collected on *Saraswati Puja rumbha*.

24. *Naraca chaturdasi*, or *Bhúta chaturdasi Yamaterpanam.*—The 14th Tithi of the 2d Pacsha of the month *Aswina*, on which *Yama* (the judge of the dead) is worshipped : the ceremonies performed on this day begin with the morning twilight or Pratha *Sandhya*.

25. *Dipavali*, or *Lacshmi pujá dipánwitá.*—The 15th Tithi or day of full Moon of the month *Aswina*. On this day the Hindus begin to wear new clothes, and on that occasion entertain their friends : this is also the epoch for settling accounts, and hoarding up treasure. At midnight all the votaries of *Lacshmi* shut up their money in a coffer, and worship it in honor of their tutelar goddess.

26. *Scanda-shasti.*—The 6th Tithi of *Cartica*, 1st Pacsha. A day of fasting in honor of *Subra mania*, son of *Siva*.

27. *Crita Yugadi* or *Durgá navami.*—The 9th Tithi of the 1st Pacsha of the month *Cartica* ; and the anniversary of the beginning of the *Crita yug*.

28. *Utthánaicádasi.*—The 11th Tithi of the 1st Pacsha of the same month, the anniversary of that on which *Vishnu* awoke from his slumber of 4 months : a day for contemplation.

29. *Survalaya Deepum*, or *Dánamávasyacam.*—The 15th Tithi, or time of full Moon of the month *Cartica*: on this day all the pagodas and private houses are illuminated, and the rich entertain their friends.

30. *Cártica Deepum.*—(Moveable) ; this festival depends on the day on which the Moon is in the Naeshatra *Critica* during the month *Cártica*: it is a day of fasting in commemoration of *Subra mania*.

31. *Moocoti Yacadesi.*—The 11th Tithi of the 1st Pacsha of the month *Margasiras*. A general

fast to be observed in honor of *Vishnu*, and kept all the day and night: no one should indulge in sleep during the whole course of the Tithi.

32. *Radha*, or *Bascara Septami*.—The 7th Tithi of the 1st Pacsha in *Magha*. A fast in honor of the Sun, as a form of *Vishnu*.

33. *Bishma Yacadesi*, or *Bhaimi*.—The 11th Tithi of the 1st Pacsha in *Mágha*. Ceremonies to be performed with *Tila* or *Sesumum*, in honor of *Bhima*.

34. *Maha Siva Rátri*.—The 14th Tithi of the 2d Pacsha in *Mágha*. A rigorous fast to be kept, with extraordinary ceremonies in honor of *Siva-linga*, the *Phallus* of the Indians.

35. *Dwapara yugadi*.—The Amavasya or conjunction day which determines the end of the Lunar month *Magha*, being the anniversary of the beginning of the *Dwépara yug*.

36. *Camadahánum Holica*, or *Phalgutswa;* vulgarly called *Huli*.—The 15th Tithi or full Moon of the month Phalguna. This festival was ordained on account of the near approach of the Vernal Equinox. All classes of Hindus sport on this day in honor of Govinda, who is carried about in a palankeen. It may be compared to the *Saturnalia* of the Romans, for all classes of Society are confounded whilst it lasts.

37. *Pungoni Uttara*.—(Moveable); this festival, which is kept in commemoration of the marriage of Siva, Vishnù and other gods, is to be kept on the day when the Moon is in the Nacshatra Phalguni. On the above account this day is held auspicious for marrying.

Solar Festivals.

1. *Varsharumbum*.—The beginning of the Solar Sydereal year; kept therefore on the 1st day of the month Vaisác'ha (Tamil Chitram) when the Sun enters the Sign *Mesha* ♈. This holy day is kept by resorting to the sacred rivers, giving alms, and sacrificing to the Pitris, or spirits of deceased ancestors: also a day of recreation.

2. *Dechanayan'a Punia Calum*.—The 1st day of the month *Sra'vana* (Tamil *Audi*) when the Sun enters *Carcata* ♋. The same observances as for *Vaisác'ha*.

3. *Audy Pundaga*.—The last day of the same month, a day of recreation and entertainment; on which the Hindus feast on boiled cocoanuts.

4. *Vishu Punia Calum*.—The 1st day of the month Cártiga (Tamil *Arpesi*) when the Sun enters the Sign *Tula* ♎: the same observances as for Vaisác'ha.

5. *Uttarayena Punia Calum*.—The 1st day of the Solar month Magh (Tamil *Tye*) when the Sun enters the Sign *Carcata* ♑. This is the grand festival of the Pungol, on which day, after the usual bathings, giving of alms, and sacrifices to the Pitris, the Hindus offer boiled rice to the Sun, then scatter it over their fields to propitiate abundance. At the end of the ceremonies, they worship the Cow, and then it is pretended that some ill luck falls on a particular *animal* which becomes a victim for the general safety.

Matoo Pungol.—This is a continuation of the feast which began on the preceding day. The worship of the Cows and Bulls continues: all the cattle are decked with flowers, painted horns, &c. and driven about the fields, as if for their amusement.

N. B. For the anniversaries of the accession of the 14 Menus, see Text, page 311.

ERRATA.

PREFACE.

Page. Line.

iii   4 from the top, for *Jyantish*, read *Jyôtish*. The same correction in the 3d line from the bottom.
vii   11 from the top, strike off the full stop . and read ;
ix   2 from the bottom, for *Cycles*, read *Cycle*.
xii   13 from the bottom, for *Phœnomenæ*, read Phœnomena.
ib.   in the same line, for 2ʰ 24ᵐ, read 8ʰ 53ᵐ or 22g 25ᵛ 36ᵖ Hindu time.

FIRST MEMOIR.

11   last word of the page, for *Ascendentia*, read *Antecedentia*.
17   15 from the top, for *at the end of the Tables*, read *in Appendix* iv, *page* 307.
20   1 of the note, for *Note*, read *Appendix* ii, *page* 245.
23   5 from the bottom, for *Cycle*, read *Style*.
ib.   last line of all, for Cali-yugam 3102, read 903-2.
26   7 from the bottom, for *Ascendentia*, read *Antecedentia.*
29   13 from the bottom, for *could*, read *would.*
36   23 from the top, for *Ascendentia*, read *Antecedentia.*
39   11 from the bottom, for *let it be*, read *let be.*
40   16 from the bottom, for *Chronologists*, read Chronologers.
43   8 from the bottom, for *at*, read *with.*
45   1 of the note, for *Note*, read Second Appendix, page 307.
54   14 from the top, strike off the comma between " *less than*, and *for* ; and place it after *Rest.*
ib.   17 from the top, for *is*, read *was.*

SECOND MEMOIR.

69   last figure in the Table at the bottom, for 25, read 24.
ib.   7 from the top, for *Mulkya*, read *Muc'hya.*
70   7 from the top, for *Sanyama*, read *Sangama.*
71   7 in the note, for *Narikas*, read *Nazicays.*
ib.   last line of the note, for " *at the end of the Tables*", read *of the Volume.*
73   12 from the bottom, for " *Third Memoir*", read Appendix to the Second Memoir, page 169.
75   14 from the top, for *Bhaiava*, read *Bhalava.*
ib.   8 from the bottom, for *lasts*, read *is.*
ib.   last line of all, for *third Memoir*, read *Appendix to the Second Memoir.*
76   16 from the top, strike off the stop after *Mahayug*) and of the following word strike off T, and read *the.*
77   11 from the top, for *Keta*, read *Ketu.*
81   12 from the bottom, for *Memoirs*, read *Memoir.*
86   8 of the note, for *Notation*, read *Nutation.*
ib.   last line but one of the note, for *Epycicular*, read *Epicircular.*
87   2 at top, for " *and the Amavasya*", read *and the ends of the Amavasya, and Prathama Tithis.*
90   14 from the top, insert 45g over the quantity 28g 15ᵛ 32ᵖ and read thus

$$- \begin{array}{ccc} 45g \\ 28 & 45 & 32 \\ \hline 16 & 14 & 23 \end{array}$$

Page. Line.

94   7 from the top, for " *let it be*," read *let be.*

103   last line of all, the same correction.

104   last note, for Booja, read *Bhuja.*

115   4 of the article C, after " the Sun and Moon's," add *relative* (revolutions).

117   1 in the note, strike off *Amavasya.*

124   in the marginal note, for *Moon*, read *Sun.*

127   9 from the top, for *Equation*, read Motion.

130   4 from the bottom, for *Malasyan*, read Malayala.

142   3 from the top, strike off I.

153   8 of Article 2, for *these*, read *those.*

158   last line but one, for " *the time that will elapsed*", read the time that will *have* elapsed.

APPENDIX TO THE SECOND MEMOIR.

171   4 from the top, for *Josela Barcajosey*, read *Joscla Bascarjosey.*

THIRD MEMOIR.

197   13 from the top, for *precedes*, read *precede.*

ib.   15 from the top, for *those of the two*, read one of the two.

ib.   4 from the bottom, for *inspection*, read *analogy.*

199   10 from the top, at the beginning, strike off 24ˢ.

200   7 from the top, for " *will be*," read *was.*

201   2 from the top, for 353ᵈ 17ᵍ 10ᵛ 31ᵖ, read 353ᵈ 27ᵍ 10ᵛ 31ᵖ.

204   1 of the note, for *Suda*, read *Sucla.*

215   13 from the bottom, after *of the Cali-yug*, add *be proposed.*

FOURTH MEMOIR.

220   in the note, for page 22 infra, read page 232.

APPENDIX II.

246   13 from the top, for *Chronologist*, read *Chronologer.*

247   3 from the top, for *invention*, read *inventor.*

255   3 from the bottom, in the sum of the Sun's mean Longitude, for 0˙ 36' 0' 52,9, read
      0˙ 18° 0' 52,9.

267   5 of proposition C, from the equation at the end, strike off = the sign of equality, and
      substitute ∾ that of ratio.

274   in the note, last line of figures, for T = 26ᵈ 8ᵍ (56, read 26ᵈ 8ᵍ 0ᵛ 56ᵖ.

ib.   last line of the note, after " which is the same as above", add " vide page 273."

279   in the computation of the Sun's apparent Longitude, at the bottom, wherever the word
      Notation appears, read *Nutation.*

APPENDIX III.

297   1 at the top, at its beginning, for " the *last* of which is always of 355 days, read " *Eleven*
      of which are always of 355 days."

ib.   wherever the words *Yerdegird*, and *Yerdegirdic* appears in this page, read *Yezdegird* and
      Yezdegirdic.

ib.   18 from the top, for *revolutions*, read *account.*

298   4 from the bottom, for Chronologist, read Chronologer.

299   7 from the top, for *Marshervam*, read *Marshesvam.*

302   8 from the top, for *Snidas*, read *Suidas.*

304   6 from the bottom, for " *il freit*", read *il fait.*

ib.   5 from the bottom, for *l'au*, read *l'an.*

APPENDIX IV.

Page Line.
307   3 of the first paragraph, for " *amount to six hours of time*", read " *amount to nearly*
       NINE *hours of time.*"
309   14 from the top, at the end, for " *before* A", read *behind* A.
313   in the heading of the second column of the Kalendar, for " or *Chaitram*", read " or Bengal
       Chaitra."

FRAGMENT I.

325   1 of the third paragraph, for *combats*, read *combates.*
ib.   8 from the bottom, at the end, for " it proceeds 3° ¼ to 3° ¾", read " it proceeds *from*
       3° ¼ to 3° ¾."
329   3 from the top, near the end, for " it is constructed", read " it was constructed."

FRAGMENT IV.

336   2 & 3 of Article I, to " 4926, of the Cali yug, and the 1747th since the birth of Sali.
       " vahana", add " *elapsed;* the current years being 4927th of the Cali yug, and
       " 1748th Saca."
339   4 from the top, for the *Sun's* mean motion, read the *Moon's* mean motion.
347   In the line of *Digits*, for 12' 30", read 12' 30', and the same of the two other quantities.

ASTRONOMICAL TABLES.

2   Table II, in the last line of the last paragraph, for *notation*, read *account.*
19 Table XVII, 1st and 2d line of the title, for *corresponding*, read *relatively.*
31 Table XXVI, for the word *Druva* inserted in the headings of the second columns of the
    Table, read *P'hala.*
33 Table XXVII, Part 1, in the second line after the Table, for " *origin Chaitram*," read
    " origin of Chaitram."
ib. 7th line do. for " *of initial root*", read " of *the* initial root."
34 Table XXVII, Part 2, second line of the title, strike off *and.*
44 Table XXXIII, in the body of the Table, after *Benares*, the Hindu name *Cassi* of that
    city should be inserted ; and for the same reason, after *Oogein*, should appear *Ujani.*
65 Table XLIX, last line of all, after the words " *civil reckoning*", add " the difference 21ᶜ
    " 25ᵛ 48ᴾ (8ʰ 34' 19",2 E. T.) being only a fraction of the current day."

CHRONOLOGICAL TABLES.

     Line.
v   15 from the top, for " address himself *to*", read *address himself.*
vii 18 from the bottom, for " on the 10th of April at 51ᶜ 15'", read " on the 10th April
     " *(and Column XI)* at 51ᶜ 15ᵛ."
ix   2 from the top, at the beginning, for " 11th April," read " (according to Dr. Wilson's
     communication) 12 h April."
xiii 15 from the top, for " *or* in the latter supposition", read " *but* in the latter supposition."
xx   4 from the top, for " as we find an *asterisk*", read " as we find a *B.*

N. B.—For the Errata in the spelling of the Sanscrit terms, see the Glossary.

ASTRONOMICAL TABLES

REFERRED TO IN THE

KALA SANKALITA.

TABLE I.

For finding the Initial Feria, and Sydereal beginning of any Solar Year, according to the Tamul Kalendar : the duration of the year (that of the Ariah Siddhanta) being 365ᵈ 15ᵍ 31ᵛ 15ᵖ.

$$365^d\ 15^g\ 31^v\ 15^p$$

Vuchij.

Druva.	Cali yug. 4802 — Epoch or Druva. A. D. 1700	Roots.				To be used with an Epoch — Secular years.	Roots.		
		D.	G.	V.	P.				
		(6)	2	11	15				
	Roots 1	(1)	15	31	15	100	(6)	52	5	0
	2	(2)	31	2	30	200	(6)	44	10	0
	3	(3)	46	33	45	300	(6)	36	15	0
	4	(5)	2	5	0	400	(6)	28	20	0
	5	(6)	17	36	15	500	(6)	20	25	0
	6	(0)	33	7	30	600	(6)	12	30	0
	7	(1)	48	38	45	700	(6)	4	35	0
	8	(3)	4	10	0	800	(5)	56	40	0
	9	(4)	19	41	15	900	(5)	48	45	0
	10	(5)	35	12	30	1000	(5)	40	50	0
	20	(4)	10	25	0				
	30	(2)	45	37	30				
	40	(1)	20	50	0				
	50	(6)	56	2	30				
	60	(5)	31	15	0				
	70	(4)	6	27	30				
	80	(2)	41	40	0				
	90	(1)	16	52	30				
	100	(6)	52	5	0				

EXAMPLE.

For the year of the Cali yug 4847 current or A. D. 1745.

	D.	G.	V.	P.
Epoch for 1700	(6)	2	11	15
Root for 40 years	(1)	20	50	0
Do. for 4 years	(5)	2	5	0
Root	(5)	25	6	15

which Root (5) is to be counted from *Sunday,* i. e. *Friday, Sucra-vara.*

N. B.—If the beginning of the year 1700 be required—

	D.	G.	V.	P.
Subtract Root for 1 year from the Epoch	(6)	2	11	15
Root for 1 year	(1)	15	31	15
Beginning of Chaitram and year Cal. 4802	(4)	46	40	0

Thursday, Guru-vara.

TABLE II.

For finding the Initial Feria or Soota dina and Sydereal beginning of the Solar years of the Cycle of 90 years, called Grahaparivrithi, *as used in the Southern Provinces of the Peninsula, the year being of* 365ᵈ 15ₛ 31ᵛ 30p *that of the* Vakia Carana.

Sittandij.

For the beginring of the year Cm. 4847 (1745.)

First Epoch or *Acchu* A Cali yug 3078 complete; or A. Ante Chris. 24.	Epochs of Cycles.		Roots of Years.	
	Cycles.	Epochs.	Years.	Roots.
		D. G.		D. G.
	0	(6) 4	0	(0) 0
	1	(0) 19	1	(1) 19
	2	(1) 36	2	(2) 31
	3	(2) 53	3	(3) 47
	4	(4) 10	4	(5) 2
	5	(5) 27	5	(6) 18
	6	(6) 44	6	(0) 33
	7	(1) 1	7	(1) 49
	8	(2) 18	8	(3) 4
	9	(3) 35	9	(4) 20
	10	(4) 52	10	(5) 35
	11	(6) 9	20	(4) 10
	12	(0) 26	30	(2) 45
	13	(1) 43	40	(1) 21
	14	(3) 0	50	(6) 56
	15	(4) 17	60	(5) 31
	16	(5) 34	70	(4) 6
	17	(6) 51	80	(2) 42
	18	(1) 8	90	(1) 17
	19	(2) 25		
	20	(3) 42		
	21	(4) 59		
	22	(6) 16		
	23	(0) 33		
	24	(1) 50		

EXAMPLE

of the Calculus, according to the Sittandij, for the year Cali yug 4847 current or A. D. 1745.

To determine the Cycle.

90)1744(19
31
add 24
—
58

Answer. 19th Cycle 58th year.

RULE.

	D.	G.	V.
Epoch Cycle 19	(2)	25	
Root for years 50	(6)	56	
Ditto for 8	(3)	4	
Epoch (5)	25	0	

which being an even year, add + ,, 31

Beginning of year & Chait. (5) 25 31

From which it appears that the beginning of the year and Chaitram falls after the 5th day from Sunday, i. e. *Friday*, at 25ₛ 31ᵛ after Sun rise, which fraction of day being less than 30 guddias; marks the time before Sun set (at Lanca), and in this case the Civil and Sydereal notation agree.

			D.	G.	V.	P.
According to the Vachij,			(5)	25	6	15
to the Sittandij			(5)	25	31	0
Difference			,,	,,	24	45

TABLE III.

Exhibiting the Tamul names of the Solar months; their absolute duration; their Roots; and the corresponding Signs of the Zodiac.

I. Time ascribed to each Sign.

European months, Old Style.	Types of Signs of the Hindu Zodiac.	Tamul Months corresponding with 12 Signs of the Zodiac.	The Longitude of the 1st of Mesha corresponding with 1st Chaitram to be taken 18° 11' 26" A. C. 1847 (1745.) D. G. V. P.	European Months, N.S.
March	♈	Chaitram	30 55 32 1	April
April	♉	Viassei	31 21 12 1	May
May	♊	Auni	31 36 38 1	June
June	♋	Audi	31 28 12 2	July
July	♌	Auvani	31 2 10 1	August
August	♍	Paratasi	30 27 22 1	Sept.
Sept.	♎	Arpesi	29 54 7 1	Oct.
Oct.	♏	Cartiga	29 30 24 2	Nov.
Nov	♐	Margali	29 20 53 1	Dec.
Dec.	♑	Tye	29 27 16 1	Jan.
Jan.	♒	Maussi	29 48 24 1	Feb.
Feb.	♓	Poongoni	30 20 21 2	March

II. Roots of Indian Months separately taken.

European Months, N.S.	Tamul months.	The Hindus assign 186d 21h 38' 24" of our Time for the Sun to move thro' the N. S. & 178d 8h 34' 6" the S. S. D. G. V. P	Types of Signs of the Hindu Zodiac.
April	Chaitram	(2) 55 32 1	♈
May	Viassei	(3) 24 12 1	♉
June	Auni	(3) 36 38 1	♊
July	Audi	(3) 28 12 2	♋
August	Auvani	(3) 2 10 1	♌
Sept.	Paratasi	(2) 27 22 1	♍
Oct.	Arpesi	(1) 54 7 1	♎
Nov.	Cartiga	(1) 30 24 2	♏
Dec.	Margali	(1) 20 53 1	♐
Jan.	Tye	(1) 27 16 1	♑
Feb.	Maussi	(1) 48 24 1	♒
March	Poongoni	(2) 20 21 2	♓

III. Roots of Indian Months collectively taken.

Types of Signs and corresponding months of the European Zodiac.	This division to be used for finding at once the beginning of months when that of the year has been found. D. G. V. P.	Names of the Hindu Signs of the Zodiac.	Names of the Hindu months of the Astronomical year.	European months, N.S.
♉ April	(2) 55 32 1 Mésha	Mésha	Vaisacha	April
♊ May	(6) 19 41 2 Vrisha	Vrisha	Jaish'ta	May
♋ June	(2) 56 22 3 Mid'huna	Mid'huna	Ashar	June
♌ July	(6) 21 34 5 Carcáta	Carcáta	Sravana	July
♍ August	(2) 26 44 6 Sinha	Sinha	Bha'dra	August
♎ September	(4) 54 6 7 Canyà	Canyà	Aswina	Sept.
♏ October	(6) 48 13 8 Tulà	Tulà	Cartiga	Oct.
♐ November	(1) 18 37 10 Vrischica	Vrischica	Margasiras	Nov.
♑ December	(2) 39 30 11 Dhanus	Dhanus	Paushya	Dec.
♒ January	(1) 6 46 12 Macara	Macara	Vagh	Jan.
♓ February	(3) 55 10 13 Cumbha	Cumbha	Phalguna	Feb.
♈ March	(1) 15 31 15 Min	Min	Chitra	March

Particular attention is to be paid to the European month which concurs with Chaitram, which in present times is April, N. S. but in Old Style is March.—In that case, taking out the Root to get the beginning of the 2d month in the year, instead of taking that for April (2) 55 32 1, which is the first in the column, you are to take the same as for March.

How to find the beginning of any month in the year, by means of Table I and III.

<div align="center">EXAMPLE.</div>

Having found by the Rule given at the foot of Table I, the manner of determining the 1st of Chaitram and year, according to the Vachij; and the same Table II, according to the Sittandij, let the 1st of the Tamul month Paratasi (Indian September) be required.

<div align="center">RULE.</div>

	Vachij.					*Sittandij.*				
Beginning of		D.	G.	V.	P.			D.	G.	V.	P.
Chaitram and year	(5)	25	6	15		Annual Epoch	(5)	25	31	0
Root Table III, part 3d, for Auvani (preceding month) complete, N. S.	(2)	26	44	6		Root Table III, part 3d,	(2)	26	44	6
Beginning of Paratasi	(0)	51	50	21		Indian September Sunday.	(0)	52	15	6

But if we use the 2d part of Table III, instead of part 3d, we would have to begin from the month of Chaitram, and in order to reach the proposed Epoch to sum up successively the Roots for every month up to that of Paratasi.

<div align="center">EXAMPLE.   *New Style.*</div>

	D.	G.	V.	P.	
Beginning of Chaitram and year 4847	(5)	25	6	15	April
Root for Chaitram, p. 2,	(2)	55	32	1	for May
Beginning of Viassei,	(1)	20	38	16	May
Root for Viassei,	(3)	24	12	1	for June
Beginning of Auni,	(4)	44	50	17	June
Root for Auni,	(3)	36	38	1	for July
Beginning of Audi,	(1)	21	28	18	July
Root for Audi,	(3)	28	12	2	for August
Beginning of Auvani,	(4)	49	40	20	August
Root for Auvani,	(3)	2	10	1	for September
August.—Beginning of Paratasi,	(0)	51	50	21	September.

The same as before.

It need hardly be observed, that the beginning of the ensuing year may be obtained by going on adding the Roots as far as the month Poongoni.

TABLE IV.

For converting European hours, minutes and seconds, into Hindu guddias, viguddias, paras, suras; and vice versa.

European hours, minutes and seconds into Hindu Time.					Hindu guddias, viguddias and paras into European Time.					
European Time.	Hindu Time.		European Time.	Hindu Time.	Hindu Time.	European Time.		Hindu Time.	European Time.	
H.	G.	V.	H.	DAYS. G.	G.	H.	M.	G.	H.	M.
m. s.	v. p.	p. s.	m. s.	g. v. v. p.	v. p.	m. s. s. "		v. p.	m. s. s. "	
1	2	30	10	0 25	1	0	24	10	4	0
2	5	0	20	0 50	2	0	48	20	8	0
3	7	30	30	1 15	3	1	12	30	12	0
4	10	0	40	1 40	4	1	36	40	16	0
5	12	30	50	2 5	5	2	0	50	20	0
6	15	0	60	2 30	6	2	24	60	24	0
7	17	30			7	2	48	•		
8	20	0			8	3	12			
9	22	30			9	3	36			
10	25	0			10	4	0			

The use of this Table is familiar to all Mathematicians. I shall, however, give two Examples of its application.

EXAMPLE I.	EXAMPLE II.

To convert 15h 21m 35s into Hindu time.   To convert 56ˢ 37ᵛ 23ᵖ into European Time.

```
                    G.    V.   P.   S.                              H.    M.   S.   "
Part 1st, 10ʰ = 25                          Part 2d, 50ˢ = 20
          5ʰ = 12   30                               6ˢ =  2    24
         20ᵐ =      50                              30ᵛ =      12
          1ᵐ =       2   30                          7ᵛ =       2   48
         30ᵛ =       1   15                         20ᵖ =            8
          5ˢ =          12   30                      3ᵖ =            1   12
                   ─────────────────                        ────────────────────
Answer  ▪  38  23  57  30                    Answer  ▪  22  38  57  12
           ─────────────────                            ────────────────────
```

(6)

TABLE V.

For finding the Dominical Letter, Julian and Gregorian accounts.

PARTS FIRST AND SECOND.

Part 1st, Julian Secular years.										Part 2d, Gregorian Secular years.		
1	2	3	4	5	1	2	3	4	5	1	2	3
Years of Æra Cali yug current.	Concurrent Christian Secular years O.S.	Days of the week beginning each Christian century Julian Style.	Dominical Letter O.S.	Beginning of concurrent year Cali yug O.S.	Year of Æra Cali yug current.	Concurrent Christian years O.S.	Days of the week beginning each Christian century Julian Style.	Dominical Letter O.S.	Beginning of concurrent year Cali yug O.S.	Days of the week beginning each Christian century Gregorian Style.	Dominical Letter N.S.	Beginning of concurrent year Cali yug N.S.
	A. D.			March.		A. D.			March			
3102	0	Thursday	DC	14	4202	1100	Sunday	AG	23			
3202	100	Wednes	ED	14	4302	1200	Saturday	BA	24			
3302	200	Tuesday	FE	15	4402	1300	Friday	CB	25			
3402	300	Monday	GF	16	4502	1400	Thursday	DC	26			April.
3502	400	Sunday	AG	17	4602	1500	Wednes	ED	27	Monday	G	5
3602	500	Saturday	BA	18	4702	1600	Tuesday	FE	27	Saturday	BA	6
3702	600	Friday	CB	19	4802	1700	Monday	GF	28	Friday	C	8
3802	700	Thursday	DC	20	4902	1800	Sunday	AG	29	Wednes	E	10
3902	800	Wednes	ED	20	5002	1900	Saturday	BA	30	Monday	G	12
4002	900	Tuesday	FE	21	5102	2000	Friday	CB	31	Saturday	BA	13
4102	1000	Monday	GF	22								

HEADS OF THE COLUMNS.

Part First.

1. Tamul Solar years counted from Epoch Cali yugam current.
2. Christian Secular Julian years concurrent with the same.
3. Days of the week beginning each Christian century according to the *Julian* Kalendar.
4. Dominical Letters of Christian Secular years O. S.
5. Date on which the concurrent Tamul year begins according to the *Julian* Kalendar.

Part Second.

1. Days of the week on which the Christian century begins according to the *Gregorian* Kalendar.
2. Dominical Letters of Christian Secular years N. S.
3. Date on which the concurrent Tamul year begins according to the *Gregorian* Kalendar.

TABLE V.

PART THE THIRD.

Julian Secular years.					
·1	2	3	4	5	6
Anno Ante Christian Æra.	Anno Mundi.	Anno from the Epoch Cali yu_gam. $+$ $-$	Dominical Letter O. S.	Day of the week be-ginning each Chris-tian century Julian Style.	Day of the month on which the Hindu year begins.
		Ante Cali yug.			February
4004	1 (*)	—903.2	DC	Thursday	8
4000	4	—898.7	FE	Tuesday	8
		Post Cali yug.			
3000	1004	+ 102	BA	Saturday	16
2000	2004	1102	ED	Wednesday	25
					March
1000	3004	2102	AG	Sunday	5
900	3104	2202	BA	Saturday	6
800	3204	2302	CB	Friday ˙	7
700	3304	2402	DC	Thursday	7
600	3404	2502	ED	Wednesday	8
500	3504	2602	FE	Tuesday	9
400	3604	2702	GF	Monday	10
300	3704	2802	AG	Sunday	11
200	3804	2902	BA	Saturday	12
100	3904	3002	CB	Friday	13
0	4004	3102	DC	Thursday	14

SUPPLEMENT.

Julian Secular years from A. A. C. 1000.	Domini-cal Let-ter O. S.	Julian Secular years from A. A. C. 1000	Domini-cal Let-ter O. S.	Julian Secular years from A. A. C. 1000	Domini-cal Let ter O. S.	Julian Secular years from A. A. C. 1000.	Domini-cal Let-ter O. S.
4000	FE	3100	AG	2200	CB	1300	ED
3900	GF	3000	BA	2100	DC	1200	FE
3800	AG	2900	CB	2000	ED	1100	GF
3700	BA	2800	DC	1900	FE	1000	AG
3600	CB	2700	ED	1800	GF		
3500	DC	2600	FE	1700	AG		
3400	ED	2500	GF	1600	BA		
3300	FE	2400	AG	1500	CB		
3200	GF	2300	BA	1400	DC		

(*) Port Royal account.

TABLE VI.

For finding the feria or weekly day which begins any proposed year.

This Table is always to be entered with the odd Christian year *current* of the century.

Part 1st, Julian Style.

Number of days to be added to the day of the week beginning the Century for finding the 1st weekly day in the given year.

0	1	2	3	4	5	6

Odd years of Centuries.

0	1	2	3	4	5	6
*	0	1	2	3	4	10
5	6	7	8	14	9	16
11	12	18	13	20	15	21
22	17	24	19	25	26	27
28	23	29	30	31	32	38
33	34	35	36	42	37	44
39	40	46	41	48	43	49
50	45	52	47	53	54	55
56	51	57	58	59	60	66
61	62	63	64	70	65	72
67	68	74	69	76	71	77
78	73	80	75	81	82	83
84	79	85	86	87	88	94
89	90	91	92	98	93	100
95	96		97		99	

Part 2d, Gregorian style.

Number of days to be added to the day of the week beginning the Century for finding the 1st weekly day in the proposed year.

0	1	2	3	4	5	6

Odd years of Centuries.

0	1	2	3	4	5	6
0	1	2	3	4	10	5
6	7	8	14	9	16	11
12	18	13	20	15	21	22
17	24	19	25	26	27	28
23	29	30	31	32	38	33
34	35	36	42	37	44	39
40	46	41	48	43	49	50
45	52	47	53	54	55	56
51	57	58	59	60	66	61
62	63	64	70	65	72	67
68	74	69	76	71	77	78
73	80	75	81	82	83	84
79	85	86	87	88	94	89
90	91	92	98	93	100	95
96		97		99		

The construction and use of this Table are explained in the first Memoir. It is in all cases to be entered with the proposed *current* odd year of the Century.

For the years before Christ either Part first or second is to be used, as the given year happens to be a bissextile or a common one; a distinction, however, which does not apply to years after Christ.

TABLE VII.

Shewing the Epochs and Roots of Secular years from A. D. 0 to 2000.

The construction and use of this Table are explained in the first Memoir. The manner of using it is the same as that indicated at the foot of Table I, where the Epoch for 1700, marked at the top of the 1st column (6^s) 2^s 11^v 15^p, is taken for the resolution of the beginning of A. Cm. 4847 (1745).

The 3d column exhibits the proper Roots of the Secular years which indicates at once its beginnings without the subtraction of one year from the Epoch for the same year, which is apt to occasion mistakes.

The Roots for the odd years are to be taken out of Table I.

	1		2				3			
	European Secular years.	Concurrent years Cali yugam commencing.	Epochs marking the beginning of the same Hindu year.				Roots of the same differing from Epochs by 1 Hindu year.			Julian date in March.
			D.	G.	V.	P.	D.	G.	V.	
	0	3102	(1)	16	46	15	(0)	1	15	14
	100	3202	(1)	8	51	15	(6)	53	20	14
	200	3302	(1)	0	56	15	(6)	45	25	15
	300	3402	(0)	53	1	15	(6)	37	30	16
	400	3502	(0)	45	6	15	(6)	29	35	17
	500	3602	(0)	37	11	15	(6)	21	40	18
	600	3702	(0)	29	16	15	(6)	13	45	19
	700	3802	(0)	21	21	15	(6)	5	50	20
	800	3902	(0)	13	26	15	(5)	57	55	20
	900	4002	(0)	5	31	15	(5)	50	0	21
	1000	4102	(6)	57	36	15	(5)	42	5	22
	1100	4202	(6)	49	41	15	(5)	34	10	23
	1200	4302	(6)	41	46	15	(5)	26	15	24
	1300	4402	(6)	33	51	15	(5)	18	20	25
	1400	4502	(6)	25	56	15	(5)	10	25	26
	1500	4602	(6)	18	1	15	(5)	2	30	27
	1600	4702	(6)	10	6	15	(4)	54	35	27
	1700	4802	(6)	2	11	15	(4)	46	40	28
	1800	4902	(5)	54	16	15	(4)	38	45	29
	1900	5002	(5)	46	21	15	(4)	30	50	30
	2000	5102	(5)	38	26	15	(4)	22	55	31

EXAMPLE.

Wanted the beginning of A. D. 622, or Cali yugam 3724 (515 Saca).

	D.	G.	V.	P.
By Table VII. 1st and 2d Part, Epoch for A. D. 600 -	(0)	29	16	15
Root for 20 years, by Table I. - -	(4)	10	25	0
Do. for 1 year complete Do. - -	(1)	15	31	15
Beginning of Chaitram and year 3724 Cali yugam or				
545 Saca - - - - *Friday*	(5)	55	12	30

Sucra-vara.

The (6) in the 3d column shews at once that the Secular year 3702 Cali yugam (A. D. 600) began on a *Saturday, Sani-vara,* answering to the 19th March, O. S. both Civil and Sydereal accounts.

TABLE VIII.

PART FIRST.

For years ascending from the birth of Christ, from 0 to 100.

Years of the First Century B. C. ascending.						
Years Ante Christ. Æra.	Anno Mundi. (*)	Anno Cali yu- gam.	Roots indicating the beginning of each Tamul year.			
			D.	G.	V.	P.
100	3904	3002	(0)	9	10	0
90	3914	3012	(5)	44	22	30
80	3924	3022	(4)	19	35	0
70	3934	3032	(2)	54	45	30
60	3944	3042	(1)	30	0	0
50	3954	3052	(0)	5	12	30
40	3964	3062	(5)	40	20	0
30	3974	3072	(4)	15	37	30
20	3984	3082	(2)	50	50	0
10	3994	3092	(1)	26	2	30
9	3995	3093	(2)	41	33	45
8	3996	3094	(3)	57	5	0
7	3997	3095	(5)	12	36	15
6	3998	3096	(6)	28	7	30
5	3999	3097	(0)	43	38	45
4	4000	3098	(1)	59	10	0
3	4001	3099	(3)	14	41	15
2	4002	3100	(4)	30	12	30
1	4003	3101	(5)	45	43	45
0	4004	3102	(0)	1	15	0

The construction and use of this Table are explained in the first Memoir.

Of this Table it is to be observed, that it gives the absolute Root for the beginning of years. That is to say, no Epoch is to be added to the quantity registered, in order to obtain the Sydereal beginning of Chaitram and year falling within its limits.

If the beginning of a year from 10 to 100 B. C. be required, take the Root of the nearest one, and complete it with the Root of the intermediate years out of Table I.

EXAMPLE.

Let the Root for the beginning of the 24th year before Christ be required.

	D.	G.	V.	P.
Take Root for 20 years, Table VIII	(2)	50	50	0
Do. for 4 *years*, Table I	(5)	2	5	0
Beginning of A. Cm. 3078 (B. C. 24) Thursday	(4)	48	45	0
The same by the Epoch. A. D. 0 Ep.	(1)	16	46	15	Table VIII, part 2.
For 20 years, Table I	(4)	10	25	0
	(4)	6	21	15
Do. for 5 *years* Do.	(6)	17	36	15
Beginning of Chaitram and year	(4)	48	45	0	the same as before

(*) Port Royal account.

TABLE VIII.

PART THE SECOND.

For years ascending from the birth of Christ 0, to that of the Creation, according to the Mosaic system.

Anno Ante Christian Æra.	Anno Mundi.	Concurrent years Cali yugam.	Epochs of Secular years.	Roots of Secular years.	Begins of Solar years, Julian.
				D. G. V. P.	Feby.
(*) Origin of Time at Noon, Sunday.				(0) 15 50 0	8
			D. G. V. P.		
4004	1	—903. 2	(2) 46 52 30	(1) 31 21 15	8
4000	4	—898. 7	(6) 33 26 15	(5) 17 55 0	8
3000	1004	102	(5) 14 16 15	(3) 58 45 0	16
2000	2004	1102	(3) 55 6 15	(2) 39 35 0	25
					March
1000	3004	2102	(1) 35 56 15	(1) 20 25 0	5
900	3104	2202	(2) 28 1 15	(1) 12 30 0	6
800	3204	2302	(2) 20 6 15	(1) 4 35 0	7
700	3304	2402	(2) 12 11 15	(0) 56 40 0	7
600	3404	2502	(2) 4 16 15	(0) 48 45 0	8
500	3504	2602	(1) 56 21 15	(0) 40 50 0	9
400	3604	2702	(1) 48 26 15	(0) 32 55 0	10
300	3704	2802	(1) 40 31 15	(0) 25 0 0	11
200	3804	2902	(1) 32 36 15	(0) 17 5 0	12
100	3904	3002	(1) 24 41 15	(0) 9 10 0	13
0	4004	3102	(1) 16 46 15	(0) 1 15 0	14

The construction and use of this Table are explained in the last Section of Part 1st of the first Memoir. Its application differs in nothing from that of Table VII, excepting that if the Epochs are used for expounding the beginnings of the Hindu years, *one* year is to be *added* instead of *subtracted* (for having the complete Solar year *ending*) to the notation of the proposed year; because the years before Christ are noted *increasing* whilst *ascending*, as is exemplified in the Rule at the foot of the preceding page.

(*) It may be worth noticing, that in calculating the beginning of the Solar Sydereal year of the Creation according to the Mosaic system, by the Hindu formula, it falls on a *Sunday*, 8th February, very near noon, the difference being only 20 minutes European time.

TABLE IX.

Exhibiting the Dominical Letter for every day in the year.

Day	January	February	March	April	May	June	July	August	September	October	November	December
1	A	d	d	g	b	e	g	c	f	A	d	f
2	b	e	e	A	c	f	A	d	g	b	e	g
3	c	f	f	b	d	g	b	e	A	c	f	A
4	d	g	g	c	e	A	c	f	b	d	g	b
5	e	A	A	d	f	b	d	g	c	e	A	c
6	f	b	b	e	g	c	e	A	d	f	b	d
7	g	c	c	f	A	d	f	b	e	g	c	e
8	A	d	d	g	b	e	g	c	f	A	d	f
9	b	e	e	A	c	f	A	d	g	b	e	g
10	c	f	f	b	d	g	b	e	A	c	f	A
11	d	g	g	c	e	A	c	f	b	d	g	b
12	e	A	A	d	f	b	d	g	c	e	A	c
13	f	b	b	e	g	c	e	A	d	f	b	d
14	g	c	c	f	A	d	f	b	e	g	c	e
15	A	d	d	g	b	e	g	c	f	A	d	f
16	b	e	e	A	c	f	A	d	g	b	e	g
17	c	f	f	b	d	g	b	e	A	c	f	A
18	d	g	g	c	e	A	c	f	b	d	g	b
19	e	A	A	d	f	b	d	g	c	e	A	c
20	f	b	b	e	g	c	e	A	d	f	b	d
21	g	c	c	f	A	d	f	b	e	g	c	e
22	A	d	d	g	b	e	g	c	f	A	d	f
23	b	e	e	A	c	f	A	d	g	b	e	g
24	c	f	f	b	d	g	b	e	A	c	f	A
25	d	g	g	c	e	A	c	f	b	d	g	b
26	e	A	A	d	f	b	d	g	c	e	A	c
27	f	b	b	e	g	c	e	A	d	f	b	d
28	g	c	c	f	A	d	f	b	e	g	c	e
29	A		d	g	b	e	g	c	f	A	d	f
30	b		e	A	c	f	A	d	g	b	e	g
31	c		f		d		b	e		c		A

TABLE X.

Table shewing some of the forms assumed by the months of the mean Solar Tamul year, with reference to the Gregorian Style.

Names of Tamul months.	The twelve months of the year Cali yug 4847 (A.D. 1745-6).				The twelve months of the year Cali yug 4856 (1754-5).				The twelve months of the year Cali yug 4915 (1813-14).			
	Roots of beginnings of months, with fractions. (D. G. V. P.)	Days of the week commencing months.	Concurrent Christian date.	Number of days in each month.	Roots of beginnings of months, with fractions. (D. G. V. P.)	Days of the week commencing months.	Concurrent Christian date.	Number of days in each month.	Roots of beginnings of months, with fractions. (D. G. V. P.)	Days of the week commencing months.	Concurrent Christian date.	Number of days in each month.
1745 / **1751** / **1813**	**C**				Dom. letter **F**				**D.L. C**			
Chaitram	(5) 25 6 15	Friday	9 April	31	(2) 44 47 30	Tues	9 April	31	(0) 0 31 15	Sunday	11 April	30
Vyassei	(1) 20 38 16	Mon	10 May	31	(5) 40 19 31	Friday	10 May	32	(2) 56 3 16	Tues	11 May	32
Auni	(1) 41 50 17	Thurs	10 June	32	(2) 4 31 32	Tues	11 June	31	(6) 20 15 17	Satur	12 June	31
Audi	(1) 21 28 18	Mon	12 July	31	(5) 41 9 33	Friday	12 July	32	(2) 56 53 18	Tues	13 July	32
Auvani	(4) 49 40 20	Thurs	12 Aug	31	(2) 9 21 35	Tues	13 Aug	31	(6) 25 5 20	Satur	14 Aug	31
Paratasi	(0) 51 50 21	Sunday	12 Sept	31	(5) 11 31 36	Friday	13 Sept	30	(2) 27 15 21	Tues	14 Sept	30
Arpesi	(3) 19 12 22	Wed	13 Oct	30	(0) 38 53 57	Sunday	13 Oct	30	(1) 54 37 22	Thurs	14 Oct	30
Cartiga	(5) 13 19 23	Friday	12 Nov	30	(2) 33 0 28	Tues	12 Nov	30	(6) 48 44 23	Satur	13 Nov	30
Margali	(6) 43 43 25	Satur	11 Dec	29	(4) 3 24 40	Thurs	12 Dec	29	(1) 19 8 25	Mon	13 Dec	30
1746 / **1755** / **1814**	**B**				**E**				**B**			
Tye	(1) 4 36 26	Mon	10 Jan	30	(5) 21 17 41	Friday	10 Jan	29	(2) 40 1 26	Tues	11 Jan	29
Maussi	(2) 31 52 27	Tues	8 Feb	29	(6) 51 33 42	Satur	8 Feb	29	(4) 7 17 27	Thurs	10 Feb	30
Poongoni	(4) 20 16 28	Thurs	10 Mar	30	(1) 39 57 43	Mon	10 Mar	30	(5) 55 41 28	Friday	11 Mar	29
4848 Chaitram	(6) 40 37 30	Satur	9 April	30	(4) 0 18 45	Thurs	10 April	31	(1) 16 2 30	Mon	11 April	31
	Common 365 days				**Leap 366 days**				**Common 365 d.**			

TABLE X, *continued.*

Forms of Tamul years assumed with reference to the Julian Style.

	The twelve months of the year Cali yug 4817. (*)				The twelve months of the year Cali yug 3903.				
Names of Tamul months.	Roots of beginnings of months, with fractions.	Days of the week commencing months.	Concurrent Christian date.	Number of days in each month.		Roots of beginnings of months, with fractions.	Days of the week commencing months.	Concurrent Christian date.	Number of days in each month.
	D. L. F		1745		A.D. 801 D.L C				
Chaitram	(2) 25 6 15	Friday	29 Mar	31		(0) 13 26 15	Sunday	21 Mar	31
Vyassei	(1) 20 38 16	Monday	29 April	31		(3) 8 58 16	Wed	21 April	31
Auni	(4) 44 50 17	Thursday	30 May	(*)		(6) 33 10 17	Satur	22 May	32
Audi	(1) 21 28 18	Monday	1 July	32		(3) 9 48 18	Wed	23 June	31
Aurani	(4) 49 40 20	Thursday	1 Aug	31		(6) 38 0 20	Satur	24 July	31
Paratasi	(0) 51 50 21	Sunday	1 Sept	31		(2) 40 10 21	Tuesday	24 Aug	31
Arpesi	(3) 19 12 22	Wednes	2 Oct	31		(5) 7 32 22	Friday	24 Sept	30
Cartiga	(5) 13 19 23	Friday	1 Nov	30		(0) 1 39 23	Sunday	24 Oct	29
Margali	(6) 43 43 25	Saturday	30 Nov	29		(1) 32 3 25	Monday	22 Nov	29
Tye	(1) 4 36 26	Monday	30 Dec	30		(2) 52 56 26	Tuesday	21 Dec	
D. L. E. 1746					A.D. 802 B				
Maussi	(2) 31 52 27	Tuesday	28 Jan	29		(4) 20 12 27	Thursday	20 Jan	30
Poongoni	(4) 26 16 28	Thursday	27 Feb	30		(6) 8 36 28	Satur	19 Feb	30
Chaitram	(6) 40 37 30	Saturday	29 Mar	30		(1) 28 57 30	Monday	21 Mar	30
				365					365

(*) It is to be remarked, in the construction of the year Cali yug 4847, concurrent with our A. D. 1745-6, that *no Hindu month* begins in our June (Julian Kalendar), and that the beginning of both *Car-tiga* and *Margali* fall in our November, a circumstance which, if unattended to, might perplex a great deal the computer, and throw much confusion in the operation for converting dates from one Style into the other.

TABLES of JUPITER.

Tables, for computing the rank, name, and beginning of the years of the Cycle of 60 or Vrihaspati, computed relatively to the commencement of the concurrent Solar Sydereal year, according to the precept of the Surriah Siddhanta and Commentary.

TABLE XI.

Jupiter's mean heliocentric motion for Solar years uncorrected, according to the Surriah Siddhanta.

I					II					III				
Years.	♃'s mean motion.				Years.	♃'s mean motion.				Years.	♃'s mean motion.			
	Signs	°	′	″		Rev.	S.	°	′		Rev.	S.	°	′
1	1	0	21	6	10	0	10	3	31	100	8	5	5	10
2	2	0	42	12	20	1	8	7	2	200	16	10	10	20
3	3	1	3	18	30	2	6	10	33	300	25	3	15	30
4	4	1	24	24	40	3	4	14	4	400	33	8	20	40
5	5	1	45	30	50	4	2	17	35	500	42	1	25	50
6	6	2	6	36	60	5	0	21	6	600	50	7	1	0
7	7	2	27	42	70	5	10	24	37	700	59	0	6	10
8	8	2	48	48	80	6	8	28	8	800	67	5	11	20
9	9	3	9	54	90	7	7	1	39	900	75	10	16	30
10	10	3	31	0	100	8	5	5	10	1000	84	3	21	40
										2000	168	7	13	20
										3000	252	11	5	0
										4000	337	2	26	40
										5000	421	6	18	20

Druva A. Caliyugam complete 4100 — R. S. ° ′ ″ 370 11 17 20 0.

TABLE XII.

Annual Increment, or Equation of ♃'s mean heliocentric Longitude, according to the Tika, at the rate of 8 Revolutions in a Maha yug, as used in present times.

I			II			III		
Years.	Increment.		Years.	Increment.		Years.	Increment.	
	″	‴		′	″			
1	2	24	10	0	24	100	,,	4′
2	4	48	20	0	48	200	,,	8
3	7	12	30	1	12	300	,,	12
4	9	36	40	1	36	400	,,	16
5	12	0	50	2	0	500	,,	20
6	14	24	60	2	24	600	,,	24
7	16	48	70	2	48	700	,,	28
8	19	12	80	3	12	800	,,	32
9	21	36	90	3	36	900	,,	36
10	24	0	100	4	0	1000	,,	40
						2000	1°	20
						3000	2	0
						4000	2	40
						5000	3	20

Druva A. Cal. complete 4100 — 2° 56′ 0″.

TABLE XIII.

For converting Jupiter's mean heliocentric motion corrected into mean Solar Sydereal time; the year being 365ᴰ 15d 31p 51cast.

	I					II					III				IV	
°	Days.	Dandas.	Palas.	Castacalas.	'	Days.	Dandas.	Palas.	Castacalas.	"	Dandas.	Palas.	Castacalas.	‴	Palas.	Castacalas.
1	12	2	4	9,4744	1	0	12	2	4,1579	1	0	12	2,0693	1	0	12,0344
2	24	4	8	18,9489	2	0	24	4	8,3159	2	0	24	4,1386	2	0	24,0690
3	36	6	12	28,4232	3	0	36	6	12,4373	3	0	36	6,2079	3	0	36,1034
4	48	8	16	37,8977	4	0	48	8	16,6316	4	0	48	8,2772	4	0	48,1380
5	60	10	20	47,3722	5	1	0	10	20,7895	5	1	0	10,3465	5	1	0,1721
6	72	12	24	56,8466	6	1	12	12	24,9474	6	1	12	12,4157	6	1	12,2070
7	84	14	29	6,3210	7	1	24	14	29,1053	7	1	24	14,4850	7	1	24,2414
8	96	16	33	15,7954	8	1	36	16	33,2633	8	1	36	16,5543	8	1	36,2758
9	108	18	37	25,2699	9	1	48	18	37,4212	9	1	48	18,6236	9	1	48,3103
10	120	20	41	34,7443	10	2	0	20	41,5791	10	2	0	20,6929	10	2	0,3448
20	240	41	23	9,4886	20	4	0	41	23,1581	20	4	0	41,3859	20	4	0,6897
30	361	2	4	44,2329	30	6	1	2	4,7372	30	6	1	2,0788	30	6	1,0346
					40	8	1	22	46,3163	40	8	1	22,7719	40	8	1,3795
					50	10	1	43	27,8954	50	10	1	43,4649	50	10	1,7244
					60	12	2	4	9,4741	60	12	2	4,1579	60	12	2,0692

TABLE XIV.

For converting the fraction of the first term of the Jyautistava Rule into Saura time, the Solar year being of 360 *days,* $\frac{1875}{1875}$ *expressing such a Saura year.*

	I				II				III	
Numerators	Days.	Dandas.	Palas.	Numerators	Days.	Dandas.	Palas.	Numerators	Days.	Dandas.
1	0	11	31,2	10	1	55	12	100	19	12
2	0	23	2,4	20	3	50	24	200	38	24
3	0	34	33,6	30	5	45	36	300	57	36
4	0	46	4,8	40	7	40	48	400	76	48
5	0	57	36,0	50	9	36	0	500	96	0
6	1	9	7,2	60	11	31	12	600	115	12
7	1	20	38,4	70	13	26	24	700	134	24
8	1	32	9,6	80	15	21	36	800	153	36
9	1	43	40,8	90	17	16	48	900	172	48
10	1	55	12,0	100	19	12	0	1000	192	0

EXAMPLE TABLE XIV.

Let it be required to convert the fraction $\frac{1854}{1875}$ into Saura time.

By Table XIV,	1000	-	192ᵈ	0ᶜ	0ᵗ
	800	-	153	36	0
	50	-	9	36	0
	4	-		46	4,8
Saura time sought	-	-	355	58	4,8

TABLE XV.

I.   **II.**

Degrees of ⊙'s motion reduced to Saura time.   *Saura time reduced to degrees, &c. of ⊙'s motion.*

Degrees.	Days.	′ ″ ‴	Days, Dandas, Castacalas.		Months of 30 days.	• ′		Days, Dandas Casta.	′ ″ ‴	
1	12	1	0	12	1	2	30	1	0	5
2	24	2	0	24	2	5	0	2	0	10
3	36	3	0	36	3	7	30	3	0	15
4	48	4	0	48	4	10	0	4	0	20
5	60	5	1	0	5	12	30	5	0	25
6	72	6	1	12	6	15	0	6	0	30
7	84	7	1	24	7	17	30	7	0	35
8	96	8	1	36	8	20	0	8	0	40
9	108	9	1	48	9	22	30	9	0	45
10	120	10	2	0	10	25	0	10	0	50
20	240	20	4	0	11	27	30	20	1	40
30	360	30	6	0	12	30	0	30	2	30
		40	8	0				40	3	20
		50	10	0				50	4	10
		60	12	0				60	5	0

EXAMPLE TABLE XIII.

Let it be required to convert 16′ 44″ 24‴ of Jupiter's motion, into Solar Sydereal time.

	D.	G.	V.	P.
10′ - -	2	0	20	41,5791
6 - -	1	12	12	24,9474
40″ - -		8	1	22,7719
4 - -			48	8,2772
20‴ - -			4	0,6897
4 - -				48,1380
Solar Sydereal time sought - -	3	21	27	26,4033

EXAMPLE TABLE XV.

I. Degrees into Time.   **II. Time into Degrees.**

Let it be required to convert 27° 31′ 6″ of the *Sun's* motion into Saura time, of 1 day to 1°.

	D.	G.	V.
20° -	240	0	0
7 -	84	0	0
30′ -	6	0	0
1 -		12	0
6″ -		1	12
Time sought -	330	13	12

or 11 months of 30 days 0d 13ȝ 12v.

Let it be required to convert 11 months (of 30 days or 330d), 0d 13ȝ 12v into degrees.

	°	′	″	‴
11 months -	27	30	0	0
0 days -	0	0	0	0
10 gud. -	0	0	50	0
3 -	0	0	15	0
10 vig. -	0	0	0	50
2	0	0	0	10
Degrees, &c. sought -	27	31	6	0

TABLE XVI.

For converting Saura time of one day to a degree, to mean Solar Sydereal time, the year being
365d 15ʐ 31ᵛ 15ᴘ.

I				II			III	
Saura Days.	Days.	Guddias.	Vigud.	Saura Dandas.	Guddias.	Vigud.	Saura Palas.	Vigud.
1	1	0	52,58681	1	1	0,87644	1	1,01460
2	2	1	45,17361	2	2	1,75289	2	2,02921
3	3	2	37,76042	3	3	2,62934	3	3,04381
4	4	3	30,34722	4	4	3,50578	4	4,05842
5	5	4	22,93403	5	5	4,38223	5	5,07303
6	6	5	15,52083	6	6	5,25868	6	6,08763
7	7	6	8,10764	7	7	6,13513	7	7,10224
8	8	7	0,69444	8	8	7,01157	8	8,11684
9	9	7	53,28124	9	9	7,88802	9	9,13145
10	10	8	45,86805	10	10	8,76447	10	10,14607
20	20	17	31,73610	20	20	17,52894	20	20,29215
30	30	26	17,60415	30	30	26,29340	30	30,43822
40	40	35	3,47220	40	40	35,05787	40	40,58429
50	50	43	49,34025	50	50	43,82234	50	50,73037
60	60	52	35,20835	60	60	52,58681	60	60,87644
70	71	1	21,07640					
80	81	10	6,94445					
90	91	18	52,81250					
100	101	27	38,68055					
200	202	55	17,36110					
300	304	22	56,04165					

EXAMPLE TABLE XVI.

Let it be proposed to convert 355d 49 dandas, 29,95 palas, expressed in Saura time, into Solar Sydereal time, the year being 365d 15ʐ 31ᵛ 15ᴘ.

	Saura.	*Sydereal.*		
		D.	GUD.	VIGUD.
Column I	300d	304	22	56,04165
	50	50	43	49,34025
	5	5	4	22,93403
II	40dan.		40	35,05787
	9		9	7,88802
	20palas.			20,29215
III	9			9,13145
	0,9			0,91315
	0,05			0,05073
Total in Solar Sydereal time		361	1	21,64960

TABLE XVII.

Exhibiting the progress of Jupiter in degrees, &c. for Solar years of 365º 15d 31p 31c corresponding to Vrihaspa'i years of 361º 2d 4p 44c,2329 as deduced from the precepts of the Surriah Siddhanta and Tika.

	I.						II.				
Solar Years.	Jupiter's mean heliocentric Revolutions and parts.						Corresponding duration of ♃'s time, its year being 361º 2d 4p 44c,2329 of Solar time, the rest being expressed in Solar time.				
	Rev.	Signs.	°	′	″	‴	Yrs.	Days.	Dan.	Pal.	Cast.
1	0	1	0	21	3	30	1	4	13	26	46,7055
2	0	2	0	42	7	12	2	8	26	53	33,5310
3	0	3	1	3	10	48	3	12	40	20	20,2965
4	0	4	1	24	14	24	4	16	53	47	7,0620
5	0	5	1	45	18	0	5	21	7	13	53,8274
6	0	6	2	6	21	36	6	25	20	40	40,5929
7	0	7	2	27	25	12	7	29	34	7	27,3584
8	0	8	2	48	28	48	8	33	47	34	14,1239
9	0	9	3	9	32	24	9	38	1	1	0,8894
10	0	10	3	30	35	0	10	42	14	27	47,6552
20	1	8	7	1	12	0	20	87	28	55	35,3104
30	2	6	10	31	48	0	30	126	43	23	22,9656
40	3	4	14	2	24	0	40	168	57	51	10,6208
50	4	2	17	33	0	0	50	211	12	18	58,2760
60	5	0	21	3	36	0	60	253	26	46	45,9312
70	5	10	24	34	12	0	70	295	41	14	33,5864
80	6	8	28	4	48	0	80	337	55	42	21,2416
90	7	7	1	35	24	0	91	19	8	5	24,6639
100	8	5	5	6	0	0	101	61	22	33	12,3196

EXAMPLE TABLE XVII.

1º Wanted the number of Jupiter's mean heliocentric revolutions and parts in 175 Solar years.

	R.	S.	°	′	″
Part I, for 100 Solar years	8	5	5	6	0
70 do.	5	10	24	34	12
5 do.	0	5	1	45	18
Answer	14	9	1	25	30

2º Wanted the time in terms of Jupiter's own year, answering to 175 Solar years.

	Y.	D.	DAN.	P.	C.
Part II, for 100 Solar years	101	61	22	33	12,3196
70 do.	70	295	41	14	33.5864
5 do.	5	21	7	13	53,8274
As the days exceed 1 of ♃'s years	176	378	11	1	39,7331
Subtract 1 year		361	2	4	44,2329

TABLE XVIII.

Exhibiting the Epochs of expunged years of the Cycle of 60 years, from the beginning of the Cali yug to A° 5128, in mean Solar Sydereal time.

Epochs in Christian years A.C.	Periods	24's mean heliocentric Longitude.		Years	Days	Dandas	Palas	Castacalas	24's mean heliocentric Longitude.		Years	Days	Dandas	Palas	Castacalas	Periods	Epochs in Christian years A.D.
		R.	S.						R.	S.							
3046	1	4	8	55	128	42	31	52,0636	323	8	3839	30	13	6	57,6152	45	738
2950	2	11	11	141	126	28	13	34,4625	330	11	3925	27	58	48	40,0141	46	824
2874	3	19	2	227	124	13	55	16,8614	338	2	4011	25	44	30	22,4130	47	910
2788	4	26	5	313	121	59	36	59,2603	345	5	4097	23	30	12	4,8119	48	996
2702	5	33	8	399	119	45	18	41,6592	352	8	4183	21	15	53	47,2108	49	1082
2616	6	40	11	485	117	31	0	24,0581	359	11	4269	19	1	35	29,6097	50	1168
2530	7	48	2	571	115	16	42	6,4570	367	2	4355	16	47	17	12,0086	51	1254
2444	8	55	5	657	113	2	23	48,8559	374	5	4441	14	32	58	54,4075	52	1340
2358	9	62	8	743	110	48	5	31,2548	381	8	4527	12	18	40	36,8064	53	1426
2272	10	69	11	829	108	33	47	13,6537	388	11	4613	10	4	22	19,2053	54	1512
2186	11	77	2	915	106	19	28	56,0526	396	2	4699	7	50	4	1,6042	55	1598
2100	12	84	5	1001	104	5	10	38,4515	403	5	4785	5	35	45	44,0031	56	1684
2014	13	91	8	1087	101	50	52	20,8504	410	8	4871	3	21	27	26,4020	57	1770
1928	14	98	11	1173	99	36	34	3,2493	417	11	4957	1	7	9	8,8009	58	1856
1842	15	106	2	1259	97	22	15	45,6482	425	2	5042	364	8	22	22,1998	59	1941
1756	16	113	5	1345	95	7	57	28,0471	432	5	5128	361	54	4	4,5937	60	2027
1670	17	120	8	1431	92	53	39	10,4460									
1584	18	127	11	1517	90	39	20	52,8449									
1498	19	135	2	1603	88	25	2	35,2438									
1412	20	142	5	1689	86	10	44	17,6427									
1326	21	149	8	1775	83	56	26	0,0416									
1240	22	156	11	1861	81	42	7	42,4405									
1154	23	164	2	1947	79	27	49	24,8394									
1068	24	171	5	2033	77	13	31	7,2383									
982	25	178	8	2119	74	59	12	49,6372									
896	26	185	11	2205	72	44	54	32,0361									
810	27	193	2	2291	70	30	36	14,4350									
724	28	200	5	2377	68	16	17	56,8339									
638	29	207	8	2463	66	1	59	39,2328									
552	30	214	11	2549	63	47	41	21,6317									
466	31	222	2	2635	61	33	23	4,0306									
380	32	229	5	2721	59	19	4	46,4295									
294	33	236	8	2807	57	4	46	28,8284									
208	34	243	11	2893	54	50	28	11,2273									
122	35	251	2	2979	52	36	9	53,6262									
36 A.D.	36	253	5	3065	50	21	51	36,0251									
50	37	265	8	3151	48	7	33	18,4240									
136	38	272	11	3237	45	53	15	0,8229									
222	39	280	2	3323	43	38	56	43,2218									
308	40	287	5	3409	41	24	38	25,6207									
394	41	294	8	3495	39	10	20	8,0196									
480	42	301	11	3581	36	56	1	50,4185									
566	43	309	2	3667	34	41	43	32,8174									
652	44	316	5	3753	32	27	25	15,2163									

EXAMPLE I.

Wanted the year of the Chacra which concurs with A. Cali yugam 55 *complete*, or 56 *current*.

I.

For 24's mean heliocentric Longitude.

```
                          R. S.  °   '   "
Table XI, for 50   -    4  2  17  35   0
  Do.       5      -       5   1  45  30
                        ─────────────────
Bijah    -    -         4  7  19  20  30
Table XII                  —       2  12
                        ─────────────────
50 - 2  0 ) Subt.    —  4  7  19  18  18
 5 -  12 ( from     +   4  7  30 to complete the
 2   12 ) Sign.     Wanting    10  41  42
```

To convert which into time.

```
                     D.  D.  P.    C.
Table XIII, 10  -   120  20  41  34,7413
        40      -     8   1  22  46,3163
        1       -        12   2   4,1579
        40      -     8   1      22,7719
        2       -            24   4,1386
                   ─────────────────────
10° 41' 42" =      128  42  31  52,1296
        By Table XVIII          52,0636
                   ─────────────────────
Difference of the Tables         0,0660
```

Lastly, $\dfrac{4r \times 12 + 8s}{60} = 56$ years ($\jupiter$'s.)

· The first expunged year of the Chacra after the Epoch Cali yugam is, therefore, due when 55y 128ᴅ 42ᴅ 31ᴘ 52ᶜ Solar time, have expired, and $\jupiter$'s Longitude is precisely (4r) 8ˢ.

EXAMPLE II.

For the nearest expunged year of the Chacra to A. Cali yugam 5129.

						Y.		R.	s.	°	′	″
		For the Bijah.			Table XI,	5000	-	421	6	18	20	0
Table XII.					,,	100	-	8	5	5	10	0
5000	3°	20′			,,	20	-	1	8	7	2	0
100		4			,,	9	-		9	3	9	54
20		0	48									
9			21	36		5129	-	432	5	3	41	54
								—	3	25	9	36
	3	25	9	36								
								432	5	0	16	44	24

which shews that on the last day of the Solar year 5129 the Epoch has passed by 16′ 44″ 24‴ of $\jupiter$'s motion, which converted into Solar time by Table XIII, give

	D.	D.	P.	C.
10′ -	2	0	20	41,5791
6 -	1	12	12	24,9474
40″ -		8	1	22,7719
4 -			48	8,2772
20‴ -			4	0,6897
4 -				48,1380
Y.	3	21	27	26,4033
5123 -	365	15	31	31

Epoch of Cshaya when $\jupiter$'s Longitude is precisely (432r) 5s ... A. Cali yugam

5123 -	361	54	4	4,5967

For $\jupiter$'s years 432r×12+5s = 5189 years. Hence 5189—5129 = 60, which shews that in 5129 Solar Syderenal years, there is a whole cycle or 60 $\jupiter$'s years expunged according to Astronomical computation.

EXAMPLE III.

To find the cycles and years of Jupiter, the natural days, guddias, viguddias, &c. elapsed of that account on the birth of Christ.

				R.	s.	°	′	″	
By Table XI,	-	3000	-	252	11	5	0	0	
		100	-	8	5	5	10	0	
For the Bijah.		1	-	1	1	0	21	6	
Table XII.		3101	-	261	5	10	31	6	
3000 - 2° 0′ 0″		Bijah *Sodium*	—		2	4	2	24	
100 - 4 0									
1 - 2 24				261	[5	8	27	3	16
Sodium 2 4 2 24		× 12							
		3132							
		+ 6							

60)3138(52 18 the years of the remain-
      138   der to be counted from
      ——   Vijaya the 27th *inclu-*
Remainder 18   *sive.*

The year sought will be the 44th called *Sadharana*. For the time due to the degrees above complete signs.

By Table XIII the degrees, &c. being 8° 27′ 3″ 36″.

		D.	G.	V.	P.
8°	-	96	16	33	15,7954
20′	-	4	0	41	23,1531
7	-	1	24	14	29,1053
3″	-			36	6,2079
30″	-			6	1.0346
6	-			1	12,2070

The whole time expired is therefore 3137 years of Jupiter + 101 42 12 27,5083

But it is not necessary to refer to the birth of Christ to find the Vrihaspati year corresponding to any proposed year since that Epoch, and when the name and rank of the Chacra year only are wanted, the Rule is confined to a common addition and division.

RULE.

" If the Christian year be proposed, find the corresponding one of the Cali yug by adding " 3101 thereto, the sum will be the last expired year of the same."

" Divide the expired years of the Cali yug by 86 ; add the quotient to the dividend ; divide " again the sum by 60, the quotient will give the number of cycles expired ; and to the " remainder, if the proposed year should fall less than 31 from the last expunged year of the " Chacra (found in Table XVIII) add 28 ; but if it falls in the 55 remaining years of a cycle " of 86 years, add 27 years, and the remainder so increased, will indicate the numeral of the " current year of the Chacra, and consequently its appropriate name."

EXAMPLE I.

Let the rank and name of the Chacra year which corresponds with A. D. 1322, be required.

4923

By Table XVIII
the last expunged
year fell on A. C.
4871   -   -   4871

Difference   52
therefore 27 are to be added.

1822
+ 3101
_____
86)4923(57
57
_____
60)4980(83
180
0
+ 27
_____
27

which increased remainder, indicates at once Vijaya, the 27th year of the Chacra, as the current one.

EXAMPLE II.

Let the same be wanted for A. D. 1951.

5052

By Table XVIII
the last expunged
year fell on A. C.
5042   -   -   5042

Difference   10
which difference (being less than 31) indicates that 28
are to be added to the remainder after division by 60.

1951
+ 3101
_____
86)5052(58
58
_____
60)5110(85
310
10
+ 28
_____
38

The increased remainder indicates at once *Cradhi*, the 38th year of the Cycle, as the current one.

TABLE XIX.

Exhibiting the Epochs of the expunged years of the Cycle of 60 years, agreeably to the Jyautistava, compared with those of the Surriah Siddhanta from the birth of Salivahana.

Periods from the Cali yug.	Intervals.	Years of the Cali yug.			Years from the birth of Salivahana. Epochs according to the Jyautistava.				Intervals.	Periods from the birth of Salivahana.	Epochs in Christian years according to the Jyautistava.
		Surriah Siddhanta	Diff.	Jyautistava.	Y.	D.	D.	P.			
38	Y. 86	3237	+2	3239	6(.	363	42	0.87662	Y. 85	1	158
39	86	3323	1	3324	145	364	40	27,35993	85	2	223
40	86	3409	1	3410	* 231	361	21	45,31653	86*	3	309
41	86	3195	0	3195	316	362	20	11,80004	85	4	394
42	86	3581	—1	3580	401	363	18	38,28336	85	5	479
43	86	3667	2	3665	486	364	17	4,76668	85	6	564
44	86	3753	3	3750	* 571	0	0	0,0	85	7	649
45	86	3839	3	3836	657	361	56	49,20659	86*	8	735
46	86	3925	4	3921	742	362	55	15,68991	85	9	820
47	86	4011	5	4006	827	363	53	42,17323	85	10	905
48	86	4097	6	4091	912	364	52	8,65659	85	11	990
49	86	4183	6	4177	* 998	361	33	26,61318	86*	12	1076
50	86	4269	7	4262	1083	362	31	83,09650	85	13	1161
51	86	4355	8	4347	1168	363	30	19,57982	85	14	1246
52	86	4441	9	4432	1253	364	28	46,03614	85	15	1331
53	86	4527	9	4518	*1339	361	10	4,02006	86*	16	1417
54	86	4613	10	4603	1424	362	8	30,50338	85	17	1502
55	86	4699	11	4688	1509	363	6	56,98670	85	18	1587
56	86	4785	12	4773	1594	364	5	23,47002	85	19	1672
57	86	4871	13	4858	1679	365	3	49,95325	85	20	1757
58	86	4957	13	4944	*1765	361	45	7,90993	86*	21	1843
59	*85	5042	13	5029	1850	362	43	34,39327	85	22	1928
60	86	5128	14	5104	1935	363	42	0,87657	85	23	2033

TABLE XX.

Of the Sun's mean motion for days.

Days.	Sun's mean motion.					Days.	Sun's mean motion.				
	s.	°	′	″	‴		s.	°	′	″	‴
1	0	0	59	8	10	1000	8	25	36	9	33
2	0	1	58	16	20	2000	5	21	12	19	7
3	0	2	57	24	31	3000	2	16	48	28	40
4	0	3	56	32	41	4000	11	12	24	38	14
5	0	4	55	40	51	5000	8	8	0	47	47
6	0	5	54	49	1	6000	5	3	36	57	20
7	0	6	53	57	11	7000	1	29	13	6	54
8	0	7	53	5	21	8000	10	24	49	16	27
9	0	8	52	13	32	9000	7	20	25	26	1
10	0	9	51	21	42	10000	4	16	1	35	34
20	0	19	42	43	23	20000	9	2	3	11	8
30	0	29	34	5	5	30000	1	18	4	46	42
40	1	9	25	26	47	40000	6	4	6	22	16
50	1	19	16	48	29	50000	10	20	7	57	50
60	1	29	8	10	10	60000	3	6	9	33	23
70	2	8	59	31	52	70000	7	22	11	8	57
80	2	18	50	53	34	80000	0	8	12	44	31
90	2	28	42	15	16	90000	4	21	14	20	5
100	3	8	33	36	57	100000	9	10	15	55	39
200	6	17	7	13	55	200000	6	20	31	51	18
300	9	25	40	50	52	300000	4	0	47	46	57
400	1	4	14	27	49	400000	1	11	3	42	36
500	4	12	48	4	47	500000	10	21	19	38	16
600	7	21	21	41	44	600000	8	1	35	33	55
700	10	29	55	18	41	700000	5	11	51	29	34
800	2	8	28	55	39	800000	2	22	7	25	13
900	5	17	2	32	36	900000	0	2	23	20	52
1000	8	25	36	9	33	1000000	9	12	39	16	31

Sun's Druva 11ˢ 25° 25′ 34″ 23‴ A. Cali yugam 4399 complete.

Generally, for all the Tables contained in this collection where a *Druva* is given, if you compute the number of natural or *Savan* days elapsed from the end of the year for which the *Druva* is given, and add to its Longitude, the Sun, or Planet's motion due to the said number of days, you will have their mean place in the Hindu Zodiac for the proposed day, at mean midnight under the Meridian of Lanca.

TABLE XXI.

Of the mean motion of the Moon, of her Apogee, with Bijah and Node : The Bijah being common to both the latter ; but as the Node is taken to move in antecedentia, its Bijah is subtractive.

Days.	Moon.					Apogee.					Bijah.				Node.				
	s.	°	,	,	,,	s.	°	,	,	,,	,	,,	,,,	,,	s.	,	,,	,,,	,,
1	0	13	10	34	52	0	0	6	40	59	0	0	0	11	0	3	10	45
2	0	26	21	9	44	0	0	13	21	57	0	0	0	21	0	6	21	29
3	1	9	31	44	36	0	0	20	2	56	0	0	0	32	0	9	32	14
4	1	22	42	19	28	0	0	26	43	55	0	0	0	43	0	12	42	59
5	2	5	52	54	20	0	0	33	21	54	0	0	0	53	0	15	53	44
6	2	19	3	29	12	0	0	40	5	52	0	1	1	4	0	19	4	28
7	3	2	14	4	4	0	0	46	46	52	0	1	1	15	0	22	15	13
8	3	15	24	38	56	0	1	53	27	50	0	1	1	25	0	25	25	58
9	3	26	35	13	49	0	1	0	8	48	0	1	1	36	0	28	36	42
10	4	11	45	48	41	0	1	6	49	47	0	1	1	47	0	31	47	27
20	8	23	31	37	21	0	2	13	39	34	0	3	3	33	1	3	34	54
30	1	5	17	26	2	0	3	20	29	21	0	5	5	20	1	35	22	22
40	8	17	3	14	43	0	4	27	19	8	0	7	7	6	2	7	9	48
50	9	28	49	3	23	0	5	34	8	55	0	8	8	52	2	38	57	16
60	2	10	34	52	4	0	6	40	58	43	0	10	10	39	3	10	41	43
70	6	22	20	40	44	0	7	47	48	30	0	12	12	26	3	42	32	10
80	11	4	6	29	25	0	8	54	38	17	0	14	14	12	4	14	19	37
90	3	15	52	18	6	0	10	1	28	4	0	15	15	59	4	46	7	4
100	7	27	38	6	47	0	11	8	17	57	0	17	17	45	5	17	54	32

The same continued.

Days.	Moon. s.	°	'	"	'''	Apogee. s.	°	'	"	''	Bijah. '	"	''	'''	Node. s.	°	'	"	'''
100	7	27	38	6	47	0	11	8	17.	57	0	0	17	45	0	5	17	54	32
200	3	25	16	13	33	0	22	16	35	42	0	0	35	30	0	10	35	49	4
300	11	22	54	20	19	1	3	21	53	33	0	0	53	15	0	15	53	43	36
400	7	20	32	27	5	1	14	33	11	23	0	1	11	31	0	21	11	38	8
500	3	13	10	33	52	1	25	41	29	14	0	1	28	46	0	26	29	32	40
600	11	15	48	40	38	2	6	49	47	5	0	1	46	31	1	1	47	27	12
700	7	13	26	47	25	2	17	58	4	56	0	2	4	16	1	7	5	21	44
800	3	11	4	54	11	2	29	6	22	47	0	2	22	1	1	12	23	16	16
900	11	8	43	0	55	3	10	14	40	33	0	2	39	46	1	17	41	10	48
1000	7	6	21	7	45	3	21	22	53	29	0	2	57	31	1	22	59	15	19
2000	2	12	42	15	30	7	12	45	56	57	0	5	55	3	3	15	58	10	39
3000	9	19	23	23	15	11	4	8	55	26	0	8	52	34	5	8	57	15	58
4000	4	25	24	30	55	2	25	31	53	55	0	11	50	6	7	1	56	21	18
5000	0	1	45	33	40	6	16	51	52	23	0	14	47	37	8	24	55	26	37
6000	7	8	6	46	21	10	8	17	50	52	0	17	45	9	10	17	51	31	57
7000	2	14	27	54	6	1	29	40	49	20	0	20	42	40	0	10	53	37	16
8000	9	20	49	1	49	5	21	3	47	49	0	23	41	11	2	3	52	42	36
9000	4	27	10	9	33	9	12	26	46	18	0	26	37	43	3	26	51	47	55
10000	0	3	31	17	16	1	3	49	44	46	0	29	35	14	5	19	50	53	15
20000	0	7	2	34	33	2	7	39	29	33	0	59	10	29	11	9	41	46	29
30000	0	10	33	51	49	3	11	29	14	19	1	28	45	43	4	29	32	39	44
40000	0	14	5	9	6	4	15	18	59	6	1	58	20	57	10	19	23	32	59
50000	0	17	36	26	22	5	19	8	43	52	2	28	6	12	9	9	14	26	13
60000	0	21	7	43	39	6	22	53	28	38	2	57	31	26	9	29	5	19	28
70000	0	24	39	0	55	7	26	48	13	25	3	27	6	40	3	18	56	12	43

The same continued.

Days.	Moon. s.	°	'	"	'''	Apogee. s.	°	'	"	'''	Bijah. '	"	'''	''''	Node. s.	°	'	"	'''
70000	0	24	39	0	55	7	26	48	13	25	3	27	6	40	3	18	56	12	43
80000	0	28	10	18	12	9	0	37	58	11	3	56	41	55	9	8	47	5	57
90000	1	1	41	35	28	10	4	27	42	57	4	26	17	9	2	28	37	59	12
100000	1	5	12	52	45	11	8	17	27	44	4	55	52	23	8	13	28	52	26
200000	2	10	25	45	30	10	16	34	55	28	9	51	44	46	5	6	57	44	53
300000	3	15	38	38	14	9	25	52	23	13	14	47	37	9	1	25	26	37	19
400000	4	20	51	30	59	9	3	9	50	56	19	43	29	32	10	13	55	29	46
500000	5	26	4	23	44	8	11	27	18	39	24	39	21	55	7	2	24	22	12
600000	7	1	17	16	29	7	19	44	46	23	29	35	14	18	3	20	53	14	39
700000	8	6	30	9	21	6	28	2	14	7	34	31	6	41	0	9	22	7	5
800000	9	11	43	1	59	6	6	19	41	51	39	26	57	4	8	27	50	59	32
900000	10	16	55	54	43	5	14	37	9	35	41	27	51	27	5	16	19	51	58
1000000	11	22	8	47	30	4	22	54	37	19	49	18	43	50	2	4	48	44	25
Druvas.	11	5	48	37	29	4	15	26	17	0	1	29	0	54	0	6	12	9	0 A.Cali.

yug 4399 complete.

TABLE XXII.

Of the Sun's Anomalistic Equation.

N. B.—To find the Argument of this Table, subtract the Sun's mean place from that of his Apogee for the time given.

Supplement mean Anomaly.											
°	′	+ 0s — VIs			+ Is — VII′			+ 2 — VIII		°	′
		°	′	″	°	′	″	°	′	″	
0	0	0	0	0	1	6	3	1	53	26	30	0
3	45	0	8	44	1	13	18	1	57	22	26	15
7	30	0	17	24	1	20	13	2	0	50	22	30
11	15	0	25	58	1	26	47	2	3	46	18	45
15	0	0	34	24	1	32	57	2	6	11	15	0
18	45	0	42	33	1	38	44	2	8	4	11	15
22	30	0	50	40	1	44	5	2	9	26	7	30
26	15	0	58	29	1	48	59	2	10	15	3	45
30	0	1	6	3	1	53	26	2	10	31	0	0
°	′	— XIs + Vs			— Xs + IV′			— IX + III		°	′

Supplement mean Anomaly.

TABLE XXIII.

Of the Moon's Anomalistic Equation.

N. B.—To find the Argument, subtract the Moon's mean place from that of her Apogee.

Supplement mean Anomaly.											
°	′	+ 0s — VIs			+ Is — VIIs			+ IIs — VIIIs		°	′
		°	′	″	°	′	″	°	′	″	
0	0	0	0	0	2	32	0	4	22	20	30	0
3	45	0	19	59	2	48	48	4	31	46	26	15
7	30	0	39	52	3	4	52	4	39	56	22	30
11	15	0	59	31	3	20	8	4	46	50	18	45
15	0	1	13	54	3	34	30	4	52	32	15	0
18	45	1	37	53	3	48	1	4	56	59	11	15
22	30	1	56	25	4	0	33	5	0	13	7	30
26	15	2	11	29	4	12	3	5	2	9	3	45
30	0	2	32	0	4	22	30	5	2	46	0	0
°	′	— XIs + Vs			— Xs + IVs			— IX′ + III		°	′

Supplement mean Anomaly.

TABLE XXIV.

OF MARACANDA.

Solar Equations.   Ravi P'hala.

Extracted from Mr. Davis' Paper on the Astronomical Computations of the Hindus.

Asiat. Res. Vol. II, *page* 255.

ARGUMENT, THE SUN'S ANOMALY.

Anomaly.	Equation of the mean to the true place.			Equation of the mean to the true motion.		Anomaly.	Equation of the mean to the true place.			Equation of the mean to the true motion.		Anomaly.	Equation of the mean to the true place.			Equation of the mean to the true motion.	
	°	′	″	′	″		°	′	″	′	″		°	′	″	′	″
1		2	20	2	18	31	1	8	—	1	55	61	1	54	30	1	4
2		4	40	2	18	32	1	9	57	1	53	62	1	55	34	1	0
3		7	—	2	18	33	1	11	57	1	53	63	1	56	35		58
4		9	19	2	17	34	1	13	47	1	51	64	1	57	34		57
5		11	37	2	17	35	1	15	40	1	51	65	1	58	34		55
6		13	56	2	17	36	1	17	32	1	49	66	1	59	30		55
7		16	15	2	16	37	1	19	23	1	47	67	2	—	23		52
8		18	33	2	16	38	1	21	11	1	45	68	2	1	14		49
9		20	51	2	15	39	1	22	57	1	43	69	2	2	4		46
10		23	7	2	14	40	1	24	42	1	42	70	2	2	51		43
11		25	23	2	14	41	1	26	26	1	40	71	2	3	35		41
12		27	39	2	13	42	1	28	7	1	38	72	2	4	17		39
13		29	55	2	13	43	1	29	46	1	36	73	2	4	57		37
14		32	10	2	12	44	1	31	23	1	34	74	2	5	35		35
15		34	24	2	11	45	1	32	58	1	32	75	2	6	12		32
16		36	37	2	11	46	1	34	32	1	30	76	2	6	45		31
17		33	39	2	10	47	1	36	4	1	29	77	2	7	17		28
18		41	1	2	9	48	1	37	35	1	28	78	2	7	45		25
19		43	12	2	8	49	1	39	6	1	28	79	2	8	12		23
20		45	22	2	7	50	1	40	36	1	26	80	2	8	35		22
21		47	31	2	6	51	1	42	3	1	23	81	2	8	58		20
22		49	39	2	6	52	1	43	26	1	19	82	2	9	18		18
23		51	47	2	5	53	1	44	45	1	16	83	2	9	39		15
24		53	53	2	3	54	1	46	2	1	14	84	2	9	51		12
25		55	57	2	2	55	1	47	17	1	13	85	2	10	3		10
26		58	1	2	1	56	1	48	33	1	13	86	2	10	13		8
27	1	—	2	2	—	57	1	49	47	1	12	87	2	10	20		6
28	1	2	53	1	58	58	1	51	—	1	11	88	2	10	27		4
29	1	4	3	1	57	59	1	52	12	1	11	89	2	10	31		1
30	1	6	2	1	56	60	1	53	25	1	8	90	2	10	32		0

These, and preceding Tables, were constructed for the same end. The present are adapted to Maracanda's Rules: the former to Vavilala Cuchinna's, with a different Argument. Attention is to be paid when using Maracanda's, whether the Equation be additive or subtractive. Vavilala's leave no doubt on the subject, but they do not exhibit the Equation from mean to true motion; though the same may be worked by their means.

TABLE XXV.

Lunar Equations.   *Chandra P'hala.*

Vide Notes preceding Table.

ARGUMENT, THE MOON'S ANOMALY.

Anomaly.	Equation of the mean to the true place.			Equation of the mean to the true motion.		Anomaly.	Equation of the mean to the true place.			Equation of the mean to the true motion.		Anomaly.	Equation of the mean to the true place.			Equation of the mean to the true motion.	
	°	′	″	′	″		°	′	″	′	″		°	′	″	′	″
1		5	20	69	39	31	2	36	37	59	20	61	4	25	26	33	41
2		10	40	69	38	32	2	41	11	58	41	62	4	27	36	32	39
3		16	—.	69	33	33	2	45	36	58	—	63	4	29	59	31	35
4		21	19	69	28	34	2	49	58	57	19	64	4	32	19	30	29
5		26	36	69	21	35	2	54	20	56	37	65	4	34	37	29	22
6		31	54	69	13	36	2	58	39	55	56	66	4	36	47	28	13
7		37	12	69	4	37	3	2	54	55	14	67	4	38	54	27	7
8		42	29	68	54	38	3	7	5	54	30	68	4	40	54	26	1
9		47	44	68	43	39	3	11	12	53	44	69	4	42	50	24	55
10		52	58	68	28	40	3	15	16	52	58	70	4	44	40	23	49
11		58	11	68	11	41	3	19	18	51	26	71	4	46	24	22	42
12	1	3	23	67	52	42	3	23	24	50	57	72	4	48	5	21	34
13	1	8	40	67	35	43	3	27	26	50	48	73	4	49	38	20	24
14	1	13	45	67	17	44	3	30	54	49	46	74	4	51	9	19	14
15	1	18	53	66	55	45	3	34	39	48	54	75	4	52	53	18	3
16	1	24	—	66	38	46	3	38	21	48	—	76	4	53	54	16	51
17	1	29	5	66	18	47	3	41	58	47	5	77	4	55	6	15	38
18	1	34	9	65	57	48	3	45	32	46	9	78	4	56	15	14	25
19	1	39	10	65	36	49	3	48	59	45	13	79	4	57	17	13	14
20	1	44	9	65	14	50	3	52	24	44	19	80	4	58	13	12	3
21	1	49	17	64	50	51	3	55	46	43	27	81	4	59	6	10	53
22	1	54	3	64	24	52	3	59	2	42	32	82	4	59	53	9	41
23	1	58	3	63	56	53	4	2	13	41	37	83	5	—	27	8	34
24	2	3	47	63	24	54	4	5	18	40	41	84	5	1	8	7	14
25	2	8	35	62	53	55	4	8	18	39	44	85	5	1	40	6	2
26	2	13	22	62	22	56	4	11	16	38	47	86	5	2	3	4	51
27	2	18	6	61	48	57	4	14	11	37	50	87	5	2	20	3	40
28	2	22	47	61	13	58	4	17	—	36	51	88	5	2	36	2	37
29	2	27	35	60	35	59	4	19	46	35	48	89	5	2	44	1	41
30	2	32	2	59	56	60	4	22	29	34	48	90	5	2	48	—	—

TABLE XXVI.

Being the first of the Vakiam process.

This Table gives the Druva of the Moon's true place and her true motion for every day in a Devaram, or 248. days. Communicated by Audy Sashya Sastra.

Days.	Moon's P'hala			D's true motion in one day.	Days.	Moon's P'hala			D's true motion in one day.	Days.	Moon's P'hala			D's true motion in one day.
	s.	°	′	′		s.	°	′	′		s.	°	′	′
1	0	12	3	723	36	3	19	39	807	71	7	7	51	855
2	0	24	9	726	37	4	3	21	822	72	7	21	58	847
3	1	6	22	733	38	4	17	15	834	73	8	5	55	837
4	1	18	44	742	39	5	1	20	845	74	8	19	40	825
5	2	1	19	755	40	5	15	33	853	75	9	3	10	810
6	2	14	9	770	41	5	29	51	858	76	9	16	25	795
7	2	27	13	784	42	6	14	10	859	77	9	29	24	779
8	3	10	33	800	43	6	23	27	857	78	10	12	8	764
9	3	24	9	816	44	7	12	37	850	79	10	24	39	751
10	4	7	58	829	45	7	26	39	842	80	11	6	58	739
11	4	21	58	840	46	8	10	30	831	81	11	19	8	730
12	5	6	8	850	47	8	24	7	817	82	0	1	13	725
13	5	20	25	857	48	9	7	29	802	83	0	13	15	722
14	6	4	44	859	49	9	20	35	786	84	0	25	19	724
15	6	19	2	858	50	10	3	26	771	85	1	7	27	728
16	7	3	15	853	51	10	16	2	756	86	1	19	43	736
17	7	17	22	847	52	10	28	26	744	87	2	2	10	747
18	8	1	17	835	53	11	10	40	734	88	2	14	49	759
19	8	15	1	824	54	11	22	46	726	89	2	27	43	774
20	8	28	29	808	55	0	4	49	723	90	3	10	53	790
21	9	11	42	793	56	0	16	52	723	91	3	24	18	805
22	9	24	40	778	57	0	28	58	726	92	4	7	58	820
23	10	7	23	763	58	1	11	10	732	93	4	21	52	831
24	10	19	52	749	59	1	23	31	741	94	5	5	56	844
25	11	2	10	738	60	2	6	5	754	95	5	20	8	852
26	11	14	19	729	61	2	18	52	767	96	6	4	26	858
27	11	20	24	725	62	3	1	55	783	97	6	18	45	859
28	0	8	26	722	63	3	15	14	799	98	7	3	2	857
29	0	20	30	724	64	3	28	47	813	99	7	17	13	851
30	1	2	38	728	65	4	12	35	823	100	8	1	17	844
31	1	14	55	737	66	4	26	34	839	101	8	15	8	831
32	1	27	23	748	67	5	10	41	850	102	8	28	47	819
33	2	10	4	761	68	5	24	59	855	103	9	12	10	803
34	2	23	0	776	69	6	9	17	858	104	9	25	18	788
35	3	6	12	792	70	6	23	36	859	105	10	6	11	773

Days.	Moon's P'hala			D's true motion in one day.	Days.	Moon's P'hala			D's true motion in one day.	Days.	Moon's P'hala			D's true motion in one day.
	s.	°	′	′		s.	°	′	′		s.	°	′	′
106	10	20	48	757	155	8	5	52	844	204	5	15	7	842
107	11	3	14	746	156	8	19	46	834	205	5	29	17	850
108	11	15	28	736	157	9	3	26	820	206	6	13	34	857
109	11	27	36	728	158	9	16	51	805	207	6	27	53	859
110	0	9	39	723	159	10	0	1	790	208	7	12	11	858
111	0	21	41	722	160	10	12	55	774	209	7	26	24	853
112	1	3	46	725	161	10	25	34	759	210	8	10	29	845
113	1	15	53	732	162	11	8	1	747	211	8	24	23	834
114	1	28	18	740	163	11	20	17	736	212	9	8	5	822
115	2	10	50	752	164	0	2	25	728	213	9	21	32	807
116	2	23	36	766	165	0	11	29	724	214	10	4	44	792
117	3	6	37	781	166	0	26	31	722	215	10	17	40	776
118	3	19	54	797	167	1	8	36	725	216	11	0	21	761
119	4	3	26	812	168	1	20	46	730	217	11	12	49	748
120	4	17	12	826	169	2	3	5	739	218	11	25	6	737
121	5	1	1	839	170	2	15	36	751	219	0	7	14	728
122	5	15	19	848	171	2	28	20	764	220	0	19	18	724
123	5	29	34	855	172	3	11	19	779	221	1	1	20	722
124	6	13	52	858	173	3	24	34	795	222	1	13	25	725
125	6	28	10	858	174	4	8	4	810	223	1	25	34	729
126	7	12	25	855	175	4	21	49	825	224	2	7	52	738
127	7	26	33	848	176	5	5	46	837	225	2	20	21	749
128	8	10	32	839	177	5	19	53	847	226	3	3	4	763
129	8	24	18	826	178	6	4	8	855	227	3	16	2	778
130	9	7	50	812	179	6	18	27	859	228	3	29	15	793
131	9	21	7	797	180	7	2	45	858	229	4	12	43	808
132	10	4	8	781	181	7	17	0	855	230	4	26	27	824
133	10	16	54	766	182	8	1	10	850	231	5	10	22	835
134	10	29	26	752	183	8	15	9	831	232	5	21	29	847
135	11	11	46	740	184	8	28	57	828	233	6	8	42	853
136	11	23	58	732	185	9	12	30	813	234	6	23	0	858
137	0	6	3	725	186	9	25	49	799	235	7	7	19	859
138	0	18	5	722	187	10	8	52	783	236	7	21	36	857
139	1	0	8	723	188	10	21	39	767	237	8	5	46	850
140	1	12	16	728	189	11	4	13	754	238	8	19	46	840
141	1	24	30	734	190	11	16	34	741	239	9	3	35	829
142	2	6	56	746	191	11	28	46	732	240	9	17	11	816
143	2	19	33	757	192	0	10	52	726	241	10	0	31	800
144	3	2	26	773	193	0	22	55	723	242	10	13	35	784
145	3	15	34	788	194	1	4	58	723	243	10	26	25	770
146	3	28	57	803	195	1	17	4	726	244	11	9	0	755
147	4	12	36	819	196	1	29	18	734	245	11	21	22	742
148	4	26	27	831	197	2	11	42	744	246	0	3	35	733
149	5	10	31	844	198	2	24	18	756	247	0	15	41	725
150	5	24	42	851	199	3	7	9	771	248	0	27	44	723
151	6	8	59	857	200	3	20	15	786					
152	6	23	18	859	201	4	3	37	802					
153	7	7	36	858	202	4	17	14	817					
154	7	21	48	852	203	5	1	5	831					

TABLE XXVII, Part 1.

Being the second used in the Vakiam, or Solar process, and called by the Tamul Astronomers the Yoghiadi *Table, &c.*

	Solar months.	Dates.	Equation for 8 days in calas.			Solar months.	Dates.	Equation for 8 days in calas.	
1 ♈	Chaitram. — or Vaisa'cha.	1 9 17 25	11 14 16 17	0	7 ♎	Arpesi. + or Cartica.	1 9 17 25	1 2 3 5	6
2 ♉	Vyassei. — or Jaisht'a.	1 9 17 25	19 21 22 24	1	8 ♏	Cartiga. + or Margasiras.	1 9 17 25	6 8 9 10	7
3 ♊	A'uni. — or A'shád'ha.	1 9 17 25	24 25 25 24	2	9 ♐	Margali. + or Paushia.	1 9 17 25	10 11 11 11	8
4 ♋	Audi. — or Sravana.	1 9 17 25	24 23 22 21	3	10 ♑	Tye. + or Mágha.	1 9 17 25	11 9 8 7	9
5 ♌	Auvani. — or Bha'dra.	1 9 17 25	19 17 15 13	4	11 ♒	Maussi. + or Phalguna.	1 9 17 25	6 4 2 0	10
6 ♍	Paratasi. — or Aswina.	1 9 17 25	11 8 6 3	5	12 ♓	Poongoni. — or Chitra.	1 9 17 25	2 4 7 10	11

How to find by this Table the Equation due to any proposed day.

1º Convert the number of months and days elapsed since the origin Chaitram, the former into their respective signs, the latter into degrees.

2º If the month began in the day (after Sun rise) deduct the guddias as calas, which are wanting to complete the day on which the month began, whatever be the date in the said month for which you work. And if it commenced during the night, add the same. Or if during day time subtract 1 degree; and add the complement of initial root to 60 guddias converted into calas.

3º To find the Equation for one day. Divide the Equation given in the Table by 8; and either add or subtract the quotient, as the given month may require. That is, add from the beginning of Arpesi to the end of Maussi; and subtract from the beginning of Poongoni to the end of Paratasi. Multiply the Equation for *one* day by the number of days you require in the interval of 8 days; the product is the Equation required. The calas registered in the 4th column, are the sum of the Equations for 8 days given *in advance.* Thus 11 calas found opposite to 1st Chaitram, shew that on the 8th day of that month, 11 calas will be due.

TABLE XXVII, Part 2.

Containing the Arguments of the Sun's Anomalistic Equation for the first day of every month in the year; and for finding the same, add his true diurnal motion for every day in each month by Table XXII or XXIV.

Signs. Current.	Complete.	Types.	Tamul names, Solar months.	Bengal names, Solar months.	Quadrant of Anomaly.	Place of the Sun on the 1st of each month, relatively to his Apogee or Perigee.					⊙'s Equation. ±	⊙'s true diurnal motion ± than his mean, or 59′ 8″.
						s.	°	′	″			
1	12	♈	Chaitram	Vaisa'cha	IV	2	17	17	20	Supplement of	+	—
2	1	♉	Vyassei	Jaish'ta		1	17	17	20	Anomaly to	+	—
3	2	♊	Auni	A'sha'd'ha		0	17	17	20	360°	±	— 18th Minimum.
4	3	♋	Audi	Sravana		0	12	42	40		—	—
5	4	♌	Auvani	Bha'dra	I	1	12	42	40	Anomaly.	—	∓ 18th 1st Mean.
6	5	♍	Paratasi	Aswina		2	12	42	40		—	+
7	6	♎	Arpesi	Cartica		2	17	17	20	Distance from	—	+
8	7	♏	Cartiga	Margasiras	II	1	17	17	20	Perigee.	—	+ 18th Maximum.
9	8	♐	Margali	Paushia		0	17	17	20	—	∓	+
10	9	♑	Tye	Mágha		0	12	42	40	Distance from	+	+
11	10	♒	Maussi	Phalguna	III	1	12	42	40	Perigee.	+	+
12	11	♓	Poongoni	Chitra		2	12	42	40	+	+	± 18th 2d Mean.

Explanation and use of the 2d Part.

This second part of Table XXVII was constructed for the purpose of finding the Sun's Anomalistic Equation, his true diurnal motion, his Arca Bhagábala, and that of the Moon, for any day in the year; which the first only supplies in part.

The quantities registered in the 5th column are the Arguments of the Sun's Equation for the first day of every month, to be used either with Table XXII (of Vavilala Cuchinna) or XXIV (of Maracanda).

The positive and negative Signs proper to the Equation sought, are to be taken as given in the 6th column and not as in the Tables referred to, observing that they pass from + to — on or near the 13th of Auni; and from — to + about the 18th Margali, for the reasons given in the second Part of the Key to the Siddhanta Chandra Mana; Article 2, page 127. (*)

(*) E. G. Take Argument 1st Auvani -
	s.	°	′	″	
	1	12	42	40	Anomaly.
	12				

Supplement Anomaly - 11 17 17 20 Argument Table XXII.

Equation subtractive.

Do. 1st Maussi - 1 12 42 40 dist. from Perigee +
Add 6

Anomaly — 7 12 42 40
12

Supplement Anomaly - 4 17 17 20 Argument Table XXII.

Equation additive.

For obtaining the Sun's Equation and diurnal motion on the intermediate days of each month, his mean motion for days (as given in Table XX) is to be applied $\pm$ to the Argument of the first day as it goes on increasing or decreasing in that particular Quadrant of Anomaly.

The positive and negative Signs registered in the 7th column, indicate whether the Sun's true be greater or less than his mean diurnal motion, or 59' 8". And the Equation referring thereto in Tables XXII or XXIV (to be obtained by the same Argument) are to be used accordingly, without any regard to the Signs exhibited in those Tables.

The whole of the second part of Table XXVII is computed for the beginning of the 4941st Solar year of the Cali yug (11th April A. D. 1839) when the Sun's Apogee, according to Hindu theory, will lie in 2˙ 17° 17' 20" from the beginning of the Solar Sydereal Zodiac ; but it may be adapted to any position of the Sun's Apsis, as follows:

As the Apogee is supposed to move at the rate of 1' in 517 years, its distance from the first point in Mesha ♈ will be 2˙ 17˙ 17' 20" $+$ 1' in the year 4940 $+$ 517 complete, for the same reason that it was 2˙ 17° 17' 20" $-$ 1' in the year 4940 $-$ 517. That and all other Arguments are therefore to be rectified on the same scale by a rule of proportion.

But as in the 5th column, the ☉'s place is given relatively to his Apogee and Perigee, the increment so obtained is to be added in the 4th and 2d ; and subtracted in the 1st and 3d Quadrants of Anomaly, and the contrary if it be a decrement, or for anterior times.

<div align="center">EXAMPLE.</div>

Let the Sun's Equation, true diurnal motion, and Arca Bhagábala, as well as that of the Moon, be required for the 15th Chaitram complete of the 4941st year of the Cali yug current.

	s.	°	'	"
Argument of Equation, 1st Chaitram, Table XXVII, part 2 -	2	17	17	20
Subtract ☉'s mean motion for 15 days, Table XX -	—		14	47	3
Manda Kendra, 15th Chaitram	2	2	30	17
	or	62	30	17

with which Argument, referring to Maracanda's Table (XXIV) we find the Sun's Anomalistic Equation 1° 56' 4", which is *positive* on account of the sign $+$ in the 6th column of the present Table, and according to the well known precept the Solar Arca Bhagábala will be $+ \dfrac{1° \ 56' \ 4''}{365} = + 19''$

<div align="center">and the Lunar $\dfrac{1° \ 56' \ 4''}{27} = + 4' \ 17''.$</div>

The Equation of the Sun's true to mean motion, answering to the same Argument in the same Table, is   — ' 59"

    ☉'s mean motion   59 8

Sun's true diurnal motion, 15th Chaitram   58 9

N. B.—It is to be understood, however, that both parts of Table XXVII only give approximations, with which the Tamul Astronomers are contented.

TABLE XXVIII.

Of the Sun's true motion *for 366 days, (3d of the Vakiam). Communicated by* R. *Audy Sashya Brahmini.*

♈ Vaisácha or Chaitram.			♉ Jaish'ta or Vyassci.			II A'shád'ha or Auni.			♋ Sravana or Audi.			♌ Bha'dra or Auvani.			♍ Aswina or Paratasi.		
D.	Tr. motion '	"	D.	Tr. motion '	"	D.	Tr. motion '	"	D.	Tr. motion '	"	D.	Tr. motion '	"	D.	Tr. motion '	"
1	58	40	1	57	33	1	56	59	1	56	55	1	57	27	1	58	26
2	58	38	2	57	36	2	56	58	2	56	56	2	57	29	2	58	28
3	58	36	3	57	35	3	56	57	3	56	57	3	57	31	3	58	30
4	58	34	4	57	34	4	56	56	4	56	58	4	57	33	4	58	32
5	58	31	5	57	32	5	56	55	5	56	59	5	57	35	5	58	34
6	58	28	6	57	31	6	56	54	6	57	0	6	57	36	6	58	36
7	58	25	7	57	29	7	56	54	7	57	1	7	57	38	7	58	38
8	58	23	8	57	27	8	56	53	8	57	2	8	57	39	8	58	40
9	58	21	9	57	25	9	56	53	9	57	3	9	57	41	9	58	42
10	58	19	10	57	24	10	56	52	10	57	4	10	57	43	10	58	44
11	58	17	11	57	22	11	56	52	11	57	5	11	57	45	11	58	46
12	58	15	12	57	21	12	56	52	12	57	6	12	57	46	12	58	48
13	58	12	13	57	20	13	56	52	13	57	7	13	57	48	13	58	50
14	58	10	14	57	19	14	56	51	14	57	8	14	57	50	14	58	53
15	58	8	15	57	17	15	56	51	15	57	9	15	57	52	15	58	56
16	58	7	16	57	16	16	56	51	16	57	10	16	57	54	16	58	59
17	58	5	17	57	15	17	56	50	17	57	11	17	57	56	17	59	2
18	58	3	18	57	13	18	56	50 *Minimum.*			18	57	12	18	57	58	18	59	5 *Mean.*
19	58	1	19	57	12	19	56	50	19	57	13	19	58	0	19	59	8
20	57	58	20	57	11	20	56	50	20	57	14	20	58	2	20	59	11
21	57	56	21	57	10	21	56	50	21	57	15	21	58	4	21	59	14
22	57	54	22	57	9	22	56	50	22	57	16	22	58	6	22	59	17
23	57	52	23	57	7	23	56	51	23	57	17	23	58	8	23	59	20
24	57	50	24	57	6	24	56	51	24	57	18	24	58	10	24	59	23
25	57	48	25	57	4	25	56	51	25	57	19	25	58	12	25	59	26
26	57	46	26	57	3	26	56	52	26	57	20	26	58	14	26	59	29
27	57	45	27	57	2	27	56	52	27	57	21	27	58	16	27	59	32
28	57	43	28	57	1	28	56	52	28	57	22	28	58	18	28	59	35
29	57	41	29	57	0	29	56	53	29	57	23	29	58	20	29	59	38
30	57	39	30	56	59	30	56	54	30	57	24	30	58	22	30	59	40
31	57	38	31	56	59	31	56	54	31	57	25	31	58	24	31	59	42
						32	56	55									

This Table answers for the beginning of the year 4924 of the Cali yug (A. D. 1822) when the place of the Sun's Apogee in the Hindu Zodiac was 2° 17° 17′ 18″ and its Tropical Longitude (or *Ravi Sayana*) 3° 7° 7′ 43″. As the Sun's Apogee is supposed to move only at the rate of 1′ in 517 years, the Peninsula Astronomers conceive that it answers sufficiently well for many centuries past and to come, for computing the Kalendar.

♎ Cártiga or Arpesi.			♏ Ma'rgasi'ras or Cartiga.			♐ Paushia or Margali.			♑ Ma gha or Tye.			♒ P'ha'lguna or Maussi.			♓ Chitra or Poongoni.		
D.	Tr. motion.		D.	Tr. motion.		D.	Tr. motion.		D.	Tr. motion.		D.	Tr. motion.		D.	Tr. motion.	
	′	″		′	″		′	″		′	″		′	″		′	″
1	59	44	1	60	44	1	61	23	1	61	24	1	60	53	1	59	53
2	59	46	2	60	46	2	61	23	2	61	23	2	60	51	2	59	51
3	59	48	3	60	48	3	61	24	3	61	22	3	60	49	3	59	49
4	59	50	4	60	50	4	61	24	4	61	21	4	60	47	4	59	46
5	59	52	5	60	52	5	61	25	5	61	20	5	60	45	5	59	43
6	59	54	6	60	54	6	61	25	6	61	19	6	60	43	6	59	40
7	59	56	7	60	56	7	61	25	7	61	18	7	60	41	7	59	37
8	59	58	8	60	58	8	61	25	8	61	17	8	60	39	8	59	34
9	60	0	9	61	0	9	61	25	9	61	16	9	60	37	9	59	31
10	60	2	10	61	2	10	61	26	10	61	15	10	60	35	10	59	29
11	60	4	11	61	3	11	61	26	11	61	14	11	60	33	11	59	26
12	60	6	12	61	4	12	61	26	12	61	13	12	60	31	12	59	23
13	60	8	13	61	5	13	61	26	13	61	12	13	60	29	13	59	20
14	60	10	14	61	6	14	61	26	14	61	11	14	60	27	14	59	17
15	60	12	15	61	7	15	61	26	15	61	10	15	60	25	15	59	14
16	60	14	16	61	8	16	61	26	16	61	9	16	60	23	16	59	11
17	60	16	17	61	9	17	61	26	17	61	8	17	60	21*	17	59	8
							Maximum.									Mean.	
18	60	18	18	61	10	18	61	26	18	61	7	18	60	19	18	59	5
19	60	20	19	61	11	19	61	26	19	61	6	19	60	17	19	59	3
20	60	22	20	61	12	20	61	26	20	61	5	20	60	15	20	59	1
21	60	24	21	61	13	21	61	26	21	61	4	21	60	13	21	58	59
22	60	26	22	61	14	22	61	26	22	61	3	22	60	11	22	58	57
23	60	28	23	61	15	23	61	26	23	61	2	23	60	9	23	58	55
24	60	30	24	61	16	24	61	26	24	61	1	24	60	7	24	58	52
25	60	32	25	61	17	25	61	26	25	61	0	25	60	5	25	58	49
26	60	34	26	61	18	26	61	25	26	60	59	26	60	3	26	58	47
27	60	36	27	61	19	27	61	25	27	60	58	27	60	1	27	58	45
28	60	38	28	61	20	28	61	25	28	60	56	28	59	59	28	58	43
29	60	40	29	61	21	29	61	25	29	60	55	29	59	57	29	58	41
30	60	42	30	61	22	30	61	25				30	59	55	30	58	40

TABLE XXIX.

For finding the Epochs of mean Intercalations of Luni-solar months from the year 0 of the Cali yug, to any other time.

I — Epochs of Intercalations. (Succession in 19 years.)

Complete years	Y.	M.	D.	G.	V.
0	0	0	0	0	0
3	2	8	16	3	55
6	5	5	2	7	50
9	8	1	18	11	45
11	10	10	4	15	40
14	13	6	20	23	30
16	16	3	6	23	20
19	18	11	22	27	25

II — Epochs of Intercalations. (Cycles of 19 years.)

Periods	Complete years	Y.	M.	D.	G.	V.
1	19	18	11	22	27	25
2	38	37	11	14	54	50
3	57	56	11	7	22	15
4	76	75	10	29	49	40
5	95	94	10	22	17	5
6	114	113	10	14	44	30
7	133	132	10	7	11	55
8	152	151	9	29	39	20
9	171	170	9	22	6	45
10	190	189	9	14	34	10

III — Epochs of Intercalations. (Cycles of 10×19=190 years.)

Periods	Complete years	Y.	M.	D.	G.	V.
1	190	189	9	14	34	10
2	380	379	6	29	8	20
3	570	569	4	13	42	30
4	760	759	1	28	16	40
5	949	948	11	12	50	50
6	1139	1138	8	27	25	0
7	1329	1323	6	11	59	10
8	1519	1518	3	26	33	20
9	1709	1708	1	11	7	30
10	1898	1897	10	25	41	40

N. B.—This Table is subject to an Equation of 3′ 50″ additive in all cases—with it the results will tally correctly with those of the Hindu Rule.

How to compute by this Table the mean intercalation due to A. Cali yugam 4923.

Part I
```
4923
4915
─────
   8
```
Equation 8

```
          Y.   M.   D.   G.   V.
4915      8   26   20   55
   8      1   18   11   45
─────────────────────────
4923      8   11   32   40
Equation       +    3   50
─────────────────────────
4928      8   14   36   30
4928      8   14   36   29
──────────────────────────
          Difference     1
```

Time of Intercalation - 4928
Time by Hindu Rule (page 150) - 4928

```
4923          Y.    M.   D.   G.   V.
3795   Take Part III for 1898 - 1897
─────
1128

          Y.    M.   D.   G.   V.
4923    Part III   3795 - 1897  10  9  21  23  20
4744               948   9  11   4  14  10
─────
 179    Part II    4744   9   9  22   6  45
                    170   6  26  20  55
                   ─────────────────────
                   4915   6  26  20  55
```

TABLE XXX.

Trigonometrical Table, to Radius 3438'.

Signs.	Periods	0ˢ or VIˢ			Periods	Iˢ or VII.			Periods	IIˢ or VIII.			Signs.	
Degrees.		Sines	Cosines	V. sines.		Sines	Cosines	V. sines.		Sines	Cosines	V. sines.	Deg.	
° ′		′	′	′		′	′	′		′	′	′	°	′
0 0	0	000	3438	0	8	1719	2978	460	16	2978	1719	1719	30	0
3 45	1	225	3431	7	9	1910	2859	579	17	3084	1520	1918	26	15
7 30	2	419	3409	29	10	2093	2728	710	18	3177	1315	2123	22	30
11 15	3	671	3372	66	11	2267	2585	853	19	3256	1105	2333	18	45
15 0	4	890	3321	117	12	2431	2431	1007	20	3321	890	2548	15	0
18 45	5	1105	3256	182	13	2585	2267	1171	21	3372	671	2767	11	15
22 30	6	1315	3177	261	14	2728	2093	1345	22	3409	449	2989	7	30
26 15	7	1520	3084	354	15	2859	1910	1528	23	3431	225	3213	3	45
30 0	8	1719	2978	460	16	2978	1719	1719	24	3438	000	3438	0	0

Degrees.	Periods	Sines	Cosines	V. sines.	Periods	Sines	Cosines	V. sines.	Periods	Sines	Cosines	V. sines.	Deg.
		XIˢ or V.				Xˢ or IV.				IXˢ or III.			Signs.

Besides the method by continual bisection of an Arc of 30°, and extracting the square root, those who undertake to expound the Surriah Siddhanta have another Rule for computing the common Table of Sines.

The Prathama Jíva, or Sine of the 1st *Pinda* is supposed equal to the Arc itself; or Sine of 3′ 45″ =225″, the Radius or Sine of 90° being 3438′, and the Cosine of the 1st Pinda, or Cosine 3 45′ $= \sqrt{3438^2 - 225^2} = 3431$.

If A—B; A, and A+B be three Arcs, whose common difference B=3° 45′. Then the Rule for computing the Table of Sines may be expressed in Algebraical characters as follows : Sine A + B $=2$ Sine $- \frac{\text{Sine A}}{\text{Sine B}} -$ Sine AB. Thus let A—B=3° 45′ or A+B=7° 30′. Then Sine 7° 30′= $2\times225 - \frac{225'}{225} -$ Sine 0°=450′ — 1=449. Next let A=7° 30′, B=3° 45′, A + B=11° 15′ ; Then Sine 11° 15′=2×449′ $- \frac{449}{225} -$ 225′=898′ — 2′ — 225′=671′. And so on of the whole Quadrant.

To see the reason of this Rule more clearly, suppose again A=B; then Sine 2 B=Sine $\overline{A + B}$ $=2$ Sine B $- \frac{\text{Sine B}}{\text{Sine B}} -$ Sine 0°=2 Sine $\overline{B - 1}$; and if A be now any Arc whatever, then Sine $\overline{A + B} = 2$ Sine A $- \frac{\text{Sine A}}{\text{Sine B}} -$ Sine $\overline{A - B}$, gives Sine $\overline{A + B}$ + Sine $\overline{A - B}$ =2 Sine A $- \frac{\text{Sine A}}{\text{Sine B}} =$ Sine A $\times \frac{2 \text{Sine } \overline{B-1}}{\text{Sine B}} =$ Sine A $\times \frac{2 \text{ Sine B}}{\text{Sine B}} =$ Sine A $\times \frac{2 \text{ Sine B} \times \text{Cosine B}}{\text{Sine B}} =$ 2 Sine A $\times$ Cosine B.

When the Sines of all the Pindas have been computed, the Versed Sines are easily found by subtracting the Sine of the complement from the Radius.

When Sines and Cosines only are required, the Indian Rules of Trigonometry appear very seldom to differ from those used by Europeans. But for solving those cases wherein Europeans make use of Tangents, the Indian Rule must necessarily be different, at least in appearance.

1º Let ABC be a plane Triangle, right angled at C, having an oblique angle at A, and one side given, to find the other side, the common Rule is equivalent to this proportion.

Cosine A : Sine A :: AC : CB or Sine A : Cosine A :: CB : AC.

2º If the hypothenuse be required from the same data, the Indian rule is equivalent to

Cosine A : Radius :: AC : AB or Sine A : Radius :: BC : AB.

3º If the sides be given, to find the oblique angles, they first find the hypothenuse.

$AB = \sqrt{AC^2 + BC^2}$, and then AB : Radius :: BC : Sine A or AB : Radius :: AC : Cosine A.

4º If the hypothenuse and a side be given, to find the other side they use $BC = \sqrt{AB^2 - AC^2}$.

5º As every oblique angled triangle is equal to the sum or difference of two right angled triangles, a proposition well known to the Hindus, it may be inferred that they know how to apply Trigonometry to the resolution of oblique angled plane triangles; but of this I have met no example.

There is in the French Ephemerides (Connoissance des Tems) for 1808, a curious paper on the Hindu Table of Sines by Mr. Delambre, to which I refer the reader (p. 417). He observes that if in computing the Pindas the Hindu divisor $\frac{1}{225}$ be used and the Radius at 3138', only the three first would be correct, after which the error would increase rapidly. But if $\frac{1}{233,53}$ be employed, and Radius 3437,1 be substituted to the former, then the Hindu results would come (with a few and trifling exceptions) the same as exhibited in the preceding Table and as would result from his formula.

$$\triangle (^2) \text{ Sine } A = - 4 \text{ Sine } ^2 \frac{1}{2} \triangle A \text{ Sine } A = - \overline{\text{Chord}}^2 \times \triangle A \times \text{Sine } A. \quad (*)$$

(Vide Decimal Tables, page 48.)

Mr. D. has recomputed the Hindu Trigonometrical Table on the principle that he proposes, and the only sensible differences fell on

		Hindu Formula	French Formula
22	30	1315	1315,56
26	15	1520	1520,59
60	0	2978	2977,47
67	30	3177	3176,30

To Radius 3437',4.

which differences, he observes, are so trifling, that they do not affect his proposition.

(*) $\triangle$ A being equal to 3° 45'.

The following Problems of Hindu Spherical Trigonometry will illustrate the various cases of Gnomonics given in Part I, Article 8, page 90 and following of the 2d Mémoir.

A. The modern rules make it appear that the people of India at some former period were well acquainted with the theory of Spherical Trigonometry, if they be not acquainted with it at present.

1º Let A B C be a Spherical Triangle, right angled at C, having an oblique angle at A; and a side BC given. To find the other side AC.

One of their rules is equivalent to these proportions.

First. Sine A : Sine BC :: Radius : Sine AB = $\frac{Rad \times Sine\ BC}{Sine\ A}$; and

Secondly. Cosine BC : Cosine A :: Sine A B : Sine A C = $\frac{Cos.\ A \times Sine\ AB}{Cosine\ BC} = \frac{Ra. \times Cos.\ A \times Sine\ BC}{Sine\ A \times Cos.\ BC}$.

This answers to the European method; for Cot. A = $\frac{Radius \times Cosine\ A}{Sine\ A}$; and Tang. BC = $\frac{Radius \times Sine\ BC}{Cosine\ BC}$; so that Sine AC = $\frac{Radius \times Cosine\ A \times Sine\ BC}{Sine\ A \times Sine\ BC} = \frac{Co\ Tang.\ A \times Tang.\ BC}{Radius}$; which agrees with Napier's Rule.

Another Rule amounts to these proportions, viz.

First. Sine A : Cosine A :: Sine BC : Sine Z = $\frac{Cosine\ A \times Sine\ BC}{Sine\ A}$; and

Secondly. Cosine BC : Radius :: Sine Z : Sine AC = $\frac{Radius \times Sine\ Z}{Cosine\ BC} = \frac{Radius \times Cosine\ A \times Sine\ BC}{Sine\ A \times Cosine\ BC}$ the same as before.

When BC is a small Arc, and of course Cosine BC = Radius nearly, the second proportion is omitted; and Sine AC taken equal to Sine Z = $\frac{Cosine\ A \times Sine\ BC}{Sine\ A}$ conformably to the rule in Plane Trigonometry.

2º If the hypothenuse and a side be given, to find the other side, they proceed as follows:

First. $\sqrt{Sine\ ^2 AB - Sine\ ^2 BC}$ = Sine Z. Secondly. Cosine BC : Radius :: Sine Z : Sine AC = $\frac{Radius \times Sine\ Z}{Cosine\ BC} = \frac{Radius}{Cosine\ BC} \times \sqrt{Sine\ ^2 AB - Sine\ ^2 BC}$.

This is a correct value of Sine AC; for S. ^{2} AB — S. ^{2} BC = Cosine ^{2} BC — Cosine ^{2} AB; and Sine ^{2} AC = Radius ^{2} — Cosine ^{2} AC; so that Radius ^{2} — Cosine ^{2} AC = $\frac{Radius\ ^2}{Cosine\ ^2\ BC}$ × $\overline{Cosine\ ^2\ BC - Cos\ ne\ ^2\ AB}$ or Cosine ^{2} BC Radius ^{2} × Cosine ^{2} BC — Cosine ^{2} AC × Cosine ^{2} BC = Radius ^{2} × Cosine ^{2} BC — Radius ^{2} × Cosine ^{2} AB, that is Cosine ^{2} AC × Cosine ^{2} BC = Radius ^{2} × Cosine ^{2} AB; and Cosine AC × Cosine BC = Radius × Cosine AB conformably to Napier's rule.

When BC is a small Arc, and Radius = Cosine BC nearly, they omit the second part of the operation, and suppose Sine AC = $\sqrt{Sine\ ^2 AB - Sine\ ^2 BC}$.

3° Let ABD be an oblique angled Spherical Triangle, in which **two sides** AB and AD, and the included angle A are given ; to find the third side BD. The method is as follows :

First. Sine AB : Cosine AB :: Cosine AD : Sine W $= \dfrac{\text{Cosine AB} \times \text{Cosine AD}}{\text{Sine AB}}$

Secondly. Sine AD : Sine W :: Radius : Sine X $= \dfrac{\text{Radius} \times \text{Sine W}}{\text{Sine AD}} = \dfrac{\text{Rad.} \times \text{Cos. AB} \times \text{Cos. AD}}{\text{Sine AB} \times \text{Sine AD}}$

Thirdly. Cosine A $+$ Sine X $=$ Sine Y $= \dfrac{\text{Cos. A} \times \text{Sine AB} \times \text{Sine AD} + \text{Rad.} \times \text{Cos. AB} \times \text{Cos. AD}}{\text{Sine AB} \times \text{Sine AD.}}$

Fourthly. Radius : Sine Y :: Sine AD : Sine Z $= \dfrac{\text{Sine Y} \times \text{Sine AD}}{\text{Radius}} =$

$= \dfrac{\text{Cosine A} \times \text{Sine AB} \times \text{Sine AD} + \text{Radius} \times \text{Cosine AB} \times \text{Cosine AD}}{\text{Radius} \times \text{Sine AB}}$

Fifthly. Radius : Sine Z :: Sine AB : Cosine BD $= \dfrac{\text{Sine Z} \times \text{Sine AB}}{\text{Radius}} =$

$= \dfrac{\text{Cosine A} \times \text{Sine AB} \times \text{Sine AD} + \text{Radius} \times \text{Cosine AB} \times \text{Cosine AD}}{\text{Radius}}$

This is a correct value of Cosine BD ; but sometimes they bring out the same result in another manner, as follows :

First. Find as before Sine W $= \dfrac{\text{Cosine AB} \times \text{Cosine AD}}{\text{Sine AB}}$

Secondly. Find also Sine X $= \dfrac{\text{Radius} \times \text{Cosine AB} \times \text{Cosine AD}}{\text{Sine AB} \times \text{Sine AD}}$

Thirdly. Radius $+$ Sine X $= \dfrac{\text{Radius} \times \text{Sine AB} \times \text{Sine AD} + \text{Radius} \times \text{Cosine AB} \times \text{Cosine AD}}{\text{Sine AB} \times \text{Sine AD}}$

Fourthly. Sine Z $-$ Vers. Sine A $=$ Sine Q $-$ Radius $+$ Cosine A $=$ Sine Y $=$

$= \dfrac{\text{Cosine A} \times \text{Sine AB} \times \text{Sine AD} + \text{Radius} \times \text{Cosine AB} \times \text{Cosine AD}}{\text{Sine AB} \times \text{Sine AD}}$

Lastly. Sine Z, and Cosine BD, are to be found as in the former method.

4° When the three sides of a Spherical Triangle are given, to find an angle **A**, the foregoing operations are reversed, as follows :

First. Sine AB : Cosine BD :: Radius : Sine Z $= \dfrac{\text{Radius} \times \text{Cosine BD}}{\text{Sine AB}}$

Secondly. Sine AD : Sine Z :: Radius : Sine Y $= \dfrac{\text{Rad.} \times \text{Sine Z}}{\text{Sine AD}} = \dfrac{\text{Radius}^2 \times \text{Cosine BD}}{\text{Sine AB} \times \text{Sine AD}}$

Thirdly. Sine AB : Cosine AB :: Cosine AD : Sine W $= \dfrac{\text{Cosine AB} \times \text{Cosine AD}}{\text{Sine AB} \times \text{Sine AD}}$

Fourthly. Sine AD : Sine W :: Radius : Sine X $= \dfrac{\text{Rad.} \times \text{Sine W}}{\text{Sine AD}}$

Fifthly. Cosine A $=$ Sine Y $-$ Sine X $= \dfrac{\text{Radius}^2 \times \text{Cosine BD} - \text{Rad. Cosine AB} \times \text{Cosine AD}}{\text{Sine AB} \times \text{Sine AD}}$

The value of Cosine A thus found is correct, and leaves scarcely any reason to doubt of the people of India being possessed of proper rules for solving all the other cases of Trigonometry, although I have not hitherto met with them.

The preceding Theorems will be found sufficient to demonstrate every case of Hindu Gnomonics, as resolved in the second Memoir of this work.

A SET of TABLES

For facilitating the resolution of Astronomical and Gnomonic Problems, according to the theories delivered in the second Memoir.

TABLE XXXI.

F..r converting parts of the Equator into Indian time and vice versa.

Degrees into Time.						Time into Degrees.								
° ′ ″	G. Y. V. P. P. S.		° ′ ″	G. Y. V. P. P. S.		Vigud. Paras. Suras.	′ ′ ′ ″ ″ ‴	Vig. Par Sur.	° ′ ″	Guddias.	°	Guddias.	°
1	0 10	10	1 40			1.	0 6	10	1	1	6	10	60
2	0 20	20	3 20			2	0 12	20	2	2	12	20	120
3	0 30	30	5 0			3	0 18	30	3	3	18	30	180
4	0 40	40	6 40			4	0 24	40	4	4	24	40	240
5	0 50	50	8 20			5	0 30	50	5	5	30	50	300
6	0 60	60	10 0			6	0 36	60	6	6	36	60	360
7	1 10	120	20 0			7	0 42			7	42		
8	1 20	180	30 0			8	0 48			8	48		
9	1 30	240	40 0			9	0 54			9	54		
10	1 40	300	50 0			10	1 0			10	60		
		360	60 0										

TABLE XXXII.

Shewing the Sun's Declination, Right Ascension and Amplitude, when his Longitude is I, II. and III Signs; which quantities are constant, and applicable to all places.

Signs.	Sun's Longitude.	Sines.	Sun's Declination.		Sines.	Lagna.	Agra.		Sines.
		′	°	′	′	′	°	′	′
I	Yekajya or Sine of 30°	1719	11	43	693	1670	12	1	716
II	Duojaya do. of 60	2978	20	38	1211	1795	21	12	1243
III	Trijaya do. of 90	3438	20	0	1397	1935	24	40	1434

The Chara Cumda, and Ullagna, are to be calculated for the specific place computed for.

TABLE XXXIII.

Exhibiting the Latitudes and Longitudes of certain principal places in India, referred to the Rec'ha or Meridian of Lanca, such as found in some of the Indian Ephemerides annexed to the Solar and Luni-solar Patras, or Kalendars ; the circumference of the Equatorial Circle being = 5059,3 *yojanas.*

Names of Places.	Latitudes or Acsha Bagahs.			Longitude or Desentara.								
				In Degrees.				In Time.				In Yojanas.
	°	'	"	°	'	"		G.	V.	P.	S.	
Delhi	27	35	0 N	1	16	8	E	+0	13	0	0	17
Benares	25	33	0	4	37	0	E	0	46	10	·0	64
Oogein	23	11	30	0	0	0		0	0	0	0	0
Calcutta	22	31	45	12	36	30	E	2	6	5	0	177
Ganjam	19	22	0	9	17	0	E	1	33	0	0	130
Bombay	18	46	40	3	15	0	W	—0	32	30	0	— 46
Poona	18	30	0	1	41	0	W	0	17	0	0	— 24
Chicacole	18	12	0	8	7	0	E	+1	22	0	0	114
Vizagapatam	17	42	0	7	32	45	E	1	15	27	30	106
Hyderabad (Golconda)	17	26	51	2	58	45	E	0	29	47	30	42
Anagoondy	16	30	0	0	0	0		0	0	0	0	0
Banda near Masulipatam	16	15	0	5	19	45	E	0	53	17	30	75
Calastri	13	58	0	4	8	0	E	0	41	0	0	53
Madras	13	4	12	4	35	45	E	0	45	57	0	65
Bangalore	12	56	49	1	42	18	E	0	17	3	0	24
Mangalore	12	51	38	1	0	12	W	—0	10	2	0	— 14
Conjevaram	12	51	0	3	59	0	E	+0	40	0	0	56
Seringapatam	12	32	0	0	58	45	E	0	9	47	30	14
Pondicherry	11	55	56	4	0	33	E	0	40	5	30	55
Tanjore	10	47	0	3	18	9	E	0	33	1	30	47
Trivalore	10	44	0	3	32	58	E	0	35	29	44	49
Madura	9	54	0	2	25	0	E	0	24	0	0	34
Ramissuram	9	18	7	3	23	50	E	0	34	48	45	49
Anantachyam (Travancore)	8	26	0	1	24	0	E	0	14	0	0	19

To have the Longitude of any place expressed in yojanas, say, as 360°, to 5059,3, so the given Longitude in degrees, to the distance from the first Meridian counted on the Equator, in yojaras.

N. B.—For fine computations the parts of yojanas either in sexagesimals or decimals must be accounted for.

EXAMPLE I.

The Longitude of Benares in degrees being 4° 37'. Say 360° : 5059,3 :: 4° 37' : $\frac{5059.3 \times 4° 37'}{360}$ = 64,88 yojanas.

EXAMPLE II.

The Longitude of Trivalore in degrees being 3° 32' 58". Say 360° : 5059,3 :: 3° 32' 58" : $\frac{5059,3 \times 3° 32' 58"}{360}$ = 49,88 yojanas.

TABLE XXXIV.

Exhibiting the Palabah, *or* Vishama Chaya, *the Shadow of the Gnomon at noon on the days of the Equinoxes, and the circumference of the Circle of Longitude called* Sera-desa Paridhi, *at some of the principal places in India,—the Equatorial Circle being taken to contain 5059,3 yojanas.*

Names of Places.	Polar Altitude.	Sines.	Cosines.	Palabah.		Sera-desa Paridhi. Circumference of Circle of Longitude.
				A.	V.	
Benares	25° 38	1487′,0	3101′,9	5	45.1	4564′,7
Oogein	23 12	1352,3	3160,7	5	8,0	4651,2
Calcutta	22 35	1319,5	3175,0	4	59,9	4672,1
Bombay	18 47	1106,8	3255,3	4	4,7	4790,4
Vizagapatam	17 42	1042,8	3274,9	3	49,2	4819,3
Hyderabad	17 27	1030,4	3278,6	3	44,4	4824,7
Banda (near Masulipatam)	16 15	961,6	3299,4	3	29,8	4855,3
Madras	13 4	776,2	3347,4	2	46,8	4925,9
Bangalore	12 57	770,2	3348,9	2	45,5	4928,2
Mangalore	12 52	765,4	3350,1	2	44,4	4929,8
Seringapatam	12 32	745,9	3354,6	2	40,0	4936,5
Pondicherry	11 57	711,3	3362,7	2	32,2	4948,4
Tanjore	10 47	643,3	3376,7	2	17,1	4969,1
Trivalore	10 44	640,4	3377,1	2	15,5	4969,6
Ramissuram	9 18	555,5	3391,8	1	57,9	4991,3

By help of this Table the *Lagna, Chara Cumda,* and *Ullagna* of any place therein registered, may be readily computed.

For finding the difference of Longitude in time under any parallel of Latitude, say: As circumference of Circle of Longitude at that place, to 60 guddias, (or dandas), so the Longitude in yojanas counted on the Equatorial Circle, to the difference of Longitude in time of the place computed for.

EXAMPLE I.

For Benares, the Longitude of which is 64,88 yojanas East of Lanca.

Table IV. $4564,7 : 60^{\varsigma} :: 64,88 \&c. : \frac{60 \times 64,88}{4564,7} = 0^{\varsigma} 51^{\text{v}} 10^{\text{p}} 5^{\text{x}}.$

EXAMPLE II.

For Trivalore, its Longitude in yojanas being 49,88 &c.

$4969,6 : 60^{\varsigma} :: 49,88 \&c. : \frac{60 \times 49,88 \&c.}{4969,6} = 0^{\varsigma} 36^{\text{v}} 8^{\text{p}} 24^{\text{x}}.$

TABLE XXXV.

Shewing the Ayanansa for Secular years, from A. D. 0, to the Julian year 2000, concurrent with the years Cali yugam 3101, and 5101 ; or 78 years before and 1922 after the birth of Salivahana ; giving at the same time the Sun's Ravi Sayana or Longitude at the commencement of each Secular Sydereal year.

Date in March O. S.	Julian Secular years.	Years expired of the Æra Cali yug.	Ayanansa.			Longitude.				Table for finding the Ayanansa for odd years.					
			°	′	″	s.	°	′	″	Y.	′	″	Y.	°	′
				Second Padah.											
14	0	3101	—7	29	6	11	22	30	54	1	0	54	70	1	3
14	100	3201	5	59	6	11	24	0	54	2	1	48	80	1	12
15	200	3301	4	29	6	11	25	30	54	3	2	42	90	1	21
16	300	3401	2	59	6	11	27	0	54	4	3	36	100	1	30
17	400	3501	1	29	6	11	23	30	54	5	4	30	200	3	0
18	499	3600	0	0	0	0	0	0	0	6	5	24	300	4	30
				Third Padah. (*)						7	6	18	400	6	0
18	500	3601	┼0	0	54					8	7	12	500	7	30
19	600	3701	1	30	54					9	8	6	600	9	0
20	700	3801	3	0	54					10	9	0	700	10	30
20	800	3901	4	30	54					20	18	0	800	12	0
21	900	4001	6	0	54					30	27	0	900	13	30
22	1000	4101	7	30	54					40	36	0	1000	15	0
23	1100	4201	9	0	54					50	45	0			
24	1200	4301	10	30	54					60	54	0			
25	1300	4401	12	0	54										
26	1400	4501	13	30	54										
27	1500	4601	15	0	54										
27	1600	4701	16	30	54										
28	1700	4801	18	0	54										
29	1800	4901	19	30	54										
30	1900	5001	21	0	54										
31	2000	5101	22	30	54										

In this Padah the Ayanansa is additive and follows the order of the Zodiacal Signs.

Date in April NS
5
6
8
10
12
13

As only the Secular years are given in the first part of this Table, in order to find for what European date in odd years of the centuries the Ayanansa is computed, the beginning of the corresponding Hindu Solar year must be sought by means of Tables I and VII.

EXAMPLE.

How to find the Ayanansa for the year Cali yugam 4846 complete, corresponding to A. D. 1745, on Friday the 9th April N. S.

Cali yug.	A. D.	°	′	″	‴
4801	1700	18	0	54	
40	40		36	0	
5	5		4	30	
4846	1745	18	41	24	0
By the Siddhanta Rule		18	41	23	11
	Difference			49	

(*) In the 3d Quadrant of the Ayanansa, the quantities given in the 4th column shew both the Ayanansa and the Longitude of the 1st point in Mesha ♈ at the beginning of the year.

TABLE XXXVI.

Being auxiliary to the XXXVth, for finding the error of the Sun's mean Longitude as computed in the Hindu Solar Tables, when referred to the European Tables.

Julian Secular years.	Years expired since the Epoch Cali yug.	Ayanansa, the Cranti Patagati being supposed 54″ 1‴ 15‴.							
		°	′	″	‴	s. °	′	″	
				Second Padah.					
0	3101	7	29	16	19	11	22	30	43
100	3201	5	59	14	15	11	24	0	45
200	3301	4	29	12	11	11	25	30	47
300	3401	2	59	10	7	11	27	0	49
400	3501	1	29	8	3	11	28	30	51
	3600	0	0	0	0	0	0	0	0
				Third Padah.					
500	3601		+	54	1				
600	3701	1	30	56	6				
700	3801	3	0	58	11				
800	3901	4	31	0	16				
900	4001	6	1	2	21				
1000	4101	7	31	4	26				
1100	4201	9	1	6	31				
1200	4301	10	31	8	36				
1300	4401	12	1	10	41				
1400	4501	13	31	12	46				
1500	4601	15	1	14	51				
1600	4701	16	31	16	56				
1700	4801	18	1	19	1				
1800	4901	19	31	21	6				
1900	5001	21	1	23	11				
2000	5101	22	31	25	16				

Table for finding the Ayanansa for odd years.

	′	″	‴	‴/		°	′	″	‴	‴/
1	0	54	1	15	70	1	3	1	26	30
2	1	48	2	30	80	1	12	1	39	0
3	2	42	3	45	90	1	21	1	51	30
4	3	36	5	0	100	1	30	2	4	0
5	4	30	6	15	200	3	0	4	10	0
6	5	24	7	30	300	4	30	6	15	0
7	6	18	8	45	400	6	0	8	20	0
8	7	12	10	0	500	7	30	10	25	0
9	8	6	11	15	600	9	0	12	30	0
10	9	0	12	30	700	10	30	14	35	0
20	18	0	24	0	800	12	0	16	40	0
30	27	0	36	30	900	13	30	18	45	0
40	36	0	49	0	1000	15	0	20	50	0
50	45	1	1	30						
60	54	1	15	0						

Table XXXV is to Table XXXVI

In the constant ratio of $\dfrac{54''}{54''\ 1'''\ 15''''} = x$,

vide Appendix II.

TIDHI TABLE XXXVII.

Index.	Equation.		Diurnal motion.		Index.	Equation.		Diurnal motion.		Index.	Equation.		Diurnal motion.		Index.	Equation.		Diurnal motion.	
1	2	4	11	2	22	24	29	12	25	43	1	43	13	22	64	24	49	12	10
2	4	7	11	3	23	24	7	12	30	44	3	25	13	20	65	24	48	12	5
3	6	8	11	5	24	23	37	12	35	45	5	6	13	19	66	24	38	12	0
4	8	6	11	7	25	23	1	12	40	46	6	45	13	18	67	24	18	11	55
5	9	59	11	9	26	22	17	12	44	47	8	23	13	16	68	23	51	11	50
6	11	49	11	12	27	21	27	12	48	48	9	58	13	14	69	23	15	11	45
7	13	33	11	15	28	20	30	12	52	49	11	31	13	12	70	22	30	11	40
8	15	12	11	18	29	19	27	12	56	50	13	0	13	9	71	21	37	11	35
9	16	43	11	22	30	18	19	13	0	51	14	26	13	6	72	20	35	11	30
10	18	8	11	26	31	17	6	13	3	52	15	48	13	3	73	19	25	11	26
11	19	25	11	30	32	15	48	13	6	53	17	6	13	0	74	18	8	11	22
12	20	35	11	35	33	14	26	13	9	54	18	19	12	56	75	16	43	11	18
13	21	37	11	40	34	13	0	13	12	55	19	27	12	52	76	15	12	11	15
14	22	30	11	45	35	11	31	13	14	56	20	30	12	48	77	13	33	11	12
15	23	15	11	50	36	9	58	13	16	57	21	27	12	44	78	11	49	11	9
16	23	51	11	55	37	8	23	13	18	58	22	17	12	40	79	9	59	11	7
17	24	18	12	0	38	6	45	13	19	59	23	1	12	35	80	8	6	11	5
18	24	38	12	5	39	5	6	13	20	60	23	37	12	30	81	6	8	11	3
19	24	48	12	10	40	3	25	13	20	61	24	7	12	25	82	4	7	11	2
20	24	49	12	15	41	1	43	13	21	62	24	29	12	20	83	2	4	11	2
21	24	43	12	20	42	0	0	13	21	63	24	43	12	15	84	0	0	11	2

NACSHATRA TABLE XXXVIII.

Index.	Equation.		Index.	Equation.		Index.	Equation.		Index.	Equation.		Index.	Equation.		Index.	Equation.		Index.	Equation.	
1	2	0	13	20	29	25	20	29	37	4	58	49	14	1	61	22	58	73	13	0
2	3	58	14	21	16	26	19	39	38	3	20	50	15	18	62	22	55	74	11	22
3	5	54	15	21	53	27	18	42	39	1	40	51	16	31	63	22	48	75	9	36
4	7	47	16	22	22	28	17	39	40	0	0	52	17	39	64	22	22	76	7	47
5	9	36	17	22	43	29	16	31	41	1	40	53	18	42	65	21	53	77	5	54
6	11	21	18	22	55	30	15	18	42	3	20	54	19	39	66	21	16	78	3	58
7	13	0	19	22	58	31	14	1	43	4	58	55	20	29	67	20	29	79	2	0
8	14	33	20	22	53	32	12	39	44	6	35	56	21	13	68	19	33	80	0	0
9	15	59	21	22	39	33	11	12	45	8	10	57	21	49	69	18	30			
10	17	19	22	22	18	34	9	42	46	9	42	58	22	18	70	17	19			
11	18	30	23	21	49	35	8	10	47	11	12	59	22	39	71	15	59			
12	19	33	24	21	13	36	6	35	48	12	39	60	22	53	72	14	33			

YOGA TABLE XXXIX.

Index.	Equation.		Diurnal motion.		Index.	Equation.		Diurnal motion.		Index.	Equation.		Diurnal motion.		Index.	Equation.		Diurnal motion.	
1	1	43	13	0	23	21	0	14	25	45	2	54	15	18	67	21	16	14	0
2	3	25	13	1	24	20	40	14	30	46	4	20	15	17	68	21	3	13	55
3	5	5	13	3	25	20	13	14	34	47	5	45	15	16	69	20	43	13	50
4	6	43	13	5	26	19	40	14	39	48	7	8	15	14	70	20	16	13	45
5	8	18	13	7	27	19	2	14	43	49	8	29	15	12	71	19	42	13	40
6	9	50	13	9	28	18	18	14	47	50	9	48	15	10	72	19	1	13	35
7	11	18	13	12	29	17	29	14	51	51	11	4	15	8	73	18	13	13	31
8	12	41	13	15	30	16	35	14	55	52	12	12	15	5	74	17	19	13	27
9	13	59	13	19	31	15	37	14	59	53	13	28	15	2	75	16	18	13	23
10	15	11	13	23	32	14	34	15	2	54	14	34	14	59	76	15	11	13	19
11	16	18	13	27	33	13	23	15	5	55	15	37	14	55	77	13	59	13	15
12	17	19	13	31	34	12	18	15	8	56	16	35	14	51	78	12	41	13	12
13	18	13	13	35	35	11	44	15	10	57	17	29	14	47	79	11	18	13	9
14	19	1	13	40	36	9	48	15	12	58	18	18	14	43	80	9	50	13	7
15	19	42	13	45	37	9	29	15	14	59	19	2	14	39	81	8	18	13	5
16	20	16	13	50	38	7	8	15	16	60	19	40	14	34	82	6	43	13	3
17	20	43	13	55	39	5	45	15	17	61	20	13	14	30	83	5	5	13	1
18	21	3	14	0	40	4	20	15	18	62	20	40	14	25	84	3	25	13	0
19	21	16	14	5	41	2	54	15	19	63	21	0	14	20	85	1	43	13	0
20	21	-22	14	10	42	1	27	15	19	64	21	14	14	15	86	0	0	13	0
21	21	21	14	15	43	0	0	15	19	65	21	21	14	10					
22	21	14	14	20	44	1	27	15	19	66	21	22	14	5					

SOLAR TABLE XL.

Index.	Equation.			½ Diurnal Arc.		Index.	Equation.			½ Diurnal Arc.		Index.	Equation.			½ Diurnal Arc.		Index.	Equation.			½ Diurnal Arc.	
1	0	2	16	13	41	44	1	29	10	13	51	87	2	9	52	14	33	130	1	45	52	15	27
2	0	4	31	13	41	45	1	30	46	13	51	88	2	10	4	14	35	131	1	44	35	15	28
3	0	6	47	13	41	46	1	32	21	13	52	89	2	10	14	14	36	132	1	43	15	15	30
4	0	9	2	13	40	47	1	33	53	13	53	90	2	10	20	14	37	133	1	41	52	15	31
5	0	11	17	13	40	48	1	35	23	13	54	91	2	10	24	14	38	134	1	40	29	15	32
6	0	13	32	13	40	49	1	36	53	13	55	92	2	10	23	14	39	135	1	39	5	15	33
7	0	15	47	13	39	50	1	38	23	13	56	93	2	10	30	14	41	136	1	37	37	15	35
8	0	18	1	13	39	51	1	39	48	13	57	94	2	10	26	14	42	137	1	36	7	15	36
9	0	20	14	13	39	52	1	41	11	13	57	95	2	10	22	14	41	138	1	34	37	15	37
10	0	22	27	13	39	53	1	42	33	13	58	96	2	10	17	14	44	139	1	33	7	15	38
11	0	24	39	13	39	54	1	43	53	13	59	97	2	10	10	14	45	140	1	31	33	15	39
12	0	26	51	13	39	55	1	45	13	14	0	98	2	9	53	14	47	141	1	29	57	15	41
13	0	29	2	13	39	56	1	46	30	14	1	99	2	9	45	14	48	142	1	28	21	15	42
14	0	31	13	13	39	57	1	47	46	14	2	100	2	9	31	14	49	143	1	26	44	15	43
15	0	33	23	13	39	58	1	49	1	14	3	101	2	9	14	14	51	144	1	25	4	15	44
16	0	35	33	13	39	59	1	50	11	14	4	102	2	8	51	14	52	145	1	23	22	15	45
17	0	37	41	13	39	60	1	51	21	14	4	103	2	8	31	14	53	146	1	21	40	15	46
18	0	39	49	13	39	61	1	52	29	14	5	104	2	8	11	14	54	147	1	19	56	15	47
19	0	41	56	13	39	62	1	53	36	14	6	105	2	7	46	14	55	148	1	18	10	15	49
20	0	44	2	13	40	63	1	54	38	14	7	106	2	7	16	14	57	149	1	16	23	15	50
21	0	46	7	13	40	64	1	55	38	14	8	107	2	6	46	14	58	150	1	14	35	15	51
22	0	48	12	13	40	65	1	56	38	14	9	108	2	6	16	14	59	151	1	12	45	15	52
23	0	50	16	13	40	66	1	57	58	14	10	109	2	5	41	15	0	152	1	10	53	15	53
24	0	52	19	13	40	67	1	58	33	14	11	110	2	5	4	15	2	153	1	9	1	15	54
25	0	54	21	13	40	68	1	59	27	14	12	111	2	4	27	15	3	154	1	7	8	15	55
26	0	56	21	13	41	69	2	0	20	14	13	112	2	3	47	15	4	155	1	5	14	15	56
27	0	58	21	13	41	70	2	1	10	14	14	113	2	3	4	15	6	156	1	3	17	15	57
28	1	0	21	13	41	71	2	1	57	14	15	114	2	2	19	15	7	157	1	1	19	15	58
29	1	2	19	13	42	72	2	2	49	14	16	115	2	1	33	15	8	158	0	59	21	16	0
30	1	4	16	13	42	73	2	3	26	14	18	116	2	0	46	15	9	159	0	57	21	16	0
31	1	6	12	13	43	74	2	4	6	14	19	117	1	59	53	15	11	160	0	55	21	16	2
32	1	8	5	13	43	75	2	4	46	14	20	118	1	58	59	15	12	161	0	53	19	16	2
33	1	9	58	13	44	76	2	5	23	14	21	119	1	58	5	15	13	162	0	51	17	16	3
34	1	11	50	13	44	77	2	5	59	14	22	120	1	57	9	15	15	163	0	49	14	16	4
35	1	13	40	13	45	78	2	6	31	14	23	121	1	56	9	15	16	164	0	47	10	16	5
36	1	15	30	13	45	79	2	7	1	14	24	122	1	55	9	15	17	165	0	45	5	16	6
37	1	17	17	13	46	80	2	7	31	14	25	123	1	54	7	15	18	166	0	42	59	16	7
38	1	19	4	13	47	81	2	8	1	14	26	124	1	53	4	15	20	167	0	40	52	16	7
39	1	20	49	13	47	82	2	8	24	14	28	125	1	51	54	15	21	168	0	38	45	16	8
40	1	22	32	13	48	83	2	8	44	14	29	126	1	50	44	15	22	169	0	36	37	16	9
41	1	24	14	13	49	84	2	9	4	14	30	127	1	49	34	15	22	170	0	34	28	16	10
42	1	25	54	13	49	85	2	9	24	14	31	128	1	48	24	15	24	171	0	32	18	16	11
43	1	27	31	13	50	86	2	9	39	14	32	129	1	47	9	15	26	172	0	30	8	16	11

SOLAR TABLE, *continued*.

Index.	Equation.	½ Diurnal Arc.	Index.	Equation.	½ Diurnal Arc.	Index.	Equation.	½ Diurnal Arc.	Index.	Equation.	½ Diurnal Arc.
173	0 27 57	16 12	216	1 5 14	16 19	259	2 3 47	15 47	302	2 0 20	14 55
174	0 25 45	16 13	217	1 7 8	16 19	260	2 4 27	15 46	303	1 59 27	14 53
175	0 23 33	16 14	218	1 9 1	16 18	261	2 5 4	15 45	304	1 58 33	14 52
176	0 21 20	16 14	219	1 10 53	16 18	262	2 5 41	15 44	305	1 57 38	14 51
177	0 19 7	16 14	220	1 12 45	16 17	263	2 6 16	15 43	306	1 56 38	14 49
178	0 16 54	16 15	221	1 14 35	16 17	264	2 6 46	15 42	307	1 55 38	14 48
179	0 14 40	16 16	222	1 16 23	16 16	265	2 7 16	15 41	308	1 54 38	14 47
180	0 12 25	16 16	223	1 18 10	16 16	266	2 7 46	15 39	309	1 53 36	14 45
181	0 10 10	16 17	224	1 19 56	16 15	267	2 8 11	15 38	310	1 52 29	14 44
182	0 7 55	16 17	225	1 21 40	16 14	268	2 8 34	15 37	311	1 51 21	14 43
183	0 5 40	16 17	226	1 23 22	16 14	269	2 8 54	15 36	312	1 50 11	14 41
184	0 3 24	16 18	227	1 25 4	16 13	270	2 9 14	15 35	313	1 49 1	14 40
185	0 1 8	16 18	228	1 26 44	16 13	271	2 9 31	15 34	314	1 47 46	14 39
186	0 1 8	16 19	229	1 28 21	16 12	272	2 9 45	15 33	315	1 46 30	14 37
187	0 3 24	16 19	230	1 29 57	16 12	273	2 9 58	15 31	316	1 45 13	14 36
188	0 5 40	16 20	231	1 31 33	16 11	274	2 10 10	15 30	317	1 43 53	14 35
189	0 7 55	16 20	232	1 33 7	16 10	275	2 10 17	15 29	318	1 42 33	14 33
190	0 10 10	16 20	233	1 34 37	16 10	276	2 10 22	15 28	319	1 41 11	14 32
191	0 12 25	16 20	234	1 36 7	16 10	277	2 10 26	15 26	320	1 39 48	14 31
192	0 14 40	16 20	235	1 37 37	16 8	278	2 10 30	15 25	321	1 38 23	14 30
193	0 16 54	16 21	236	1 39 5	16 8	279	2 10 28	15 24	322	1 36 53	14 28
194	0 19 7	16 21	237	1 40 29	16 7	280	2 10 24	15 23	323	1 35 23	14 27
195	0 21 20	16 21	238	1 41 52	16 6	281	2 10 20	15 22	324	1 33 53	14 26
196	0 23 33	16 21	239	1 43 15	16 5	282	2 10 14	15 21	325	1 32 21	14 24
197	0 25 45	16 21	240	1 44 35	16 4	283	2 10 4	15 19	326	1 30 46	14 23
198	0 27 57	16 22	241	1 45 52	16 4	284	2 9 52	15 18	327	1 29 10	14 22
199	0 30 8	16 22	242	1 47 9	16 3	285	2 9 39	15 17	328	1 27 34	14 20
200	0 32 18	16 22	243	1 48 24	16 1	286	2 9 24	15 15	329	1 25 54	14 19
201	0 34 28	16 22	244	1 49 34	16 1	287	2 9 4	15 14	330	1 24 14	14 18
202	0 36 37	16 22	245	1 50 44	16 0	288	2 8 44	15 13	331	1 22 32	14 17
203	0 38 46	16 22	246	1 51 54	15 59	289	2 8 24	15 12	332	1 20 49	14 16
204	0 40 52	16 22	247	1 53 4	15 58	290	2 8 1	15 10	333	1 19 4	14 14
205	0 42 59	16 22	248	1 54 7	15 58	291	2 7 31	15 9	334	1 17 17	14 13
206	0 45 5	16 22	249	1 55 9	15 57	292	2 7 1	15 8	335	1 15 30	14 12
207	0 47 10	16 21	250	1 56 9	15 56	293	2 6 31	15 7	336	1 13 40	14 11
208	0 49 14	16 21	251	1 57 9	15 55	294	2 5 59	15 6	337	1 11 50	14 10
209	0 51 17	16 21	252	1 58 5	15 54	295	2 5 23	15 4	338	1 9 58	14 8
210	0 53 19	16 21	253	1 58 59	15 53	296	2 4 46	15 3	339	1 8 5	14 7
211	0 55 21	16 20	254	1 59 53	15 53	297	2 4 6	15 1	340	1 6 12	14 6
212	0 57 21	16 20	255	2 0 46	15 51	298	2 3 26	15 0	341	1 4 16	14 5
213	0 59 21	16 20	256	2 1 33	15 50	299	2 2 42	14 59	342	1 2 19	14 4
214	1 1 19	16 20	257	2 2 19	15 49	300	2 1 57	14 58	343	1 0 21	14 3
215	1 3 17	16 19	258	2 3 4	15 48	301	2 1 10	14 56	344	0 53 21	14 2

SOLAR TABLE, *continued.*

Index.	Equation.	½ Diurnal Arc.	Index.	Equation.	½ Diurnal Arc.	Index.	Equation.	½ Diurnal Arc.	Index.	Equation.	½ Diurnal Arc.
345	0 56 21	14 1	353	0 39 49	13 54	361	0 22 27	13 46	369	0 4 31	13 43
346	0 54 21	14 0	354	0 37 41	13 52	362	0 20 14	13 46	370	0 2 16	13 42
347	0 52 19	13 59	355	0 35 33	13 51	363	0 18 1	13 45	371	0 0 0	13 41
348	0 50 16	13 58	356	0 33 23	13 50	364	0 15 47	13 45			
349	0 48 12	13 57	357	0 31 13	13 50	365	0 13 32	13 44			
350	0 46 7	13 56	358	0 29 2	13 49	366	0 11 17	13 44			
351	0 44 2	13 55	359	0 26 51	13 48	367	0 9 2	13 43			
352	0 41 56	13 54	360	0 24 39	13 47	368	0 6 43	13 43			

TABLE XLI.

♂ I.

Of the mean motion of Mars, for days.

Days.		Mean motion.				Days.		Mean motion.			
	s.	°	′	″	‴		s.	°	′	″	‴
1	0	0	31	26	28	1000	5	14	1	9	46
2	0	0	2	52	56	2000	10	28	2	19	32
3	0	1	34	19	25	3000	4	12	3	29	17
4	0	2	5	45	53	4000	9	26	4	39	3
5	0	2	37	12	21	5000	3	10	5	48	49
6	0	3	8	38	49	6000	8	24	6	58	35
7	0	3	40	5	17	7000	2	8	8	8	21
8	0	4	11	31	45	8000	7	22	9	18	7
9	0	4	42	58	14	9000	1	6	10	27	52
10	0	5	14	24	42	10000	6	20	11	37	38
20	0	10	28	49	24	20000	1	10	23	15	16
30	0	15	43	14	6	30000	8	0	34	52	54
40	0	20	57	38	47	40000	2	20	46	30	33
50	0	26	12	3	29	50000	9	10	58	8	11
60	1	1	26	28	11	60000	4	1	9	45	49
70	1	6	40	52	53	70000	10	21	21	23	27
80	1	11	55	17	35	80000	5	11	33	1	5
90	1	17	9	42	17	90000	0	1	44	38	44
100	1	22	24	6	59	100000	6	21	56	16	22
200	3	14	48	13	57	200000	1	13	52	32	43
300	5	7	12	20	56	300000	8	5	48	49	5
400	6	29	36	27	54	400000	2	27	45	5	27
500	8	22	0	34	53	500000	9	19	41	21	49
600	10	14	24	41	51	600000	4	11	37	38	10
700	0	6	48	48	50	700000	11	3	33	54	32
800	1	29	12	55	49	800000	5	25	30	10	54
900	3	21	37	2	47	900000	0	17	26	27	16
1000	5	14	1	9	46	1000000	7	9	22	43	27

Druva 9' 22° 35' 28''.

Epoch for all the Tables A. Cali yug 4399 complete.

♂ II.

MANGALA P'HALA.

		Sup. Mean Anomaly.										
•	′	+ 0ˢ — VIˢ			+ Iˢ — VIIˢ			+ IIˢ — VIIIˢ			•	′
		s	•	′	s	•	′	s	•	′		
0	0	0	0	0	5	51	32	10	1	57	30	0
3	45	0	46	45	6	29	48	10	22	45	26	15
7	30	1	33	3	7	6	19	10	40	57	22	30
11	15	2	18	42	7	40	59	10	56	24	18	45
15	0	3	3	30	8	13	43	11	9	4	15	0
18	45	3	47	15	8	44	20	11	19	3	11	15
22	30	4	29	58	9	12	40	11	26	21	7	30
26	15	5	11	27	9	38	32	11	30	41	3	45
30	0	5	51	32	10	1	57	11	32	3	0	0
′	′	— XIˢ + Vˢ			— Xˢ + IVˢ			— IXˢ + IIIˢ			•	′
		Sup. Mean Anomaly.										

The Argument of this Table is found by subtracting Mars' corrected mean place from that of his Apsis.

—●●●❀|⬤|❀●●●—

TABLE of Mars' Annual Equation, and Chila Carna. (*). The Argument of this Table is found by subtracting Mars' mean place corrected, from the Sun's mean place.

♂ III.

		Commutation.																	
		+ 0ˢ			+ Iˢ			+ IIˢ			+ IIIˢ			+ IVˢ			+ Vˢ		
•		Equation.		Chila carna	Equation.		Chila carna	Equation.		Chila carna	Equation.		Chila carna	Equation.		Chila carna	Equation.		Chila carna	•	′

•	′	°	′	″	′	°	′	″	′	°	′	″	′	°	′	″	′	°	′	″	′	•	′
0	0	0	0	0	5682	11	43	45	5484	22	55	58	1937	32	48	11	4090	39	34	8	3019	36 31 22 1874	30	0
3	45	1	28	52	5678	13	10	20	5431	24	16	17	1846	33	52	0	3966	39	58	8	2875	34 30 1 1743	26	15
7	30	2	57	16	5667	14	35	52	5379	25	34	26	1751	34	54	32	3839	40	13	17	2730	31 53 1 1618	22	30
11	15	4	26	0	5651	16	1	25	5318	26	51	22	1651	35	53	42	3708	40	17	36	2585	28 33 6 1503	18	45
15	0	5	54	15	5629	17	26	0	5252	28	6	40	1547	36	47	32	3575	40	9	2	2440	24 24 37 1402	15	0
18	45	7	21	54	5601	18	49	23	5181	29	19	44	4429	37	37	7	3440	39	45	49	2295	19 23 2 1317	11	15
22	30	8	49	32	5567	20	13	7	5104	30	31	32	1327	38	22	24	3303	39	4	13	2152	13 30 38 1251	7	30
26	15	10	16	45	5528	21	35	5	5023	31	41	54	1210	39	1	41	3162	38	0	7	2011	6 58 6 1209	3	45
30	0	12	43	45	5484	22	55	58	4937	32	48	11	4090	39	34	8	3019	36	31	22	1874	0 0 0 1194	0	0

•	′	Equation.		Chila carna	Equation.		Chila carna	Equation.		Chila carna	Equation.		Chila carna	Equation.		Chila carna	Equation.		Chila carna	•	′
		— XIˢ			— Xˢ			— IXˢ			— VIIIˢ			— VIIˢ			— VIˢ				
		Commutation.																			

(*) Chila Carna means the true distance of a Planet from the Earth, in contradistinction to its *mean* distance, or radius of the Deferent.

TABLE XLII.

☿ I.

Of the mean motion of Mercury, for days.

Days.	Mean motion.					Days.	Mean motion.				
	s.	°	′	″	‴		s.	°	′	″	‴
1	0	4	5	32	21	1000	4	12	19	4	58
2	0	8	11	4	41	2000	8	24	38	9	56
3	0	12	16	37	2	3000	1	6	57	14	53
4	0	16	22	9	23	4000	5	19	16	19	50
5	0	20	27	41	43	5000	10	1	35	24	48
6	0	24	33	14	4	6000	2	13	54	29	45
7	0	28	38	46	25	7000	6	26	13	34	43
8	1	2	44	18	46	8000	11	8	32	39	41
9	1	6	49	51	6	9000	3	20	51	44	38
10	1	10	55	23	27	10000	8	3	10	49	36
20	2	21	50	46	54	20000	4	6	21	39	12
30	4	2	46	10	21	30000	0	9	32	28	47
40	5	13	41	33	48	40000	8	12	43	18	23
50	6	24	36	57	15	50000	4	15	54	7	59
60	8	5	32	20	42	60000	0	19	4	57	35
70	9	16	27	44	9	70000	8	22	15	47	10
80	10	27	23	7	36	80000	4	25	26	36	46
90	0	8	18	31	3	90000	0	28	37	26	22
100	1	19	13	54	30	100000	9	1	48	15	58
200	3	8	27	49	0	200000	6	3	36	31	55
300	4	27	41	43	29	300000	3	5	24	47	53
400	6	16	55	37	59	400000	0	7	13	3	50
500	8	6	9	32	29	500000	9	9	1	19	43
600	9	25	23	26	59	600000	6	10	49	35	46
700	11	14	37	21	28	700000	3	12	37	51	43
800	1	3	51	15	58	800000	0	14	26	7	41
900	2	23	5	10	28	900000	9	16	14	23	38
1000	4	12	19	4	58	1000000	6	18	2	39	36

Druva 10° 26° 48′ 9″.

☿ II.
BHUDA P'HALA.

		+ 0s — VIs			+ Is — VIIs			+ IIs — VIIIs				
Sup. mean Anomaly.													
°	′	°	′	″	°	′	″	°	′	″	°	′	
0	0	0	0	0	2	18	28	3	53	53	30	0	
3	45	0	18	40	2	33	16	4	1	42	26	15	
7	30	0	37	6	2	47	21	4	8	52	22	30	
11	15	0	55	11	3	0	33	4	14	17	18	45	
15	0	1	12	53	3	13	1	4	19	4	15	0	
18	45	1	30	7	3	24	39	4	22	45	11	15	
22	30	1	46	47	3	35	20	4	25	29	7	30	
26	15	2	2	56	3	45	5	4	27	2	3	45	
30	0	2	13	28	3	53	53	4	27	35	0	0	
°	′	— XIs + Vs			— Xs + IVs			— IXs + IIIs			°	′	
Sup. mean Anomaly.													

The Argument of this Table is found by subtracting the Sun's place corrected by certain Equations from the place of Mercury's Apsis.

TABLE of MERCURY's ANNUAL EQUATION, and CHILA CARNA. The Argument of this Table is found by subtracting the Sun's mean place corrected, from Mercury's mean place corrected.

☿ III.

		+ 0s		+ Is		+ IIs		+ IIIs		+ IVs		+ Vs			
Commutation.															
°	′	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	°	′
°	′	° ′ ″	′	° ′ ″	′	° ′ ″	′	° ′ ″	′	° ′ ″	′	° ′ ″	′	°	′
0	0	0 0 0	4702	7 56 29	4578	15 2 1	4213	20 9 10	3662	21 17 39	3012	15 6 57	2426	30	0
3	45	1 0 42	4706	8 53 4	4545	15 49 2	4153	20 34 13	3584	21 0 9	2930	13 39 49	2370	26	15
7	30	2 1 15	4699	9 49 56	4507	16 33 55	4090	20 55 12	3504	20 35 23	2851	12 3 31	2319	22	30
11	15	3 1 30	4688	10 45 3	4467	17 16 19	4025	21 11 45	3423	20 3 2	2773	10 13 48	2275	18	45
15	0	4 1 26	4671	11 39 7	4423	17 56 12	3957	21 23 47	3341	19 21 15	2697	8 25 55	2235	15	0
18	45	5 1 4	4656	12 32 17	4375	18 33 29	3886	21 30 51	3255	18 31 28	2624	6 26 7	2200	11	15
22	30	6 0 1	4634	13 23 56	4324	19 8 24	3813	21 32 27	3177	17 33 2	2554	4 20 46	2186	7	30
26	15	6 58 27	4608	14 13 50	4270	19 40 50	3733	21 28 9	3095	16 25 8	2487	2 11 28	2176	3	45
30	0	7 56 29	4578	15 2 1	4213	20 9 10	3662	21 17 39	3012	15 6 57	2426	0 0 0	2168	0	0
°	′	Equation.	Chila carna	Equation	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	°	′
		— XIs		— Xs		— IXs		— VIIIs		— VIIs		— VIs			
Commutation.															

TABLE XLIII.

♃ I.

Of Jupiter's mean motion for days.

Days.	Mean motion.					Days.	Mean motion.				
	s	°	'	"	'''		s	°	'	"	'''
1	0	0	4	59	9	1000	2	23	5	46	50
2	0	0	9	58	18	2000	5	16	11	33	40
3	0	0	14	57	26	3000	8	9	17	20	30
4	0	0	19	56	35	4000	11	2	23	7	20
5	0	0	24	55	44	5000	1	25	28	54	10
6	0	0	29	54	53	6000	4	18	34	41	0
7	0	0	34	54	2	7000	7	11	40	27	50
8	0	0	39	53	10	8000	10	4	46	14	40
9	0	0	44	52	19	9000	0	27	52	1	29
10	0	0	49	51	28	10000	3	20	57	48	19
20	0	1	39	42	56	20000	7	11	55	36	39
30	0	2	29	34	24	30000	11	2	53	24	58
40	0	3	19	25	52	40000	2	23	51	13	18
50	0	4	9	17	21	50000	6	14	49	1	37
60	0	4	59	8	49	60000	10	5	46	49	57
70	0	5	49	0	17	70000	1	26	44	38	16
80	0	6	38	51	45	80000	5	17	42	26	35
90	0	7	28	43	13	90000	9	8	40	14	55
100	0	8	18	31	41	100000	0	29	38	3	14
200	0	16	37	9	22	200000	1	29	16	6	29
300	0	24	55	44	3	300000	2	23	54	9	43
400	1	3	14	18	41	400000	3	28	32	12	57
500	1	11	32	53	25	500000	4	28	10	16	11
600	1	19	51	28	6	600000	5	27	48	19	26
700	1	28	10	2	47	700000	6	27	26	22	40
800	2	6	28	37	28	800000	7	27	4	25	54
900	2	14	47	12	9	900000	8	26	42	29	8
1000	2	23	5	46	50	1000000	9	26	20	32	23

Druva 10ˢ 15° 45' 16".

♃ II.
GURU, or VRIHASPATI PHALA.

° '		+ 0s — VIs			+ Is — VIIs			+ IIs — VIIIs			° '
		s	°	'	s	°	'	s	°	'	
0	0	0	0	0	2	35	11	4	26	0	30	0
3	45	0	20	35	2	52	8	4	35	13	26	15
7	30	0	41	0	3	8	19	4	43	18	22	30
11	15	1	1	8	3	23	40	4	50	10	18	45
15	0	1	20	57	3	38	4	4	55	49	15	0
18	45	1	40	19	3	51	32	5	0	13	11	15
22	30	1	59	10	4	4	5	5	3	27	7	30
26	15	2	17	23	4	15	36	5	5	20	3	45
30	0	2	35	11	4	26	0	5	5	58	0	0
° '		— XIs + Vs			— Xs + IVs			— IXs + IIIs			° '

Sup. Mean Anomaly.

The Argument is found by subtracting Jupiter's corrected mean place, from the place of his Apsis.

TABLE *of* JUPITER's ANNUAL EQUATION, *and* CHILA CARNA. *The Argument of this Table is found by subtracting Jupiter's mean place corrected, from the Sun's mean place corrected.*

♃ III.

° '		+ 0s		+ Is		+ IIs		+ IIIs		+ IVs		+ Vs		° '
		Equation.	Cbila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	
		° ' "	'	° ' "	'	° ' "	'	° ' "	'	° ' "	'	° ' "	'	
0	0	0 0 0	4107	4 48 49	4040	8 55 14	3827	11 18 20	3506	10 50 57	3152	6 46 59	2871	30	0
3	45	0 36 43	4107	5 23 5	4021	9 20 13	3791	11 25 47	3461	10 32 33	3110	6 2 5	2847	26	15
7	30	1 13 24	4104	5 56 32	3999	9 43 25	3754	11 30 15	3417	10 10 34	3070	5 14 57	2825	22	30
11	15	1 50 1	4099	6 29 6	3976	10 4 42	3716	11 31 44	3372	9 45 3	3032	4 25 44	2807	18	45
15	0	2 26 28	4092	7 0 38	3951	10 23 54	3676	11 30 7	3326	9 16 2	2995	3 34 36	2793	15	0
18	45	3 2 36	4083	7 31 4	3922	10 41 4	3635	11 25 25	3282	8 43 45	2961	2 42 8	2782	11	15
22	30	3 38 19	4071	8 0 33	3892	10 55 58	3593	11 17 15	3238	8 7 43	2928	1 48 37	2774	7	30
26	15	4 13 47	4056	8 28 39	3860	11 8 29	3550	11 5 50	3195	7 28 38	2898	0 54 24	2770	3	45
30	0	4 48 49	4040	8 55 14	3827	11 18 20	3506	10 50 57	3152	6 46 59	2871	0 0 0	2769	0	0
° '		Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila cerna	Equation.	Chila carna	° '
		— XIs		— Xs		— IXs		— VIIIs		— VIIs		— VIs		

Commutation.

TABLE XLIV.

♀ I.

Of the mean motion of Venus, for days.

Days.	Mean motion.					Days.	Mean motion.				
	s.	°	′	″	‴		s.	°	′	″	‴
1	0	1	36	7	44	1000	5	12	8	47	1
2	0	3	12	15	27	2000	10	24	17	34	3
3	0	4	48	23	11	3000	4	6	26	21	4
4	0	6	24	30	54	4000	9	18	35	8	5
5	0	8	0	38	38	5000	3	0	43	55	7
6	0	9	36	46	22	6000	8	12	52	42	8
7	0	11	12	54	5	7000	1	25	1	29	9
8	0	12	49	1	49	8000	7	7	10	16	11
9	0	14	25	9	33	9000	0	19	19	3	12
10	0	16	1	17	16	10000	6	1	27	50	14
20	1	2	2	34	32	20000	0	2	55	40	27
30	1	18	3	51	49	30000	6	4	23	30	41
40	2	4	5	9	5	40000	0	5	51	20	54
50	2	20	6	26	21	50000	6	7	19	11	8
60	3	6	7	43	37	60000	0	8	47	1	21
70	3	22	9	0	53	70000	6	10	14	51	35
80	4	8	10	18	10	80000	0	11	42	41	38
90	4	24	11	35	26	90000	6	13	10	32	2
100	5	10	12	52	42	100000	0	14	38	22	16
200	10	20	25	45	24	200000	0	29	16	44	31
300	4	0	38	38	6	300000	1	13	55	6	47
400	9	10	51	30	49	400000	1	28	33	29	2
500	2	21	4	23	31	500000	2	13	11	51	18
600	8	1	17	16	13	600000	2	27	50	13	34
700	1	11	30	8	55	700000	3	12	28	35	49
800	6	21	43	1	37	800000	3	27	6	58	5
900	0	1	55	54	19	900000	4	11	45	20	20
1000	5	12	8	47	1	1000000	4	26	83	42	36

Druva 8ˢ 22° 20′ 19″.

♀ II.
SUCRA P'HALA.

		Argument. *				
°	'	+ 0s — VIs	+ Is — VIIs	+ IIs — VIIIs	°	'
0	0	0 0 0	0 54 55	1 32 6	30	0
3	45	0 7 23	1 0 45	1 35 5	26	15
7	30	0 14 48	1 6 14	1 37 41	22	30
11	15	0 22 0	1 11 25	1 39 56	18	45
15	0	0 29 2	1 16 15	1 41 47	15	0
18	45	0 35 52	1 20 47	1 43 11	11	15
22	30	0 42 26	1 24 56	1 44 15	7	30
26	15	0 48 48	1 28 41	1 44 50	3	45
30	0	0 54 55	1 32 6	1 45 3	0	0
°	'	— XIs + Vs	— Xs + IVs	— IXs + IIIs	°	'
		Argument.				

* The Argument is found by subtracting the Sun's corrected place, from the place of Venus' Apsis.

TABLE *of* Venus' Annual Equation, *and* Chila Carna. *The Argument of this Table is found by subtracting the Sun's mean place corrected, from Venus' mean place corrected.*

♀ III.

			Commutation.											
		+ 0s		+ Is		+ IIs		+ IIIs		+ IVs		+ Vs		
°	'	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	°	'
0	0	0 0 0	5940	12 33 19	5734	24 43 32	5152	35 51 32	4241	44 27 30	3075	44 16 37	1786	30	0
3	45	1 34 48	5936	14 6 13	5681	26 10 42	5055	37 6 55	4107	45 9 17	2916	42 31 20	1690	26	15
7	30	3 9 24	5925	15 38 50	5629	27 38 23	4953	38 21 4	3970	45 44 45	2755	40 7 59	1481	22	30
11	15	4 44 0	5909	17 11 18	5558	29 3 34	4846	39 32 9	3828	46 9 56	2594	36 45 59	1311	18	45
15	0	6 18 17	5886	18 42 21	5487	30 27 32	4734	40 39 6	3684	46 23 5	2432	32 14 13	1213	15	0
18	45	7 52 11	5857	20 14 13	5412	31 51 24	4617	41 43 3	3536	46 22 32	2269	26 17 20	1101	11	15
22	30	9 26 1	5822	21 44 40	5331	33 12 47	4496	42 43 41	3385	46 3 43	2106	18 47 30	1013	7	30
26	15	10 59 27	5781	23 14 25	5244	34 33 7	4371	43 38 36	3231	45 23 17	1945	9 51 15	956	3	45
30	0	12 33 19	5734	24 43 32	5152	35 51 32	4241	44 27 30	3075	44 16 37	1786	0 0 0	936	0	0
°	'	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	°	'
		— XIs		— Xs		— IXs		— VIIIs		— VIIs		— VIs		
			Commutation.											

TABLE XLV.

♄ I.

Of Saturn's mean motion for days.

Days.	Mean motion.					Days.	Mean motion.				
	s	°	′	″	‴		s	°	′	″	‴
1	0	0	2	0	23	1000	1	3	26	21	30
2	0	0	4	0	46	2000	2	6	52	43	1
3	0	0	6	1	9	3000	3	10	19	4	31
4	0	0	8	1	32	4000	4	13	45	26	2
5	0	0	10	1	54	5000	5	17	11	47	32
6	0	0	12	2	17	6000	6	20	38	9	3
7	0	0	14	2	40	7000	7	24	4	30	33
8	0	0	16	3	13	8000	8	27	30	52	4
9	0	0	18	3	26	9000	10	0	57	13	34
10	0	0	20	3	49	10000	11	4	23	35	5
20	0	0	40	7	38	20000	10	8	47	10	10
30	0	1	0	11	27	30000	9	13	10	45	15
40	0	1	20	15	16	40000	8	17	34	20	20
50	0	1	40	19	5	50000	7	21	57	55	25
60	0	2	0	22	53	60000	6	26	21	30	30
70	0	2	20	26	42	70000	6	0	45	5	35
80	0	2	40	30	31	80000	5	5	8	40	40
90	0	3	0	24	20	90000	4	9	32	15	44
100	0	3	20	38	9	100000	3	13	55	50	49
200	0	6	41	16	18	200000	6	27	51	41	39
300	0	10	1	54	27	300000	10	11	47	32	28
400	0	13	22	32	36	400000	1	25	43	23	18
500	0	16	43	10	45	500000	5	9	39	14	7
600	0	20	3	48	54	600000	8	23	35	4	56
700	0	23	24	27	3	700000	0	7	30	55	46
800	0	26	45	5	12	800000	3	21	26	46	35
900	1	0	5	43	21	900000	7	5	22	37	25
1000	1	3	26	21	30	1000000	10	19	18	28	14

Drava. 2° 28° 53′ 32″.

♄ II.

SANI P'HALA.

°	'	+ 0s — VIs			+ Is — VIIs			+ IIs — VIIIs			°	'
		s	°	'	s	°	'	s	°	'		
0	0	0	0	0	3	51	37	6	38	56	30	0
3	45	0	30	35	4	17	10	6	52	53	26	15
7	30	1	0	57	4	41	36	7	5	9	22	30
11	15	1	30	57	5	4	46	7	15	31	18	45
15	0	2	0	30	5	26	33	7	24	5	15	0
18	45	2	29	26	5	47	0	7	30	45	11	15
22	30	2	57	35	6	5	56	7	35	38	7	30
26	15	3	25	1	6	23	14	7	38	35	3	45
30	0	3	51	37	6	38	56	7	39	31	0	0
°	'	— XIs + Vs			— Xs + IVs			— IXs + IIIs			°	'

Sup. Mean Anomaly.

The Argument is found by subtracting Saturn's corrected mean place, from the place of his Apsis.

———●○●◉|◈|◎●○●———

TABLE *of* SATURN's ANNUAL EQUATION, *and* CHILA CARNA. *The Argument of this Table is found by subtracting Saturn's mean place corrected, from the Sun's mean place.*

♄ III.

°	'	+ 0s		+ Is		+ IIs		+ IIIs		+ IVs		+ Vs		°	'
		Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna		
		° ' "	'	° ' "	'	° ' "	'	° ' "	'	° ' "	'	° ' "	'		
0	0	0 0 0	3811	2 52 2	3769	5 11 35	3643	6 20 21	3459	5 47 52	3265	3 28 2	3117	30	0
3	45	0 22 2	3810	3 12 1	3758	5 24 49	3623	6 22 20	3434	5 35 56	3242	3 4 25	3104	26	15
7	30	0 44 3	3809	3 31 23	3745	5 36 52	3601	6 22 36	3409	5 22 19	3221	2 39 52	3092	22	30
11	15	1 6 0	3806	3 50 9	3731	5 47 37	3579	6 21 9	3384	5 7 0	3200	2 14 31	3083	18	45
15	0	1 27 47	3801	4 8 11	3716	5 57 3	3556	6 17 59	3359	4 50 4	3181	1 48 26	3077	15	0
18	45	1 49 19	3795	4 25 27	3699	6 5 7	3534	6 13 7	3335	4 31 39	3162	1 21 46	3072	11	15
22	30	2 10 33	3788	4 41 50	3682	6 11 45	3509	6 6 29	3313	4 11 44	3146	0 54 41	3068	7	30
26	15	2 31 29	3779	4 57 13	3663	6 16 51	3484	5 58 2	3289	3 50 29	3131	0 27 23	3066	3	45
30	0	2 52 2	3769	5 11 35	3643	6 26 21	3459	5 47 52	3265	3 28 2	3117	0 0 0	3065	0	0
°	'	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	Equation.	Chila carna	°	'
		— XIs		— Xs		— IXs		— VIIIs		— VIIs		— VIs			

Commutation.

TABLE XLVI.

Shewing the Lagna, Chara Cumda, and Ullagna for every Sign of the Ecliptic; calculated for the Latitude of 16° 15'; being that of Banda, near Masulipatam; to which the Commentary refers.

	— I and IV Quadrants.			+ II and III Quadrants.		
	Is or XIIs.	IIs or XIs.	IIIs or Xs.	IVs or Xs.	Vs or VIIIs	VIs or VIIs
Lagna	1670'	1795'	1935'	1935'	1795'	1670'
Chara Cumda	208	169	70	70	169	208
Ullagna	1462	1626	1865	2005	1964	1873

For the Sun's Declination, Right Ascension, and Amplitude, when his Longitude is I, II, and III Signs. See Text, page 97, 98, 101, and 102.

TABLE XLVII. (*)

Being the 4th of the Vakiam process.

For reducing the Moon's place as computed for the time of Sun rising at Lanca, to what it is at a similar instant at another place, stated to be Trivalore near Tanjore, the Longitude of which is 3° 43' 45" East of Lanca, and Latitude 10° 41' N. Communicated by *Sami Nada Sashia* of Pondicherry.

Hindu names of Solar months.		Tamul names of Solar months.	Desentara calas. +	Andra vicalas for any day in the same month.
♈	Vaisácha	Chaitram	15'	— 12"
♉	Jyaish'ta	Vyassei	10	— 10
♊	A'shád'ha	Auni	7	— 6
♋	Srávana	Audi	8	+ 2
♌	Bhádrapada	Auvani	11	+ 6
♍	A'swina	Paratasi	17	+ 12
♎	Cártiga	Arpesi	21	+ 8
♏	Márgasíras	Cartiga	28	+ 14
♐	Paushia	Margali	30	— 4
♑	Mágha	Tye	29	— 2
♒	Phálguna	Maussi	26	— 6
♓	Chaitra	Poongoni	21	— 10

The *Desentara* calas are always additive; and are to be taken for the month which *precedes* that for which the computation is made.

The andra vicalas are for any day in the month the computation is made for. They are to be used as multiples of the odd degrees, minutes and seconds of the Sun's true place or Sputa Graha, at Sun rising on the given day; the product of the degrees giving *vicalas* or seconds; that of the minutes, *tarparies* or thirds, and so forth.

This latter Equation is to be applied + to the Moon's uncorrected place, as indicated in the Table.

EXAMPLE.

Let the Sun's Sputa Graha or true place in the Hindu Zodiac on the 24th Audi complete (or 25th at Sun rising) be   3 22 59 3

And the ☽'s uncorrected place at the same instant   4 3 57 13

1º Desentara calas for the month Auni   + 7 0

2º The andra vicalas (col. 3) for any day in Audi are + 2. The odd degrees of the Sun's Longitude are   22° 59' 3"

therefore - × 2

45' 58" 6'" or say + 46

☽'s place corrected for Desentara, 24th Audi   4 4 4 59

There only remains the Equation of the Arca Bhagábala to be applied to the Moon's corrected place, to have her *Sputa Graha* or true place, at Sun rise on the 25th Audi, at the place computed for.

N. B.—The common Kalendar makers use indiscriminately the above Table for any place in these South Eastern Provinces.

(*) This Table is accidentally inserted out of its place; it should be the XXVIIIth.

TABLE XLVIII.

For the Solar Ahargana *from the beginning of the Cali yug, the mean Solar Sydereal year being* $\frac{1577917528}{4320000}$ *or* 365d 15g 31v 31p 24s.

First Part, *according to the* Surriah Siddhanta.

Years.	Time due to corresponding periods,					Years.	Time due to corresponding periods.				Names of Solar months according to the Surriah Siddharta.	Zod. signs	Time due to each month.				
	D.	G.	V.	P.	S.		D.	G.	V.	P.	Surriah Siddhanta (separately).						
1	365	15	31	31	24	100	36525	52	32	20			D.	G.	V.	P.	S.
2	730	31	3	2	48	200	73051	45	4	40	Mésha masa	♈	30	55	32	2	39
3	1095	46	34	34	12	300	109577	37	37	0	Vrïsha m.	♉	31	24	12	2	41
4	1461	2	6	5	36	400	116103	30	9	20	Mid'huna m.	♊	31	36	38	2	44
5	1826	17	37	37	0	500	182629	22	41	40	Carcáta m.	♋	31	28	12	2	42
6	2191	33	9	8	24	600	219155	15	14	0	Tinha m.	♌	31	2	10	2	40
7	2556	48	40	39	48	700	255681	7	46	20	Canyà m.	♍	30	27	22	2	38
8	2922	4	12	11	12	800	292207	0	18	40	Tulà m.	♎	29	54	7	2	35
9	3287	19	43	42	36	900	328732	52	51	0	Vrischica m.	♏	29	30	24	2	33
10	3652	35	15	14	0	1000	365258	45	23	20	Dhanus m.	♐	29	20	53	2	31
20	7305	10	30	28	0	2000	730517	30	46	40	Macara m.	♑	29	27	16	2	32
30	10957	45	45	42	0	3000	1095776	16	10	0	Cumbha m.	♒	29	48	24	2	33
40	14610	21	0	56	0	4000	1461035	1	33	20	Min m.	♓	30	20	21	2	36
50	18262	56	16	10	0	5000	1826293	46	56	40	*Kalendar* names (collectively) End of each month.						
60	21915	31	31	24	0	6000	2191552	32	20	0	Vaisácha	♈	30	55	32	2	39
70	25568	6	46	38	0	7000	2556811	17	43	20	Jyaishtà	♉	62	19	44	5	20
80	29230	42	1	52	0	8000	2922070	3	6	40	Ashar	♊	93	56	22	8	4
90	32873	17	17	6	0	9000	3287323	48	30	0	Srávana	♋	125	21	34	10	46
100	36525	52	32	20	0	10000	3652587	33	53	20	Bhádrapada	♌	155	26	44	13	26
											A'swina	♍	186	54	6	16	4
											Cartiga	♎	216	48	13	18	39
											Margasiras	♏	246	18	37	21	12
											Paushia	♐	275	39	30	23	43
											Mágha	♑	305	6	46	26	15
											P'hal'guna	♒	334	55	10	28	48
											Chaitra	♓	365	15	31	31	24

For the Solar Ahargana from the beginning of the Cali yug, the mean Solar Sydereal year being $\frac{1577917500}{4320000}$ *or* 365d 15g 31v 15p. (*)

Second Part, *according to* the Aria Siddhanta.

Years.	Time of corresponding periods.				Years.	Time of corresponding periods.			Aria Siddhanta (separately).					
	D.	G.	V.	P.		D.	G.	V.			D.	G.	V.	P.
1	365	15	31	15	100	36525	52	5	Chaitram	♈	30	55	32	1
2	730	31	2	30	200	73051	44	10	Vyassei	♉	31	24	12	1
3	1095	46	33	45	300	109577	36	15	Auni	♊	31	36	38	1
4	1461	2	5	0	400	146103	28	20	Audi	♋	31	28	12	2
5	1826	17	36	15	500	182629	20	25	Auvani	♌	31	2	10	1
6	2191	33	7	30	600	219155	12	30	Paratasi	♍	30	27	22	1
7	2556	48	38	45	700	255681	4	35	Arpesi	♎	29	54	7	1
8	2992	4	10	0	800	292206	56	40	Cartiga	♏	29	30	24	2
9	3287	19	41	15	900	328732	48	45	Margali	♐	29	20	53	1
10	3652	35	12	30	1000	365253	40	50	Tye	♑	29	27	16	1
20	7305	10	25	0	2000	730517	21	40	Maussi	♒	29	43	24	1
30	10957	45	37	30	3000	1095776	2	30	Poongoni	♓	30	20	21	2
40	14610	20	50	0	4000	1461034	43	20	(Collectively) End of each month.					
50	18262	56	2	30	5000	1826293	24	10	Chaitram	♈	30	55	32	1
60	21915	31	15	0	6000	2191552	5	0	Vyassei	♉	62	19	44	2
70	25568	6	27	30	7000	2556310	45	50	Auni	♊	93	56	22	3
80	29920	41	40	0	8000	2922069	26	40	Audi	♋	125	24	34	5
90	32873	16	52	30	9000	3287328	7	30	Auvani	♌	156	26	44	6
100	36525	52	5	0	10000	3652586	48	20	Paratasi	♍	180	54	6	7
									Arpesi	♎	216	48	13	8
									Cartiga	♏	246	18	37	10
									Margali	♐	275	39	30	11
									Tye	♑	305	6	46	12
									Maussi	♒	334	55	10	15
									Poongoni	♓	365	15	31	15

(*) The same Solar year according to the copies of the Aria Siddhanta preserved in Bengal, is $\frac{1577917542}{4320000}$ = 365D 15d 31p 17c 6″ this year is unknown in the Peninsula.

TABLE XLIX.

For the Luni-solar Ahargana, from the beginning of the Cali yug, the mean Lunation being $\frac{1577917823}{53433330}$ *or 29ᵈ 31ᵍ 50ᵛ 6ᵖ 59ˢ,78.*

First Part, *according to the Surriah Siddhanta.* (*)

Years.	Time due to corresponding periods.					Years.	Time due to corresponding periods.					Luna-tions.	Time due to the *end* of the respective mean Lunar months.				
	D.	G.	V.	P.	S.		D.	G.	V.	P.	S.		D.	G.	V.	P.	S.
1	354	22	1	23	57,14	100	35436	42	19	55	14						
2	708	44	2	47	54,28	200	70873	24	39	50	28	1	29	31	50	6	59,78
3	1063	6	4	11	51,42	300	106310	6	59	45	42	2	59	3	40	13	59,56
4	1417	28	5	35	48,56	400	141746	49	19	40	56	3	88	35	30	20	59,34
5	1771	50	6	59	45,70	500	177183	31	39	36	10	4	118	7	20	27	59,12
6	2126	12	8	23	42,84	600	212620	13	59	31	24	5	147	39	10	31	58,90
7	2480	34	9	47	39,98	700	248056	56	19	26	38	6	177	11	0	41	58,68
8	2834	56	11	11	37,12	800	283493	38	39	21	52	7	206	42	50	48	58,46
9	3189	18	12	35	34,26	900	318930	20	59	17	6	8	236	14	40	55	58,24
10	3543	40	13	59	31,40	1000	354367	3	19	12	20	9	265	46	31	2	58,01
20	7087	20	27	59	2,8	2000	708734	6	38	24	40	10	295	18	21	9	57,80
30	10631	0	41	58	34,2	3000	1063101	9	57	37	0	11	324	50	11	16	57,56
40	14174	40	55	58	5,6	4000	1417468	13	16	49	20	12	354	22	1	23	57,36
50	17718	21	9	57	37,0	5000	1771835	16	36	1	40	13	383	53	51	30	57,14
60	21262	1	23	57	8,4	6000	2126202	19	55	14	0						
70	24805	41	37	56	39,8	7000	2480569	22	14	26	20						
80	28349	21	51	56	11,2	8000	2834936	26	33	38	40						
90	31893	2	5	55	42,6	9000	3189303	29	52	51	0						
100	35436	42	19	55	11,0	10000	3513670	33	12	3	20						

For the Luni-solar Ahargana from the beginning of the Cali yug, the mean Lunation being $\frac{1577917522}{53433330}$ *or 29ᵈ 31ᵍ 50ᵛ 5ᵖ 40ˢ,21, &c.*

Second Part, *according to the Aria Siddhanta.*

Years.	Time due to corresponding periods.					Years.	Time due to corresponding periods.					Luna-tions.	Time due to the *end* of the respective mean Lunar months.				
	D.	G.	V.	P.	S.		D.	G.	V.	P.	S.		D.	G.	V.	P.	S.
1	354	22	1	8	2,6	100	35436	41	53	24	20						
2	708	44	2	16	5,2	200	70873	23	46	48	40	1	29	31	50	5	40,21
3	1063	6	3	24	7,8	300	106310	5	40	13	0	2	59	3	40	11	20,42
4	1417	28	4	32	10,4	400	141746	47	33	37	20	3	88	35	30	17	0,63
5	1771	50	5	40	13,0	500	177183	29	27	1	40	4	118	7	20	22	40,84
6	2126	12	6	48	15,6	600	212620	11	20	26	0	5	147	39	10	28	21,06
7	2480	34	7	56	18,2	700	248056	53	13	50	20	6	177	11	0	34	1,28
8	2834	56	9	4	20,8	800	283493	35	7	14	40	7	206	42	50	39	41,50
9	3189	18	10	12	23,4	900	318930	17	0	39	0	8	236	14	40	45	21,72
10	3543	40	11	20	26,0	1000	354366	53	54	3	20	9	265	46	30	51	1,94
20	7087	20	22	40	52,0	2000	708733	57	43	6	40	10	295	18	20	56	42,16
30	10631	0	34	1	18,0	3000	1063100	56	42	10	0	11	324	50	11	2	22,38
40	14174	40	45	21	44,0	4000	1417467	55	36	13	20	12	354	22	1	8	2,60
50	17718	20	56	42	10,0	5000	1771834	54	30	16	40	13	383	53	51	13	42,82
60	21262	1	8	2	36,0	6000	2126201	53	24	20	0						
70	24805	41	19	23	2,0	7000	2480568	52	18	23	20						
80	28349	21	30	43	28,0	8000	2834935	51	12	26	40						
90	31893	1	42	3	54,0	9000	3189302	50	6	30	0						
100	35436	41	53	24	20,0	10000	3543669	49	0	33	20						

(*) The Peninsula Astronomers, Tellinga as well as Tamul, invariably use in their computations the Solar *Ahargana* according to the Aria, and the Lunar according to the Surriah, Siddhantas.

Use *and* Application *of* Tables XLVIII *and* XLIX.

TABLE XLVIII.

Example I.

1º Wanted the Solar Ahargana for the beginning of the Solar year 4924 of the Cali yug, or 4923 complete, (A. D. 1822), according to the Surriah Siddhanta.

	Y.		D.	G.	V.	P.
By Table XLVIII, part 1, we have for	4000	.	1461035	1	33	20
	900	.	328732	52	51	0
	20	.	7305	10	30	28
	3	.	1095	46	34	34
			1798168	51	29	22
Subtract *Sodhyam*, or constant Equation	.	.	2	8	51	15

Ahargana, 1st Vaisácha ♈, which divide by 7)1798166 (42 38 7

Remainder 6 which counted from Friday, gives Soota dina *Thursday*.

2º Wanted the Ahargana for the 1st of Vrischica masa, or Bengal Márgasíras, of the same year.

	D.	G.	V.	P.
Ahargana for 1st Vaisácha, above found - -	1798166	42	38	7
Add collective number of days registered in the last column down to Cartiga - -	216	48	13	10

Ahargana, 1st Margasiras ♏, which divide by 7)1798383 (30 51 27

Remainder 6 which counted as usual from Friday, gives Soota dina *Thursday*.

Example II.

1º Wanted the same, according to the Aria Siddhanta.

	Y.		D.	G.	V.	P.
By Table XLVIII, part 2, we have for	4000	.	1461034	43	20	0
	900	.	328732	48	45	0
	20	.	7305	10	25	0
	3	.	1095	46	33	45
			1798168	29	3	45
Subtract *Sodhyam* .			2	8	51	15

Ahargana, 1st Chaitram ♈, which divide by 7)1798166 (20 12 30

Remainder 6 which counted from Friday, gives Soota dina *Thursday*.

But here the Civil beginning by the respective accounts will differ, on account of the fraction of days, which by the Surriah Siddhanta is 42g 38v 7p, exceeding 30 ; and by the Aria Siddhanta 20g 12v 30p below 30. Hence the feria of the first Civil day in the year will be, viz. by the Surriah, *Friday ;* and by the Aria, *Thursday*.

2º Wanted the Ahargana for the 1st Cartiga (Tamul denomination) of the same year.

	D.	G.	V.	P.
Ahargana for 1st Chaitram, above found - -	1798166	20	12	30
Add collective number of days registered in the last column down to Arpesi - - -	215	48	13	8
Same Ahargana, as by the Surriah Siddhanta -	1798383	8	25	38

subject to the same difference of Civil reckoning.

TABLE XLIX.

EXAMPLE I.

1⁰ Wanted the Luni-solar Ahargana according to the Surriah Siddhanta, for the end of the 4923d year of the Cali yug. The Solar Ahargana for the beginning of the year 4924 being 1798166ᵈ 42ˢ 38ᵛ 7p.

Use Solar Ahargana as as an Index.

	D.
4924	- 1798166
(1)	- 1744549
	53617
(2)	- 35436
	18181
(3)	- 17718
	463
(4)	- 354
	109
(5)	- 88

Remainder 21 which neglect.

By Table XLIX, part 1,

			D.	ɛ.	v.	p.	s.
column 2, for	4000	-	1417468	13	16	49	20
,,	900	-	318930	20	59	17	6
Column 1,	20	-	7087	20	27	59	3
,,	3	-	1063	6	4	11	51
Intercalations.	(1)		1744549	0	48	17	20
Column 2,	100 (2)		35436	42	19	55	14
Column 1,	50 (3)		17718	21	9	57	37
,,	1 (4)		354	22	1	23	57
3 Lunar months	(5)		88	35	30	20	59
			1798147	[1	49	55	7
			+ 1				

Luni-solar Ahargana sought 1798148
and for the Soota dina, or day of conjunction
7)1798148ᵈ(256878 weeks.
Remainder   2   counted from Thursday, gives *Saturday*.

EXAMPLE II.

2⁰ The same, according to the Aria Siddhanta.

The Solar Ahargana is the same as in the preceding article as to the number of days. The same Index might therefore serve.

	D.
4924	- 1798166
(1)	- 744543
	53618
(2)	- 35436
	18182
(3)	- 17718
	464
(4)	- 354
	110
(5)	- 88
	22

By Table XLIX, part 2,

	T.		D.	ɛ.	v.	p.	s.
column 2, for	4000	-	1417467	55	36	13	20
	900	-	318930	17	0	39	0
	20	-	7087	20	22	40	52
	3	-	1063	6	3	24	7,8
	(1)		1744548	39	2	57	19,8
	100 (2)		35436	41	53	24	20
Intercalations.	50 (3)		17718	20	56	42	10
	1 (4)		354	22	1	8	2,6
3 Lunar months	(5)		88	35	30	17	0,6
			1798146	[39	24	28	53,0
			+ 1				
			1798147				

Proceeding as in Example I, for the Soota dina, it will be found to fall on *Friday*.

N. B.—The Tamul Astronomers, though computing in *Solar time*, use in preference the Luni-solar Ahargana according to the Surriah Siddhanta ; and for the Solar, the *Aria Siddhanta*.

TABLE L.

This Table shews the Root or Character of every month in the Mahommedan year, according as that of Mahorum is 1, 2, 3, 4, 5, 6, or 7. It is therefore always to be entered with the Root given in Table I.

	Names of the months.	Number of days in each month.	Roots.						
1	Mahorum	30	1	2	3	4	5	6	7
2	Sepher, or Suffr	29	3	4	5	6	7	1	2
3	Rabi-el-Avul	30	4	5	6	7	1	2	3
4	Rabi-el-Aukeer	29	6	7	1	2	3	4	5
5	Giumadi ; or Giumaasil } el-Avul	30	7	1	2	3	4	5	6
6	Giumadi ; or Giumaasil } el-Aukeer	29	2	3	4	5	6	7	1
7	Regeb ; or Regihab	30	3	4	5	6	7	1	2
8	Shahaban	29	5	6	7	1	2	3	4
9	Ramazan ; or Rhamadan	30	6	7	1	2	3	4	5
10	Shawal	29	1	2	3	4	5	6	7
11	Zoolcada ; or Zoolcayadah	30	2	3	4	5	6	7	1
12	Zooledgee ; or Zoolcagiadah C B	29 or 30	4	5	6	7	1	2	3

N. B.—The month of Zooledgee, consists of 29 or 30 days, according as the year is a common or an intercalary one.

Table LI helps to determine what Hindu Solar year concurs at its beginning with any proposed year of the Hejira ; and inversely to indicate, in what year of the Hejira any proposed Solar year happens to begin.

Thus any Hindu Solar year commencing between A. Hejira 1 and 81 has for limits, the 18th (one day *less* than the 19th, registered in the 3d column of the second Section of Table LI), and the 21st (one day *more* than the 20th), March of its concurrent European year, Julian style.

Any Hindu Solar year falling between the 906th and 1009th year of the Hejira cannot commence earlier than the 26th (one day *less* than the 27th), and later than the 28th (one day *more* than the 27th), of March, Old style; or before the 5th and after the 7th April, New style.

———•◦◉✦◉◦•———

TABLE LI.

Exhibiting the respective beginnings of the Hejira, and Hindu Solar, concurrent with European Secular years.

Years of Hejira concurrent with European Secular years.		Hindu Solar years concurrent with European Secular years.				
Anno Hejiræ.	Epoch of beginning.	Anno Cali yugam.	Year of Salivahana or Saca.	Beginning of Hindu Solar years in March.	Beginning of Hindu Solar years in April.	Christian Secular years.
				O. S.	N. S.	
1	16 July	3724	545	19	,,	• 622
81	26 February	3802	623	20	,,	700
184	1 February	3902	723	20	,,	800
287 ⟩	1 January	4002	823	21	,,	900
288 ⟨	26 December					
391	1 December	4102	923	22	,,	1000
494	6 November	4202	1023	23	,,	1100
597	12 October	4302	1123	24	,,	1200
700	16 September	4402	1223	25	,,	1300
803	22 August	4502	1323	26	,,	1400
906	28 July	4602	1423	27	6	1500
	O. S. N. S.					
1009	3 July 13 July	4702	1523	27	6	1600
1112	7 ,, 18 June	4802	1623	28	8	1700
1215	13 ,, 25 May	4902	1723	29	10	1800
1318	18 April 1 May	5002	1823	30	12	1900

TABLE LII.

PART THE FIRST.

Shewing the Sun's mean Longitude on the 1st of January of each Secular year of the Julian Kalendar, from A. A. C. 4000 to A. D. 4000, constructed by means of Delalande's Solar Tables I and II (Edition of 1764) for noon time under the Meridian of Paris.

I.		II.		III.		IV.
Years before Christ.		Years after Christ.		⊙'s motion for Bissextile years.		
Solar Julian Secular years.	⊙'s mean motion.	Solar Julian Secular years.	⊙'s mean motion.	Years	⊙'s mean motion.	⊙'s motion for 4 years either ascending or descending.
	s. ° ′ ″		s. ° ′ ″		′ ″	Years ascending.
4000	3 7 19 59	0	9 7 57 5	4	1 50,23	1st Common year — 41′ 43″,8
3000	3 14 59 15	100	9 8 43 1	8	3 40,45	2d do. do. — 30 29,3
2000	3 22 38 32	200	9 9 28 56	12	5 30,68	3d do. do. — 16 9,3
1900	3 23 24 27	300	9 10 14 52	16	7 20,90	4th Bissextile — 1 59,2
1800	3 21 10 23	400	9 11 0 48	20	9 11,13	
1700	8 24 56 19	500	9 11 46 43	24	11 1,36	Years descending.
1600	8 25 42 14	600	9 12 32 39	28	12 51,58	1st Com. year. +11°29° 45′40″,5
1500	8 26 28 10	700	9 13 18 35	32	14 41,80	2d do. do. +11 29 31 21,0
1400	8 27 14 6	800	9 14 4 30	36	16 32,03	3d do. do. +11 29 17 1,5
1300	8 28 0 1	900	9 14 50 26	40	18 22,26	4th Bissextile. + 0 0 1 50,2
1200	8 28 45 57	1000	9 15 36 22	44	20 12,49	SUPPLEMENTARY TABLE.
1100	8 29 31 53	1100	9 16 22 17	48	22 2,72	Collective number of days at the end of each Solar month.
1000	9 0 17 48	1200	9 17 8 13	52	23 52,95	
900	9 1 3 44	1300	9 17 54 9	56	25 43,17	
800	9 1 49 40	1400	9 18 40 4	60	27 33,40	

Bengal names.	Tamul names.	Planet	Number of days
Vaisácha	Chaitram	♈	30
Jyaishtá	Vyassei	♉	62
A'shád'ha	Auni	♊	93
Srávana	Audi	♋	125
Bhádrapada	Auvani	♌	156
A'swina	Paratasi	♍	186
Cartiga	Arpesi	♎	216
Margasiras or Agrahayan	Cartiga	♏	246
Paushia	Margali	♐	275
Mágha	Tye	♑	305
P'hal'guna	Maussi	♒	334
Chaitra	Poongoni	♓	365

700	9 2 35 35	1500	9 19 26 0	64	29 23,63
600	9 3 21 31	1600	9 20 11 56	68	31 13,86
500	9 4 7 27	1700	9 20 57 51	72	33 4,05
400	9 4 53 22	1800	9 21 43 47	76	34 54,30
300	9 5 39 18	1900	9 22 29 43	80	36 44,53
200	9 6 25 14	2000	9 23 15 38	84	38 34,76
100	9 7 11 9	3000	10 0 54 54	88	40 24,99
0	9 7 57 5	4000	10 8 34 11	92	42 15,21
		300	* 2 17 46,98	96	44 5,43
		400	3 3 42,04	100	* 45 55,66
		500	3 49 38,30	200	1 31 51,32

Application of this Table for finding the Sun's mean Longitude on the 1st January of any *Bissextile* Julian year, and on the 31st December of any *Common* year of the same style.

EXAMPLE I.
Wanted the Sun's mean Longitude for A. A. C. 720, a Bissextile.

```
                      s.  °  ′  ″
By col. I A.A.C.700 9  2 35 35
Col. III for 20 years —  9 11,13
Mean Long. sought 9  2 26 23,87
```

and the year being a Bissextile one, the Longitude so found is for the 1st January at noon A. A. C. 720.

EXAMPLE II.
Wanted the same for A. D. 542, a common year.

```
                      s.  °  ′  ″
By Col. II A.D.500, 9 11 46 43,0
Col. III for 40 years,  18 22,26
Col. IV for 2 years. 11 29 31 21,0
Mean Long. sought 9 11 36 26,26
```

and the year being a Common one, the Longitude so found is for the 31st December 541.

EXAMPLE III.
Wanted the same for A. D. 1816, a Bissextile year.

```
                      s.  °  ′  ″
By Col. II A.D.1800, 9 21 43 47,0
Col. III for 16 years,   7 20,9
Mean Long. sought 9 21 51  7,9
```

and the year being a Bissextile one, the Longitude so found is for 1st January A. D. 1816.

TABLE LII.

PART THE SECOND.

Shewing the Sun's mean motion for days, hours, minutes and seconds, constructed by means of Delalande's Solar Tables III and IV (Edition of 1764). The Supplementary Table being for deducing the European monthly date from any number of days elapsed of the Julian year.

I.		II.				III.		IV.		SUPPLEMENTARY TABLE.
Days.	⊙'s mean motion.	Hours.	⊙'s mean motion.	Hours.	⊙'s mean motion.	Minutes.	⊙'s mean motion.	Seconds.	⊙'s mean motion.	Shewing the collective number of days elapsed at the end of each European month.
	s. ° ′ ″		′ ″		′ ″		′ ″		″	
1	0 0 59 8,3	1	2 27,8	16	39 25,5	1	0 2,5	1	0,0	
2	0 1 58 16,7	2	4 55,7	17	41 53,4	2	0 4,9	2	0,1	
3	0 2 57 25,0	3	7 23,5	18	44 21,2	3	0 7,4	3	0,1	
4	0 3 56 33,3	4	9 51,4	19	46 49,1	4	0 9,9	4	0,2	
5	0 4 55 41,6	5	12 19,2	20	49 16,9	5	0 12,3	5	0,2	
6	0 5 54 50,0	6	14 47,1	21	51 44,8	6	0 14,8	6	0,2	
7	0 6 53 58,3	7	17 14,9	22	54 12,6	7	0 17,2	7	0,3	
8	0 7 53 6,6	8	19 42,8	23	56 40,5	8	0 19,7	8	0,3	
9	0 8 52 15,0	9	22 10,6	24	59 8,3	9	0 22,2	9	0,4	
10	0 9 51 23,8	10	24 38,5			10	0 24,6	10	0,4	
20	0 19 42 46,6	11	27 6,3			20	0 49,3	20	0,8	
30	0 29 34 9,9	12	29 34,2			30	1 13,9	30	1,9	
40	1 9 25 33,2	13	32 2,0			40	1 38,6	40	1,6	
50	1 19 16 56,5	14	34 29,9			50	2 3,2	50	2,1	
60	1 29 8 19,8	15	36 57,7			60	2 27,8	60	2,5	
70	2 8 59 43,1									
80	2 18 51 6,4									
90	2 28 42 29,7									
100	3 8 23 53,0									
200	6 17 7 45,0									
300	9 25 41 39,0									

Supplementary Table:

	Days
January	31
February	59
March	90
April	120
May	151
June	181
July	212
August	243
September	273
October	304
November	334
December	365

N. B.—In Bissextile years, one day is to be added to the respective sums from February downwards.

For an explanation of the first part of this Table and particularly of its 4th column, see *Delalande's Astronomy*, book VI, vol. I, art. 994 and following: the second part is self-evident, and therefore requires no explanation. But as those who may have occasion to use these Tables may not have that work at their disposition, it may be proper to state that for the sake of conveniency they were arranged on the following principle.

If you have the Sun's mean Longitude for any annual Epoch and you want it for the next, add his motion for 365 days, which is 11ˢ 29° 45′ 40″,5, if the following be a *Common* year: but if it be a Leap one, add overmore, the ⊙'s mean motion for *one* day, i. e. 59′ 8″,3, in all 44′ 48″,8: and the Longitude so obtained will be for the 1st January in all *Bissextile*, and for the 31st December in all *Common* years. The aggregate of 1, 2, 3 and 4 years equation is given in column 4th, part 1st, of this Table, and is to be applied as follows, for descending years.

Example IV.

Let the Sun's mean Longitude on the 1st January 1816, be found to be

s. ° ′ ″	s. ° ′ ″	s ° ′ ″	s. ° ′ ″
I. 9 21 43 47	II. 9 21 43 47	III. 9 21 43 47	IV. 9 21 43 47
A. D. 11 29 45 40,5	A. D. 11 29 31 21	A. D. 11 29 17 1,5	A. D. 0 0 1 50,3
1817 - 9 21 29 27,5	1818 - 9 21 15 8	1819 - 9 21 0 48,5	1820 - 9 21 45 37,3
Common	Common	Common	Bissextile
31st December 1816.	31st December 1817.	31st December 1818.	1st January 1820.

On the same principles the Equations for ascending years, such as those before Christ, are to be applied to the Longitude due to the given Epoch with contrary Signs.

Example V.

Let the Sun's mean Longitude on the 1st January A. A. C. 720, be (Ex. I.)

s. ° ′ ″	s. ° ′ ″	s. ° ′ ″	s. ° ′ ″
I. 9 2 26 23.87	II. 9 2 26 23,87	III. 9 2 26 23,87	IV. 9 2 26 23,87
B. C. — 44 48,8	B. C. — 30 29,2	B. C. — 16 9,8	B C. — 1 50,23
721 - 9 1 41 35,07	722 - 9 1 55 54,67	723 - 9 2 10 14,07	724 - 9 2 24 33,64
Common	Common	Common	Bissextile
31st December 720.	31st December 721.	31st December 722.	1st January 724.

I shall now give Examples to shew how to find the Sun's mean Longitude for any particular day or instant, both according to Delalande's Tables, and Table LII.

1° By Delalande's Tables.

N. B.—In Bissextile years if the proposed date falls in January or February, retrench one day therefrom.

-Example VI.

Wanted the Sun's mean Longitude for the 11th March A. A. C. 720, at 6ʰ 49′ 10″ p. m.

	s. ° ′ ″
By Example I, ☉'s mean Longitude 1st January A. A. C. -	9 2 26 23,87
By Delalande's Table III, ☉'s motion 11th March -	2 8 59 43,1
Do. Table IV, for 6 hours - - -	14 47,1
49 minutes - - -	2 0,7
10 seconds - - -	0,4
☉'s mean Longitude sought -	11 11 42 55,17

Here there would be no difference in the process if, instead of Delalande's, we had used Table LII, because in counting the number of days elapsed from the beginning of the year to the 11th March, we would take 31 days in January, 29 in February, and 11 in March : in all 71 days. But because the proposed year is a Bissextile one, and consequently the Sun's mean Longitude at its beginning, is given for the 1st January at noon, *one* day is to be retrenched from the sum ; the remainder is therefore 70 days, with which referring to the 1st column of the second part of Table LII, we find 2ˢ 8° 59′ 43″,1, the same quantity as is given in Delalande's Table for the 11th March.

Example VII.

2° By Table LII.

But if the number of days elapsed are not to be found at once in Table LII, then it must be divided into two parts or more, as the case may require, thus :

Let the Sun's Longitude be required for the 15th March, at 0ʰ 0′ 0″ A. D. 1817.—We have in January 31ᵈ, in February 28, in March 15, sum 74 days.

	s. ° ′ ″
By Example IV, ☉'s mean Longitude 31st December 1816	9 21 29 27,5
By Table LII, part 2, col. 1, for 70 days	2 8 59 43,1
do. do. 4 days	0 3 56 33,3
☉'s mean Longitude sought	0 4 25 43,9

The same result would have been obtained by Delalande's Tables, by the addition of only two quantities:

	s. ° ′ ″
☉'s mean Longitude 31st December 1816	9 21 29 27,5
By Table III, 15th March	2 12 56 16,4
Same Longitude as before	0 4 25 43,9

There remains only to shew how, by means of the same Tables, the time may be deduced from the Sun's mean Longitude, which is only the converse of the preceding operations, but is to be done by trials when the year is known.

EXAMPLE VIII.

Let the proposed Sun's mean Longitude be 7˚ 5° 38′ 42″ and the year A. D. 542.

By Example II, ☉'s mean Longitude 31st Dec. 541	9˚ 11° 36′ 26″,2	
By Delalande's Table III	9 23 43 22,4	25th October.
Table IV	17 14,9	7 hours.
Do.	1 35,1	39 minutes.
	2,4	59 seconds.
25th October, 7ʰ 39′ 59″, corresponding to	7 5 38 42,0	Longitude.

The same by Table LII.

The operation by Table LII is a little longer than by those of Delalande's, owing to the Sun's motion not being registered in it for every day in the year; but it is to be performed by the same process.

	s. ° ′ ″	
☉'s mean Longitude 31st December 541	9 11 36 26,2	
Table LII, part 2, column I	6 17 7 46,0	200 days.
	2 28 42 29,7	90
	0 7 53 6,6	8
	0 0 17 14,9	7 hours.
	1 38,6	40 minutes 0s.
298 days, 7ʰ 40′ 0″	7 5 38 42,0	

Now by the Supplementary Table, part 2, we have

To the end of September	273 days.
Number of days above found	298
October	25th

The difference of the results by the two sets of Tables is therefore only 1 second of time. It need not be observed, that those who possess Delalande's Tables, will find them the most convenient of the two.

Of the Supplementary Table, Part the First.

Suppose that 298 days have elapsed of the Christian year 542, let it be required to find the Hindu Solar Sydereal date answering to that period which, by the preceding Example, we have found to answer to the 25th October of the said year.

Having determined by the usual process that the Hindu year began on the 19th March, say: from the beginning of the year to the said date there have elapsed 78 days.

But the days expired by proposition are	298
Subtract	78
	220
By the Supplementary Table, part I, to the end of Arpesi	216
Remainder	4

which shews that the 25th October 542, answers to the 4th of the Tamul month *Curtiga*; or of the Bengal one *Margasiras*.

INDIAN

CHRONOLOGICAL TABLES,

WITH DIRECTIONS FOR USING THEM.

AN ACCOUNT

Of three Chronological Tables, the contents of which were calculated on the principles disclosed in the Kala Sankalita ; *exhibiting the numerals, names, characters, and epoch of commencement, or end, according to European account, of 300 Solar and Luni-solar years, concurring with those of the Christian XVIIth, XVIIIth, and XIXth Centuries ; and including eight different Styles, each being used in some part of India.*

Also the concurrence of the Christian years with those of the Hejira, and the Epoch of commencement of the latter from A. D. 622 (A. H. 1) to A. D. 1900 (A. H. 1318).

THE doctrines contained in the *Kala Sankalita,* seem at first sight to be such as to interest only those who intend to make a particular study of Indian Astronomy and Chronology ; but little adapted to the occasions and taste of that class of readers for which it was originally intended. On a nearer view however, it will be discovered that although a knowledge of the theories which were investigated in that work, may be dispensed with for using the Tables under consideration, yet in our present state of information on the Elements of Hindu Astronomy, on which Indian Chronology must rest, the latter could have given no satisfaction to any class of readers if they had appeared for the first time supported by no sort of authority.

It is moreover to be considered, that the higher questions on Chronology which may be proposed, such as refer to Astronomy, cannot be resolved by any set of Tables only ; and that, in such cases, the most ingeniously contrived and most elaborate Tables, require the assistance of theory.

Yet I am prepared to hear it said that in the elementary part of this work, I have exceeded the necessary bounds of an introduction, and that it would have sufficed, since the production of the Chronological Tables was its ultimate

object, to have exhibited the leading features of the systems according to which the Hindus divide time, without entering into those considerations on their manner of operating, which fills so considerable a part of the volume. To which objection I shall answer that had I done so, I would have done nothing; because the difficulty consists principally in our not understanding yet distinctly the mechanism of their computations. For although we have many excellent and profound tracts on the general structure and principles of Hindu Astronomy, yet I do not know of one that would have clearly explained any of the columns of the Tables referred to, although none aspire to any thing higher than the resolution of very simple questions respecting time.

But independently of the above considerations, there is another one, which is of a local nature; and which, if it be true that it applies to our Indian public, must *a fortiori*, act with reduplicated force on all European readers and critics.

There is in every country of Europe a numerous class, which although it cares little for abstract science, yet is well disposed to benefit by its speculations, when aiming at useful results; provided some well qualified person, or body of men, will stand forward, and vouch for the soundness of the principles on which any improvements proposed to its adoption, is grounded: Thus on the signature of some of the members of the Board of Longitude, or of the Academy of the Sciences, the Legislature will adopt, without further examination, a set of new Astronomical Tables, or a new standard measure; and the whole nation will trust to both, without caring if Mendoza valued the accuracy of his Tables more than his life; or how many degrees of the meridian, Delambre and Lambton measured on the surface of the earth.

But in matters of science (and in such matters only), the case stands otherwise in India. If authors are rare among us, critics are still scarcer. Business, in all its various acceptations, is the main spring of the actions of the community. The ministers and officers of a great and powerful sovereign, (as Marquis Wellesley emphatically called the Civil Servants of the Company), the Pro-consuls who, under the name of Political Residents, govern the courts of Native Princes; and the Merchants, whose whole attention is fixed on the success of

their own adventures, have too little leisure to attend to the abstract speculations of the unoccupied ; and the military class, like that of every other country, seeks laurels in its appropriate fields.

When, therefore, a production out of the common walks of literature, makes its unexpected appearance, and tries to recommend itself on the score of utility, no one is to be found to imprint that seal upon it, which, like the King's mark on a piece of plate, would cause its practical object to be adopted by the public without a question ; and in such a case there being no one to judge for all, every body expects to be enabled to judge for himself.

The same reasons will induce an European reader to be still less confident ; for at least in India in a case of peremptory necessity, the Native Sastras may be resorted to ; and although they may not be able to convey demonstration according to our own mode of argumentation, many will pronounce with perfect certainty on questions which refer to their theories.

But to what critic in Europe is the reader to address himself , for settling his opinion on a work of this kind ?—If the rudiments of Hindu Chronology are so little known to us, who have (not uneducated) spent the most active part of our lives among the Indians, by what criterion, short of a full exposure of its component parts, will he pass judgment on an insulated instrument, which purports to measure time according to the fancies of nations, some of which he perhaps never heard of in the course of his life ?

It was therefore not only necessary to draw these oriental elements out of the hidden shelves of the Native Astronomers, but to publish them in toto, that the Indian Chronological Tables now presented to the public, might be appreciated according to the degree of merit which they may possess. Thus an Indian author who lights the midnight lamp, and gropes unaccompanied, through the obscure and endless windings of Hindu Astronomy, is not only bound to common accuracy, but (if he rightly calculates his chances of success) he must levy, train, and even arm critics, where none were before to be found ; and weapons procured by himself, must lie at all times at the disposal of whoever may feel disposed to turn them against his production.

On the use and application of the Tables.

In giving an account of the Chronological Tables, I shall assume that the reader has not perused a line of the *Kala Sankalita;* and that he is totally ignorant of Hindu Astronomy: but that his object is solely to find, with as little trouble as possible, what Indian or Mahommedan year (of a specified account of time) corresponds to a proposed European year. To determine furthermore the Epoch when the year sought commences or ends; and lastly, to fix the date of commencement of any Hindu *Solar* or Mahommedan *month,* when that of the beginning of the year is known, with reference to the European Kalendar, and vice versa.

I shall not detain the reader by a tedious description of each column of the three Tables: the best and readiest account that can be given of these is to refer him to the headings of each, which are sufficiently explicit to dispel all fears of confusion.

Supposing therefore, that their respective contents are known, I shall proceed and give examples of each of the above enumerated cases, propounding first any specific Christian year, according either to the old or new styles; and requiring the name, character and beginning of any year registered in the Table.

EXAMPLES.

I.

First Chronological Table. Let it be proposed to find the years of all the styles referred to in the first Chronological Table which answer to A. D. 1824, N. S.

The Christian year. 1° Find the year 1824 in the first column on the left, and keep the eye on the same line.

The numeral of that of the Cali yug. 2° You will find in column III, that the year of the Cali yug which expires in the month of April is the 4925th; and consequently that the current one after the renewal of the year, is the 4926th.

Do. of Salivahana. 3° By column IV, that the year *Saca,* or from the birth of *Salivahana,* which expires in April, is the 1746th; and that the year which begins then is the 1747th *Saca.*

Of the Æra of Parasurama. 4°. By column V, that the year of the Æra *Parasurama* which ends in the

month of September 1824, is the last or 1-1000th year of the 3d Cycle of the same number of years.

5°. By column VI, that the Solar year of the Æra *Grahaparivrithi*, which ends in April with the common Solar year, is the 48th of the 20th Cycle complete ; and that the next year is the 49th of the 21st Cycle current.

6°. By column VII, that the Vrihaspati, or Jupiter's year which begins (or rather which is supposed to begin) in April 1824, according to the Surriah Siddhanta is *Manmat'ha*, the 29th of the Cycle of 60 years (Bengal).

7°. By column VIII, that the same Vrihaspati year according to the computation of the Tellingas is *Tarana*, the 18th of the Cycle (Peninsula).

For the commencement of all these years.

II.

1°. By column IX, we find that the year of the Cali yug 4925 ends, and the 4926th begins on Sunday the 11th April 1824, *Civil* account.

2°. By column X, that A. C. 4926 began on the 10th of April, at 51 guddias, 15 viguddias, Hindu time (20ʰ 30′ European time) after that of Sun rising at Lanca.

3°. The year of *Jupiter* being only used for giving a specific name to the Solar and Luni-solar years, their specific duration is not considered in any part of India : and on that account their beginnings are not registered in the Table, though these may be ascertained as precisely as any other.

4°. The 1000th year of the 3d Cycle of Parasurama by column V (2d div.) ends on the 14th September 1824 : and the following is the 1st year of the 4th Cycle.

Note.

Previously to A. D. 1752, the Julian Kalendar alone was used in England. On that account a section of column IX gives the date of beginning of the Solar year, according to the old style, from A. D. 1600, to 1750. The two years that are wanting to reach the Epoch of the reformation, not being of sufficient importance to introduce that column in the Table of the second half of the eighteenth century, have been neglected ; but may easily be replaced by the reader, if the occasion should require it.

The expurged year of Jupiter's Cycle, by the rules of the Surriah Siddhanta corrected by the Tika, and that by the Jyautistava, do not fall at the same Epoch.

It is also to be observed that during 13 years of a Cycle of 86 years, the *Vrihaspati mana* according to the *Surriah Siddhanta,* and *Jyautistava,* vary; the latter in present times expunging one year out of the Cycle, 13 *years* before the former. When that case occurs, the *Chacra* year according to both accounts, is inserted opposite to the same Christian year; that by the *Surriah Siddhanta* being uppermost. It is therefore necessary, when expounding a date by the sole means of the recorded year of Jupiter, to ascertain which style was prevalent in the country where the document was found or executed. This caution, although already given, in another part of this work, cannot be too often repeated for preventing mistakes.

Example.

To give an Example of the two cases under consideration, I shall select A. D. 1680; answering to the 4781st year complete of the Cali yug. On referring to the first Chronological Table it appears, that whereas the Civil year 4782 began on Monday the 8th April N. S. (column IX), the same Monday answers to the 28th March O. S. (2d part of the same column).

And whereas the *Vrihaspati* year, which answers to the 4782d year of the Cali yug, is *Sucla,* (the third of the Cycle) according to the Surriah Siddhanta corrected, it is *Pramoda* (the 4th) by the *Jyautistava* rule.

It is hardly necessary to add, that the letter B annexed to the numeral of any Christian year, or to the date of beginning of a Hindu Solar year, indicates that it is one of 366 days; called Bissextile when referred to the former. It is proper however, to state, that the Hindu Leap years so indicated, are derived from the *Sydereal* ones. (Vide 1st Memoir, page 12.)

The Bengalees for year called Sen.

The XIIth column of the first Chronological Table refers to an account of time totally unknown in the Peninsula of India, but used in the Province of Bengal. It registers the years expired of a style written *Sen,* but pronounced *Son,* on the beginning of the common Solar year. The following particulars, which I owe to the favor of Dr. Wilson of the Bengal Service, and which were procured on a reference which I made to him through the kind intervention of my friend Lieutenant Colonel Blacker, (*) constitute all the knowledge I possess on the subject.

(*) Surveyor General of India.

" The Bengal year or *Sen* (pronounced *Son*) 1232 began this year on the
" 11th of April, corresponding to their 1st of Vaisacha—this is the Solar year.
" But the Lunar year begins on the day of the new Moon in Chaitra, and dates
" by the same æra, being adjusted to the Solar year by the intercalation, when
" necessary, of a whole month.

 " When the Bengal *Sen* was instituted I have not been able to learn, but it
" is said by some to have been the act of one of the Mahommedan Kings of
" Bengal ; and it seems to bear reference to the *Hejira* year, differing from it
" at present but 8 years.—It seems likely to have originated in some clumsy
" attempt to make the Hindus adopt the Mahommedan computation numerically,
" without adjusting their *Solar* to the *Lunar* year of the Hejira. Consequently
" in about three centuries, it will have lost eight years, or thereabouts, and
" this corroborates the tradition which assigns its introduction to the Mahom-
" medan Kings of Bengal. We have the same date in use on this side of India,
" in Tirhut, and the Western Provinces.

 " The Vilaity and Fusselee years, are at present also 1232 : they are both
" Solar years, but differ in their outset. The Vilaity year is reckoned from
" the first of the Krishna Pacsha, or Moon's wane in *Chaitra*,—and the Fus-
" selee on the same in the month of *Ashar*. With the difference of a few
" months, however, they run parallel with the *Sen*, or year of Bengal, and
" probably originated in a similar mistake."

 " In saying that they run parallel, however, I mean merely as to the date of
" the year through a long series, for the months and days do not always corres-
" pond."

From the above account we conclude that the numeral of the *Sen* year,
serves to designate both the Solar, and Luni-solar years, in the same manner as
the names of those of the Cycle of 60, or Vrihaspati years. The way of finding
by the Chronological Tables the numeral of the Bengalee year which concurs
with any Christian year, is therefore the same in both cases, and requires no
particular Example.

N. B.—As the Solar year used in Bengal is that of the Surriah Siddhanta
(365^d 15^s 31^v 31^p 21^s), whereas that of the Peninsula is the year according to

the Aria Siddhanta, (365ᵈ 15ᵐ 31ᵛ 15ᵖ), there will occasionally be found the difference of one day between the beginning of the *Saura Mana*, as registered in the first Chronological Table, and that which is current in Bengal; for the reasons stated at pages 63 and 118, in the 1st Appendix p. 239, and pages 62 and 65 of the Tables of the *Kala Sankalita*. Thus whilst the present Solar year 4927 of the Cali yug is taken on the Coast to begin on the 11th April; the same year is accounted to commence in Bengal on the 12th April 1825.

It would have been impossible to notice that difference in the General Table, which was principally constructed for the use of the people of the Peninsula.

III.

Second Chronological Table, Luni-solar style.

The second Chronological Table, refers solely to the Luni-solar Astronomical year of the Hindus, called in the Peninsula the *Siddhanta Chandra Mana*. As the construction of that year is very complex, it was not found possible to render the arrangement of the articles registered in its columns, so simple as that of the preceding ones; a proper attention to the following explanations will however, suffice for preventing mistakes.

Column I and II require no explanation.

Indication.

Column III indicates what is called in this work, the *character* of the Luni-solar year, which *begins* during the Christian year registered in a line with it; namely, whether it be a common one of 12 Lunar months; an intercalary one of 13; or lastly, a double intercalary year with an expunged month, being also of 13 Lunar months; two being repeated, and one being left out. (*)

When the approaching Luni-solar year is a common one.

1° When the space opposite to the year expired of the Cali yug, registered in the 2d column, is left *blank*, it is a sign that the Luni-solar year which is about to commence, is a common *Sumvat sara*, and consequently consists of 354 Solar days.

An intercalary one.

2° When the letter **A** is inserted in the said column, it shews that the Luni-solar year which is commencing is an *Adigah sumvat sara*, or intercalary year, and therefore that it consists of 384 Solar days. (†)

(*) Vide Key to the Siddhanta Chandra Mana, page 71.

(†) For computing what month is to be repeated, see do. page 142.

3º And when the letters AC are found in the same column, it indicates that A double intercalary year with an expunged month. the new year is a *Cshaya sumvat sara*, or double intercalary year with an expunged month. (*)

How these circumstances were determined may be seen in the 3d part of the Second Memoir, which begins at page 149, the particulars of which are foreign to the object of this article.

It is to be well understood, that in all the cases registered in the second Intercalations. Chronological Table, the intercalation, or suppression of a Lunar month in the approaching Chandra mana, will occur in all the Christian years registered in a line with the character, in the first column ; but only in the Luni-solar year which begins on the expiration of that the numeral of which is given in the second ; for in present times the renewal of the Hindu Luni-solar year occurs generally in March, or the beginning of April, so that the same Christian year answers in part to two Hindu ones ; and the intercalation always occurs in the latter part of the former. (†)

EXAMPLES.

1º Let the same Christian year 1824, answering to the 4925th and 4926th year of the Cali yug, be proposed.

By Column III, which is left blank, in the same line with 1824, we see that What indicates a common Luni-solar year. the Luni-solar year 4926 of the Cali yug is a common one, i. e. of 12 Lunar months, or 354 Solar days.

2º But let A. D. 1801 be proposed, then the letter A opposite to it, in col. III, shews that a Lunar month will be intercalated in the year 4903 of the An intercalary. Cali yug, being the next to 4902 in the 2d column ; and therefore, that the former will consist of 13 Lunar months or 384 Solar days.

3º Lastly, let the Christian year be A. D. 1822. As we find the character to A double intercalary with an expunged month. be A. C. in the 3d column, we conclude that two months will be repeated, and

(*) For what month is to be expunged, see Key to the Siddhanta Chandra Mana, page 137.

(†) A different arrangement would have confounded all references to the body of the work, in which the Indian system of notation was preserved. The *Ahargunas* given in the IXth and Xth columns would also have no longer tallied with the dates given in the IVth, Vth and VIth, which would have prevented all means of verification.

one expunged in the 4924th year of the Cali yug : so that the Luni-solar year, as in the preceding case, will consist of 13 Lunar months, or 384 Solar days.

How the months to be intercalated, or expunged, are to be determined, is not of the competency of these Tables alone ; but the resolution of these Problems will be found at Article 6, Part II, page 142 of the Key to the Siddhanta Chandra Mana, and other places.

Column IV gives the last feria, or weekly day of the Luni-solar year whose numeral is inserted in the second column.

Column V gives the European date of the last *mean conjunction*, according to *Hindu computation* (derived from the Ahargana inserted in column X), which determines the end of the Luni-solar year registered in the 2d column.

Column VI gives the date of the last conjunction in the year, according to Hindu Solar Sydereal account, and because the Luni-solar year always begins during the last month of the *Solar year*, the dates therein registered, refer invariably to the Solar month *Chitra*, the same as the Tamul *Poongoni*.

This column, independently of the Solar Sydereal, also furnishes the means of finding the *Civil* date of the last day in the Luni-solar year ; the difference of which is indicated by a stroke before the figure, implying that the numeral of the *Civil* Solar date, is by one day less than the Sydereal one.

Thus if I want the Solar *Sydereal* and *Civil* date of the last day in the year 4923 of the Cali yug, answering to A. D. 1822, I find in column VI opposite to that Christian year, 13th Chitra, which is the Sydereal date ; but as there is a stroke — before it, I conclude that the Civil date is the 12th of the same month. (*)

_____

(*) Vide Key to the Siddhanta Chandra Mana, page 82, for the manner of calculating these dates : but as in the article referred to, the Solar Ahargana which was used, is that by the *Surriah Siddhanta*, whereas that by the Chronological Table is the Ahargana according to the *Aria Siddhanta* (which is preferred by all modern Sastras) the results will differ by one day in the Sydereal, though not so in the Civil account, as may be seen by the following computation, which shews the connection of the columns and of the Tables.

1º Solar Ahargana, Chron. Table II, col. IX, A. D. 1822 . 1798166 20 12 30
Luni-solar do. col. X, . . 1798148
Difference . 18

And lastly, by inference, since the Solar *Civil* date of the last conjunction in the year 4923 of the Cali yug fell on the 12th Chitra, it follows that the *Prathama* Tidhi, or first Lunar day of the Luni-solar year 4924, fell on the 13th Chitra of the Solar year 4923, i. e. 19 days before the end of the said year ; as was exemplified in the Kalendar exhibited at page 67 of this collection.

This last consideration leads us to another one which may be easily understood, namely, that with reference to the Cycle of Jupiter of 60 years, the Luni-solar will change its name 19 days sooner than the Solar one, the former being called *Vijya* from the 24th March 1822, and the latter still *Nandana* until the 11th April, as may be seen on referring to the first Chronological Table.

In what has been said touching the date of the *Prathama Tidhi* of any year or month, the reader, who is supposed to be unacquainted with the text, must be warned that its being coupled with a particular Solar date, depends on its having begun *before*, or at *Sun* rise; in which case it is coupled with the Solar date with which it mainly coincides.—Or in the latter supposition that it begun *after Sun rise*, for in that case it is registered along with the *ensuing* Solar day. And lastly, that if the said, or any other Tidhi, *begins* and *ends* between two

---

to be increased by *one* day, because the Solar counts from *Friday*, and the Luni-solar from *Thursday* = 19 days.

2°. By Chron. Table I, col. XI, we find for the same year Root - Thursday (1°) 20 12 30 giving Thursday the 11th April, Civil and Sydereal account.

Subtract the constant Root for the month Chitra, Table III - -	(2)	20 21	2
Root 1st Chitra, or Tamul Poongoni -	(1)	59 51	28

Monda y.

To expound the feria Monday, 1st Chitra, we find by Chrono'ogical Table I. column 2, that the Dominical Letter according to the Gregorian Kalendar of the year 1322 is F ; with which referring to any Kalendar about the 11th March ,about 30 days before the 1st Vaisa'cha shewn by the Table to fall on the 11th April) we find that *Monday* the Sydereal date, actually falls on the 11th March ; but on account of the 59 guddias in surplus (exceeding 30°) on the 12th Civil account.

From this computation it is manifest that the Sydereal Solar month Chitra counts 31 days and the Civil only 30, (because the fractional Root for Vaisa cha was only 20 gud.) Hence if from 1st Vaisa'cha, or 32 days from the 1st Chitra, we retrench 19, there remains 13 for the *Sydereal* date sought, and for the same reason the *Civil* date will be 12th Chitra.

Sun-risings on the same Solar day, it is entirely left out of the Luni-solar Kalendar. (*)

Thus the VIth column of the second Chronological Table expounds three cases by mere inspection, which cannot be resolved by the common rules without very considerable labour. It is almost needless to add, that when the *true* time of Sun rising is referred to, as it occurs in any Latitude or Longitude arbitrarily proposed, the precise Solar date of the *Amavasya*, and *Prathama Tidhis*, above considered, may vary from what it is computed for *Lanca* in the Chronological Table. But as this difference can only occur when the last conjunction falls very near the time of Sun rising, the case is a rare one, and at all events cannot affect the Tabular results, more than one day one way or the other.

The VIIth, VIIIth, IXth and Xth columns of the 2d Chronological Table, can only be of use to those who, having learnt the methods disclosed in the Kala Sankalita, might wish to compute the minuter circumstances of the Luni-solar year, with a view to fix an Epoch with great precision. They are intended to save the computer a vast deal of trouble, and occasions of mistakes, in furnishing him at once with two of the Elements on which all Luni-solar computations depend; and also for giving to the uninformed an opportunity of tracing the connection between the Solar and Luni-solar divisions of time.

Column XI registers the year expired from the origin of the æra of *Vicramaditya*, a style which is used to number the Luni-solar years from an Epoch more recent than the beginning of the Cali yug; in the same manner as the æra of *Salivahana* is applied to the Solar years.

Thus if the numeral of the Luni-solar year which ends in A. D. 1824 be required according to the style of *Vicramaditya*, we find by the column referred to, that it is the 1181st, ending on the 30th March of the said Christian year.

IV.

Third Chronological Table, *æra of the Hejira Lunar years.* The third Chronological Table, which is general for all years of the Hejira from A. D. 622 to 1900, is so constructed, that when you have found the

---

(*) Vide Key to the Siddhanta Chandra Mans, page 72.

numeral of the Mahommedan year which corresponds to the proposed Christian one, you know (what is called) the *Character* of the year; by which is meant the feria or weekly day on which it begins; and this *Root*, or Character, serves to find the commencement of every month in the Lunar year: for the years of the Hejira are arranged in the respective columns according to the day of the week on which each begins. This arrangement though in some respects less convenient than when the common series is followed, has in others, the advantage of avoiding errors when taking the numerals and other indices of the circumstances of the Lunar year out of the Table; and affords great facilities for comparing the Initial Roots and *Soota dina* of the Indian and Mahommedan years.

The æra of the Hejira is divided into cycles of 30 years, at the end of which, the intercalation of the months, which occur in the 2d, 5th, 7th, 10th, 13th, 16th, 18th, 21st, 24th, 26th and 29th resume the same series. In intercalary years, one day is to be added to the last Lunar month, called Zooledgee; making that month consist of 30 days instead of 29, which is its duration in common years. These are indicated by the letter B, and the years ending the cycle of 30 years by a stroke ═ and asterisk * above and below the same year.

EXAMPLE.

Let it be required to find the numeral, and date of the commencement of the year of the Hejira which answers to A. D. 1824.

Referring to that part of the General Table which contains the years of the XIXth century, I find A. H. 1240 in the column under *Thursday*; its Root is therefore 5: it appears also that its beginning falls on the 14th O. S. and 26th August N. S. and as it is marked with an asterisk, that it is an *intercalary one*, i. e. of 355 Solar days; its month Zooledge counting 30 days. This process is so simple, that it requires no further exemplification.

To find by means of the first Chronological Table the European date of beginning of each Solar month of the Hindu Sydereal years.

V.

For this purpose I shall give here an abridgment of Table III of the present collection, which will suffice for resolving all common cases.

(x) Err. read B.

The Root of days to be counted from Sunday.

	Hindu names of Solar months.	Tamul names of months.	Root of duration of every Solar month.				Collective Roots of months according to their standing in the year.				European months concurring N. S.
			D.	G.	V.	P.	D.	G.	V.	P.	
♈	Vaisácha	Chaitram	(2)	55	32	1	(2)	55	32	1	April
♉	Jyaishtá	Vyassei	(3)	21	12	1	(6)	19	44	2	May
♊	Ashar	Auni	(3)	36	33	1	(2)	56	22	3	June
♋	Srávana	Audi	(3)	28	12	2	(6)	24	34	5	July
♌	Bhádra	Auvani	(3)	2	10	1	(2)	26	44	6	August
♍	A'swina	Paratasi	(2)	27	22	1	(4)	54	6	7	September
♎	Cartiga	Arpesi	(1)	54	7	1	(6)	43	13	8	October
♏	Margasiras	Cartiga	(1)	30	24	2	(1)	18	37	10	November
♐	Paushia	Margali	(1)	20	53	1	(2)	39	30	11	December
♑	Mágha	Tye	(1)	27	16	1	(4)	6	46	12	January
♒	P'hal'guna	Maussi	(1)	48	24	1	(5)	55	10	13	February
♓	Chaitra	Poongoni	(2)	20	21	2	(1)	15	31	15	March

EXAMPLE I.

Let it be proposed to find the European date of commencement of the Solar month *Jyaishtá* (Tamul *Vyassei*) of the 4926th year of the Cali yug, answering to A. D. 1824.

1? Referring to the first Chronological Table we find opposite to 1824 the Initial Root of the Solar year, - - 10th April (6ᵈ) 51ˢ 15ᵛ 0ᵖ

To which add that for the month Vaisácha in the above Table (2) 55 32 1

Initial Root 1st of Jyaishtá - (2) 46 47 1

Tuesday, SYDEREAL : Wednesday, CIVIL (*).

2? To expound the monthly dates of these feriæ, we find in the second column opposite to 1824 (1st Chronological Table) that the Dominical Letters for that year, according to the new style, are DC. Referring therefore to any Kalendar with the Letter C, about 30 days after the 10th April, we find that the Tuesday above found, falls on the 11th, and Wednesday on the 12th May, which are the Sydereal and Civil dates of beginning of the Solar month Vaisácha sought.

(*) The Civil account takes one day more when the fraction of the Root in guddias exceed 30.

EXAMPLE II.

Let the commencement of the Solar month Mágha (Tamul Tye) be required.

	D.	G.	V.	P.
The Initial Root for A. C. 4926 remaining as before	(6)	51	15	0
Take out of the small Table the Collective Root up to				
Paushia, which add	(2)	39	30 ·	11
Initial Root 1st of *Mágha*	(2)	30	45	11

Tuesday, SYDEREAL : *Wednesday*, CIVIL.

Here as the Solar month *Mágha*, falls in *January* of the year 1825, we refer again to the first Chronological Table for the Dominical Letter of that year, which we find to be B, and as the beginning of the eleven last months of the year cannot fall wider in each month from the date of the 1st Vaisácha in April than 4 days, (*) referring to the Kalendar in January 1825, we find the Tuesday above found to fall on the 11th January ; and Wednesday on the 12th, being the *Sydereal* and *Civil* date of the 1st Mágha (Tamul Tye) sought.

The above method is so plain, that it would be useless to multiply examples any further.

VI.

As for determining the beginning of the Lunar months of the Siddhanta Chandra Mana by means of Tables only, it was abundantly shewn in the text that such an attempt would be vain; because the Tidhis of which these months are composed, depend on no absolute progress of the Sun or Moon in their orbits; but on their apparent relative motion ; and because the manner of registering them in the Kalendar is determined by circumstances which have never been attended to by any other known people. (†)

Supposing however, that the reduction of any number of *Tidhis* into a corresponding one of Solar days, could be effected with precision by a mechanical process, this would be of little advantage in practice ; for the Luni-solar style has long since been banished from all civil concerns, and was only retained for the superstitious observances and practices of the Hindus.

The beginning of the Lunar months of the Chandra Mana not susceptible of being determined by the Tables.

(*) Vide Key to the Madhyama Saura Mana, page 15.

(†) Vide Key to the Siddhanta Chandra Mana, page 72.

If nevertheless, an approximation of the European date of the *Prathama*
Tidhi of any of the Lunar months of the year were absolutely wanted, it may
be obtained by the following easy process.

As whatever be the real duration of the Lunar Synodical month, it is always
divided into 30 Tidhis, the last of which is that of the *Amavasya* or conjunc-
tion, and as the common Lunar Civil year is of 354 *Bhumi Savan*, or natural
days (more nearly 354^d 22^g 1^v 12^p), we have the following proportion.

As 360 Tidhis, to 354 Solar days, so 30 Tidhis, to 29$\frac{1}{2}$ Solar days.—Hence
if to the date of last mean conjunction in the preceding year, given in the fifth
column of the second Chronological Table, we add as many times 29 days
30 guddias, as the proposed month is removed of units from the first month
in the year, we shall have nearly the Civil date of its end.

EXAMPLE.

Thus let the same year of the Cali yug 4926 (A. D. 1824) be again proposed,
finding by column V, 2d Chronological Table, that the last Amavasya of
4925 fell on Tuesday the 30th March, if to this date we add 29^d 30^g, the last
Amavasya of the Lunar month Chitra will fall nearly on the 29th of April ;
and the *Prathama* Tidhi of Vaisácha on the 30th. For the last Amavasya
in Vaisácha, it will be 2 $\times$ 29^d 30^g = 59 days, which added as before to the
30th March will fall on the 28th May, and the Prathama Tidhi of the Lunar
month *Jyaishtá* will be the 29th nearly. And lastly, for the end of the Lunar
month *Mágha*, the 11th of the Chandra Mana, we have 11 $\times$ 29^d 30^g, or 324^d
30^g, which added to the 30th March 1824, will give the 17th February 1825,
the *Prathama* Tidhi of *P'hal'guna*, the 12th Lunar month falling very nearly
on the 18th February.

If the year which is proposed, be marked with an A, or AC in the third
column of the Chronological Table, which indicates a year of 13 Lunar months,
or 384 days, (more nearly 383^d 5^g 57^v 48^p) then the arrangement of the months
in the new *Chandra Mana*, will be disturbed by the intercalation ; and as the
Table does not inform us which is the intercalated month, the above process
will only indicate the *numerals*, and not the *names* of the successive months :
but it will still approximate the date of their endings : for 13 $\times$ 29^d 30^g =
383^d 30^g, very near the true duration of the intercalated Luni-solar year.

For the European date of the commencement of the Mahommedan Lunar mouths.

There remains now only to shew how the beginnings of the months of the Lunar year of the Mahommedans may be computed by help of the third General Table, for which we have the following subsidiary one.

The Civil months, as has already been said, are alternately of 30 and 29 days, excepting the last, which in common years is of 29, and in intercalary ones, of 30 days.

The figures in a line with *Mahorum*, indicate the 7 feriæ by which the Mahommedan year may begin, 1 answering to Sunday,

Number of days in each month	Names of Arabic months.	Initial feriæ of months.						
30	Mahorum	1	2	3	4	5	6	7
29	Sepher	3	4	5	6	7	1	2
30	Rabi-el-Avul	4	5	6	7	1	2	3
29	Rabi-el-Aukeer	6	7	1	2	3	4	5
30	Giumadi-el-Avul	7	1	2	3	4	5	6
29	Giumadi-el-Aukeer	2	3	4	5	6	7	1
30	Regeb	3	4	5	6	7	1	2
29	Shahaban	5	6	7	1	2	3	4
30	Rhamadan	6	7	1	2	3	4	5
29	Shawal	1	2	3	4	5	6	7
30	Zoolcada	2	3	4	5	6	7	1
29 or 30	Zooledgee	4	5	6	7	1	2	3

2 to Monday, and so forth to 7 which answers to Saturday.

The figures which follow underneath in the same perpendicular line, shew the initial feriæ of all the other months in the same year. With regard to the Dominical Letter which is necessary for expounding the European date, it may be either deduced from Table III, or found at once in Table II. As for the application of these data, it will best be shewn by an

EXAMPLE.

Let the same year 1824 be proposed, which as we have found at page xv, answers to the 1240th of the Hejira, the Root of which is 5 ; and whose beginning falls on the 26th August N. S.

Referring to the subsidiary Table, we refer to the column at the top of which 5 is registered, then following it downwards, we find 7, or Saturday, the initial feria of *Sepher* ; then counting 30 days from the 26th August, we find that the said month begins on the 25th September.

For Rabi-el-Avul, the next Root is 1, or Sunday ; then counting 29ᵈ from the 25th September, we find that the said month begins on the 24th of October ; and so forth, down to the 12th month Zooledgee.

For this last month, as we find a B · annexed to the 1240th year of the Hejira in the third Chronological Table, we conclude that it is an intercalary one ; therefore, after having determined by the preceding process that Zooledgee began on *Sunday* the 17th July (the Dominical Letter being now B), instead of counting 29 days from that date, we are to take 30, which adding to the 17th July, falls on Tuesday the 16th of August, the initial feria and date of beginning of the 1241st year of the Hejira ; as may be seen on referring to the General Table.

The converse of all the preceding methods, is too obvious to need any particular Example ; because all that is required is, to refer to the Chronological Tables with the Indian or Mahommedan year proposed. The European year concurring therewith being registered on the same line in its appropriate column, the question is at once reduced to some of those which were proposed in the preceding cases, and therefore needs no further explanation.

FIRST CHRONOLOGICAL TABLE, referring to various Indian Solar styles and years; and shewing the numerals or names, and the Epoch of the commencement of the latter according to European accounts.

I. Christian years	II. Dom. Letter O.S.	III. Dom. Letter N.S.	IV. Years expired of the Cali yug	V. Years expired from the birth of Salivahana	VI. Æra Parasurama — Years of the Cycle	VI. Initial date (Sep.)	VII. Cycle of 90 Grahapativrithi	VIII. Cycle of 60 (Vrihaspati, Bengal) — Current years	VIII. Num.	IX. Cycle of 60 South of Nermada — Current years	IX. Num.	X. Tamul civil feria N.S.	Date Apr. N.S.	Date Mar. O.S.	XI. Tamul Svdereal feria N.S.	Date Apr. N.S.	XII. Roots of beginnings of Tamul years (D. G. V. P.)	XIII. Bengalee years called Sen.
1600	FE	BA	4701	1522	776	10	4	Saumya	43	Sarvari	34	Fri	7	27	Th	6	B (4) 54 35 0	1006
1	D	G	2	3	7	11	5	Sádhárana	44	Plava	35			28	Sat	7	(6) 10 6 15	7
2	C	F	3	4	8	11	6	Viródhacrit	45	Subhacrit	36			28	Sun	7	(0) 25 37 30	8
3	B	E	4	5	9	11	7	Paridhávi	46	Sóbhana	37	Tu	8	28	Mo	7	(1) 41 8 45	9
B 4	AG	DC	5	6	780	10	8	Vramádi	47	Crádhi	38	We	7	27	Tu	6	B (2) 56 40 0	1010
5	F	B	6	7	1	10	9	A'nanda	48	Viswárasu	39			28	Th	7	(4) 12 11 15	1
6	E	A	7	8	2	11	10	Rác'shasa	49	Parábhava	40			28	Fri	7	(5) 27 42 30	2
7	D	G	8	9	3	11	11	A'nala	50	Plavanga	41	Sun	8	28	Sat	7	(6) 43 13 45	3
B 8	CB	FE	9	1530	4	10	12	Pingala	51	Cilaca	42	Mo	7	27	Sun	6	B (0) 58 45 0	4
9	A	D	4710	1	5	10	13	Cálayucta	52	Saumya	43			28	Tu	7	(2) 14 16 15	5
1610	G	C	1	2	6	11	14	Sidh'arti	53	Sádhárana	44			28	We	7	(3) 29 47 30	6
1	F	B	2	3	7	11	15	Raudra	54	Viródhacrit	45	Fri	8	28	Th	7	B (4) 45 18 45	7
B 2	ED	AG	3	4	8	10	16	Durmati	55	Paridhávi	46			28	Sat	7	(6) 0 50 0	8
3	C	F	4	5	9	11	17	Durdubhi	56	Pramádi	47			28	Sun	7	(0) 16 21 15	9
4	B	E	5	6	790	11	18	Rudiródgari	57	A'nanda	48	Tu	8	28	Mo	7	(1) 31 52 30	1020
5	A	D	6	7	1	11	19	Ractacsha	58	Rac'shasa	49	We	8	28	Tu	7	B (2) 47 23 45	1
B 6	GF	CB	7	8	2	10	20	Cródhana	59	Anala	50			28	Th	7	(4) 2 55 0	2
7	E	A	8	9	3	11	21	Cshya	60	Pingala	51			28	Fri	7	(5) 18 26 15	3
8	D	G	9	1540	4	11	22	Prabhava	1	Cálayucta	52	Sun	8	28	Sat	7	(6) 33 57 30	4
9	C	F	4720	1	5	11	23	Vibhava	2	Sidh'arti	53	Mo	8	28	Sun	7	B (0) 49 28 45	5
1620	BA	ED	1	2	6	11	24	Sucla	3	Raudra	54			28	Tu	7	(2) 5 0 0	6
1	G	C	2	3	7	11	25	Pramoda	4	Durmati	55			28	We	7	(3) 20 31 15	7
2	F	B	3	4	8	11	26	Prajápati	5	Dundubhi	56	Fri	8	28	Th	7	(4) 36 2 30	8
3	E	A	4	5	9	11	27	Angira	6	Rudiródgari	57	Sat	8	28	Fri	7	B (5) 51 33 45	9
B 4	DC	GF	5	6	800	11	28	Srimuc'ha	7	Ractacsha	58			28	Sun	7	(0) 7 5 0	1030
5	B	E	6	7	1	11	29	Bhává	8	Cródhana	59			28	Mo	7	(1) 22 36 15	1
6	A	D	7	8	2	11	30	Yuvá	9	Cshya	60	We	8	28	Tu	7	(2) 38 7 30	2
7	G	C	8	9	3	11	31	Dhátá	10	Prabhava	1	Th	8	28	We	7	B (3) 53 38 45	3
B 8	FE	BA	9	1550	4	11	32	Iswara	11	Vibhava	2			28	Fri	7	(5) 9 10 0	4
9	D	G	4730	1	5	11	33	Bahudanya	12	Sucla	3			28	Sat	7	(6) 24 41 15	5
1630	C	F	1	2	6	11	34	Pramát'hi	13	Pramoda	4	Mo	8	28	Sun	7	(0) 40 12 30	6
1	B	E	2	3	7	11	35	Vicrama	14	Prajápati	5	Tu	8	28	Mo	7	B (1) 55 43 45	7
B 2	AG	DC	3	4	8	11	36	Brisya	15	Angira	6			28	We	7	(3) 11 15 0	8
3	F	B	4	5	9	11	37	Chitrab'hanu	16	Srimuc'ha	7			28	Th	7	(4) 26 46 15	9
4	E	A	5	6	810	11	38	Súbhánu	17	Bhává	8	Sat	8	28	Fri	7	(5) 42 17 30	1040
5	D	G	6	7	1	11	39	Tárana	18	Yuvá	9	Sun	8	28	Sat	7	B (6) 57 48 45	1
B 6	CB	FE	7	8	2	11	40	Párthiva	19	Dhátá	10			28	Mo	7	(1) 13 20 0	2
7	A	D	8	9	3	11	41	Vyaya	20	Iswara	11			28	Tu	7	(2) 28 51 15	3
8	G	C	9	1560	4	11	42	Sarvajit	21	Bahudanya	12	Th	8	28	We	7	(3) 44 22 30	4
9	F	B	4740	1	5	11	43	Sarvadhári	22	Pramát'hi	13	Fri	8	28	Th	7	B (4) 59 53 45	5
1640	ED	AG	1	2	6	11	44	Viródhi	23	Vicrama	14			28	Sat	7	(6) 15 25 0	6
1	C	F	2	3	7	11	45	Vicrita	24	Brisya	15	Mo	8	28	Sun	7	(0) 30 56 15	7
2	B	E	3	4	8	11	46	C'hara	25	Chitrab'hanu	16	Tu	8	28	Mo	7	B (1) 46 27 30	8
3	A	D	4	5	9	11	47	Nandana	26	Súbhánu	17			29	We	8	(3) 1 58 45	9
B 4	GF	CB	5	6	820	11	48	Vijya	27	Tárana	18			28	Th	7	(4) 17 30 0	1050
5	E	A	6	7	1	11	49	Jya	28	Párthiva	19	Sat	8	28	Fri	7	(5) 33 1 15	1
6	D	G	7	8	2	11	50	Manmat'ha	29	Vyaya	20	Sun	8	28	Sat	7	B (6) 48 32 30	2
7	C	F	8	9	3	12	51	Durmuch'ha	30	Sarvajit	21			29	Mo	8	(1) 4 3 45	3
B 8	BA	ED	9	1570	4	11	52	Hemalamva	31	Sarvadhári	22			28	Tu	7	(2) 19 35 0	4
9	G	C	4750	1	5	11	53	Vilamva	32	Viródhi	23	Th	8	28	We	7	(3) 35 6 15	5
1650	F	B	1	2	6	11	54	Vicari	33	Vicrita	21	Fri	8	28	Th	7	B (4) 50 37 30	5

I.	II.	III.	IV.	V.		VI.	VII.		VIII		IX.			X.		XI.		XII.
Christian years.	Dominical Letter O. S. / Dominical Letter N. S.	Years expired of the Cali yug.	Years expired from the birth of Salivahana.	Expired years of the Æra Parasu-rama. (Years of the Cycle. / Initial date.)		Years of the Cycle of 90 Grahaparivritti.	Years of the Cycle of 60 years or *Vrihaspati*, Bengal reckoning. Current years.	Numerals.	Years of the Cycle of 60 years as reckoned South of the River Nerma-da. Current years.	Numerals.	Initial feriæ; Tamul civil account N. S. / Date in April N. S.		Date in March O. S.	Initial feriæ of Tamul Sydereal years N. S. / Date in April N. S.		Roots of beginnings of Tamul years counted from Sunday. (D. æ. v. P.)		Bengalee years called Sen.
1651	E A	4752	1573	827	Sep. 12	55	Sarvari	34	C'hara	25			Syd. 29	Sat	8	(6) 6 8 45		1057
B 2	DC GF	3	4	8	11	56	Plava	35	Nandana	26			28	Sun	7	(0) 21 40 0		8
3	B F	4	5	9	11	57	Subhacrit	36	Vijya	27	Tu	8	28	Mo	7	(1) 37 11 15		9
4	A E	5	6	830	11	58	Sóbhana	37	Jya	28	We	8	28	Tu	7	B (2) 52 42 30		1060
5	G D	6	7	1	12	59	Crádhi	38	Manmat'ha	29			29	Th	8	(4) 8 13 45		1
B 6	FE D	7	8	2	11	60	Viswávasù	39	Durmuch'ha	30			28	Fri	7	(5) 23 45 0		2
7	D C	8	9	3	11	61	Parábhava	40	Hemalamva	31	Sun	8	28	Sat	7	(6) 39 16 15		3
8	C B	9	1580	4	11	62	Plavanga	41	Vilamva	32	Mo	8	28	Sun	7	B (0) 54 47 30		4
9	B A	4760	1	5	12	63	Cílaca	42	Vicari	33			29	Tu	8	(2) 10 18 45		5
1660	AG DC	1	2	6	11	64	Saumya	43	Sarvari	34			28	We	7	(3) 25 50 0		6
1	F B	2	3	7	11	65	Sádhárana	44	Plava	35	Fri	8	28	Th	7	(4) 41 21 15		7
2	E A	3	4	8	11	66	Viródhacrit	45	Subhacrit	36	Sat	8	28	Fri	7	B (5) 56 52 30		8
3	D G	4	5	9	12	67	Paridhávi	46	Sóbhana	37			29	Sun	8	(0) 12 23 45		9
B 4	CB FE	5	6	840	11	68	Pramádi	47	Crádhi	38			28	Mo	7	(1) 27 55 0		1070
5	A D	6	7	1	11	69	A'nanda	48	Viswávasù	39	We	8	28	Tu	7	(2) 43 26 15		1
6	G C	7	8	2	11	70	Rac'shasa	49	Parábhava	40	Th	8	28	We	7	B (3) 58 57 30		2
7	F B	8	9	3	12	71	Anala	50	Plavanga	41			29	Fri	8	(5) 14 23 45		3
B 8	ED AG	9	1590	4	11	72	Pingala	51	Cílaca	42	Sun	8	28	Sat	7	(6) 30 0 0		4
9	C F	4770	1	5	11	73	Cálayucta	52	Saumya	43	Mo	8	28	Sun	7	B (0) 45 31 15		5
1670	B E	1	2	6	11	74	Sidh'arti	53	Sádhárana	44			29	Tu	8	(2) 1 2 30		6
1	A D	2	3	7	12	75	Raudra	54	Viródhacrit	45			29	We	8	(3) 16 33 45		7
B 2	GF CB	3	4	8	11	76	*Durmati* (*) 55 / Durm. Dund. 55.56		Paridhávi	46	Fri	8	28	Th	7	(4) 32 5 0		8
3	E À	4	5	9	11	77	*Dundubhi* 56 / Rudiródgari 57		Pramádi	47	Sat	8	28	Fri	7	B (5) 47 36 15		9
4	D G	5	6	850	11	78	*Rudiródgari* 57 / Ractácsna 58		A'nanda	48			29	Sun	8	(0) 3 7 30		1080
5	C F	6	7	1	12	79	*Ractácsha* 58 / Cródhana 59		Rac'shasa	49			29	Mo	8	(1) 18 38 45		1
B 6	BA ED	7	8	2	11	80	*Cródhana* 59 / Cshya 60		Anala	50	We	8	28	Tue	7	(2) 34 10 0		2
7	G C	8	9	3	11	81	*Cshya* 60 / Prabhava 1		Pingala	51	Th	8	28	We	7	B (3) 49 41 15		3
8	F B	9	1600	4	12	82	*Prabhava* 1 / Vibhava 2		Cálayucta	52			29	Fri	8	(5) 5 12 30		4
9	E A	4780	1	5	12	83	*Vibhava* 2 / Sucla 3		Sidh'arti	53			29	Sat	8	(6) 20 43 45		5
1680	DC GF	1	2	6	11	84	*Sucla* 3 / Pramoda 4		Raudra	54	Mo	8	29	Sun	7	(0) 36 15 0		6
1	B E	2	3	7		85	*Pramoda* 4 / Prajápati 5		Durmati	55	Tu	8	28	Mo	7	B (1) 51 46 15		7
2	A D	3	4	8	12	86	*Praja'pati* 5 / Angira 6		Dundubhi	56			29	We	8	(3) 7 17 30		8
3	G C	4	5	9	12	87	*Angira* 7 / Srimu'cha		Rudiródgari	57			29	Th	8	(4) 22 48 45		9
B 4	FE BA	5	6	860	11	88	*Srimu. Bhúvá* 7.8 / Bhává 8		Ractácsha	58	Sat	8	28	Fri	7	(5) 38 20 0		1090
5	D G	6	7	1	11	89	Yuva	9	Cródhana	59	Sun	8	28	Sat	7	B (6) 53 51 15		1
6	C F	7	8	2	12	90	Dhátá	10	Cshya	60			29	Mo	8	(1) 9 22 30		2
						Cycle												
7	B E	8	9	3	12	1	Iswara	11	Prabhava	1			29	Tu	8	(2) 24 53 45		3
B 8	AG DC	9	1610	4	11	2	Bahudanya	12	Vibhava	2	Th	8	28	We	7	(3) 40 25 0		4
9	F B	4790	1	5	11	3	Pramát'hi	13	Sucla	3	Fri	8	28	Th	7	B (4) 55 56 15		5
1690	E A	1	2	6	12	4	Vicrama	14	Pramoda	4			29	Sat	8	(6) 11 27 30		6
1	D G	2	3	7	12	5	Brisya	15	Prajápati	5			29	Sun	8	(0) 26 58 45		7
2	CB FE	3	4	8	11	6	Chitrab'hanu	16	Angira	6	Tu	8	28	Mo	7	(1) 42 30 0		8
3	A D	4	5	9	11	7	Súbhána	17	Srimuc'ha	7	We	8	28	Tu	7	B (2) 58 1 15		9
4	G C	5	6	870	12	8	Tárana	18	Bhává	8			29	Th	8	(4) 13 32 30		1100
5	F B	6	7	1	12	9	Párthiva	19	Yuva	9			29	Fri	8	(5) 29 3 45		1
B 6	ED AG	7	8	2	11	10	Vyaya	20	Dhátá	10	Sun	8	28	Sat	7	B (6) 44 35 0		2
7	C F	8	9	3	11	11	Sarvajit	21	Iswara	11			29	Mo	8	(1) 0 6 15		3
8	B E	9	1620	4	12	12	Sarvadhári	22	Bahudanya	12			29	Tu	8	(2) 15 37 30		4
9	A D	4800	1	5	12	13	Viródhi	23	Pramát'hi	13	Th	9	29	We	8	(3) 31 8 45		5
1700	GF C	1	2	6	12	14	Vicrita	24	Vicrama	14	Fri	9	29	Th	8	B (4) 46 40 0		6

(*) The upper names, printed in *italics*, are those by the Surriah Siddhanta; the lower ones, printed in roman, are those by the Jyautistava.

I.	II.		III.	IV.	V.		VI.	VII.		VIII.		IX.			X.		XI.	XII.
Christian years.	Dominical Letter O.S.	Dominical Letter N.S.	Years expired of the Cali yug.	Years expired from the birth of Salivahana.	Expired years of the Æra Parasu-rama. Years of the Cycle.	Initial date	Years of the Cycle of 90 Grahaparivrithi.	Years of the Cycle of 60 years or *Vrihaspati*, Bengal reckoning. Current years.	Numerals.	Years of the Cycle of 60 years as reckoned South of the River Nerma-da. Current years	Numerals.	Initial feriæ; Tamul civil account N.S.	Date in April N.S.	Date in March O.S.	Initial feriæ of Tamul Sydereal years N.S.	Date in April N.S.	Roots of beginnings of Tamul years counted from Sunday. D. G. V. P.	Bengalee year called Sen.
1701	E	B°	4802	1623	877	12 Sep	15	C'hara	25	Brisya	15			29	Sat	9	(6) 2 11 15	1107
2	D	A	3	4	8	13	16	Nandana	26	Chitrabhanu	16			29	Sun	9	(0) 17 42 30	8
3	C	G	4	5	9	13	17	Vijya	27	Súbhánu	17	Tu	10	30	Mo	9	(1) 33 13 45	9
B 4	BA	FE	5	6	880	12	18	Jya	28	Tárana	18	We	9	29	Tu	8	B(2) 48 45 0	1110
5	G	D	6	7	1	12	19	Manmat'ha	29	Párthiva	19			29	Th	9	(4) 4 16 15	1
6	F	C	7	8	2	13	20	Durmuch'ha	30	Vyaya	20			29	Fri	9	(5) 19 47 30	2
7	E	B	8	9	3	13	21	Hemalamva	31	Sarvajit	21	Sun	10	30	Sat	9	(6) 35 18 45	3
B 8	DC	AG	9	1630	4	12	22	Vilamva	32	Sarvadhári	22	Mo	9	29	Sun	8	B(0) 50 50 0	4
9	B	F	4810	1	5	12	23	Vicari	33	Viródhi	23			29	Tu	9	(2) 6 21 15	5
1710	A	E	1	2	6	13	24	Sarvari	34	Vicrita	24			29	We	9	(3) 21 52 30	6
1	G	D	2	3	7	13	25	Plava	35	C'hara	25	Fri	10	30	Th	9	(4) 37 23 45	7
B 2	FE	CB	3	4	8	12	26	Subhacrit	36	Nandana	26	Sat	9	29	Fri	8	B(5) 52 55 0	8
3	D	A	4	5	9	12	27	Sóbhana	37	Vijya	27			29	Sun	9	(0) 8 26 15	9
4	C	G	5	6	890	13	28	Crádhi	38	Jya	28			29	Mo	9	(1) 23 57 30	1120
5	B	F	6	7	1	13	29	Viswávasù	39	Manmat'ha	29	We	10	30	Tu	9	(2) 39 23 45	1
B 6	AG	ED	7	8	2	12	30	Parábhava	40	Durmuch'ha	30	Th	9	29	We	8	B(3) 55 0 0	2
7	F	C	8	9	3	13	31	Plavanga	41	Hemalamva	31			29	Fri	9	(5) 10 31 15	3
8	E	B	9	1640	4	13	32	Cílaca	42	Vilamva	32			29	Sat	9	(6) 26 2 30	4
9	D	A	4820	1	5	13	33	Saumya	43	Vicari	33	Mo	10	30	Sun	9	(0) 41 33 45	5
1720	CB	GF	1	2	6	12	34	Sádhárana	44	Sarvari	34	Tu	9	29	Mo	8	B(1) 57 5 0	6
1	A	E	2	3	7	13	35	Viródhacrit	45	Plava	35			29	We	9	(3) 12 36 15	7
2	G	D	3	4	8	13	36	Paridhávi	46	Subhacrit	36			29	Th	9	(4) 28 7 30	8
3	F	C	4	5	9	13	37	Pramádi	47	Sóbhana	37	Sat	10	30	Fri	9	(5) 43 38 45	9
B 4	ED	BA	5	6	900	12	38	A'nanda	48	Crádhi	38	Sun	9	29	Sat	8	B(6) 59 10 0	1130
5	C	G	6	7	1	13	39	Rac'shasa	49	Viswávasù	39			29	Mo	9	(1) 11 41 15	1
6	B	F	7	8	2	13	40	Anala	50	Parábhava	40			29	Tu	9	(2) 30 12 30	2
7	A	E	8	9	3	13	41	Pingala	51	Plavanga	41	We	10	30	We	9	B(3) 45 43 45	3
B 8	GF	DC	9	1650	4	12	42	Cálayucta	52	Cílaca	42	Th	10	30	Fri	9	(5) 1 15 0	4
9	E	B	4830	1	5	13	43	Sidh'arti	53	Saumya	43			29	Sat	9	(6) 16 46 15	5
1730	D	A	1	2	6	13	44	Raudra	54	Sádhárana	44	Mo	10	30	Sun	9	(0) 32 17 30	6
1	C	G	2	3	7	13	45	Durmati	55	Viródhacrit	45	Tu	10	30	Mo	9	B(1) 47 43 45	7
B 2	BA	FE	3	4	8	13	46	Dundubhi	56	Paridhári	46			29	We	9	(3) 3 20 0	8
3	G	D	4	5	9	13	47	Rudiródgari	57	Pramádi	47			29	Th	9	(4) 18 51 15	9
4	F	C	5	6	910	13	48	Ractacsha	58	A'nanda	48	Sat	10	30	Fri	9	(5) 34 22 30	1140
5	E	B	6	7	1	13	49	Cródhana	59	Rac'shasa	49	Sun	10	30	Sat	9	B(6) 49 53 45	1
B 6	DC	AG	7	8	2	13	50	Cshya	60	Anala	50			29	Mo	9	(1) 5 25 0	2
7	B	F	8	9	3	13	51	Prabhava(*)	1	Pingala	51	Th	10	30	Tu	9	(2) 20 56 15	3
8	A	E	9	1660	4	13	52	Vibhava	2	Cálayucta	52	Fri	10	30	We	9	(3) 36 27 30	4
9	G	D	4840	1	5	13	53	Sucla	3	Sidh'arti	53			29	Th	9	B(4) 51 58 45	5
1740	FE	CB	1	2	6	13	54	Pramoda	4	Raudra	54			29	Sun	9	(6) 7 30 0	6
1	D	A	2	3	7	13	55	Prajápati	5	Durmati	55	l'u	10	30	Mo	9	(0) 23 1 15	7
2	C	G	3	4	8	13	56	Angira	6	Dundubhi	56	We	10	30	Tu	3	(1) 38 32 30	8
3	B	F	4	5	9	13	57	Srimuc'ha	7	Rudiródgari	57			29	Th	9	B(2) 54 3 45	9
B 4	AG	ED	5	6	920	13	58	Bhává	8	Ractácsha	58			29	Fri	9	(4) 9 35 0	1150
5	F	C	6	7	1	13	59	Yuvá	9	Cródhana	59	Sun	10	30	Sat	9	(5) 25 6 15	1
6	E	B	7	8	2	13	60	Dháta	10	Cshya	60	Mo	10	30	Sun	9	(6) 40 37 30	2
7	D	A	8	9	3	13	61	Iswara	11	Prabhava(†)	1			29	Tu	9	B(0) 56 8 45	4
B 8	CB	GF	9	1670	4	13	62	Bahudanya	12	Vibhava	2			29	We	9	(2) 11 40 0	5
9	A	E	4850	1	5	13	63	Pramát'hi	13	Sucla	3			29	Tu	9	(3) 27 11 15	6
1750	G	D	1	2	6	13	64	Vicrama	14	Pramoda	4	Fri	10	30	Th	9	(4) 42 42 30	6

(*) Beginning of the 83d Cycle of Jupiter, Surriah Siddhanta.
(†) Beginning of the 82d Cycle, Tellinga account.

I.	II.	III.	III.	IV.	V.		VI.	VII.		VIII.		IX.		X.		XI.	XII.
Christian years	Dominical Letter O.S.	Dominical Letter N.S.	Years expired of the Cali yug.	Years expired from the birth of Salivahana.	Years of the Cycle (Æra Parasu-rama)	Initial date	Years of the Cycle of 90 Grahaparivrithi.	Years of the Cycle of 60 or *Vrihaspati*, Bengal reckoning. Current years	Numerals.	Years of the Cycle of 60 as reckoned South of the River Nermada. Current years.	Numerals.	Initial ferie; Tamul civil account N.S.	Date in April N.S.	Initial ferie of Tamul Syderesl years N.S.	Date in April N.S.	Roots of beginnings of Tamul years counted from Sunday. (D. s. v. p.)	Bengalee years called Sen.
1751	F	C	1852	1673	927	Sep 13	65	Brisya	15	Prajápati	5	Sat	10	Fri	9	B (5) 53 13 15	1157
B 2	ED	BA	3	4	8	13	66	Chitrab'hanu	16	Angira	6			Sun	9	(0) 13 45 0	8
3	C	G	4	5	9	13	67	Súbhána	17	Srimuc'ha	7			Mo	9	(1) 29 16 15	9
4	B	F	5	6	930	13	68	Tárana	18	Bhává	8	We	10	Tu	9	B (2) 44 47 30	1160
5	A	E	6	7	1	13	69	Párthiva	19	Yuvá	9			Th	10	(4) 0 18 45	1
B 6	GF	DC	7	8	2	13	70	Vyaya	20	Dhátá	10			Fri	9	(5) 15 50 0	2
7	E	B	8	9	3	13	71	(*) Sarva Sarvad / *Sarva thari*	21 / 21,22 / 22	Iswara	11	Sun	10	Sat	9	(6) 31 21 15	3
8	D	A	9	1680	4	13	72	Virodhi / *Virodhi*	23 / 23	Bahudanya	12	Mo	10	Sun	9	B (0) 46 52 30	4
9	C	G	1860	1	5	13	73	Vicrita / *Vicrita*	24 / 24	Pramát'hi	13			Tu	10	(2) 2 23 45	5
1760	BA	FE	1	2	6	13	74	C'hara / *C'Lara*	25 / 25	Vicrama	14			We	9	(3) 17 55 0	6
1	G	D	2	3	7	13	75	Nandana / *Nandana*	26 / 26	Brisya	15	Fri	10	Th	9	(1) 33 26 15	7
2	F	C	3	4	8	13	76	Vijya / *Vijya*	27 / 27	Chitrab'hanu	16	Sat	10	Fri	9	B (5) 48 57 30	8
3	E	B	4	5	9	14	77	Jya / *Jya*	28 / 28	Súbhánu	17			Sun	10	(0) 4 28 45	9
B 4	DC	AG	5	6	940	13	78	Manmat'ha / *Manmat'ha*	29 / 29	Tárana	18			Mo	9	(1) 20 0 0	1170
5	B	F	6	7	1	13	79	Durmuc'ha / *Durmuc'ha*	30 / 30	Párthiva	19	We	10	Tu	9	(2) 35 31 15	1
6	A	E	7	8	2	13	80	Hemalamva / *Hemalamva*	31 / 31	Vyaya	20	Th	10	We	9	B (3) 51 2 30	2
7	G	D	8	9	3	14	81	Vilamva / *Vilamva*	32 / 32	Survajit	21			Fri	10	(5) 6 33 45	3
B 8	FE	CB	9	1690	4	13	82	Vicari / *Vicari*	33 / 33	Sarvadhári	22			Sat	9	(6) 22 5 0	4
9	D	A	4870	1	5	13	83	Sarvari / *Sarvari*	34 / 3	Viródhi	23	Mo	10	Sun	9	(0) 37 36 15	5
1770	C	G	1	2	6	13	84	Sarv. Plava / *Plava*	34,35 / 35	Vicrita	24	Tu	10	Mo	9	B (1) 53 7 30	6
1	B	F	2	3	7	14	85	Subhacrit	36	C'hara	25			We	10	(3) 8 38 45	7
B 2	AG	ED	3	4	8	13	86	Sóbhana	37	Nandana	26			Th	9	(4) 24 10 0	8
3	F	C	4	5	9	13	87	Crádhi	38	Vijya	27	Sat	10	Fri	9	(5) 39 41 15	9
4	E	B	5	6	950	13	88	Viswávasù	39	Jya	28	Sun	10	Sat	9	B (6) 55 12 30	1180
5	D	A	6	7	1	14	89	Parábhava	40	Manmat'ha	29			Mo	10	(1) 10 43 45	1
B 6	CB	GF	7	8	2	13	90	Plavanga	41	Durmuc'ha	30			Tu	9	(2) 26 15 0	2
7	A	F	8	9	3	13	1 (21st Cycle)	Cílaca	42	Hemalamva	31	Th	10	We	9	(3) 41 46 15	3
8	G	E	9	1700	4	13	2	Saumya	43	Vilamva	32	Fri	10	Th	9	B (4) 57 17 30	4
9	F	D	4880	1	5	14	3	Sádhárana	44	Vicári	33			Sat	10	(6) 12 48 45	5
1780	ED	BA	1	2	6	13	4	Viródhacrit	45	Sarvari	34			Sun	9	(0) 28 20 0	6
1	C	G	2	3	7	13	5	Paridhávi	46	Plava	35	Tu	10	Mo	9	(1) 43 51 15	7
2	B	F	3	4	8	13	6	Pramádi	47	Subhacrit	36	We	10	Tu	9	B (2) 59 22 30	8
3	A	E	4	5	9	14	7	A'nanda	48	Sóbhana	37			Th	10	(4) 14 53 45	9
B 4	GF	DC	5	6	960	13	8	Rac'shasa	49	Crádhi	38	Sat	10	Fri	9	(5) 30 25 0	1190
5	E	B	6	7	1	13	9	Anala	50	Viswávasù	39	Sun	10	Sat	9	B (6) 45 56 15	1
6	D	A	7	8	2	13	10	Pingala	51	Parábhava	40			Mo	10	(1) 1 27 30	2
7	C	G	8	9	3	14	11	Cálayucta	52	Plavanga	41			Tu	10	(2) 16 58 45	3
B 8	BA	FE	9	1710	4	13	12	Sidh'artí	53	Cilaca	42	Th	10	We	9	(3) 32 30 0	4
9	G	D	4890	1	5	13	13	Raudra	54	Saumya	43	Fri	10	Th	9	B (4) 43 1 15	5
1790	E	C	1	2	6	14	14	Durmati	55	Sádhárana	44			Sat	10	(6) 3 32 30	6
1	E	B	2	3	7	14	15	Dundubhi	56	Viródhacrit	45			Sun	10	(0) 19 3 45	*7
B 2	DC	AG	3	4	8	13	16	Rudiródgari	57	Paridhávi	46	Tu	10	Mo	9	(1) 34 35 0	8
3	B	F	4	5	9	13	17	Ractacsha	58	Pramádi	47	We	10	Tu	9	B (2) 50 6 15	9
4	A	E	5	6	970	14	18	Cródhana	59	A'nanda	48			Th	9	(4) 5 37 30	1200
5	G	D	6	7	1	14	19	Cshya	60	Rac'shasa	49			Fri	10	(5) 21 8 45	1
B 6	FE	CB	7	8	2	13	20	Prabhava(†)	1	Anala	50	Sun	10	Sat	9	(6) 36 40 0	2
7	D	A	8	9	3	13	21	Vibhava	2	Pingala	51	Mo	10	Sun	9	B (0) 52 11 15	3
8	C	G	9	1720	4	14	22	Sucla	3	Cálayucta	52			Tu	10	(2) 7 42 30	4
9	B	E	4900	1	5	14	23	Pramoda	4	Sid'harti	53			We	10	(3) 23 13 45	5
1800	AG	E	1	2	6	14	24	Prajápati	5	Raudra	54	Fr	11	Th	10	(4) 38 45 0	6

(*) The upper names, printed in *italics*, are those by the Surriah Siddhanta; the lower ones, printed in roman, are those by the Jyautistava.

(†) Beginning of the 84th Cycle of Jupiter, Surriah Sild----

I. Christian years	II. Dom. Letter O.S.	Dom. Letter N.S.	III. Years expired of the Cali yug	IV. Years expired from the birth of Salivahana	V. Parasurama — Years of the Cycle	V. Initial date (Sep.)	VI. Cycle of 90 Grahaparivrithi	VII. Vrihaspati (Bengal) — Current years	VII. Num.	VIII. South of Nermada — Current years	VIII. Num.	IX. Tamul civil feria N.S.	IX. Date April	X. Tamul Sidereal feria N.S.	X. Date April	XI. Roots of beginnings of Tamul years (D. G. V. P)	XII. Bengalee years
1801	F	D	4902	1723	977	14	25	Angira	6	Durmati	55	Sat	11	Fri	10	B (5) 54 16 15	1207
2	E	C	3	4	8	15	26	Srimuc'ha	7	Dundubhi	55			Sun	11	(0) 9 47 30	8
3	D	B	4	5	9	15	27	Bháva	8	Rudiródgari	57			Mo	11	(1) 25 18 45	9
B 4	CB	AG	5	6	980	14	28	Yuvá	9	Ractácsha	58	We	11	Tu	10	(2) 40 50 0	1210
5	A	F	6	7	1	14	29	Dhátá	10	Cródhana	59	Th	11	We	10	B (3) 56 21 15	1
6	G	E	7	8	2	15	30	Iswara	11	Cshya	60			Fri	10	(5) 11 52 30	2
7	F	D	8	9	3	15	31	Bahudanya	12	Prabhava(†)	1			Sat	11	(6) 27 23 45	3
B 8	ED	CB	9	1730	4	14	32	Pramát'hi	13	Vibhava	2	Mo	11	Suu	10	(0) 42 55 0	4
9	C	A	4910	1	5	14	33	Vicrama	14	Sucla	3	Tu	11	Mo	10	B (1) 58 26 15	5
1810	B	G	1	2	6	15	34	Brisya	15	Pramoda	4			We	11	(3) 13 57 30	6
1	A	F	2	3	7	15	35	Chitrab'hanu	16	Prajápati	5			Th	11	(4) 29 28 45	7
B 2	GF	ED	3	4	8	14	36	Súbhánu	17	Angira	6	Sat	11	Fri	10	B (5) 45 0 0	8
3	E	C	4	5	9	14	37	Tárana	18	Srimuc'ha	7	Sun	11	Sun	11	(0) 0 31 15	9
4	D	B	5	6	990	15	38	Párthiva	19	Bhává	8			Mo	11	(1) 16 2 30	1220
5	C	A	6	7	1	15	39	Vyaya	20	Yuvá	9	We	12	Tu	11	(2) 31 33 45	1
B 6	BA	GF	7	8	2	14	40	Sarvajit	21	Dhátá	10	Th	11	We	10	B (3) 47 5 0	2
7	G	E	8	9	3	14	41	Sarvadhári	22	Iswara	11			Fri	11	(5) 2 36 15	3
8	F	D	9	1740	4	15	42	Viródhi	23	Bahudanya	12			Sat	11	(6) 18 7 30	4
9	E	C	4920	1	5	15	43	Vicrita	24	Pramát'hi	13	Mo	12	Sun	11	(0) 33 38 45	5
B 1820	DC	BA	1	2	6	14	44	C'hara	25	Vicrama	14	Tu	11	Mo	10	B (1) 49 10 0	6
1	B	G	2	3	7	15	45	Nandana	26	Brisya	15			We	11	(3) 4 41 15	7
2	A	F	3	4	8	15	46	Vijya	27	Chitrab'hanu	16			Th	11	(4) 20 12 30	8
3	G	E	4	5	9	15	47	Jya	28	Súbhánu	17	Sat	12	Fri	11	(5) 35 43 45	9
B 4	FE	DC	5	6	1000	14	48	Manmat'ha	29	Tárana	18	Sun	11	Sat	10	B (6) 51 15 0	1230
5	D	B	6	7	1	15	49	Durmuch'ha	30	Párthiva	19			Mo	11	(1) 6 46 15	1
6	C	A	7	8	2	15	50	Hemalamva	31	Vyaya	20			Tu	11	(2) 22 17 30	2
7	B	G	8	9	3	15	51	Vilamva	32	Sarvajit	21	Th	12	We	11	(3) 37 48 45	3
B 8	AG	FE	9	1750	4	14	52	Vicari	33	Sarvadhári	22	Fri	11	Th	10	B (4) 53 20 0	4
9	F	D	4930	1	5	15	53	Sarvari	34	Viródhi	23			Sat	11	(6) 8 51 15	5
1830	E	C	1	2	6	15	54	Plava	35	Vicrita	24			Sun	11	(0) 24 22 30	6
1	D	B	2	3	7	15	55	Subhacrit	36	C'hara	25	Tu	12	Mo	11	(1) 39 53 45	7
B 2	CB	AG	3	4	8	14	56	Sóbhana	37	Nandana	26	We	11	Tu	10	B (2) 55 25 0	8
3	A	F	4	5	9	15	57	Crádhi	38	Vijya	27			Th	11	(4) 10 56 15	9
4	G	E	5	6	10	15	58	Viswávasù	39	Jya	28			Fri	11	(5) 26 27 30	1240
5	F	D	6	7	11	15	59	Parábhava	40	Manmat'ha	29	Sun	12	Sat	11	(6) 41 58 45	1
B 6	ED	CB	7	8	12	14	60	Plavanga	41	Durmuch'ha	30	Mo	11	Sun	10	B (0) 57 30 0	2
7	C	B	8	9	13	15	61	Cílaca	42	Hemalamva	31			Tu	11	(2) 13 1 15	3
8	B	A	9	1760	14	15	62	Saumya	43	Vilamva	32			We	11	(3) 28 32 30	4
9	A	F	4940	1	15	15	63	Sádhárana	44	Vicari	33	Fri	12	Th	11	(4) 44 3 45	5
B 1840	GF	ED	1	2	16	14	64	Viródhacrit	45	Sarvari	34	Sat	11	Fri	10	B (5) 59 35 0	6
1	E	C	2	3	17	15	65	Paridhávi	46	Plava	35			Sun	11	(0) 15 6 15	7
2	D	B	3	4	18	15	66	Pramádi	47	Subhacrit	36	Tu	12	Mo	11	(1) 30 37 30	8
3	C	A	4	5	19	15	67	(*) Anan. Racsh / *Racshasa*	48, 49	Sóbhana	37	We	12	Tu	11	B (2) 46 8 45	9
B 4	BA	GF	5	6	20	14	68	Anala / *Anala*	50	Crádhi	38			Th	11	(4) 1 40 0	1250
5	G	E	6	7	21	15	69	Pingala / *Pingala*	51	Viswávasù	39			Fri	11	(5) 17 11 15	1
6	F	D	7	8	22	15	70	Calayucta / *Calayucta*	52	Parábhava	40	Sun	12	Sat	11	(6) 32 42 30	2
7	E	C	8	9	23	15	71	Sidharti / *Sidharti*	53	Plavanga	41	Mo	12	Sun	11	B (0) 48 13 45	3
B 8	DC	BA	9	1770	24	15	72	*Sidharti* / Raudra	53, 54	Cílaca	42			Tu	11	(2) 3 45 0	4
9	B	G	4950	1	25	15	73	*Raudra* / Durmati	54, 55	Saumya	43			We	11	(3) 19 13 15	5
1850	A	F	1	2	26	15	74	*Durmati* / Dundubhi	55, 56	Sádhárana	44	Fri	12	Th	11	(4) 34 47 30	6

(*) The upper names, printed in *italics,* are those by the Surya Siddhanta; the lower ones, printed in roman, are those by the Jyotish sa.

(†) Beginning of the 83d Cycle of Jupiter, Tellinga account.

Christian years	Dom. Letter O.S.	Dom. Letter N.S.	Years expired of the Cali yug	Years expired from the birth of Salivahana	Years of the Cycle of the Æra Parasurama	Initial date (Sep.)	Years of the Cycle of 90 Grahaparivritti	Years of the Cycle of 60 years or Vrihaspati, Bengal reckoning. Current years	Numerals	Years of the Cycle of 60 years as reckoned South of the River Nermada. Current years	Numerals	Initial feriæ; Tamul civil account N.S.	Date in April N.S.	Initial feriæ of Tamul Sydereal years N.S.	Date in April N.S.	Roots of beginnings of Tamul years counted from Sunday. (D. o. v. p.)	Bengalee years called Sen
1851	G	E	4952	1773	27	15	75	*Dundubhi* / Rudiródgari	56 / 57	Viródhacrit	45	Sat	12	Fri	11	B (5) 50 18 45	1257
B 2	FE	DC	3	4	28	15	76	*Rudiródgari* / Ractacsha	57 / 58	Paridhávi	46			Sun	11	(0) 5 50 0	8
3	D	B	4	5	29	15	77	*Racta'csha* / Cródhana	58 / 59	Pramádi	47			Mo	11	(1) 21 21 15	9
4	C	A	5	6	30	15	78	*Cródhana* / Cshya	59 / 60	A'nanda	48	We	12	Tu	11	(2) 36 52 30	1260
5	B	G	6	7	31	15	79	*Cshya* / Prabhava	60 / 1	Rac'shasa	49	Th	12	We	11	B (3) 52 23 45	1
B 6	AG	FE	7	8	32	15	80	*Prabh. Vibh.* / Vibhava	+1.2 / 2	Anala	50			Fri	11	(5) 7 55 0	2
7	F	D	8	9	33	15	81	Sucla	3	Pingala	51			Sat	11	(6) 23 26 15	3
8	E	C	9	1780	34	15	82	Pramoda	4	Cálayucta	52	Mo	12	Sun	11	(0) 38 57 30	4
9	D	B	4960	1	35	15	83	Prajápati	5	Sidh'arti	53	Tu	12	Mo	11	B (1) 54 28 45	5
1860	CB	AG	1	2	36	15	84	Angira	6	Raudra	54			We	11	(3) 10 0 0	6
1	A	F	2	3	37	15	85	Srimuc'ha	7	Durmati	55			Th	11	(4) 25 31 15	7
2	G	E	3	4	38	15	86	Bháva	8	Dundubhi	56	Sat	12	Fri	11	(5) 41 2 30	8
3	F	D	4	5	39	15	87	Yuvá	9	Rudiródgari	57	Sun	12	Sat	11	B (6) 56 33 45	9
B 4	ED	CB	5	6	40	15	88	Dhátá	10	Ractácsha	58			Mo	11	(1) 12 5 0	1270
5	C	A	6	7	41	15	89	Iswara	11	Cródhana	59			Tu	11	(2) 27 36 15	1
6	B	G	7	8	42	15	90	Bahudanya	12	Cshya	60	Th	12	We	11	(3) 43 7 30	2
7	A	F	8	9	43	15	1	Pramát'hi	13	Prabhava(‡)	1	Fri	12	Th	11	B (4) 58 38 45	3
B 8	GF	ED	9	1790	44	15	2	Vicrama	14	Vibhava	2			Sat	11	(6) 14 10 0	4
9	E	C	4970	1	45	15	3	Brisya	15	Sucla	3			Sun	11	(0) 29 41 15	5
1870	D	B	1	2	46	15	4	Chitrab'hanu	16	Pramoda	4	Tu	12	Mo	11	B (1) 45 12 30	6
1	C	A	2	3	47	15	5	Súbhánu	17	Prajápati	5			We	12	(3) 0 43 45	7
B 2	BA	GF	3	4	48	15	6	Tárana	18	Angira	6			Th	11	(4) 16 15 0	8
3	G	E	4	5	49	15	7	Párthiva	19	Srimuc'ha	7	Sat	12	Fri	11	(5) 31 46 15	9
4	F	D	5	6	50	15	8	Vyaya	20	Bhává	8	Sun	12	Sat	11	B (6) 47 17 30	1280
5	E	C	6	7	51	15	9	Sarvajit	21	Yuva	9			Mo	12	(1) 2 48 45	1
B 6	DC	BA	7	8	52	15	10	Sarvadhári	22	Dhátá	10			Tu	11	(2) 18 20 0	2
7	B	G	8	9	53	15	11	Viródhi	23	Iswara	11	Th	12	We	11	(3) 33 51 15	3
8	A	F	9	1800	54	15	12	Vicrita	24	Bahudanya	12	Fri	12	Th	11	B (4) 49 22 30	4
9	G	E	4980	1	55	16	13	C'hara	25	Pramát'hi	13			Sat	12	(6) 4 53 45	5
1880	FE	DC	1	2	56	15	14	Nandana	26	Vicrama	14			Sun	11	(0) 20 25 0	6
1	D	B	2	3	57	15	15	Vijya	27	Brisya	15	Tu	12	Mo	11	(1) 35 56 15	7
2	C	A	3	4	58	15	16	Jya	28	Chitrab'hanu	16	We	12	Tu	11	B (2) 51 27 30	8
3	B	G	4	5	59	16	17	Manmat'ha	29	Súbhánu	17			Th	12	(4) 6 58 45	9
B 4	AG	FE	5	6	60	15	18	Durmuch'ha	30	Tárana	18			Fri	11	(5) 22 30 0	1290
5	F	D	6	7	61	15	19	Hemalamva	31	Párthiva	19	Sun	12	Sat	11	(6) 38 1 15	1
6	E	C	7	8	62	15	20	Vilamva	32	Vyaya	20	Mo	12	Sun	11	B (0) 53 32 30	2
7	D	B	8	9	63	16	21	Vicari	33	Sarvajit	21			Tu	12	(2) 9 3 45	3
B 8	CB	AG	9	1810	64	15	22	Sarvari	34	Sarvadhári	22			We	11	(3) 24 35 0	4
9	A	F	4990	1	65	15	23	Plava	35	Viródhi	23	Fri	12	Th	11	(4) 40 6 15	5
1890	G	E	1	2	66	15	24	Subhacrit	36	Vicrita	24	Sat	12	Fri	11	B (5) 55 37 30	6
1	F	D	2	3	67	16	25	Sóbhana	37	C'hara	25			Sun	12	(0) 11 8 45	7
B 2	ED	CB	3	4	68	15	26	Crádhi	38	Nandana	26			Mo	11	(1) 26 40 0	8
3	C	A	4	5	69	15	27	Viswávasù	39	Vijya	27	We	12	Tu	11	(2) 42 11 15	9
4	B	G	5	6	70	15	28	Parábhava	40	Jya	28	Th	12	We	11	B (3) 57 42 30	1300
5	A	F	6	7	71	16	29	Plavanga	41	Manmat'ha	29			Fri	12	(5) 13 13 45	1
B 6	GF	ED	7	8	72	15	30	Cílaca	42	Durmuc'ha	30			Sat	11	(6) 28 45 0	2
7	E	C	8	9	73	15	31	Saumya	43	Hemalamva	31	Mo	12	Sun	11	(0) 44 16 15	3
8	D	B	9	1820	74	15	32	Sádhárana	44	Vilamva	32	Tu	12	Mo	11	B (1) 59 47 30	4
9	C	A	5000	1	75	16	33	Viródhacrit	45	Vicári	33			We	12	(3) 15 18 45	5
1900	BA	G	1	2	76	16	34	Paridhávi	46	Sarvari	34	Fri	13	Th	12	(4) 30 50 0	6

(*) The upper names, printed in *italics*, are those by the Surriah Siddhanta; the lower ones, printed in roman, are those by the Jyautistava.

(†) Beginning of the 85th Cycle of Jupiter, Surriah Siddhanta.

(‡) Beginning of the 84th Cycle, Tellinga account.

SECOND CHRONOLOGICAL TABLE *shewing the principal circumstances of the common Luni-solar year in use in the Peninsula of India, and the concurring Fuzelee or revenue years.*

I. Christian years.	II. Years expired of the Cali yug.	III. Character of the year.	IV. Last feria in the Luni-solar year.	V. Date of the last mean conjunction in do.	VI. Date in Chitra of Solar year.	VII. Sydereal duration of Chitra.	VIII. Civil duration of Chitra.	IX. Solar Ahargana, or Yugadia, to be counted from Friday. (DAYS. G. V. P.)	X. Luni-solar Ahargana to be counted from Thursday. (DAYS.)	XI. Years of Æra Vicramaditya.	XII. Fuzelee years expired.	XII. Initial date, O.S. (June/July)	XII. Initial date, N.S. (July)
B 1600	1701	A	Wednes	15 Mar	(*) — 9	30	30	1717078 54 35 0	1717057	1657	1009	30	10
1	2		Monday	2 April	—27	•31	30	1717444 10 6 15	1717440	8	1010	30	10
2	3		Saturday	23 Mar	16	30	30	1717809 25 37 30	1717795	9	1	30	10
3	4	A	Wednes	12 Mar	5	30	31	1718174 41 8 45	1718149	1660	2	1	11
B 4	5		Tuesday	30 Mar	—24	30	30	1718539 56 40 0	1718533	1	3	30	10
5	6	A	Saturday	19 Mar	—13	31	30	1718905 12 11 15	1718887	2	4	30	10
6	7		Thursday	9 Mar	2	30	30	1719270 27 42 30	1719242	3	5	30	10
7	8		Wednes	28 Mar	21	30	31	1719635 43 13 45	1719626	4	6	1	11
B 8	9	A	Sunday	16 Mar	—10	30	30	1720000 58 45 0	1719980	5	7	30	10
9	4710		Saturday	4 April	—29	31	30	1720366 14 16 15	1720364	•6	8	30	10
1610	1		Wednes	24 Mar	17	30	30	1720731 29 47 30	1720718	7	9	30	10
1	2	A	Monday	14 Mar	7	30	31	1721096 45 18 45	1721073	8	1020	1	11
B 2	3		Sunday	1 April	—26	31	30	1721462 0 50 0	1721457	9	1	30	10
3	4	A	Thursday	21 Mar	—15	31	30	1721827 16 21 15	1721811	1670	2	30	10
4	5		Monday	10 Mar	3	30	31	1722192 31 52 30	1722165	1	3	30	10
5	6		Sunday	29 Mar	22	30	31	1722557 47 23 45	1722549	2	4	1	11
B 6	7	A	Friday	18 Mar	—12	31	30	1722923 2 55 0	1722904	3	5	30	10
7	8		Wednes	5 April	—30	31	30	1723288 18 26 15	1723287	4	6	30	10
8	9		Monday	26 Mar	19	30	31	1723653 33 57 30	1723642	5	7	1	11
9	4720	A	Friday	15 Mar	8	30	31	1724018 49 28 45	1723996	6	8	1	11
B 1620	1		Thursday	2 April	—27	31	30	1724384 5 0 0	1724380	7	9	30	10
1	2		Monday	22 Mar	15	30	30	1724749 20 31 15	1724734	8	1030	30	10
2	3	A	Saturday	12 Mar	5	30	31	1725114 36 2 30	1725089	9	1	1	11
3	4		Friday	31 Mar	24	30	31	1725479 51 33 45	1725473	1680	2	1	11
B 4	5	A	Tuesday	19 Mar	—13	31	30	1725845 7 5 0	1725827	1	3	30	10
5	6		Saturday	8 Mar	1	30	30	1726210 22 36 15	1726181	2	4	30	10
6	7		Friday	27 Mar	20	30	31	1726575 38 7 30	1726565	3	5	1	11
7	8	A	Wednes	17 Mar	—10	30	30	1726940 53 38 45	1726920	4	6	1	11
B 8	9		Tuesday	4 April	—29	31	30	1727306 9 10 0	1727301	5	7	30	10
9	1730		Saturday	24 Mar	17	30	30	1727671 24 41 15	1727658	6	8	30	10
1630	1	A	Wednes	13 Mar	6	30	31	1728036 40 12 30	1728012	7	9	1	11
1	2		Tuesday	1 April	—25	30	30	1728401 55 43 45	1728396	8	1040	1	11
B 2	3	A	Sunday	21 Mar	—15	31	30	1728767 11 15 0	1728751	9	1	30	10
3	4		Thursday	10 Mar	3	30	30	1729132 26 46 15	1729105	1690	2	30	10
4	5		Wednes	29 Mar	22	30	31	1729497 42 17 30	1729489	1	3	1	11
5	6	A	Sunday	18 Mar	—11	30	30	1729862 57 48 45	1729843	2	4	1	11
B 6	7		Saturday	5 April	—30	31	30	1730228 13 20 0	1730227	3	5	30	10
7	8		Thursday	26 Mar	19	30	31	1730593 28 51 15	1730582	4	6	30	10
8	9	A	Monday	15 Mar	8	30	31	1730958 44 22 30	1730936	5	7	1	11
9	1740		Sunday	3 April	—27	30	30	1731323 59 53 45	1731320	6	8	1	11
B 1640	1		Thursday	22 Mar	—16	31	30	1731689 15 25 0	1731674	7	9	30	10
1	2	A	Tuesday	12 Mar	5	30	31	1732054 30 56 15	1732029	8	1050	30	10
2	3		Sunday	30 Mar	23	30	31	1732419 46 27 30	1732412	9	1	1	11
3	4	A	Friday	20 Mar	—13	31	30	1732785 1 58 45	1732767	1700	2	1	11
B 4	5		Thursday	8 Mar	— 2	31	30	1733150 17 30 0	1733121	1	3	30	10
5	6		Monday	27 Mar	20	30	31	1733515 33 1 15	1733505	2	4	30	10
6	7	A	Friday	16 Mar	9	30	31	1733880 48 32 30	1733859	3	5	1	11
7	8		Thursday	4 April	—28	31	30	1734246 4 3 45	1734243	4	6	1	11
B 8	9		Tuesday	24 Mar	—18	31	30	1734611 19 35 0	1734598	5	7	30	10
9	1750	A	Saturday	13 Mar	6	30	31	1734976 35 6 15	1734952	6	8	1	11
1650	1		Friday	1 April	—25	30	30	1735341 50 37 30	1735336	7	9	1	11

(*) The stroke — before the figure, indicates that the *Civil* Solar date is one less.

Second Chronological Table, continued.

I.	II.	III.	IV.	V.	VI.	VII.	VIII	IX. Solar Ahargana, to be counted from Friday.				X. Luni-solar Ahargana to be counted from Thursday.	XI.	XII.		
Christian years.	Years expired of the Cali yug.	Character of the year.	Last feria in the Luni solar year.	Date of the last mean conjunction in do.	Date in Chitra of Solar year.	Sydereal duration of Chitra.	Civil duration of Chitra.	DAYS.	G.	V.	P.	DAYS.	Years of Æra Vicramaditya.	Fuzelee years expired.	Initial date, O.S. June July	Initial date, N.S. July
1651	4752	A	Tuesday	21 Mar	—14	31	30	1735707	6	8	45	1735690	1708	1060	1.	11
B 2	3		Sunday	10 Mar	5	30	30	1736072	21	40	0	1736045	9	1	30	10
3	4		Saturday	29 Mar	22	30	31	1736437	37	11	15	1736429	1710	2	1	11
4	5	A	Wednes	18 Mar	—11	30	30	1736802	52	42	30	1736783	1	3	1	11
5	6		Tuesday	6 April	—30	31	30	1737168	8	13	45	1737167	2	4	1	11
B 6	7		Saturday	25 Mar	18	30	•30	1737533	23	45	0	1737521	3	5	30	10
7	8	A	Thursday	15 Mar	8	30	31	1737898	39	16	15	1737876	4	6	1	11
8	9		Tuesday	2 April	—26	30	30	1738263	54	47	30	1738259	5	7	1	11
9	4760		Sunday	23 Mar	—16	31	30	1738629	10	18	45	1738614	6	8	1	11
B 1660	1	A	Thursday	11 Mar	4	30	30	1738994	25	50	0	1738968	7	9	30	10
1	2		Wednes	30 Mar	23	30	31	1739359	41	21	15	1739352	8	1070	1	11
2	3	A	Sunday	19 Mar	—12	30	30	1739724	56	52	30	1739706	9	1	1	11
3	4		Saturday	7 April	—31	31	30	1740090	12	23	45	1740090	1720	2	30	10
B 4	5		Thursday	27 Mar	20	30	30	1740455	27	55	0	1740445	1	3	30	10
5	6	A	Monday	16 Mar	9	30	31	1740820	43	26	15	1740799	2	4	1	11
6	7		Sunday	4 April	—28	30	30	1741185	58	57	30	1741183	3	5	1	11
7	8		Thursday	24 Mar	—17	31	30	1741551	14	28	45	1741537	4	6	1	11
B 8	9	A	Tuesday	13 Mar	6	30	31	1741916	30	0	0	1741892	5	7	30	10
9	4770		Monday	1 April	25	30	31	1742281	45	31	15	1742276	6	8	1	11
1670	1	A	Friday	21 Mar	—14	31	30	1742647	1	2	30	1742630	7	9	1	11
1	2		Tuesday	10 Mar	—3	31	30	1743012	16	33	45	1742984	8	1080	1	11
B 2	3		Monday	28 Mar	21	30	31	1743377	32	5	0	1743368	9	1	30	10
3	4	A	Saturday	18 Mar	11	30	31	1743742	47	36	15	1743723	1730	2	1	11
4	5		Friday	6 April	—30	31	30	1744108	3	7	30	1744107	1	3	1	11
5	6		Tuesday	26 Mar	—19	31	30	1744473	18	38	45	1744461	2	4	1	11
B 6	7	A	Saturday	14 Mar	7	30	31	1744838	34	10	0	1744815	3	5	1	11
7	8		Friday	2 April	26	30	31	1745203	49	41	15	1745199	4	6	1	11
8	9		Wednes	23 Mar	—16	31	30	1745569	5	12	30	1745554	5	7	1	11
9	4780	A	Sunday	12 Mar	4	30	30	1745934	20	43	45	1745908	6	8	1	11
B 1680	1	(*)	Saturday	30 Mar	23	30	31	1746299	36	15	0	1746292	7	9	1	11
1	2	AC	Wednes	19 Mar	—12	30	30	1746664	51	46	15	1746646	8	1090	1	11
2	3		Tuesday	7 April	—31	31	30	1747030	7	17	30	1747030	9	1	1	11
3	4		Saturday	27 Mar	19	30	30	1747395	22	48	45	1747384	1740	2	1	11
B 4	5	A	Thursday	16 Mar	9	30	31	1747760	38	20	0	1747739	1	3	1	11
5	6		Wednes	4 April	—28	30	30	1748125	53	51	15	1748123	2	4	1	11
6	7		Sunday	24 Mar	—17	31	30	1748491	9	22	30	1748477	3	5	1	11
7	8	A	Thursday	13 Mar	5	30	30	1748856	24	53	45	1748831	4	6	1	11
B 8	9		Wednes	31 Mar	24	30	31	1749221	40	25	0	1749215	5	7	1	11
9	4790	A	Monday	21 Mar	—14	30	30	1749586	55	56	15	1749570	6	8	1	11
1690	1		Friday	10 Mar	—3	31	30	1749952	11	27	30	1749924	7	9	1	11
1	2		Thursday	29 Mar	21	30	30	1750317	26	58	45	1750308	8	1100	1	11
B 2	3	A	Monday	17 Mar	10	30	31	1750682	42	30	0	1750662	9	1	1	11
3	4		Sunday	5 April	—29	30	30	1751047	58	1	15	1751046	1750	2	1	11
4	5		Friday	26 Mar	—19	31	30	1751413	13	32	30	1751401	1	3	1	11
5	6	A	Tuesday	15 Mar	7	30	30	1751778	29	3	45	1751755	2	4	1	11
B 6	7		Monday	2 April	26	30	31	1752143	44	35	0	1752139	3	5	1	11
7	8	A	Friday	22 Mar	—15	31	30	1752509	0	6	15	1752493	4	6	1	•11
8	9		Wednes	12 Mar	—5	31	30	1752874	15	37	30	1752848	5	7	1	11
9	4800		Tuesday	31 Mar	23	30	30	1753239	31	8	45	1753232	6	8	1	11
1700	1	A	Saturday	20 Mar	12	30	31	1753604	46	40	0	1753586	7	9	1	12

(*) The expunged month in the 4783d year of the Cali yug current, fell on Agrahayan otherwise Margasiras, and the intercalated months were Aswina and Chitra, of the ensuing year.

Second Chronological Table, continued.

I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.				X.	XI.	XII.		
Christian years.	Years expired of the Cali yug	Character of the year.	Last feria in the Luni-solar year.	Date of the last mean conjunction in do.	Date in Chitra of Solar year.	Sydereal duration of Chitra.	Civil duration of Chitra.	Solar Ahargana, or Yugadia, to be counted from Friday.				Luni-solar Ahargana to be counted from Thursday.	Years of Æra Vicramaditya.	Tuzelee years expired.	Initial date, O.S.	Initial date, N.S.
						Syd.		DAYS.	G.	V.	P.	DAYS.			July	July
1701	1802		Friday	8 April	—31	31	30	1753970	2	11	15	1753970	1758	1119	1	12
2	3		Tuesday	28 Mar	—20	31	30	1754335	17	42	30	1754324	9	1	1	12
3	4	A	Saturday	17 Mar	8	30	31	1754700	33	13	45	1754678	1760	2	1	12
4	5		Friday	4 April	27	30	31	1755065	48	45	0	1755062	1	3	1	12
5	6		Wednes	25 Mar	—17	31	30	1755431	4	16	15	1755417	2	4	1	12
6	7	A	Sunday	14 Mar	— 6	31	30	1755796	19	47	30	1755771	3	5	2	13
7	8		Saturday	2 April	24	30	31	1756161	35	18	45	1756155	4	6	1	12
8	9	A	Wednes	21 Mar	—13	30	30	1756526	50	50	0	1756509	5	7	1	12
9	4810		Monday	11 Mar	— 3	31	30	1756892	6	21	15	1756864	6	8	1	12
1710	1		Saturday	29 Mar	20	30	30	1757257	21	52	30	1757247	7	9	1	12
1	2	A	Thursday	19 Mar	10	30	31	1757622	37	23	45	1757602	8	1120	2	13
2	3		Wednes	6 April	—29	30	30	1757987	52	55	0	1757986	9	1	1	12
3	4		Sunday	26 Mar	—18	31	30	1758353	8	26	15	1758340	1770	2	1	12
4	5	A	Thursday	15 Mar	6	30	30	1758718	23	57	30	1758694	1	3	1	12
5	6		Wednes	3 April	25	30	31	1759083	39	28	45	1759078	2	4	2	13
6	7	A	Monday	23 Mar	—15	30	30	1759448	55	0	0	1759433	3	5	1	12
7	8		Friday	12 Mar	— 4	31	30	1759814	10	31	15	1759787	4	6	1	12
8	9		Thursday	31 Mar	22	30	30	1760179	26	2	30	1760171	5	7	1	12
9	1820	A	Tuesday	21 Mar	11	30	31	1760544	41	33	45	1760525	6	8	2	13
1720	1		Saturday	9 Mar	— 1	30	30	1760909	57	5	0	1760880	7	9	1	12
1	2		Friday	28 Mar	—20	31	30	1761275	12	36	15	1761264	8	1130	1	12
2	3	A	Tuesday	17 Mar	8	30	30	1761640	28	7	30	1761618	9	1	1	12
3	4		Monday	5 April	27	30	31	1762005	43	38	45	1762002	1780	2	2	13
4	5		Friday	24 Mar	—16	30	30	1762370	59	10	0	1762356	1	3	1	12
5	6	A	Wednes	14 Mar	— 6	31	30	1762736	14	41	15	1762711	2	4	1	12
6	7		Tuesday	2 April	24	30	31	1763101	30	12	30	1763095	3	5	1	12
7	8	A	Saturday	22 Mar	13	30	31	1763466	45	43	45	1763449	4	6	2	13
8	9		Wednesd	10 Mar	— 2	31	30	1763832	1	15	0	1763803	5	7	1	12
9	4830		Tuesday	29 Mar	—21	31	30	1764197	16	46	15	1764187	6	8	1	12
1730	1	A	Sunday	19 Mar	10	30	31	1764562	32	17	30	1764542	7	9	1	12
1	2		Friday	9 April	28	30	31	1764927	47	48	45	1764925	8	1140	2	13
2	3		Wednes	26 Mar	—18	31	30	1765293	3	20	0	1765280	9	1	1	12
3	4	A	Sunday	15 Mar	— 7	31	30	1765658	18	51	15	1765634	1790	2	1	12
4	5		Saturday	3 April	25	30	31	1766023	34	22	30	1766018	1	3	2	12
5	6	A	Wednes	23 Mar	14	30	31	1766388	49	53	45	1766372	2	4	2	13
6	7		Monday	12 Mar	— 4	31	30	1766754	5	25	0	1766727	3	5	1	12
7	8		Sunday	31 Mar	22	30	30	1767119	20	56	15	1767111	4	6	1	12
8	9	A	Thursday	20 Mar	11	30	31	1767484	36	27	30	1767465	5	7	2	13
9	4840		Wednes	8 April	—30	30	30	1767849	51	58	45	1767849	6	8	2	13
1740	1		Sunday	27 Mar	—19	31	30	1768215	7	30	0	1768203	7	9	1	12
1	2	A	Friday	17 Mar	8	30	30	1768580	23	1	15	1768558	8	1150	1	12
2	3		Thursday	5 April	27	30	31	1768945	38	32	30	1768942	1	2	2	13
3	4		Monday	25 Mar	—16	30	30	1769310	54	3	45	1769296	1800	2	2	13
4	5	A	Friday	13 Mar	— 5	31	30	1769676	9	35	0	1769650	1	3	1	12
5	6		Thursday	1 April	23	30	30	1770041	25	6	15	1770034	2	4	1	12
6	7	A	Tuesday	22 Mar	13	30	31	1770406	40	37	30	1770389	3	5	2	13
7	8		Saturday	11 Mar	— 2	30	30	1770771	56	8	45	1770743	4	6	2	13
8	9		Friday	29 Mar	—21	31	30	1771137	11	40	0	1771127	5	7	1	12
9	1850	A	Tuesday	18 Mar	9	30	31	1771502	27	11	15	1771481	6	8	1	12
1750	1		Monday	6 April	28	30	31	1771867	42	42	30	1771865	7	9	2	13

I. Christian years.	II. Years expired of the Cali yug	III. Character of the year.	IV. Last feria in the Luni-solar year.	V. Date of the last mean conjunction in do.	VI. Date in Chitra of Solar year.	VII. Sydereal duration of Chitra.	VIII. Civil duration of Chitra.	IX. Solar Ahargann, or Yugadia, to be counted from Friday. (DAYS. G. V. P.)	X. Luni-solar Ahargana to be counted from Thursday. (DAYS.)	XI. Years of Æra Vicramaditya.	XII. Fuzelee years expired.	XII. Initial date, N.S.
					Syd.			DAYS. G. V. P.	DAYS.			July
1751	1852		Saturday	27 Mar	—18	30	30	1772232 58 13 45	1772220	1808	1160	13
2	3	A	Wednes	15 Mar	—7	31	30	1772598 13 45 0	1772574	9	1	12
3	4		Tuesday	3 April	25	30	30	1772963 29 16 15	1772958	1810	2	12
4	5	A	Saturday	23 Mar	15	30	31	1773328 44 47 30	1773312	1	3	13
5	6		Thursday	13 Mar	—4	31	30	1773694 0 18 45	1773667	2	4	13
6	7		Tuesday	30 Mar	—22	31	30	1774059 15 50 0	1774050	3	5	12
7	8	A	Sunday	20 Mar	11	30	31	1774421 31 21 15	1774405	4	6	12
8	9		Saturday	8 April	30	30	31	1774789 46 52 30	1774789	5	7	13
9	1850		Wednes	23 Mar	—19	31	30	1775155 2 23 45	1775143	6	8	13
1760	1	A	Sunday	16 Mar	—8	31	30	1775520 17 55 0	1775497	7	9	12
1	2		Saturday	4 April	26	30	31	1775885 33 26 15	1775831	8	1170	12
2	3		Thursday	25 Mar	16	30	31	1776250 48 57 30	1776236	9	1	13
3	4	A	Monday	14 Mar	—5	31	30	1776616 4 28 45	1776590	1820	2	13
4	5		Sunday	1 April	—21	31	30	1776981 20 0 0	1776974	1	3	12
5	6	A	Thursday	21 Mar	12	30	31	1777346 35 31 15	1777328	2	4	13
6	7		Tuesday	11 Mar	—2	30	30	1777711 51 2 30	1777683	3	5	13
7	8		Monday	30 Mar	—21	31	30	1778077 6 33 45	1778067	4	6	13
8	9	A	Friday	18 Mar	9	30	30	1778442 22 5 0	1778421	5	7	12
9	4870		Thursday	6 April	28	30	31	1778807 37 36 15	1778805	6	8	13
1770	1		Monday	26 Mar	—17	30	30	1779172 53 7 30	1779159	7	9	13
1	2	A	Saturday	16 Mar	—7	31	30	1779538 8 38 45	1779514	8	1180	13
2	3		Friday	3 April	25	30	30	1779903 24 10 0	1779898	9	1	13
3	4	A	Tuesday	23 Mar	14	30	31	1780268 39 41 15	1780252	1830	2	13
4	5		Saturday	12 Mar	—3	30	30	1780633 55 12 30	1780606	1	3	13
5	6		Friday	31 Mar	—22	31	30	1780999 10 43 45	1780990	2	4	13
6	7	A	Wednes	20 Mar	14	30	30	1781364 26 15 0	1781345	3	5	12
7	8		Monday	7 April	29	30	31	1781729 41 46 15	1781728	4	6	13
8	9		Saturday	28 Mar	—19	30	30	1782094 57 17 30	1782083	5	7	13
9	4880	A	Wednes	17 Mar	—8	31	30	1782460 12 48 45	1782437	6	8	13
1780	1		Tuesday	4 April	26	30	30	1782825 28 20 0	1782821	7	9	12
1	2		Saturday	24 Mar	15	30	31	1783190 43 51 15	1783175	8	1190	13
2	3	A	Thursday	14 Mar	—5	30	30	1783555 59 22 30	1783530	9	1	13
3	4	A	Wednes	2 April	—24	31	30	1783921 14 53 45	1783914	1840	2	13
4	5		Sunday	21 Mar	12	30	31	1784286 30 25 0	1784268	1	3	13
5	6		Thursday	10 Mar	1	30	31	1784651 45 56 15	1784622	2	4	13
6	7		Wednes	29 Mar	—20	31	30	1785017 1 27 30	1785006	3	5	13
7	8	A	Monday	19 Mar	—10	31	30	1785382 16 58 45	1785361	4	6	13
8	9		Sunday	6 April	28	30	31	1785747 32 30 0	1785745	5	7	12
9	4890		Thursday	26 Mar	17	30	31	1786112 48 1 15	1786099	6	8	13
1790	1	A	Monday	15 Mar	—6	31	30	1786478 3 32 30	1786453	7	9	13
1	2		Sunday	3 April	—25	31	30	1786843 19 3 45	1786837	8	1200	13
2	3	A	Friday	23 Mar	14	30	31	1787208 34 35 0	1787192	9	1	13
3	4		Tuesday	12 Mar	3	30	31	1787573 50 16 15	1787516	1850	2	13
4	5		Monday	31 Mar	—22	31	30	1787939 5 37 30	1787930	1	3	13
5	6	A	Friday	20 Mar	10	30	30	1788304 21 8 45	1788284	2	4	13
6	7		Thursday	7 April	29	30	31	1788669 36 40 0	1788668	3	5	13
7	8		Tuesday	28 Mar	—19	30	30	1789034 52 11 15	1789023	4	6	13
8	9	A	Saturday	17 Mar	—8	31	30	1789400 7 42 30	1789377	5	7	13
9	1900		Friday	5 April	26	30	30	1789765 23 13 45	1789761	6	8	13
1800	1		Tuesday	25 Mar	15	30	31	1790130 38 45 0	1790115	7	9	14

I.	II.	III.	IV.	V.	VI.	VII.	VIII	IX.				X.	XI.	XII.	
Christian years.	Years expired of the Cali yug	Character of the year.	Last feria in the Luni-solar year.	Date of the last mean conjunction in do.	Date in Chitra of Solar year.	Sydereal duration of Chitra.	Civil duration of Chitra.	Solar Ahargana, or Yugadia, to be counted from Friday.				Luni-solar Ahargana to be counted from Thursday.	Years of Æra Vicramaditya.	Cuzzlee years expired.	Initial date, N. S.
					Syd.			DAYS.	G.	V.	P.	DAYS.			July
1801	4902	A	Sunday	15 Mar	± 5	30	30	1790495	54	16	15	1790470	1858	1210	14
2	3		Friday	2 April	—23	31	30	1790861	9	47	30	1790853	9	1	14
3	4	A	Wednes	23 Mar	12	30	30	1791226	25	18	45	1791208	1860	2	14
4	5		Sunday	11 Mar	1	30	31	1791591	40	50	0	1791562	1	3	14
5	6		Saturday	30 Mar	—20	30	30	1791956	56	21	15	1791946	2	4	14
6	7	A	Wednes	19 Mar	— 9	31	30	1792322	11	52	30	1792300	3	5	14
7	8		Tuesday	7 April	27	30	30	1792687	27	23	45	1792684	4	6	14
8	9		Sunday	27 Mar	17	30	31	1793052	42	55	0	1793039	5	7	14
9	4910	A	Thursday	16 Mar	— 6	30	30	1793417	58	26	15	1793323	6	8	14
1810	1		Wednes	4 April	—25	31	30	1793783	13	57	30	1793777	7	9	14
1	2	A	Sunday	24 Mar	13	30	30	1794148	29	28	45	1794131	8	1220	14
2	3		Friday	13 Mar	3	30	31	1794513	45	0	0	1794486	9	1	14
3	4		Thursday	1 April	—22	31	31	1794879	0	31	15	1794870	1870	2	14
4	5	A	Monday	21 Mar	—11	31	30	1795244	16	2	30	1795224	1	3	14
5	6		Sunday	9 April	29	30	31	1795609	31	33	45	1795608	2	4	14
6	7		Thursday	28 Mar	18	30	31	1795974	47	5	0	1795962	3	5	14
7	8	A	Tuesday	18 Mar	— 8	31	30	1796340	2	36	15	1796317	4	6	14
8	9		Sunday	5 April	—26	31	30	1796705	18	7	30	1796700	5	7	14
9	4920	A	Friday	26 Mar	15	30	31	1797070	33	38	45	1797055	6	8	15
1820	1		Tuesday	14 Mar	4	30	31	1797435	49	10	0	1797409	7	9	14
1	2	(*)	Monday	2 April	—23	31	30	1797801	4	41	15	1797793	8	1230	14
2	3	AC	Saturday	23 Mar	—13	31	30	1798166	20	12	30	1798148	9	1	14
3	4		Wednes	12 Mar	1	30	31	1798531	35	43	45	1798502	1880	2	15
4	5		Tuesday	30 Mar	20	30	31	1798896	51	15	0	1798886	1	3	14
5	6	A	Saturday	19 Mar	— 9	31	30	1799262	6	46	15	1799240	2	4	14
6	7		Friday	7 April	27	30	30	1799627	22	17	30	1799624	3	5	14
7	8		Tuesday	27 Mar	16	30	31	1799992	37	48	45	1799978	4	6	15
8	9	A	Sunday	16 Mar	6	30	30	1800357	53	20	0	1800333	5	7	14
9	4930		Saturday	4 April	—25	31	30	1800723	8	51	15	1800717	6	8	14
1830	1	A	Wednes	24 Mar	13	30	30	1801088	24	22	30	1801071	7	9	14
1	2		Sunday	13 Mar	2	30	31	1801453	39	53	45	1801425	8	1240	15
2	3		Saturday	31 Mar	21	30	30	1801818	55	25	0	1801809	9	1	14
3	4	A	Thursday	21 Mar	—11	31	30	1802184	10	56	15	1802164	1890	2	14
4	5		Wednes	9 April	29	30	30	1802549	26	27	30	1802548	1	3	14
5	6		Sunday	29 Mar	18	30	31	1802914	41	58	45	1802902	2	4	15
6	7	A	Thursday	17 Mar	— 7	31	30	1803279	57	30	0	1803256	3	5	14
7	8		Wednes	5 April	—26	31	30	1803645	13	1	15	1803640	4	6	14
8	9	A	Monday	26 Mar	15	30	30	1804010	28	32	30	1803995	5	7	14
9	4940		Friday	15 Mar	4	30	31	1804375	44	3	45	1804319	6	8	15
1840	1		Thursday	2 April	—23	30	30	1804740	59	35	0	1804733	7	9	14
1	2	A	Monday	22 Mar	—12	31	30	1805106	15	6	15	1805087	8	1250	14
2	3		Saturday	12 Mar	1	30	31	1805471	30	57	30	1805442	9	1	14
3	4		Thursday	30 Mar	19	30	31	1805856	46	8	45	1805825	1900	2	15
4	5	A	Tuesday	19 Mar	— 9	31	30	1806202	1	40	0	1806180	1	3	14
4	6		Monday	7 April	—23	31	31	1806567	17	11	15	1806564	2	4	14
6	7		Friday	27 Mar	16	30	31	1806932	32	42	30	1806918	3	5	14
7	8	A	Tuesday	16 Mar	5	30	31	1807297	48	13	45	1807272	4	6	15
8	9		Monday	3 April	—24	31	30	1807663	3	45	0	1807656	5	7	14
9	4950		Saturday	24 Mar	—14	31	30	1808028	19	16	15	1808011	6	8	14
1850	1	A	Wednes	13 Mar	2	30	31	1808393	34	47	30	1808365	7	9	15

(*) The month which is expunged is Agrahayan or Margsiras. Those which are repeated are Aswina, and Chaitra the first of the ensuing year.

Second *Chronological Table*, continued.

I. Christian years.	II. Years expired of the Cali yug	III. Character of the year.	IV. Last feria in the Luni-solar year.	V. Date of the last mean conjunction in do.	VI. Date in Chitra of Solar year.	VII. Sydereal duration of Chitra.	VIII. Civil duration of Chitra.	IX. Solar Ahargana, or Yugadia, to be counted from Friday. DAYS. G. V. P.	X. Luni-solar Ahargana to be counted from Thursday. DAYS.	XI. Years of Æra Vicramaditya.	XII. Twelve years expired.	Initial date, N.S.
					Syd.							July
1851	4952		Tuesday	1 April	21	30	31	1808758 50 18 45	1808749	1908	1260	15
2	3	A	Saturday	20 Mar	—10	31	30	1809124 5 50 0	1809103	9	1	14
3	4		Friday	8 April	28	30*	30	1809489 21 21 15	1809487	1910	2	14
4	5		Wednes	29 Mar	18	30	31	1809854 36 52 30	1809842	1	3	15
5	6	A	Sunday	18 Mar	—7	30	30	1810219 52 23 45	1810196	2	4	15
6	7		Saturday	5 April	—26	31	30	1810585 7 55 0	1810580	3	5	14
7	8	A	Wednes	25 Mar	14	30	30	1810950 23 26 15	1810934	4	6	15
8	9		Monday	15 Mar	4	30	31	1811315 38 57 30	1811289	5	7	15
9	1960		Sunday	3 April	—23	30	30	1811680 54 28 45	1811673	6	8	15
1860	1	A	Thursday	22 Mar	—12	31	30	1812046 10 0 0	1812027	7	9	14
1	2		Wednes	10 April	30	30	30	1812411 25 31 15	1812411	8	1270	14
2	3		Sunday	30 Mar	19	30	31	1812776 41 2 30	1812765	9	1	15
3	4	A	Friday	20 Mar	—9	30	30	1813141 56 33 45	1813120	1920	2	15
4	5		Wednes	6 April	—27	31	30	1813507 12 5 0	1813503	1	3	14
5	6		Monday	27 Mar	16	30	30	1813872 27 36 15	1813858	2	4	14
6	7	A	Friday	16 Mar	5	30	31	1814237 43 7 30	1814212	3	5	15
7	8		Thursday	4 April	—24	30	30	1814602 58 38 45	1814596	4	6	15
8	9	A	Monday	23 Mar	—13	31	30	1814968 14 10 0	1814950	5	7	14
9	4970		Saturday	13 Mar	2	30	30	1815333 29 41 15	1815305	6	8	15
1870	1		Friday	1 April	21	30	31	1815698 45 12 30	1815689	7	9	15
1	2	A	Tuesday	21 Mar	—10	31	30	1816064 0 43 45	1816043	8	1280	15
2	3		Monday	8 April	—29	31	30	1816429 16 15 0	1816427	9	1	14
3	4		Friday	28 Mar	17	30	31	1816794 31 46 15	1816781	1930	2	14
4	5	A	Wednes	18 Mar	7	30	31	1817159 47 17 30	1817136	1	3	15
5	6		Tuesday	6 April	—26	31	30	1817525 2 48 45	1817520	2	4	15
6	7	A	Saturday	25 Mar	—15	31	30	1817890 18 20 0	1817874	3	5	14
7	8		Wednes	14 Mar	3	30	31	1818255 33 51 15	1818228	4	6	15
8	9		Tuesday	2 April	22	30	31	1818620 49 22 30	1818612	5	7	15
9	4980	A	Sunday	23 Mar	—12	31	30	1818986 4 53 45	1818967	6	8	15
1880	1		Saturday	10 April	30	30	30	1819351 20 25 0	1819351	7	9	14
1	2		Wednes	30 Mar	19	30	31	1819716 35 56 15	1819705	8	1290	15
2	3	A	Sunday	19 Mar	—8	30	30	1820081 51 27 30	1820059	9	1	15
3	4		Saturday	7 April	—27	31	30	1820447 6 58 45	1820443	1940	2	15
4	5	A	Thursday	27 Mar	16	30	30	1820812 22 30 0	1820798	1	3	14
5	6		Monday	16 Mar	5	30	31	1821177 38 1 15	1821152	2	4	15
6	7		Sunday	4 April	—24	30	30	1821542 53 22 30	1821536	3	5	15
7	8	A	Thursday	24 Mar	—13	31	30	1821908 9 3 45	1821890	4	6	15
8	9		Tuesday	13 Mar	2	30	30	1822273 24 35 0	1822245	5	7	14
9	1990		Sunday	31 Mar	20	30	31	1822638 40 16 15	1822628	6	8	15
1890	1	A	Friday	21 Mar	—10	30	30	1823003 55 37 30	1822983	7	9	15
1	2		Thursday	9 April	—29	31	30	1823369 11 8 45	1823367	8	1300	15
2	3		Monday	28 Mar	17	30	30	1823734 26 40 0	1823721	9	1	14
3	4	A	Saturday	17 Mar	6	30	31	1824099 42 11 15	1824075	1950	2	15
4	5		Thursday	5 April	—25	30	30	1824464 57 42 30	1824459	1	3	15.
5	6	A	Tuesday	26 Mar	—15	31	30	1824830 13 13 45	1824814	2	4	15
6	7		Saturday	14 Mar	3	30	30	1825195 28 45 0	1825168	3	5	14
7	8		Friday	2 April	22	30	31	1825560 44 16 15	1825552	4	6	15
8	9	A	Tuesday	22 Mar	—11	30	30	1825925 59 37 30	1825906	5	7	15
9	5000		Monday	10 April	—30	31	30	1826291 15 18 45	1826290	6	8	15
1900	1		Saturday	31 Mar	19	30	31	1826656 30 50 0	1826645	7	9	15

NOTE

On the XIIth Column of the Second Chronological Table.

In the account which I have given of the Second Chronological Table, at page x of the Introduction, I was under the necessity of postponing what I had to say on the Carnatic *Fuzelee*, or Revenue year, for want of sufficient information on the subject. The cause of my hesitation arose principally from observing a difference of three years between the Bengal and Carnatic mode of reckoning in Revenue affairs, which (considering that the Fuzelee Æra was introduced in both countries by the Mahommedan government) appeared to me to originate rather with some error in the sources of my information, than from a deliberate intention on the part of those who originally instituted it in the Mogul Empire.

After some research into the subject, I regret, however, to state that the results went only to establish the fact, without explaining the occasion of the difference. The reader must therefore remain satisfied with the following imperfect account of the Revenue periods observed in this part of India.

The Carnatic Fuzelee year is a Solar one, and its construction is exactly the same as that of the Tamul *Saura Mana*, being of 365ᵈ 15ᵍ 31′ 15″, with this only difference, that instead of beginning with the 1st of the Solar month *Chaitram* (B. Vaisacha) it was ordained by the Mahommedan government, to commence on the 1st of Audi (B. Sravana), and as it only applies to Revenue affairs, the *Civil* year alone is considered in accounts.

Thus the Fuzelee year which begins on the 1st Audi of the 4927th of the Cali yug (1748th Saca) answering to the 1235th of that Æra, when referred to the European Kalendar, is found to commence on the 14th July 1825.

But we have seen at page ix of the Introduction that the Bengal corresponding Revenue year was the 1232d, and that it began with the *Moon's Wane* in the month of *Ashar* (Tamul *Auni*), (*). Hence the difference between the two accounts, amounts to two years, eleven months and some days; which difference may possibly proceed from some unknown cause, similar to that which has occasioned the discrepancy between the manner of counting the years of Jupiter (Vrihaspati Chacra) in Bengal, and in the Peninsula.

(*) How the Bengal Fuzelee year, being a Solar one, can be made to begin, in succession, when the Moon's change takes at pleasure in twelve consecutive Lunar Synodical months, was not explained to me. If there was any mistake in the statement referred to, it can only be rectified in Bengal.

But an innovation has occurred in the Carnatic, which (speaking as a Chronologer) I feel bound to predict, will create more confusion in the accounts of *remote* times, than the difference already adverted to. The Government of Fort St. George, taking probably the average Epoch of the beginning of the Mahommedan Fuzelee year (the same as that of the Tamul month Audĭ) for a great number of years and finding it to correspond with the 12th July, has directed its servants (with a view to greater regularity in revenue accounts) to fix in future the commencement of the Fuzelee year, on the above European date; so that agreeably to this arrangement, the *Revenue* is precisely equal to the European Civil year.

However, on casting a glance over the XIIth column under consideration, it will be immediately perceived that from A. D. 1600 to 1900 there is a difference of no less than *five days*, between the true and assumed beginning of the Fuzelee year, which will go on increasing at the rate of about two days in 120 Gregorian years, without there existing any periodical cause that might restore hereafter the supposed coincidence. A new Æra, which can be neither *Indian, Mahommedan*, nor *Christian*, will, therefore, be insensibly introduced, to perplex future Chronologers, who (excepting perhaps those who may chance to reside then under the Presidency of Fort St. George) will be unable to trace the institution to its true origin.

I am well informed that the inhabitants of these parts of India, although they do not object to the change ordered by Government when transacting with the Collectors, yet among themselves continue to abide by their old Fuzelee Kalendar; I conclude therefore, that when a change was found decidedly advisable, it would have been preferable to have adopted at once the 1st of January, instead of the 13th of July of the European year, because it would have prevented ambiguity; for call the present *official* Revenue year by any name that you please, it can never be any thing else, but an *European* account of time, disguised under a foreign name.

On the manner in which the Fuzelee years are registered in the XIIth column, I have only to repeat what I have said on the other accounts of time exhibited in these Tables; that is to say, that the numeral of the year, registered on a line with any Christian year inserted in the Ist column on the left, indicates that which expires on the day and month inserted in the second division of the XIIth column; observing that from A. D. 1600 to 1750 the beginning of the Fuzelee years is given both in *Old* and *New* Styles; and from 1750 to 1900 in *New* Style only.

Thus the Revenue year which ends on the 1st July O. S., and 12th July N. S. of the Christian year 1701, is the 1110th, and from that date to the end of the European year it is the 1111th.

And that which ends on the 14th July N. S. of the Christian year 1825 is the 1234th, and that which begins on the said date is the 1235th.

N. B.—As the Fuzelee year is never used but for revenue purposes, the Natives only mind its beginning; but never care for its subdivisions into months, days, &c.

GENERAL CHRONOLOGICAL TABLE exhibiting the years of the Hejira from Anno 1 to 1318, concurrent with the Christian years *from A. D. 622 to 1900, and the date on which every Mahommedan year begins according to the European Kalendars of the Julian and Gregorian Styles.*

HEJIRA, according to Vulgar account - 16th July A. D. 622.
according to most ARABIAN ASTRONOMERS 15th July do.

From Anno Hejiræ 1 to 81.
From Anno Domini 622 to 700, Julian Style.

From Anno Cali yugam 3723 to 3801.
From Anno 544 to 622 Saca.

VIIth CENTURY.

	Sunday 1. Etwar.			Monday 2. Peer.			Tuesday 3. Mungul.			Wedn. 4. Char Shumbol.			Thur. 5. Jummah Rhaut.			Friday 6. Jummah.			Satur. 7. Avul Haftah.		
Anno Hejiræ	A. D.	Begin-ning A. Hejiræ	Anno Hejiræ	A. D.	Begin-ning A. Hejiræ	Anno Hejiræ	A. D.	Begin-ning A. Hejiræ	Anno Hejiræ	A. D.	Begin-ning A. Hejiræ	Anno Hejiræ	A. D.	Begin-ning A. Hejiræ	Anno Hejiræ	A. D.	Begin-ning A. Hejiræ	Anno Hejiræ	A. D.	Begin-ning A. Hejiræ
3	624	21June	5 B	626	2June	2 B	623	5 July	7 B	628	11 May	4	625	13June	1	622	16 July	6	627	23 May
11	632	29 Mar	8	629	1 May	10 B	631	9 Apr	15	636	14 Feb	12	633	18 Mar	9	630	20 Apr	14	635	25 Feb
16 B	637	2 Feb	13 B	634	7 Mar	18 B	639	12 Jan	23	643	19 Nov	19.1 20.5	640	2 Jan 21 Dec	17	638	23 Jan	22	642	30 Nov
19.1 20.5	640	2 Jan 21 Dec	21 B	641	7 Feb	26 B	646	17 Oct	31	651	24 Aug	28	648	25 Sep	25	645	28 Oct	*30	650	4 Sep
21 B	641	7 Nov	29 B	649	14 Sep	34	654	22 July	39	659	29 May	36	656	30June	33	653	2 Aug	35 B	655	11 July
27	647	7 Oct	37 B	657	19June	42	662	26 Apr	47	667	3 Mar	44	664	4 Apr	41	661	7 May	38	658	9June
32 B	652	12 Aug	45	665	24 Mar	50	670	29 Jan	55	674	6 Dec	52.5 53.2	672	3 Jan 27 Dec	46 B	666	13 Mar	43 B	663	15 Apr
40 B	660	17 May	52.5 53.2	672	3 Jan 27 Dec	58	677	3 Nov	63	682	10 Sep	*60	679	13 Oct	49	669	9 Feb	51 B	671	18 Jan
48 B	668	20 Feb	61	680	1 Oct	66	685	8 Aug	71	690	15June	65 B	684	18 Aug	54 B	673	16 Dec	59 B	678	23 Oct
56 B	675	25 Nov	69	688	6 July	74	693	13 May	76 B	695	21 Apr	68	687	18 July	57	676	14 Nov	67 B	686	28 July
64	683	30 Aug	77	696	10 Apr				79	698	20 Mar	73 B	692	23 May	62 B	681	20 Sep	75	694	2 May
72	691	4June										81 B	700	26 Feb	70 B	689	25June			
80	699	9 Mar													78 B	697	30 May			

N. B. – The Letter B annexed to any year of the Hejira indicates that it is an intercalary one. And the Asterisk * and stroke ═══ below, that it is the last of the Cycle of 30 years. The years Cali yug and Saca are those about to end.

This Table is the first referred to in the Memoir on the Lunar year of the Mahommedans; the IVth of the Kala Saukalita.

Third Chronological Table, continued.

VIIIth CENTURY.

From Anno Hejiræ 82 to 181.
from A. D. 701 to 800.

From Anno Cali yugam 3802 to 3901.
From Anno 623 to 722 Saca.

Sunday 1.

Anno Hejiræ	A. D.	Begin-ning A. Hejira
88	706	12 Dec
96	711	16 Sep
104	719	21 June
112	730	26 Mar
119B.3 / 120.1	{737}	8 Jan / 29 Dec
125 B	742	4 Nov
128	745	3 Oct
133 B	750	9 Aug
141 B	758	14 May
149 B	766	16 Feb
157 B	773	21 Nov
165	781	26 Aug
173	789	31 May
181	797	5 Mar

Monday 2.

Anno Hejiræ	A. D.	Begin-ning A. Hejira
85	704	14 Jan
93	711	19 Oct
101	719	24 July
106 B	724	29 May
109	727	28 Apr
114 B	732	3 Mar
117	735	31 Jan
122 B	739	7 Dec
130 B	747	11 Sep
138 B	755	16 June
146 B	763	2 Mar
153.5 / 154.2	{770}	4 Jan / 24 Dec
162	778	28 Sep
170	786	3 July
178	794	7 Apr

Tuesday 3.

Anno Hejiræ	A. D.	Begin-ning A. Hejira
82	701	15 Feb
*90	708	20 Nov
95 B	713	26 Sep
98	716	25 Aug
103 B	721	1 July
111 B	729	5 Apr
119B.3 / 120.1	{737}	8 Jan / 29 Dec
127 B	744	13 Oct
135	752	18 July
113	760	22 Apr
151	768	26 June
159	775	31 Oct
167	783	5 Aug
175	791	10 May
183	799	12 Feb

Wednesday 4.

Anno Hejiræ	A. D.	Begin-ning A. Hejira
81 B	703	24 Jan
86B6 / 87.4	{705}	2 Jan / 23 Dec
92 B	710	29 Oct
100 B	718	3 Aug
108 B	726	8 May
116 B	734	10 Feb
124	741	15 Nov
132	749	20 Aug
140	757	25 May
143	765	27 Feb
156	772	2 Dec
164	780	6 Sep
172	788	11 June
180	796	16 Mar

Thursday 5.

Anno Hejiræ	A. D.	Begin-ning A. Hejira
89 B	707	1 Dec
97 B	715	5 Sep
105	723	10 June
113	731	15 Mar
121	738	18 Dec
129	746	22 Sep
137	754	27 June
145	762	2 Apr
153.5 / 154.2	{770}	4 Jan / 24 Dec
155 B	771	13 Dec
161	777	9 Oct
166 B	782	15 Aug
169	785	14 July
174 B	790	20 May
177 / 182 B	793 / 798	18 Apr / 22 Feb

Friday 6.

Anno Hejiræ	A. D.	Begin-ning A. Hejira
86B.6 / 87.4	{705}	2 Jan / 23 Dec
94	712	7 Oct
102	720	12 July
110	728	16 Apr
118	736	20 Jan
126	743	25 Oct
134	751	30 July
142	759	4 May
150	767	6 Feb
158	774	11 Nov
163 B	779	17 Sep
171 B	787	22 June
179 B	795	27 Mar

Saturday 7.

Anno Hejiræ	A. D.	Begin-ning A. Hejira
83	702	4 Feb
91	709	9 Nov
99	717	14 Aug
107	725	19 May
115	733	21 Feb
123	740	26 Nov
131	748	31 Aug
136 B	753	7 July
139	756	5 June
144 B	761	11 Apr
147	764	10 Mar
152 B	769	14 Jan
160 B	776	19 Oct
168 B	784	24 July
176 B / 184	792 / 800	28 Apr / 1 Feb

Third Chronological Table, continued.

IXth CENTURY.

From Anno Hejira 185 to 238.
From A. D. 801 to 900.

From Anno Cali yugam 3902 to 4001.
From Anno 723 to 822 Saca.

Sunday 1.

Anno Hejira	A. D.	Beginning A. Hejira
189	801	8 Dec
197	812	12 Sep
205	820	17 July
213	828	22 Mar
220B.3 / 221.1	{335}	5 Jan / 26 Dec
226 B	840	31 Oct
229	844	30 Sept
234 B	848	5 Aug
237	851	5 July
242 B	856	10 May
250 B	864	13 Feb
258 B	871	13 Nov
266 B	879	22 Au_
271	887	26 May
282	895	2 Mar

Monday 2.

Anno Hejira	A. D.	Beginning A. Hejira
186.2 / 187B.6	{802}	10 Jan / 30 Dec
194	809	15 Oct
202	817	20 July
210	825	24 Apr
215 B	830	28 Feb
218	833	27 Jan
223 B	837	3 Dec
231 B	845	7 Sept
239 B	853	12 June
247	861	17 May
251.5 / 255.2	{865}	1 Jan / 20 Sept
263	876	25 Sept

Tuesday 3.

Anno Hejira	A. D.	Beginning A. Hejira
191	806	17 Nov
196 B	811	23 Sept
199	814	22 Aug
204 B	819	28 June
207	822	27 May
212 B	827	2 Apr
220B.3 / 221.1	{335}	5 Jan / 26 Dec
228 B	842	10 Oct
236 B	850	15 July
244	858	19 Apr
252	866	22 Jan
260	873	27 Oct
263 / 276	881 / 889	1 Aug / 6 May
284	897	8 Feb

Wednesday 4.

Anno Hejira	A. D.	Beginning A. Hejira
185 B	801	20 Jan
188	803	20 Dec
193 B	808	25 Oct
201 B	816	30 July
209 B	824	4 May
217 B	832	7 Feb
225	839	12 Nov
233	847	17 Aug
241	855	22 May
249	863	24 Feb
257	870	29 Nov
265	878	3 Sept
273	886	8 June
281	894	13 Mar
286 B	899	17 Jan

Thursday 5.

Anno Hejira	A. D.	Beginning A. Hejira
190 B	805	27 Nov
198 B	813	1 Sept
206 B	821	6 June
214	829	11 Mar
222	836	14 Dec
230	844	18 Sept
238	852	23 June
246	860	28 Mar
254.5 / 255.2	{868}	1 Jan / 20 Dec
262	875	6 Oct
270	883	11 July
275 b	888	16 May
278	891	15 Apr
283 B	896	19 Feb

Friday 6.

Anno Hejira	A. D.	Beginning A. Hejira
186.2 / 187B.6	{802}	10 Jan / 30 Dec
195	810	4 Oct
203	818	9 July
211	826	13 Apr
219	834	16 Jan
227	841	21 Oct
235	849	26 July
243	857	30 Apr
251	865	2 Feb
259	872	7 Nov
264 E	877	13 Sept
267	880	12 Aug
272 B / 280 E	885 / 893	18 June / 23 Mar
287.2 / 288B.6	{900}	7 Jan / 26 Dec

Saturday 7.

Anno Hejira	A. D.	Beginning A. Hejira
192	807	6 Nov
200	815	11 Aug
208	823	16 May
216	831	18 Feb
224	838	23 Nov
232	846	28 Aug
240	854	2 June
215 B	859	8 Apr
248	862	7 Mar
253 B	867	11 Jan
256 B	869	10 Dec
261 B	874	16 Oct
269 B	882	21 July
277 B	890	25 Apr
285	898	23 Jan

Third Chronological Table, continued.

Xth CENTURY.

From Anno Hejiræ 259 to 391. From A.D. 301 to 1000.

From Anno Cali yugam 4002 to 4101. From Anno 823 to 922 Saca.

Sunday 1.			Monday 2.			Tuesday 3.			Wednesday 4.			Thursday 5.			Friday 6.			Saturday 7.		
Anno Hejiræ	A. D.	Beginning A. Hejiræ	Anno Hejiræ	A. D.	Beginning A. Hejiræ	Anno Hejiræ	A. D.	Beginning A. Hejiræ	Anno Hejiræ	A. D.	Beginning A. Hejiræ	Anno Hejiræ	A. D.	Beginning A. Hejiræ	Anno Hejiræ	A. D.	Beginning A. Hejiræ	Anno Hejiræ	A. D.	Beginning A. Hejiræ
290	902	5 Dec	295	907	12 Oct	292	904	13 Nov	289	901	16 Dec	291 B	903	24 Nov	296 B	908	30 Sept	293	905	2 Nov
298	910	9 Sept	303	915	17 July	*300	912	18 Aug	294 B	906	22 Oct	299 B	911	29 Aug	304	916	5 July	309	921	12 May
306	918	14 June	311	923	21 Apr	301	913	7 Aug	297	909	20 Sept	307 B	919	3 June	312	924	9 Apr	317	929	14 Feb
314	926	19 Mar	316 B	928	25 Feb	305 B	917	24 June	302 B	914	27 July	315	927	8 Mar	320	932	13 Jan	325	936	19 Nov
321 B.3 / 322.1	{933}	{1 Jan / 22 Dec}	319	931	24 Jan	308	920	23 May	310 B	922	1 May	323	934	11 Dec	328	939	18 Oct	333	944	24 Aug
*330	941	26 Sept	324 B	935	30 Nov	313 B	925	29 Mar	318 B	930	3 Feb	331	942	15 Sept	336	947	23 July	341	952	29 May
335 B	946	2 Aug	327	938	29 Oct	321 B.3 / 322.1	{933}	{1 Jan / 22 Dec}	326 B	937	8 Nov	339	950	20 June	344	955	27 Apr	346 B	957	4 Apr
338	949	1 July	332 B	943	4 Sept	329 B	940	6 Oct	334	945	13 Aug	347	958	25 Mar	352	963	30 Jan	349	960	3 Mar
343 B	954	7 May	340 B	951	9 June	337 B	948	11 July	342	953	18 May	354 B.7 / 355.5	{965}	{7 Jan / 28 Dec}	360	970	4 Nov	354 B.7 / 355.5	{965}	{7 Jan / 28 Dec}
351 B	962	9 Feb	348 B	959	14 Mar	345	956	15 Apr	350	961	20 Feb	363	973	2 Oct	365 B	975	10 Sept	357	967	7 Dec
359 B	969	14 Nov	356 B	966	17 Dec	353	964	19 Jan	358	968	25 Nov	371	981	7 July	368	978	9 Aug	362 B	972	12 Oct
367 B	977	19 Aug	364	974	21 Sept	361	971	24 Oct	366	976	30 Aug	376 B	986	13 May	373 B	983	15 June	370 B	980	17 July
375	985	24 May	372	982	26 June	369	979	29 July	374	984	4 June	379	989	11 Apr	381 B	991	20 May	378 B	938	21 Apr
383	993	26 Feb	380	990	31 Mar	377	987	3 May	382	992	9 Mar	384 B	994	15 Feb	388.2 / 389.B6	{998}	{8 Jan / 23 Dec}	386 B	996	25 Jan
391	1000	1 Dec	388.2 / 389 B.6	{998}	{3 Jan / 23 Dec}	385	995	5 Feb	*390	999	13 Dec	387	997	14 Jan						
388.2 / 389 B.6		{3 Jan / 23 Dec}																		

From Anno Hejiræ 392 to 494.
From A. D. 1001 to 1100.

From Anno Cali yugam 4102 to 4201.
From Anno 923 to 1022 Sacæ.

Third Chronological Table, continued.

XIth CENTURY.

Sunday 1.			Monday 2.			Tuesday 3.			Wednesday 4.			Thursday 5.			Friday 6.			Saturday 7.		
Anno Hejiræ	A. D.	Beginning A. Hejiræ	Anno Hejiræ	A. D.	Beginning A. Hejiræ	Anno Hejiræ	A. D.	Beginning A. Hejiræ	Anno Hejiræ	A. D.	Beginning A. Hejiræ	Anno Hejiræ	A. D.	Beginning A. Hejiræ	Anno Hejiræ	A. D.	Beginning A. Hejiræ	Anno Hejiræ	A. D.	Beginning A. Hejiræ
399	1008	5 Sep	396	1005	8 Oct	393	1002	10 Nov	395 B	1004	18 Oct	392 B	1001	20 Nov	397 B	1006	27 Sep	394	1003	30 Oct
407	1016	10 June	404	1013	13 July	401	1010	15 Aug	398	1007	17 Sep	400 B	1009	25 Aug	405	1014	2 July	402	1011	4 Aug
415	1024	15 Mar	412	1021	17 Apr	406 B	1015	21 June	403 B	1012	23 July	408 B	1017	30 May	413	1022	6 Apr	410	1019	9 May
423	1031	19 Dec	420	1029	20 Jan	409	1018	20 May	411 B	1020	27 Apr	416 B	1025	4 Mar	421.6 / 422 B.3	1030	9 Jan / 29 Dec	418	1027	11 Feb
431	1039	23 Sep	425 B	1033	26 Nov	414 B	1023	26 Mar	419 B	1028	31 Jan	424	1032	7 Dec	429	1037	14 Oct	426	1034	16 Nov
436 B	1044	29 July	428	1036	25 Oct	417	1026	22 Feb	427 B	1035	5 Nov	432	1040	11 Sep	437	1045	19 July	434	1042	21 Aug
439	1047	28 June	433 B	1041	31 Aug	421.6 / 422 B.3	1030	9 Jan / 29 Dec	435	1043	10 Aug	440	1048	16 June	445	1053	23 Apr	442	1050	26 May
444 B	1052	3 May	441 B	1049	5 June	430 B	1038	3 Oct	443	1051	15 May	448	1056	21 Mar	453	1061	26 Jan	450	1058	23 Feb
447	1055	2 Apr	449 B	1057	10 Mar	438 B	1046	8 July	451	1059	17 Feb	455 B.7 / 456.5	1063	4 Jan / 25 Dec	461	1068	31 Oct	455 B.7 / 456.5	1063	4 Jan / 25 Dec
452 B	1060	6 Feb	457 B	1064	13 Dec	446 B	1054	12 Apr	459	1066	22 Nov	464	1071	29 Sep	466 B	1073	6 Sep	458	1065	3 Dec
460 B	1067	11 Nov	465	1072	17 Sep	454	1062	15 Jan	467	1074	27 Aug	472	1079	4 July	469	1076	5 Aug	463 B	1070	9 Oct
468 B	1075	16 Aug	473	1080	22 June	462	1069	20 Oct	475	1082	1 June	480	1087	8 Apr	471 B	1081	11 June	471 B	1078	14 July
476 B	1083	21 May	481	1088	27 Mar	470	1077	25 July	483	1090	6 Mar	485 B	1092	12 Feb	477	1084	10 May	479 B	1086	18 Apr
484	1091	23 Feb	486.5	{1095}	11 Jan	478	1085	29 Apr	491	1097	9 Dec	488.5 / 489.2	{1095}	11 Jan	482 B	1089	16 Mar	487 B	1094	21 Jan
492	1099	28 Nov	489.2		31 Dec	486	1093	1 Feb				493 B	1099	31 Dec	490 B	1096	19 Dec			
						494	1100	6 Nov												

Third Chronological Table, continued.

XIIth CENTURY.

From Anno Hejire 495 to 597.
From A. D. 1101 to 1200.

From Anno Cali yugam 4202 to 4301.
From Anno 1023 to 1122 Saca.

Sunday 1.

Anno Hejira	A. D.	Beginning A. Hejira
500	1106	2 Sep
508	1114	7 June
516	1122	12 Mo
524	1129	15 Dec
532	1137	19 Sep
*540	1145	24 June
545 B	1150	30 Apr
548	1153	29 Mar
553 B	1158	2 Feb
561 B	1165	7 Nov
569 B	1173	12 Aug
577 B	1181	17 May
585	1189	19 Feb
593	1196	24 Nov

Monday 2.

Anno Hejira	A. D.	Beginning A. Hejira
497	1103	5 Oct
505	1111	18 July
513	1119	14 Apr
521	1127	17 Jan
526 B	1131	23 Nov
529	1134	22 Oct
534 B	1139	28 Aug
537	1142	27 July
542 B	1147	2 June
550 B	1155	7 Mar
558 B	1161	10 Dec
566 B	1170	14 Sep
574	1178	19 June
582	1186	24 May
589.5 / 590.2	{1193}	7 Jan / 27 Dec

Tuesday 3.

Anno Hejira	A. D.	Beginning A Hejira
502	1108	11 Aug
*510	1116	16 May
515 B	1121	22 Mar
518	1124	19 Feb
522.6 / 523 B.3	{1128}	6 Jan / 25 Dec
531 B	1136	29 Sep
539 B	1144	4 July
547 B	1152	8 Apr
555.3 / 556 B.7	{1160}	12 Jan / 31 Dec
563	1167	17 Oct
571	1175	22 July
579	1183	26 Apr
587	1191	29 June
595	1197	3 Nov

Wednesday 4.

Anno Hejira	A. D.	Beginning A. Hejira
496 B	1102	15 Oct
499	1105	13 Sep
504 B	1110	20 July
507	1113	18 June
512 B	1118	24 Apr
520 B	1126	27 Jan
528 B	1133	1 Nov
536 B	1141	6 Aug
544	1149	11 May
552	1157	13 Feb
560	1164	18 Nov
568	1172	23 Aug
576	1180	28 May
584	1198	2 Mar
592	1195	6 Dec

Thursday 5.

Anno Hejira	A. D.	Beginning A. Hejira
501 B	1107	22 Aug
509 B	1115	27 May
517 B	1123	1 Mar
525	1130	4 Dec
533	1138	8 Sep
541	1146	13 June
549	1154	18 Mar
557	1161	21 Dec
565	1169	25 Sep
573	1177	30 June
581	1185	4 Apr
586 B	1190	8 Feb
589.5 / 590.2	{1193}	7 Jan / 27 Dec
594 B	1197	13 Nov
597	1200	12 Oct

Friday 6.

Anno Hejira	A. D.	Beginning A. Hejira
498 B	1104	23 Sep
506 B	1112	28 June
514	1120	2 Apr
522.6 / 523 B.3	{1128}	6 Jan / 25 Dec
530	1135	11 Oct
538	1143	16 July
546	1151	20 Apr
554	1159	23 Jan
562	1166	28 Oct
*570	1171	2 Aug
575 B	1179	8 June
578	1182	7 May
583 B	1187	13 Mar
591 B	1194	16 Dec

Saturday 7.

Anno Hejira	A. D.	Beginning A. Hejira
495	1101	26 Oct
503	1109	31 July
511	1117	5 May
519	1125	7 Feb
527	1132	12 Nov
535	1140	17 Aug
543	1148	22 May
551	1156	25 Feb
555.3 / 556 B.7	{1160}	12 Jan / 6 Jan / 25 Dec
559	1163	30 Nov
564 B	1168	5 Oct
567	1171	4 Sep
572 B	1176	10 July
580 B	1184	14 Apr
588 B	1192	18 Jan
596 B	1199	23 Oct

Third Chronological Table, continued.

XIIIth CENTURY.

From Anno Hejira 598 to 697.
From A. D. 1201 to 1300.

From Anno Cali yugam 4302 to 4401.
From Anno 7123 to 1222 Saca.

Sunday 1.			Monday 2.			Tuesday 3.			Wednesday 4.			Thursday 5.			Friday 6.			Saturday 7.		
Anno Hejira	A. D.	Begin-ning A. Hejira	Anno Hejira	A. D.	Begin-ning A. Hejira	Anno Hejira	A. D.	Begin-ning A. Hejira	Anno Hejira	A. D.	Begin-ning A. Hejira	Anno Hejira	A. D.	Begin-ning A. Hejira	Anno Hejira	A. D.	Begin-ning A. Hejira	Anno Hejira	A. D.	Begin-ning A. Hejira
601	1204	29 Aug	598	1201	1 Oct	603	1206	8 Aug	600	1203	10 Sep	602 B	1205	18 Aug	599 B	1202	20 Sep	604	1207	28 July
609	1212	3 June	606	1209	6 July	611	1214	13 May	605 B	1208	16 July	610 B	1213	23 May	607 B	1210	25 June	612	1215	2 May
617	1220	8 Mar	614	1217	10 Apr	616 B	1219	19 Mar	608	1211	15 June	618 B	1221	25 Feb	615	1218	30 Mar	620	1223	4 Feb
625	1227	12 Dec	622	1225	13 Jan	619	1222	15 Feb	613 B	1216	20 Apr	626 B	1228	30 Nov	623.6 / 624 B.3	1226	2 Jan / 22 Dec	628	1230	9 Nov
633	1235	16 Sep	630	1232	18 Oct	623.6 / 624 B.3	1226	2 Jan / 22 Dec	621 B	1224	24 Jan	634	1236	4 Sep	631	1233	7 Oct	636	1238	14 Aug
641	1243	21 June	635 B	1237	24 Aug	627	1229	20 Nov	629 B	1231	29 Oct	642	1244	9 June	639	1241	12 July	644	1246	19 May
646 B	1248	26 Apr	638	1240	23 July	632 B	1234	26 Sep	637 B	1239	3 Aug	650	1252	14 Mar	647	1249	16 Apr	652	1254	21 Feb
649	1251	26 Mar	643 B	1245	29 May	640 B	1242	1 July	645	1247	8 May	658	1259	18 Dec	655	1257	19 Jan	660	1261	26 Nov
654 B	1256	30 Jan	651 B	1253	3 Mar	648 B	1250	5 Apr	653	1255	10 Feb	666	1267	22 Sep	663	1264	24 Oct	665 B	1266	2 Oct
656 B.3 / 657.1	1258	8 Jan / 29 Dec	659 B	1260	6 Dec	656 B.3 / 657.1	1258	8 Jan / 29 Dec	661	1262	15 Nov	674	1275	27 June	671	1272	29 July	668	1269	31 Aug
662 B	1263	4 Nov	667 B	1268	10 Sep	664	1265	13 Oct	669	1270	20 Aug	682	1283	1 Apr	676 B	1277	4 June	673 B	1274	7 July
670 B	1271	9 Aug	675	1276	15 June	672	1273	18 July	677	1278	25 May	690.5 / 691.2	1291	4 Jan / 24 Dec	679	1280	3 May	681 B	1282	11 Apr
678 B	1279	14 May	683	1284	20 Mar	680	1281	22 Apr	685	1286	27 Feb	695 B	1295	10 Nov	684 B	1285	9 Mar	689 B	1290	14 Jan
686 B	1287	16 Feb	690.5 / 691.2	1291	4 Jan / 21 Dec	688	1289	25 Jan	693	1293	2 Dec	698	1298	9 Oct	687	1288	6 Feb	697 B	1297	19 Oct
694	1294	21 Nov	699	1299	28 Sep	696	1296	30 Oct							692 B / 700 B	1292 / 1300	12 Dec / 16 Sep			

Third Chronological Table, continued.

XIVth CENTURY.

From Anno Hejira 701 to 803.
From A.D. 1301 to 1400.

From Anno Cali yugam 4402 to 4501.
From Anno 1223 to 1322 Saca.

Sunday 1.			Monday 2.			Tuesday 3.			Wednesday 4.			Thursday 5.			Friday 6.			Saturday 7.		
Anno Hejira	A. D.	Begin-ning A. Hejira	Anno Hejira	A. D.	Begin-ning A. Hejira	Anno Hejira	A. D.	Begin-ning A. Hejira	Anno Hejira	A. D.	Begin-ning A. Hejira	Anno Hejira	A. D.	Begin-ning A. Hejira	Anno Hejira	A. D.	Begin-ning A. Hejira	Anno Hejira	A. D.	Begin-ning A. Hejira
702	1302	26 Aug	707	1307	3 July	704	1304	4 Aug	701	1301	6 Sept	703 B	1303	15 Aug	708 B	1308	21 June	705	1305	24 July
710	1310	31 May	715	1315	7 Apr	712	1312	9 May	706 B	1306	13 July	711 B	1311	20 May	716 B	1316	26 Mar	713	1313	28 Apr
718	1318	5 Mar	723.2 724.6	{1323}	10 Jan 30 Dec	720	1320	12 Feb	709	1309	11 June	719 B	1319	22 Feb	723.2 724.6	{1323}	10 Jan 30 Dec	721	1321	31 Jan
726	1325	8 Dec	731	1330	15 Oct	725 B	1324	18 Dec	714 B	1314	17 Apr	727 B	1326	27 Nov	732	1331	4 Oct	729	1328	5 Nov
734	1333	12 Sept	736 B	1335	21 Aug	728	1327	17 Nov	717	1317	16 Mar	735	1334	1 Sept	740	1339	9 July	737	1336	10 Aug
742	1341	17 June	739	1338	20 July	733 B	1332	22 Sept	722 B	1322	20 Jan	743	1342	6 June	748	1351	13 Apr	745	1344	15 May
*750	1349	22 Mar	744 B	1343	25 May	741 B	1340	27 June	730 B	1329	25 Oct	751	1350	11 Mar	756	1355	16 Jan	753	1352	18 Feb
755 B	1351	26 Jan	747	1346	24 Apr	749 B	1348	1 Apr	738 B	1337	30 July	759	1357	14 Dec	764	1362	21 Oct	761	1359	23 Nov
757B.3 758.1	{1356}	5 Jan 25 Dec	752 B	1351	28 Feb	757B.3 758.1	{1356}	5 Jan 25 Dec	746 B	1345	4 May	767	1365	18 Sept	772	1370	26 July	766 B	1364	28 Sept
763 B	1361	31 Oct	760 B	1358	3 Dec	765	1363	10 Oct	754	1353	6 Feb	775	1373	23 June	*780	1378	3 Apr	769	1367	18 Aug
771 B	1369	5 Aug	768 B	1366	7 Sept	773	1371	15 July	762	1360	11 Nov	783	1381	28 Mar	785 B	1383	6 Mar	774 B	1372	3 July
779 B	1377	10 May	776 B	1374	12 June	781	1379	19 Apr	770	1368	16 Aug	790B.7 791.5	{1387}	11 Jan 31 Dec	788	1386	2 Feb	777	1375	2 June
787 B	1385	12 Feb	784	1382	17 Mar	789	1387	22 Jan	778	1376	21 May	796 B	1393	6 Nov	793 B	1390	9 Dec	782 B	1380	7 Apr
795	1392	17 Nov	792	1389	20 Dec	797	1394	27 Oct	786	1384	24 Feb	799	1396	5 Oct	801 B	1398	13 Sept	790B.7 791.5	{1387}	11 Jan 31 Dec
803	1400	22 Aug	800	1397	24 Sep				794	1391	29 Nov							798 B	1395	16 Oct
									802	1399	3 Sep									

Third Chronological Table, continued.

XVth CENTURY.

From Anno Hejiræ 804 to 906.
From A. D. 1401 to 1500.

From Anno Cali yugam 4502 to 4601.
From Anno 1323 to 1422 Saca.

Sunday 1.

Anno Hejiræ	A. D.	Beginning A. Hejiræ
811	1408	27 May
819	1416	1 Mar
827	1423	5 Dec
835	1431	9 Sep
843	1439	14 June
851	1447	19 Mar
856 B	1452	23 Jan
858B 3	{1454}	1 Jan
859.1		22 Dec
861 B	1459	28 Oct
867	1462	26 Sept
872 B	1467	2 Aug
880 B	1475	7 May
888 B	1483	9 Feb
896 B	1490	14 Nov
904	1498	19 May

Monday 2.

Anno Hejiræ	A. D.	Beginning A. Hejiræ
808	1405	29 June
816	1413	3 Apr
824.2	{1421}	6 Jan
825.6		26 Dec
832	1428	11 Oct
*840	1436	16 July
845 B	1441	22 May
848	1444	10 Apr
853 B	1449	21 Feb
861 B	1456	29 Nov
869 B	1464	3 Sep
877 B	1472	8 June
885	1480	13 Mar
893	1487	17 Dec
901	1495	21 Sep

Tuesday 3.

Anno Hejiræ	A. D.	Beginning A Hejiræ
805	1402	1 Aug
813	1410	6 May
821	1418	8 Feb
826 B	1422	15 Dec
829	1425	13 Nov
834 B	1430	19 Sep
837	1433	18 Aug
842 B	1438	24 June
850 B	1446	29 Mar
858B.3	{1454}	1 Jan
859.1		22 Dec
866 B	1461	6 Oct
874	1469	11 July
882	1477	15 Apr
890	1485	18 Jan
898	1492	23 Oct
906	1500	28 July

Wednesday 4.

Anno Hejiræ	A. D.	Beginning A. Hejiræ
*810	1407	8 June
815 B	1412	13 Apr
818	1415	13 Mar
823 B	1420	17 Jan
831 B	1427	22 Oct
839 B	1435	27 July
847 B	1443	1 May
855	1451	3 Feb
863	1458	8 Nov
871	1466	13 Aug
879	1474	18 May
887	1482	20 Feb
895	1489	25 Nov
903	1497	30 Aug

Thursday 5.

Anno Hejiræ	A. D.	Begin-ning A. Hejiræ
804 B	1401	11 Aug
807	1404	10 July
812 B	1409	16 May
820 B	1417	18 Feb
828 B	1424	23 Nov
836 B	1432	28 Aug
844	1440	2 June
852	1448	7 Mar
860	1455	11 Dec
868	1463	15 Sep
876	1471	20 June
884	1479	25 May
891B.7	{1486}	7 Jan
892.5		23 Dec
*900	1491	2 Oct
905 B	1499	8 Aug

Friday 6.

Anno Hejiræ	A. D.	Begin-ning A. Hejiræ
809 B	1406	18 June
817 B	1414	23 Mar
824.2	{1421}	6 Jan
825.6		26 Dec
833	1429	30 Sep
841	1437	5 July
849	1415	9 Apr
857	1453	12 Jan
865	1900	17 Oct
873	1468	22 July
881	1476	26 Apr
886 B	1481	2 Mar
889	1484	30 Jan
894 B	1488	5 Dec
897	1491	4 Nov
902 B	1496	9 Sep

Saturday 7.

Anno Hejiræ	A. D.	Begin-ning A. Hejiræ
806 B	1403	21 July
814	1411	25 Apr
822	1419	28 Jan
830	1426	2 Nov
838	1434	7 Aug
846	1442	12 May
854	1450	14 Feb
862	1157	19 Nov
*870	1465	21 Aug
875 B	1470	30 June
878	1473	29 May
883 B	1478	4 Apr
891B.7	{1486}	7 Jan
892.5		28 Dec
899 E	1493	12 Oct

Third Chronological Table, continued.

From Anno Hejira 907 to 1009.
From Anno Domini 1501 to 1600.

From Anno Cali yugam 4602 to 4701.
From Anno 1423 to 1522 Saca.

XVIth CENTURY.

Sunday 1. Anno Hejira	A. D.	Beginning A. Hejira	Monday 2. Anno Hejira	A.D.	Beginning A. Hejira	Tuesday 3. Anno Hejira	A. D.	Beginning A Hejira	Wednesday 4. Anno Hejira	A. D.	Beginning A. Hejira	Thursday 5. Anno Hejira	A. D.	Beginning A. Hejira	Friday 6. Anno Hejira	A. D.	Beginning A. Hejira	Saturday 7. Anno Hejira	A. D.	Beginning A. Hejira
912	1506	24 May	909	1503	26 June	914	1508	2 May	911	1505	4 June	908	1502	7 July	910 B	1504	14 June	907 B	1501	17 July
920	1514	26 Feb	917	1511	31 Mar	922	1516	5 Feb	916 B	1510	10 Apr	913 B	1507	13 May	918 B	1512	19 Mar	915	1509	21 Apr
928	1521	1 Dec	925.2 / 926 B.6	{1519}	3 Jan / 23 Dec	*930	1523	10 Nov	919	1513	9 Mar	921 B	1515	15 Feb	925.2 / 926 B.6	{1519}	3 Jan / 23 Dec	923	1517	24 Jan
936	1529	5 Sep	933	1526	8 Oct	935 B	1528	15 Sep	924 B	1518	13 Jan	929 B	1522	20 Nov	934	1527	27 Sept	931	1524	29 Oct
944	1537	10 June	941	1534	13 July	938	1531	15 Aug	927	1520	12 Dec	937 B	1530	25 Aug	942	1535	2 July	939	1532	3 Aug
952	1545	15 Mar	946 B	1539	19 May	943 B	1536	20 June	932 B	1525	18 Oct	945	1538	30 May	950	1543	6 Apr	947	1540	8 May
*960	1552	18 Dec	949	1542	17 Apr	951 B	1544	25 Mar	940 B	1533	2 July	953	1546	4 Mar	958.6 / 959 B.3	{1551}	9 Jan / 29 Dec	955	1548	11 Feb
965 B	1557	24 Oct	954 B	1547	21 Feb	958.6 / 959 B.3	{1551}	9 Jan / 29 Dec	948 B	1541	27 Apr	961	1553	17 Dec	966	1558	14 Oct	963	1555	16 Nov
968	1560	22 Sep	957	1550	20 June	967 B	1559	3 Oct	956 B	1549	30 June	969	1561	11 Sept	974	1566	19 July	971	1563	21 Aug
973 B	1565	29 July	962 B	1554	26 Nov	975	1567	8 July	964	1556	4 Nov	977	1569	16 June	982	1574	23 Apr	976 B	1568	26 June
981 B	1573	3 May	970 B	1562	31 Aug	983	1575	12 Apr	972	1564	9 Aug	985	1577	21 Mar	990	1582	26 Jan	979	1571	26 May
989 B	1581	5 Feb	978 B	1570	5 June				980	1572	14 May							984 B	1576	31 Mar
			986 B	1578	10 Mar				998	1580	17 Feb							987	1579	28 Feb

GREGORIAN REFORMATION 4TH OCTOBER 1582.

Sunday 1. Anno Hejira	A. D.	Beginning A. Hejira	Monday 2. Anno Hejira	A.D.	Beginning A. Hejira	Tuesday 3. Anno Hejira	A. D.	Beginning A Hejira	Wednesday 4. Anno Hejira	A. D.	Beginning A. Hejira	Thursday 5. Anno Hejira	A. D.	Beginning A. Hejira	Friday 6. Anno Hejira	A. D.	Beginning A. Hejira	Saturday 7. Anno Hejira	A. D.	Beginning A. Hejira
997 B	1588	10.20 Nov	993.5 / 994.2	{1585}	24 Dec 1584 / 3 Jan 1585 / 12.23 Dec	991	1583	15.25 Jan	996	{1587}	22 Nov / 2 Dec	993.5 / 994.2	{1585}	24 Dec 1584 / 3 Jan 1585 / 13.23 Dec	995 B	1586	2.12 Dec / 31 Oct	992 B	1584	4.14 Ja / 9.19 Oct
1005	1596	15.25 August †	1002	1593	12.27 Sept	999	1590	20.30 Oct	1004	{1595}	27 Aug / 6 Sep	1001	{1592}	28 Sep / 8 Oct	988	{1589}	10 Nov	1000 B	1591	
						1007	{1598}	25 July / 4 Aug				1006 B	1597	4.14 Aug	1003 B	1594	6.16 Sept	1008 B	1599	14.24 July
												1009	1600	3.13 Jul						

† The first number indicates the Julian and the second the *Gregorian* initial date.

Third Chronological Table, continued.

XVIIth CENTURY.

Sunday 1.

Anno Hejira	A. D.	Beginning A. Hejiræ O. S.	Beginning A. Hejiræ N. S.
1013	1604	20 May	30 May
1021	1612	23 February	4 March
1029	1619	29 Nov.	8 Dec.
1037	1627	2 Sept.	12 Sept.
1045	1635	7 June	17 June
1053	1643	12 March	22 March
1060B3	{1650	25 Dec 1649	4 Jan 1650
1061.1		15 Dec.	25 Dec.
1066.B	1655	21 October	31 October
1069	1658	19 Sept.	29 Sept.
1074B	1663	26 July	5 August
1077	1666	24 June	4 July
1082 B	1671	30 April	10 May
1090 B	1679	2 February	12 February
1098 B	1686	7 Nov.	17 Nov.
1106 B	1694	12 August	22 August

Monday 2.

Anno Hejira	A. D.	Beginning A. Hejiræ O. S.	Beginning A. Hejiræ N. S.
1010	1601	22 June	2 July
1018	1609	27 March	6 April
1026.2	{1617	30 Dec.1616	3 Jan.
1027B6		19 Dec.1617	29 Dec.
1034	1624	4 October	14 October
1042	1632	9 July	19 July
*1050	1640	13 April	23 April
1055B	1645	17 February	27 February
1058	1648	17 January	27 January
1063B	1652	22 Nov.	2 Dec.
1071B	1660	27 August	6 Sept.
1079B	1668	1 June	11 June
1087B	1676	6 March	16 March
1095	1683	10 Dec.	20 Dec.
1103	1691	14 Sept.	24 Sept.
1111	1699	19 June	29 June

Tuesday 3.

Anno Hejira	A. D.	Beginning A. Hejiræ O. S.	Beginning A. Hejiræ N. S.
1015	1606	29 April	9 May
1023	1614	1 February	11 February
1031	1621	6 Nov.	16 Nov.
1036B	1626	12 Sept.	22 Sept.
1039	1629	11 August	21 August
1044B	1634	17 June	27 June
1047	1637	16 May	26 May
1052B	1642	22 March	1 April
1060B3	{1650	25 Dec 1649	4 Jan 1650
1061.1		15 Dec 1650	25 Dec
1068B	1657	29 Sept.	9 October
1076B	1665	4 July	14 July
1084	1673	8 April	18 April
1092	1681	11 January	21 January
1100	1688	16 October	26 October
1108	1696	21 July	31 July

Wednesday 4.

Anno Hejira	A. D.	Beginning A. Hejiræ O. S.	Beginning A. Hejiræ N. S.
1012	1603	1 June	11 June
*1020	1611	6 March	16 March
1025B	1616	10 January	20 January
1028	1618	9 Dec.	19 Dec.
1033B	1623	15 October	25 October
1041B	1631	20 July	30 July
1049B	1639	24 April	4 May
1057B	1647	27 January	9 February
1065	1654	1 Nov.	11 Nov.
1073	1662	6 August	16 August
1081	1670	11 May	21 May
1089	1678	13 February	23 February
1097	1685	18 Nov.	28 Nov.
1105	1693	23 August	2 Sept.

Third Chronological Table, continued.

XVIIth CENTURY, *continued.*

Thursday 5.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1014 B	1605	9 May	19 May
1017	1608	7 April	17 April
1022 B	1613	11 February	21 February
1030 B	1620	16 Nov.	26 Nov.
1038 B	1628	21 August	31 August
1046 B	1636	26 May	5 June
1054	1644	28 February	10 March
1062	1651	4 Dec.	14 Dec.
1070	1659	8 Sept.	18 Sept.
1078	1667	13 June	23 June
1086	1675	18 March	28 March
1093B7	{1682}	31 Dec 1681	10 January
1094.5	{1682}	21 Dec 1682	31 Dec.
1102	1690	27 Sept.	5 October
*1110	1698	30 June	10 July

Friday 6.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1011 B	1602	11 June	21 June
1019 B	1610	16 March	26 March
1026.2	{1617}	30 Dec 1616	9 January
1027B6	{1617}	19 Dec 1617	29 Dec.
1035	1625	23 Sept.	3 October
1043	1633	28 June	8 July
1051	1641	2 April	12 April
1059	1649	5 January	15 January
1067	1656	10 October	20 October
1075	1664	15 July	25 July
1083	1672	19 April	29 April
1091	1680	23 January	2 February
1096 B	1684	28 Nov.	8 Dec.
1099	1687	28 October	7 Nov.
1104 B	1692	2 Sept.	12 Sept.
1107	1695	2 August	12 August
1112 B	1700+	7 June	18 June

Saturday 7.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1016 B	1607	18 April	28 April
1024	1615	21 January	31 January
1032	1622	20 October	5 Nov.
1040	1630	31 July	10 August
1048	1638	5 May	15 May
1056	1646	7 February	17 February
1064	1653	12 Nov.	22 Nov.
1072	1661	17 August	27 August
*1080	1669	22 May	1 June
1085 B	1674	28 March	7 April
1088	1677	24 February	6 March
1093B7	{1682}	31 Dec 1681	10 January
1094.5	{1682}	21 Dec 1682	31 Dec.
1101 B	1689	5 October	15 October
1109 B	1697	10 July	20 July

+ The new Style was introduced among the Protestant States of Germany in A. D. 1700, when 11 days were omitted in the month of February.

Third Chronological Table, continued.

XVIIIth CENTURY.

Sunday 1.

From Anno Hejira 1113 to 1215.
From A. D. 1701 to 1800.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1114	1702	17 May	28 May
1122	1710	19 February	2 March
1130	1717	24 Nov.	5 Dec.
1138	1725	29 August	9 Sept.
1146	1733	3 June	14 June
1151	1741	8 March	19 March
1161 B3	{1748}	22 Dec 1747	2 Jan.
1162.1		11 Dec 1748	22 Dec.
*1170	1756	15 Sept.	26 Sept.
1175 B	1761	22 July	2 August
1173	1764	29 June	1 July
1183 B	1769	6 April	7 May
1191 B	1777	29 January	9 February
1199 B	1781	3 Nov.	14 Nov.
1207 B	1890	8 August	19 August
1215	1800	13 May	25 May

Monday 2.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1119	1707	24 March	4 April
1127.2	{1715}	27 Dec 1714	7 Jan.
1128 B6		16 Dec 1715	27 Dec.
1135	1722	1 October	12 October
1143	1730	6 July	17 July
1151	1738	10 April	21 April
1156 B	1743	14 February	25 February
1150	1746	13 January	24 January
1164 B	1750	19 Nov.	30 Nov.
1167	1753	18 October	29 October
1172 B	1758	24 August	4 Sept.
1180 B	1766	29 May	9 June
1183 B	1771	3 March	11 March
1196 B	1781	6 Dec.	17 Dec.
1204	1789	10 Sept.	21 Sept.
1212	1797	15 January	26 January

Tuesday 3.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1116	1704	25 April	6 May
1124	1712	29 January	9 February
1132	1719	3 Nov.	14 Nov.
*1140	1727	8 August	19 August
1115 B	1732	13 June	24 June
1148	1735	13 May	24 May
1153 B	1740	18 March	29 March
1161B3	{1748}	22 Dec 1747	2 Jan.
1162.1		11 Dec 1748	22 Dec.
1169 B	1755	26 Sept.	7 October
1177 B	1763	1 July	12 July
1185	1771	5 April	16 April
1193	1779	8 June	19 June
1201	1786	13 October	21 October
1209	1794	18 July	29 July

Wednesday 4.

From Anno Cali yugam 4802 to 4901.
From Anno 1623 to 1722 Saca.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1113	1701	28 May	8 June
1121	1709	2 March	13 March
1126 B	1711	6 January	17 January
1129	1716	5 Dec.	16 Dec.
1134 B	1721	11 October	22 October
1137	1724	9 Sept.	20 Sept.
1142 B	1729	16 July	27 July
1150 B	1737	20 April	1 May
1158 B	1745	23 January	3 February
1166 B	1752†	28 October	3 Nov.
1174	1760	2 August	13 August
1182	1768	7 May	18 May
1190	1776	10 March	21 March
1198	1783	15 Nov.	26 Nov.
1206	1791	20 August	31 August
1214	1799	25 May	5 June

† The BRITISH REFORMATION of the Kalendar. In the year of Christ 1752 the Julian Kalendar was abolished by Act of Parliament (24th George II) and eleven days were expunged after the 2d of September of that year, by accounting the 3d to be the 14th day of the month. Public Officers in British India, when converting Indian, or Mahommedan dates, ascending before that Epoch, into European account, must therefore refer them to the Old Style, if they mean to have the date as then kept in England. However all the other Christian States of Europe (excepting Russia) followed the Gregorian Kalendar before that Epoch.

Third Chronological Table, continued.

XVIIIth CENTURY, continued.

Thursday 5.

Anno Hejiræ	A. D.	Beginning A. Hejiræ O. S.	Beginning A. Hejiræ N. S.
1115 B	1703	6 May	17 May
1118	1706	4 April	15 April
1123 B	1711	8 February	19 February
1131 B	1718	13 Nov.	21 Nov.
1139 B	1726	18 August	29 August
1147 B	1734	23 May	3 June
1155	1742	25 February	8 March
1163	1749	30 Nov.	11 Dec.
1171	1757	4 Sept.	15 Sept.
1179	1765	9 June	20 June
1187	1773	14 March	25 March
1194B7 {1780	28 Dec 1779	8 Jan.
1195.5 {	17 Dec 1780	28 Dec.
1203	1788	21 Sept.	2 October
1211	1796	26 June	7 July

Friday 6.

Anno Hejiræ	A. D.	Beginning A. Hejiræ O. S.	Beginning A. Hejiræ N. S.
1120 B	1708	12 March	23 March
1127.2 {1715	27 Dec 1714	7 Jan.
1128B6 {	16 Dec 1715	27 Dec.
1136 B	1723	20 Sept.	1 October
1144	1731	25 June	6 July
1152	1739	30 March	10 April
1160	1747	2 January	13 January
1168	1754	7 October	18 October
1176	1762	12 July	23 July
1184	1770	16 April	27 April
1192	1778	19 January	30 January
*1200	1785	24 October	4 Nov.
1205 B	1790	30 August	10 Sept.
1208	1793	22 July	9 August
1213 B	1798	4 June	15 June

Saturday 7.

Anno Hejiræ	A. D.	Beginning A. Hejiræ O. S.	Beginning A. Hejiræ N. S.
1117 B	1705	14 April	25 April
1125	1713	17 January	28 January
1133	1720	22 October	2 Nov.
1141	1728	27 July	7 August
1149	1736	1 May	12 May
1157	1744	4 February	15 February
1165	1751	9 Nov.	20 Nov.
1173	1759	14 August	25 August
1181	1767	19 May	30 May
1186 B	1772	24 March	4 April
1189	1775	21 February	4 March
1194B7 {1779	28 Dec 1779	8 January
1195.5 {1780	17 Dec 1780	28 Dec.
1197	1782	26 Nov.	7 Dec.
1202 B	1787	2 October	13 October
1210 B	1795	7 July	18 July

Third Chronological Table, continued.

XIXth CENTURY.

Sunday 1.

From Anno Hejira 1216 to 1318.
From A. D. 1801 to 1900.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1223	1808	16 February	28 February
1231	1815	21 Nov.	3 Dec.
1239	1823	26 August	7 Sept.
1247	1831	31 May	12 June
1255	1839	5 March	17 March
1263	1846	8 Dec.	20 Dec.
1271	1854	12 Sept.	21 Sept.
1276 B	1859	19 July	31 July
1279	1862	17 June	29 June
1284 B	1867	23 April	5 May
1287	1870	22 March	3 April
1292 B	1875	26 January	7 February
1300 B	1882	31 October	12 Nov.
1308 B	1890	5 August	17 August
1316 B	1898	10 May	22 May

Monday 2.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1200	1805	20 March	1 April
1228.2 / 1229 B6	1813	23 Dec 1812 / 12 Dec 1813	4 Jan. / 24 Dec.
1236	1820	27 Sept.	9 October
1241	1828	2 July	14 July
1252	1836	6 April	18 April
*1260	1844	10 January	22 January
1265 B	1848	15 Nov.	27 Nov.
1268	1851	15 October	27 October
1273 B	1856	20 August	1 Sept.
1281 B	1864	25 May	6 June
1289 B	1872	28 February	11 March
1297 B	1879	3 Dec.	15 Dec.
1305	1887	7 Sept.	19 Sept.
1313	1895	12 June	21 June

Tuesday 3.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1217	1802	22 April	4 May
1225	1810	25 January	6 February
1233	1817	30 October	11 Nov.
1241	1825	4 August	16 August
1246 B	1830	10 June	22 June
1249	1833	9 May	21 May
1254 B	1838	15 March	27 March
1257	1841	11 February	23 February
1261.6 / 1262 B3	1845	29 Dec. 1844 / 18 Dec. 1845	10 Jan. / 30 Dec.
1270 E	1853	22 Sept.	4 October
1278 B	1861	27 June	9 July
1286 B	1869	1 April	13 April
1294	1877	4 January	16 January
1302	1884	9 October	21 October
1310	1891	14 July	26 July
1318	1900	18 April	1 May

Wednesday 4.

From Anno Cali yugam 4902 to 5001.
From Anno 1723 to 1822 Saca.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1222	1807	27 February	11 March
* 1230	1814	2 Dec.	14 Dec.
1235 B	1819	8 October	20 October
1238	1822	6 Sept.	18 Sept.
1243 B	1827	13 July	25 July
1251 B	1835	17 April	29 April
1259 B	1843	20 January	1 February
1267 B	1850	25 October	6 Nov.
1275	1858	30 July	11 August
1283	1866	4 May	16 May
1291	1874	6 February	18 February
1299	1881	11 Nov.	23 Nov.
1307	1889	16 August	28 August
1315	1897	21 May	2 June

Third Chronological Table, continued.

XIXth CENTURY, *continued.*

Thursday 5.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1216 B	1801	2 May	14 May
1219	1804	31 March	12 April
1224 B	1809	4 February	16 February
1227	1812	4 January	16 January
1232 B	1816	9 Nov.	21 Nov.
1240 B	1824	14 August	26 August
1248 B	1832	19 May	31 May
1256 B	1840	22 February	5 March
1264	1847	27 Nov.	9 Dec.
1272	1855	1 Sept.	13 Sept.
1280	1863	6 June	18 June
1288	1871	11 March	23 March
1295 B.7 / 1296.5	1878	24 Dec 1877 / 14 Dec 1878	5 Jan. / 25 Dec.
1304	1886	18 Sept.	30 Sept.
1312	1894	23 June	5 July

Friday 6.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1221 B	1800	9 March	21 March
1228.2 / 1229 B 6	1813	23 Dec 1812 / 12 Dec 1813	4 Jan. / 21 Dec.
1237 B	1821	16 Sept.	28 Sept.
1245	1829	21 June	3 July
1253	1837	26 March	7 April
1261.6 / 1262 B.3	1845	29 Dec 1844 / 18 Dec 1845	10 Jan. / 30 Dec.
1269	1852	3 October	15 October
1277	1860	8 July	23 July
1285	1868	12 April	24 April
1293	1876	16 January	28 January
1301	1883	21 October	2 Nov.
1306 B	1888	25 August	7 Sept.
1309	1891	26 July	7 August
1314 B	1896	31 May	12 June
1317	1899	30 April	12 May

Saturday 7.

Anno Hejira	A. D.	Beginning A. Hejira O. S.	Beginning A. Hejira N. S.
1218 B	1803	11 April	23 April
1226 B	1811	14 January	26 January
1234	1818	19 October	31 October
1242	1826	24 July	5 August
1250	1834	28 April	10 May
1258	1842	31 January	12 February
1266	1849	5 Nov.	17 Nov.
1274	1857	10 August	22 August
1282	1865	15 May	27 May
*1290	1873	17 February	1 March
1295 B 7 / 1296.5	1878	24 Dec 1877 / 14 Dec 1878	5 January / 26 Dec.
1298	1880	22 Nov.	4 Dec.
1303 B	1885	28 Sept.	10 October
1311 B	1893	3 July	15 July

END OF THE CHRONOLOGICAL TABLES.

I SHALL conclude this work by giving a short method for finding the initial root and feria *(Soota dina)* of any Tamul Solar year, past or to come, by means of the preceding Chronological Tables, and without reference to any other Rule whatsoever.

<div align="center">RULE.</div>

<div align="center">I.</div>

." If the proposed year is not to be found in any of the three centuries contained in the first " Chronological Table, raise or lower it by adding to, or subtracting from its numeral, as many " times 89 years, as will produce a year which is registered in the Table."

<div align="center">II.</div>

" Take the root of the beginning of the year thus obtained, out of the XIth column of the " first Chronological Table, and subtract, or add inversely from what you did before, as many " times 1g 21v 15p, as you have added or subtracted 89 years; and the sum or difference will " give the *Soota dina* required."

The accompanying small Table will considerably abridge the above process. It is to be entered with the figures which express the number of times, that you have added or subtracted 89 years from the numeral of the proposed one, in order to raise or lower it, to one which is to be found in the Chronological Table; and the column of Roots will furnish that which is applicable to the question.

Number of Cycles.	Aggregate years in collective Cycles.	Roots.		
	Years.	G.	V.	P.
1	89	1	21	15
2	178	2	42	30
3	267	4	3	45
4	356	5	25	0
5	445	6	46	15
6	531	8	7	30
7	623	9	28	45
8	712	10	50	0
9	801	12	11	15
10	890	13	32	30
11	979	14	53	45
12	1068	16	15	0
13	1157	17	30	15

The following examples will suffice for shewing the use of these Rules and Table, in all possible cases.

<div align="center">EXAMPLE I.</div>

Let us suppose that the years 1847, and 1764 of the Christian æra, are not to be found in the first Chronological Table, although the contrary be the case.

Dispose the numerals of these years separately, and see how many times it may be necessary to subtract or add 89 years to obtain one which is registered in the Chronological Table. Suppose that in both cases it is one; then proceed as follows:

<div align="center">

A. D. 1847   A. D. 1764

2d column small Table   — 89   + 89

Difference 1758   Sum 1853

</div>

Now as we have used only one cycle of 89 years, the root to be used in both cases is (0⁴) 1ˢ 21ᵛ 15ᵖ which is registered in the small Table opposite to 1 cycle, and 89 years.

Take out of the Chronological Table the initial roots which belong to the years 1758 and 1853 respectively, and proceed thus:

	1758.					1853.			
	D.	G.	V.	P.		D.	G.	V.	P.
Page xxiv,	(0)	46	52	30	Page xxvi,	(1)	21	21	15
Small Table, 3d col. +	(0)	1	21	15	—	(0)	1	21	15
Roots sought,	(0)	48	13	45		(1)	20	0	0

for a proof of which look in the same Chronological Table for the initial roots of the proposed years 1847, and 1764 at pages xxv and xxiv; and you find them to be the same as above, shewing that the Tamul Solar year of the Cali yug 4948 ends, and 4949 (each answering to the above Christian years) begins on a *Sunday*, Sydereal, and *Monday* Civil accounts; and that the year of the Cali yug 4865 ends and 4866 begins on a *Monday* Sydereal and Civil accounts.

EXAMPLE II.

Wanted the initial feria or *Soota dina*, of the years of the Cali yug which concur with A. D. 2311 and 683.

Proceeding as we did before, we find that *six* cycles of 89 years suffice for lowering the first of the two proposed years; and *thirteen*, to raise the last, to years to be found in the Chronological Table. Referring therefore to the small Table with the numbers 6 and 13, in the first column, the rule will be,

	A. D. 2311		A. D. 683	
Small Table, 2d col. for 6 cycles,	—	534	+	1157
		1777		1840

both of which indicate years to be found in our Chronological Table; whose roots at pages xxiv and xxv will be found as follows:

	A. D. 1777.					A. D. 1840.			
	D.	G.	V.	P.		D.	G.	V.	P.
Chronological Table, page xxiv,	(3)	41	46	15	Page xxv,	(5)	59	35	0
Small Table, 3d col. for 6 cycles, +	(0)	8	7	30	13 Cycles, —	(0)	17	36	15
Roots sought,	(3)	49	53	45		(5)	41	58	45

which shews that the Solar year 5413 of the Cali yug which answers to A. D. 2311 began on a *Wednesday* Sydereal, and *Thursday* Civil accounts; and that the year of the Cali yug 3785 which answers to A. D. 683 commenced on a *Friday* Sydereal, and *Saturday* Civil accounts.

The proofs of these results may easily be found by expounding the same *Soota dina* by means of the Tables XLVIII, page 63 and Example page 65 of the Astronomical Tables referred to in the *Kula Sankulita*.

THE END.

List of the Authorities, and Individuals who have patronized the Author, and subscribed to this Work. (*)

Collectively,

The Supreme Government of India.
The Government of Fort St. George.
The Government of Bombay.
His Majesty's Government of Ceylon.
The Board of Superintendence for the College of Fort St. George.
The College at Poona.
The Madras Literary Society.

Individually.

The Hon'ble Major General Sir Thomas Munro, Bart. K. C. B. Governor of Fort St. George.
The Hon'ble Mountstuart Elphinstone, Governor of Bombay.
The Hon'ble Robert Fullerton, Esq. Governor of Prince of Wales Island.
His Excellency Lieutenant General the Hon'ble Sir Lowry Cole, G. C. B. Governor of Mauritius.
Sa Seigneurie, Mons. le Comte Du Puy, Pair de France, Governor of the French Settlements in India.
The Hon'ble Sir Charles Grey, Knt. Chief Justice in Bengal.
The Hon'ble H. S. Græme, Esq.)
The Hon'ble J. H. D. Ogilvie, Esq. }Members of the Government of Fort St. George.
The Hon'ble J. Cochrane, Esq.)
Lieutenant General Thomas Bowser, Commanding the Madras Army in Chief.

A.

George Alexander, Esq. Prince of Wales Island.
J. A. Arbuthnot, Esq. of the House of Arbuthnot and Co.
J. Aitkin, Esq. H. C. Medical Service, Assay Master.

B.

J. H. Baber, Esq. Resident at Darwar.
John Babington, Esq. Principal Collector in Canara.
Lieutenant Colonel V. Blacker, c. b. Surveyor General of India.
A. W. Blane, Esq. Collector of His Majesty's Customs, Mauritius.
Major Briggs, Resident at the Court of Sattara.
Captain Burney, Prince of Wales Island.

C.

Lieutenant Colonel Carfrae, Private Secretary to the Hon'ble the Governor of Fort St. George,
J. A. Casamaijor, Esq. Judge in the Island of Seringapatam.
Captain T. Chase, Commanding the Hon'ble the Governor's Body Guard.
William Chaplin, Esq. British Commissioner at Poona.
Richard Clarke, Esq. Member of the Board of Revenue, and Senior Member of the Board of Superintendence for the College of Fort St. George.

(*) A part of the Edition of the Kala Sankalita having been placed at the Author's disposal, was the occasion of this subscription.

R. Clive, Esq. Secretary to Government, Military Department.
The Hon'ble W. A. Clubley, Esq. Member of Government Prince of Wales Island.
The Hon'ble Arthur Cole, Resident at the Court of Mysore.
Herbert Compton, Esq. Advocate General at Madras.
Lieutenant Colonel T. H. S. Conway, c. b. Adjutant General of the Madras Army.
Major Cubbon, Deputy Commissary General.

D.

J. A. Dalzell, Esq. Post Master General at Madras.
Captain Davidson.
J. Dent, Esq. Secretary to the Board of Revenue, and Member of the Board of Superintendence for the College.

E.

Lieutenant Edward Elliot, Royal Engineers.

F.

F. Fauquier, Esq. Commissioner for the affairs of His Highness the Nabob.
Lieut. Colonel J. S. Fraser, British Commissioner for the Foreign Settlements on the Coast of Coromandel.

G.

Edward Gordon, Esq. of the House of Gordon and Lys.
F. A. Grant, Esq. Senior Judge of the Court of Sudr Udawlut.
Captain J. L. Grant, Master Attendant at Madras.

H.

Major Hanson, Deputy Quarter Master General.
D. Hill, Esq. Chief Secretary to Government.
George Hyne, Esq. H. C. Medical Service, Deputy Assay Master.

I.

The Hon'ble R. Ibbetson, Esq. Member of Government Prince of Wales Island.

L.

Lieutenant Lake, Madras Engineers, Town Major Prince of Wales Island.
The Reverend T. Lewis, Chaplain at the Presidency.
Lieut. Colonel J. Limond, Commanding the Madras Artillery.

M.

Major Macdonald Kinneir, Envoy at the Court of Persia.
J. M'Kerrell, Esq. Mint Master, and Member of the Board of Superintendence for the College.
J. M. Macleod, Esq. Secretary to Government Public Department.
A. D. Mainjy, Esq. of Prince of Wales Island.
Richard A. Maitland, Esq. Magistrate.
Sir Charles Theo. Metcalfe, Bart. Resident at the Court of Hyderabad.
Captain D. Montgomerie, Deputy Surveyor General.
George Moore, Esq. Civil Auditor.

N.

Major J. Nixon, Deputy Judge Advocate General.

O.

Lieut. Colonel R. B. Otto, Quarter Master General of the Madras Army.

P.

Lieut. Colonel J. Prendergast, Military Auditor General.

R.

F. A. Robson, Esq. Treasurer of the Government Bank.
Captain H. D. Robertson, Collector of Poona.
J. W. Russell, Esq. Collector and Magistrate of Cuddapah.

S.

J. A. R. Stevenson, Esq. Sub Collector of Poona.
William Stokes, Esq. Secretary to Government Revenue and Judicial Department.
J. M. Strachan, Esq. of the House of Arbuthnot and Co.
Captain M. Sim, Superintending Engineer at the Presidency.

T.

J. F. Thomas, Esq. Head Assistant to the Register to the Court of Sudr Udawlut.
J. Tod, Esq. Commissioner for the affairs of His Highness the Nabob.
J. G. Turnbull, Esq. Accountant General.

V.

The Venerable Edward Vaughan, Archdeacon of Madras.
F. E. Viret, Esq. Private Secretary to His Excellency the Governor of Mauritius.
The Hon'ble Mynheer H. Valraad Von Sohosten, Chief of the Dutch Settlements on the Coast of Coromandel.

W.

Major Wetherall, Military Secretary to the Commander in Chief.

The names of the following Gentlemen are here added, having been communicated too late for insertion in the general list. The Author takes this opportunity for stating, that to Mr. OLIVER and Mr. CAMPBELL's support, this work (in its present shape) owes chiefly its existence.

William Oliver, Esq. Judge of the Court of Sudr Udawlut.
A. D. Campbell, Esq. Judge of the Provincial Court of Chittoor.
Ram Mohun Roy, a learned and distinguished inhabitant of Calcutta.